Stochastic Financial Models 3

Michael Tehranchi

11 October 2023

1 CAPM, continued

Now let's model the entire market. Assumptions:

- There is a total of $n_i > 0$ shares of asset i = 1, ..., d, and let $n = (n_1, ..., n_d)^{\top}$.
- There are K agents in the market, and agent k holds portfolio θ_k .
- Total supply equals total demand so that

$$\sum_{k} \theta_k = n.$$

 \bullet Each agent's portfolio is mean-variance efficient and they agree on the mean and covariance of S_1 .

By the mutual fund theorem, for each k we have

$$\theta_k = \lambda_k \theta_{\text{Mar}}$$

where $\lambda_k \geq 0$. Hence,

$$n = \Lambda \theta_{\text{Mar}}$$
 as $n = \Sigma \Theta_{\text{K}} = \Theta_{\text{Mar}} \Sigma \lambda_{\text{K}}$

where $\Lambda = \sum_k \lambda_k$. Since $n \neq 0$, it follows $\Lambda > 0$. That is the say, in this model, the entire market is just some positive scalar multiple of the market portfolio (explaining the name).

A prediction of the CAPM is that when the excess returns of a portfolio are statistically regressed against the excess returns of a broad market index (such as the FTSE or S&P) then you should find $\alpha = 0$.

Remark. Markowitz and Sharpe shared the 1990 Nobel Prize in Economics for studying mean-variance efficiency and the CAPM.

2 Expected utility hypothesis

Up to now, given two random payouts X and Y we have implicitly assumed that an agent prefers X over Y if either

- $\mathbb{E}(X) > \mathbb{E}(Y)$ and $Var(X) \leq Var(Y)$, or
- $\mathbb{E}(X) = \mathbb{E}(Y)$ and Var(X) < Var(Y)

This is rather crude. Here is a historical example that illustrates one of the issues.

Aside: historical origin of expected utility hypothesis (not lectured). Consider the St Petersburg paradox: You and I play a game. I toss a coin repeatedly until it comes up heads. If toss the coin a total of n times, I will pay you 2^n pounds. How much would you pay me to play this game? This problem was invented by Nicolaus Bernoulli in 1713. The issue is that according to N Bernoulli's intuition, the answer should be the expected value of the payout $\sum_{n} 2^n \times 2^{-n} = \infty$, but he thought no sensible person would pay more than 20 pounds. His cousin Daniel Bernoulli proposed in 1738 that people don't care about the expected payout per se, but instead the relevant quantity is the expected utility of the payout.

Definition. The expected utility hypothesis says that each agent has a function U (called the utility function) such that the agent prefers random payout X to Y if and only if

$$\mathbb{E}[U(X)] > \mathbb{E}[U(Y)]$$

In the case $\mathbb{E}[U(X)] = \mathbb{E}[U(Y)]$ the agent is said to be *indifferent* between X and Y.

Remark. If $\tilde{U}(x) = a + b U(x)$ with b > 0, then \tilde{U} gives rise to the same expected utility preferences as U.

Remark. In 1947, von Neumann–Morgenstern axioms derived a short list of properties of an agent's preferences which are equivalent to the assumption that the agent's preferences are derived from expected utility.

3 Risk-aversion and concavity

Once we've assumed the expected utility hypothesis, there are two additional properties we will assume of the agent's utility function:

- (Strictly) increasing. x > y implies U(x) > U(y).
- (Strictly) concave.

$$U(px + (1 - p)y) > p U(x) + (1 - p)U(y)$$

for any $x \neq y$ and 0 .

Remark. Note that if $X \geq Y$ almost surely, then $X \succeq Y$. Furthermore, if $\mathbb{P}(X > Y) > 0$ then $X \succ Y$.

Remark. Recall Jensen's inequality:

$$U(\mathbb{E}[X]) \ge \mathbb{E}[U(X)]$$

whenever the expectations are defined. Hence $\mathbb{E}(X) \succeq X$ for any random payout X. If X is not constant, then $\mathbb{E}(X) \succ X$.