

# Stochastic Financial Models 3

Michael Tehranchi

11 October 2023

## 1 CAPM, continued

Now let's model the entire market. Assumptions:

- There is a total of  $n_i > 0$  shares of asset  $i = 1, \dots, d$ , and let  $n = (n_1, \dots, n_d)^\top$ .
- There are  $K$  agents in the market, and agent  $k$  holds portfolio  $\theta_k$ .
- Total supply equals total demand so that

$$\sum_k \theta_k = n.$$

- Each agent's portfolio is mean-variance efficient and they agree on the mean and covariance of  $S_1$ .

By the mutual fund theorem, for each  $k$  we have

$$\theta_k = \lambda_k \theta_{\text{Mar}}$$

where  $\lambda_k \geq 0$ . Hence,

$$n = \Lambda \theta_{\text{Mar}} \quad \text{as } n = \sum \theta_k = \theta_{\text{Mar}} \sum \lambda_k$$

where  $\Lambda = \sum_k \lambda_k$ . Since  $n \neq 0$ , it follows  $\Lambda > 0$ . That is to say, in this model, the entire market is just some positive scalar multiple of the market portfolio (explaining the name).

A prediction of the CAPM is that when the excess returns of a portfolio are statistically regressed against the excess returns of a broad market index (such as the FTSE or S&P) then you should find  $\alpha = 0$ .

**Remark.** Markowitz and Sharpe shared the 1990 Nobel Prize in Economics for studying mean-variance efficiency and the CAPM.

## 2 Expected utility hypothesis

Up to now, given two random payouts  $X$  and  $Y$  we have implicitly assumed that an agent prefers  $X$  over  $Y$  if either

- $\mathbb{E}(X) > \mathbb{E}(Y)$  and  $\text{Var}(X) \leq \text{Var}(Y)$ , or
- $\mathbb{E}(X) = \mathbb{E}(Y)$  and  $\text{Var}(X) < \text{Var}(Y)$

This is rather crude. Here is a historical example that illustrates one of the issues.

**Aside: historical origin of expected utility hypothesis** (not lectured). Consider the *St Petersburg paradox*: You and I play a game. I toss a coin repeatedly until it comes up heads. If I toss the coin a total of  $n$  times, I will pay you  $2^n$  pounds. How much would you pay me to play this game? This problem was invented by Nicolaus Bernoulli in 1713. The issue is that according to N Bernoulli's intuition, the answer should be the expected value of the payout  $\sum_n 2^n \times 2^{-n} = \infty$ , but he thought no sensible person would pay more than 20 pounds. His cousin Daniel Bernoulli proposed in 1738 that people don't care about the expected payout *per se*, but instead the relevant quantity is the expected *utility* of the payout.

**Definition.** The *expected utility hypothesis* says that each agent has a function  $U$  (called the *utility function*) such that the agent prefers random payout  $X$  to  $Y$  if and only if

$$\mathbb{E}[U(X)] > \mathbb{E}[U(Y)]$$

In the case  $\mathbb{E}[U(X)] = \mathbb{E}[U(Y)]$  the agent is said to be *indifferent* between  $X$  and  $Y$ .

**Remark.** If  $\tilde{U}(x) = a + b U(x)$  with  $b > 0$ , then  $\tilde{U}$  gives rise to the same expected utility preferences as  $U$ .

**Remark.** In 1947, von Neumann–Morgenstern axioms derived a short list of properties of an agent's preferences which are equivalent to the assumption that the agent's preferences are derived from expected utility.

## 3 Risk-aversion and concavity

Once we've assumed the expected utility hypothesis, there are two additional properties we will assume of the agent's utility function:

- (Strictly) increasing.  $x > y$  implies  $U(x) > U(y)$ .
- (Strictly) concave.

$$U(px + (1 - p)y) > p U(x) + (1 - p)U(y)$$

for any  $x \neq y$  and  $0 < p < 1$ .

**Remark.** Note that if  $X \geq Y$  almost surely, then  $X \succeq Y$ . Furthermore, if  $\mathbb{P}(X > Y) > 0$  then  $X \succ Y$ .

**Remark.** Recall Jensen's inequality:

$$U(\mathbb{E}[X]) \geq \mathbb{E}[U(X)]$$

whenever the expectations are defined. Hence  $\mathbb{E}(X) \succeq X$  for any random payout  $X$ . If  $X$  is not constant, then  $\mathbb{E}(X) \succ X$ .