



MATERIAL SAFETY DATA SHEET

Released Edition : 01/01/2022

Page : 1 of 4

PRODUCT: KPL Blue 7000 TX

Doc No : KPL-001/MSDS

| | |
|---|--|
| 1 | Identification of the substance / preparation and of the company undertaking. |
| | <ul style="list-style-type: none">Product details |
| | <ul style="list-style-type: none">Trade Name: KPL Blue 7000TX |
| | <ul style="list-style-type: none">Application of the substance / the preparation. |
| | In the manufacture of paint(Coatings) |
| | <ul style="list-style-type: none">Manufacturer / Supplier |
| | Kesar Petroproducts Ltd |
| | Plot No. D-7/1 Lote Parshuram MIDC |
| | Tal- Khed, Dist Ratnagiri- Maharashtra |
| | <ul style="list-style-type: none">Further information obtainable from: |
| | Product safety department - Kesar Petroproducts Ltd Plot No.D-7/1 Lote Parshuram MIDC Tal: Khed Dist Ratnagiri Maharashtra 415722 |
| | Contact Person : Dr. Parijat Kanetkar Ph No. +91-7777076966 |
| 2 | Hazards Identification |
| | <ul style="list-style-type: none">Information concerning particular hazards for human and environment |
| | Not classified. |
| 3 | Composition / Information on ingredients |
| | <ul style="list-style-type: none">Description: |
| | Pigment Blue 15:0 |
| | <ul style="list-style-type: none">CAS No. : 147 - 14 - 8 |
| | <ul style="list-style-type: none">Chemical Formula : C₃₂ H₁₆ N₈ Cu |
| 4 | First-aid measures |
| | <ul style="list-style-type: none">After Inhalation: |
| | Supply fresh air. |
| | <ul style="list-style-type: none">After Skin contact: |
| | Immediately wash with water and soap and rinse thoroughly |
| | <ul style="list-style-type: none">After eye contact: |
| | Rinse opened eye for several minutes under running water. |

Kesar Petroproducts Ltd.

404, Naman Centre, C 31, G Block, BKC. Bandra (East) Mumbai - 400051 Maharashtra, India.

Tele: +91-22-49685657 • E-mail: info@kesarpetroproducts.com

MATERIAL SAFETY DATA SHEET

Released Edition : : 01/01/2022

Page : 2 of 4

PRODUCT: KPL Blue 7000 TX

Doc No : KPL-001/MSDS

| | |
|---|---|
| 5 | Fire fighting measures |
| | <ul style="list-style-type: none"> • Extinguishing Media : Water / CO2 / Foam • Special Fire Fighting Procedure |
| | Use self contained breathing apparatus and full protective equipments. |
| 6 | Accidental release measures |
| | <ul style="list-style-type: none"> • Person-related safety precautions: |
| | Not required. |
| | <ul style="list-style-type: none"> • Measures for environmental protection: |
| | Do not allow to enter sewers/surface or ground water. |
| | <ul style="list-style-type: none"> • Measures for cleaning / collecting: |
| | Use vacuum or wet clean up method and recover the product in a closed container. |
| 7 | Handling and storage |
| | <ul style="list-style-type: none"> • Handling: |
| | <ul style="list-style-type: none"> • Information for safe handling: |
| | Prevent formation of dust. |
| | <ul style="list-style-type: none"> • Information about fire – and explosion protection: |
| | Dust can combine with air to form an explosive mixture. Use approved dust respirator. |
| | <ul style="list-style-type: none"> • Storage: |
| | <ul style="list-style-type: none"> • Requirements to be met by storerooms and receptacles: |
| | Store in roofed placed at room temperature. |
| | Store only in unopened original receptacles. |
| 8 | Exposure controls / personal protection |
| | <ul style="list-style-type: none"> • Additional information about design of technical facilities: |
| | No further data; see item 7. |
| | <ul style="list-style-type: none"> • Ingredients with limit values that require monitoring at the workplace: |
| | TLV : 10 mg/m ³ |
| | <ul style="list-style-type: none"> • Personal protective equipment: |
| | <ul style="list-style-type: none"> • General protective and hygienic measures: |
| | The usual precautionary measures are to be adhered to when handling chemicals. |
| | <ul style="list-style-type: none"> • Respiratory protection: |
| | Use suitable respiratory protective device in case of insufficient ventilation. |
| | <ul style="list-style-type: none"> • Protection of hands: Use hand gloves. |
| | <ul style="list-style-type: none"> • Eye protection: Use septic goggles |

Kesar Petroproducts Ltd.

404, Naman Centre, C 31, G Block, BKC. Bandra (East) Mumbai - 400051 Maharashtra, India.

Tele: +91-22-49685657 • E-mail: info@kesarpetroproducts.com

MATERIAL SAFETY DATA SHEET

Released Edition : 01/01/2022

Page : 3 of 4

PRODUCT: KPL 7Blue 000 TX

Doc No : KPL-001/MSDS

| | |
|----|--|
| 9 | Physical and chemical properties. |
| | <ul style="list-style-type: none"> Form : Powder Colour: Blue Odour: Odourless |
| | <ul style="list-style-type: none"> Change in condition |
| | <ul style="list-style-type: none"> Melting point / melting range : Undetermined |
| | <ul style="list-style-type: none"> Boiling point / boiling range: Undetermined |
| | <ul style="list-style-type: none"> Flash point: Not applicable |
| | <ul style="list-style-type: none"> Self igniting : Product is not self igniting. |
| | <ul style="list-style-type: none"> Danger of explosion: Risk of formation of explosive pigment dust / air mixtures. |
| | <ul style="list-style-type: none"> Specific Gravity : 1.6 |
| | <ul style="list-style-type: none"> Solubility in / miscibility with Water : Insoluble |
| | <ul style="list-style-type: none"> pH – value : 6 - 8 |
| 10 | Stability and reactivity. |
| | <ul style="list-style-type: none"> Thermal decomposition / conditions to be avoided: |
| | No decomposition if used according to specifications. |
| 11 | Toxicological information. |
| | <ul style="list-style-type: none"> Acute toxicity: LD50(rat) >= 5,000 mg/kg |
| | <ul style="list-style-type: none"> Primary irritant effect: |
| | <ul style="list-style-type: none"> On the skin: No irritant effect known |
| | <ul style="list-style-type: none"> On the eye: No irritant effect known |
| | <ul style="list-style-type: none"> Sensitization: No sensitization effect known |
| | <ul style="list-style-type: none"> Mutagenicity: Negative |
| | <ul style="list-style-type: none"> Additional toxicological information: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us. |
| 12 | Ecology information. |
| | <ul style="list-style-type: none"> General notes: |
| | Do not allow product to reach ground water, water course of sewage system. |

Kesar Petroproducts Ltd.

404, Naman Centre, C 31, G Block, BKC. Bandra (East) Mumbai - 400051 Maharashtra, India.

Tele: +91-22-49685657 • E-mail: info@kesarpetroproducts.com

MATERIAL SAFETY DATA SHEET

Released Edition : 01/01/2022

Page : 4 of 4

PRODUCT: KPL Blue7000 TX

Doc No : KPL-001/MSDS

| | |
|----|---|
| 13 | Disposal considerations. |
| | <ul style="list-style-type: none"> Product: Copper Phthalocyanine Blue Pigment Recommendation |
| | Hand over to hazardous waste disposers. |
| | <ul style="list-style-type: none"> Uncleaned packaging: Recommendation: Use septic goggles |
| 14 | Transportation information. |
| | <ul style="list-style-type: none"> Transport / Additional information: |
| | UN No.: None, GGV IMDG CODE: None, RID / ADR: None, ICAO / IATA-DGR none |
| 15 | Regulatory information. |
| | <ul style="list-style-type: none"> Designation according to EC guidelines: Not classified as “dangerous”. Code letter and hazard designation of product: Not classified as “dangerous”. |
| 16 | Other information. |
| | This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. |
| | <ul style="list-style-type: none"> Department issuing MSDS: |
| | Quality Control department. |

Kesar Petroproducts Ltd.

404, Naman Centre, C 31, G Block, BKC. Bandra (East) Mumbai - 400051 Maharashtra, India.

Tele: +91-22-49685657 • E-mail: info@kesarpetroproducts.com