

DANCING LINKS PACKAGE

EXACT COVER PROBLEM



남수진

2018년 2월 3일 토요일

2018 한국텍학회 학술대회 및 정기총회
판교 스타트업캠퍼스 1동 2 층, 세미나실 1

TABLE OF CONTENTS

1. Dancing links

2. Exact cover problem

Pentominoes


Sudoku

N-Queens

DANCING LINKS

DANCING LINKS

- Exact cover 문제를 해결하는 알고리즘에 사용되는 기법
- 백트래킹을 효율적으로 구현하는 방법 (*do, undo* 연산)



EXACT COVER PROBLEM

EXACT COVER PROBLEM

0과 1로만 구성된 행렬에서 각 열이 정확히 하나의 1만 갖도록 하는 행들의 집합을 구하라.

$$\begin{pmatrix} 0 & 0 & 1 & 0 & 1 & 0 & 0 \\ 1 & 0 & 0 & 1 & 0 & 0 & 1 \\ 0 & 1 & 1 & 0 & 0 & 1 & 0 \\ 1 & 0 & 0 & 1 & 0 & 1 & 0 \\ 0 & 1 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 1 & 1 & 0 & 1 \end{pmatrix}$$

EXACT COVER PROBLEM

0과 1로만 구성된 행렬에서 각 열이 정확히 하나의 1만 갖도록 하는 행들의 집합을 구하라.

$$\begin{pmatrix} 0 & 0 & 1 & 0 & 1 & 0 & 0 \\ 1 & 0 & 0 & 1 & 0 & 0 & 1 \\ 0 & 1 & 1 & 0 & 0 & 1 & 0 \\ 1 & 0 & 0 & 1 & 0 & 1 & 0 \\ 0 & 1 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 1 & 1 & 0 & 1 \end{pmatrix}$$

EXACT COVER PROBLEM

$$\begin{pmatrix} 0 & 0 & 1 & 0 & 1 & 0 & 0 \\ 1 & 0 & 0 & 1 & 0 & 0 & 1 \\ 0 & 1 & 1 & 0 & 0 & 1 & 0 \\ 1 & 0 & 0 & 1 & 0 & 1 & 0 \\ 0 & 1 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 1 & 1 & 0 & 1 \end{pmatrix}$$

 \Rightarrow

A	B	C	D	E	F	G
C	E					
A	D	G				
B	C	F				
A	D	F				
B	G					
D	E	G				

EXACT COVER PROBLEM

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>	<i>F</i>	<i>G</i>
<hr/>						
<i>C</i>	<i>E</i>					
<i>A</i>	<i>D</i>	<i>G</i>				
<i>B</i>	<i>C</i>	<i>F</i>				
<i>A</i>	<i>D</i>	<i>F</i>				
<i>B</i>	<i>G</i>					
<i>D</i>	<i>E</i>	<i>G</i>				

EXACT COVER PROBLEM

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>	<i>F</i>	<i>G</i>
<hr/>						
	<i>C</i>	<i>E</i>				
<i>A</i>	<i>D</i>	<i>G</i>				
<i>B</i>	<i>C</i>	<i>F</i>				
<i>A</i>	<i>D</i>	<i>F</i>				
<i>B</i>	<i>G</i>					
<i>D</i>	<i>E</i>	<i>G</i>				

EXACT COVER PROBLEM

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>	<i>F</i>	<i>G</i>
<hr/>						
<i>C</i>	<i>E</i>					
<i>A</i>	<i>D</i>	<i>G</i>				
<i>B</i>	<i>C</i>	<i>F</i>				

EXACT COVER PROBLEM

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>	<i>F</i>	<i>G</i>
<hr/>						
<i>C</i>	<i>E</i>					
<i>A</i>	<i>D</i>	<i>G</i>				
<i>B</i>	<i>C</i>	<i>F</i>				

EXACT COVER PROBLEM

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>	<i>F</i>	<i>G</i>
<hr/>						
<i>C</i>	<i>E</i>					
<i>A</i>	<i>D</i>	<i>G</i>				

EXACT COVER PROBLEM

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>	<i>F</i>	<i>G</i>
<hr/>						
	<i>C</i>	<i>E</i>				
<i>A</i>		<i>D</i>	<i>G</i>			
	<i>B</i>	<i>C</i>	<i>F</i>			
<i>A</i>	<i>D</i>	<i>F</i>				
	<i>B</i>	<i>G</i>				
<i>D</i>	<i>E</i>	<i>G</i>				

EXACT COVER PROBLEM

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>	<i>F</i>	<i>G</i>
<hr/>						
<i>C</i>	<i>E</i>					

<i>A</i>	<i>D</i>	<i>F</i>
<i>B</i>	<i>G</i>	

EXACT COVER PROBLEM

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>	<i>F</i>	<i>G</i>
<hr/>						
<i>C</i>	<i>E</i>					

<i>A</i>	<i>D</i>	<i>F</i>
<i>B</i>	<i>G</i>	

EXACT COVER PROBLEM

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>	<i>F</i>	<i>G</i>
<hr/>						
<i>C</i>	<i>E</i>					


<i>A</i>	<i>D</i>	<i>F</i>
<i>B</i>	<i>G</i>	

github.com/sjnam/lua-dancing-links

EXACT COVER PROBLEM

PENTOMINOES

PENTOMINOES



```
\usepackage{pentominoes}
```

```
\pentominoes{3}{20}.
```

EXACT COVER PROBLEM

SUDOKU

SUDOKU

```
\sudoku {9.....6.3.4....9...915.8..8.5..7..%  
..3.9.4....2..1.9.32176....6..1.2.3.8...5...1}
```

9								6
	3		4					9
			9	1	5		8	
	8		5			7		
		3		9		4		
		2			1		9	
3	2	1	7	6				
6			1		2		3	
8				5				1

SUDOKU

```
\sudoku*{9.....6.3.4....9...915.8..8.5..7..%  
..3.9.4....2..1.9.32176....6..1.2.3.8...5...1}
```



9	1	4	8	3	7	2	5	6
5	3	8	4	2	6	1	7	9
2	7	6	9	1	5	3	8	4
1	8	9	5	4	3	7	6	2
7	6	3	2	9	8	4	1	5
4	5	2	6	7	1	8	9	3
3	2	1	7	6	9	5	4	8
6	4	5	1	8	2	9	3	7
8	9	7	3	5	4	6	2	1

EXACT COVER PROBLEM

N-QUEENS

N-QUEENS

```
\usepackage{queens}  
\queens{8}{2}.
```



- THE ART OF COMPUTER PROGRAMMING PRE-FASCICLE 5C
- github.com/sjnam/lua-dancing-links

질문?