

# CS 106B

## Lecture 28:


## Conclusion

Wednesday, June 7, 2017

---


Programming Abstractions  
Spring 2017  
Stanford University  
Computer Science Department

Lecturer: Chris Gregg



# Today's Topics

- Logistics
  - Practice Final Exam: will be released this afternoon. It will be on BlueBook or via a PDF. You are welcome to take it near the LalR if you have technical issues / questions.
  - Final Exam Friday, 8:30am. See website for details and practice exam. There are *four* rooms.
  - Any last minute concerns: please email Chris or Anton
  - Female CS106B Student Social Hour
- Where we have been
- Where you are going
- How to Prepare for CS107



# Female CS106B Student Social Hour!

To celebrate the end of the 106B spring exam, the CS department is hosting a mixer for female 106B students to meet with more senior female CS students. You'll have the opportunity to ask questions about more advanced courses in CS, about the major, and just about post-106B life in general. (Plus there will be food!)


Where: AT&T Patio Lobby Lawn (lawn to the left of Gates)  
When: After the final exam–12:30pm (33kB)

Please RSVP: <https://goo.gl/gpRCJR>




# Where We Have Been

CS 106B



# Where We Have Been: Game of Life




```
Console
Welcome to the CS 106B Game of Life,
a simulation of the lifecycle of a bacteria colony.
Cells (X) live and die by the following rules:
- A cell with 1 or fewer neighbors dies.
- Locations with 2 neighbors remain stable.
- Locations with 3 neighbors will create life.
- A cell with 4 or more neighbors dies.


Grid input file name? simple.txt
Should the simulation wrap around the grid (y/n)? n
-----
-----
-----
XXX
-----
a)nimate, t)ick, q)uit? t
-----
X
X
X
-----
a)nimate, t)ick, q)uit? t
-----
XXX
-----
a)nimate, t)ick, q)uit? q
Have a nice Life!
```




# Where We Have Been: Fractals



*Order-3*



*... Order-6*



*Order-5 tree fractal*




# Where We Have Been: Backtracking




# Where We Have Been: Linked Lists and Heaps

<b>zero nodes</b>	front /
<b>one node</b>	front -->   ?   /   +---+---+
<b>N nodes</b>	front -->   ?   /   -->   ?   /   --> ...   ?   /   -->   ?   /   +---+---+      +---+---+      +---+---+      +---+---+




# Where We Have Been: Binary Trees



Huffman!



# Where We Have Been: Graphs



# Where We Have Been: Sorting

So many ways to sort things!

We learned:

- Insertion sort
- Selection Sort
- Merge Sort
- Quicksort

Other sorts:

- Shell Sort
- Heap Sort
- Tim Sort
- Radix Sort

• Bubble Sort

Trying to achieve  $O(n \log n)$



# Where We Have Been: C++

For many of you, a new language!

Highlights:

- Object oriented language with classes
- Fast (except our wonky graphics...)
- Extremely robust (too much sometimes)
- Widely used in industry and for making games

Differences you probably saw from other languages:



- Mutable strings
- Input / Output streams
- Operator overloading
- Pointers
- Memory Management: new, delete
- Inheritance and Polymorphism



# The Importance of Data Structures

0	1	2	3	4	5	6	7	8	9
42	18	12	9	0	-5	13	-8	12	23

A[6] == 13



## Why Data Structures are Important

One reason we care about data structures is, quite simply, **time**. Let's say we have a program that does the following (and times the results):

- Creates four “list-like” containers for data.
- Adds 100,000 elements to each container – specifically, the even integers between 0 and 198,998 (sound familiar?).
- Searches for 100,000 elements (all integers 0-100,000)
- Attempts to delete 100,000 elements (integers from 0-100,000)

What are the results?



# The Importance of Data Structures

Structure	Overall(s)
Unsorted Vector	
Linked List	
Hash Table	
Binary Tree	
Sorted Vector	



# The Importance of Data Structures

Results:

Structure	Overall(s)
Unsorted Vector	15.057
Linked List	92.202
Hash Table	0.145
Binary Tree	0.164
Sorted Vector	1.563

Overall, the Hash Table "won" – but (as we shall see!) while this is generally a *great* data structure, there are trade-offs to using it.

Processor: 2.8GHz Intel Core i7  
(Macbook Pro)  
Compiler: clang++

A factor of 103x  
A factor of 636x!

Note: In general, for this test, we used optimized library data structures (from the "standard template library") where appropriate. The Stanford libraries are not optimized.



# Full Results

Structure	Overall(s)	Insert(s)	Search(s)	Delete(s)
Unsorted Vector	15.057	0.007	10.307	4.740
Linked List	92.202	0.025	46.436	45.729
Hash Table	0.145	0.135	0.002	0.008
Binary Tree	0.164	0.133	0.010	0.0208
Sorted Vector	1.563	0.024	0.006	1.534

Why are there such discrepancies??


**Bottom line:**

- Some structures carry more *information* simply because of their design.
- Manipulating structures takes time




Where to from here?


# CS Core




# CS Core



# CS Core



# CS 103



**Why are some problems harder than others?**

We can do find in an unsorted array in  $O(N)$ , and we can sort an unsorted array in  $O(N \log N)$ . Is sorting just inherently a harder problem, or are there better  $O(N)$  sorting algorithm yet to be discovered?

**How can we be certain about this?**



# CS107 (kind of like CS106C)

**How do we encode text, numbers,  
programs, etc. using just 0s and 1s?**

**Where does memory come from?  
How is it managed?**

**How do compilers, debuggers, etc. work?**




# CS107 is *not*

- CS107 is *not* a litmus test for whether you can be a computer scientist.
  - You can be a *great* computer scientist without enjoying low-level systems programming.
- CS107 is *not* indicative of what programming is “really like.”
  - CS107 does a lot of low-level programming. You don't have to do low-level programming to be a good computer scientist.




# How to Prepare for cs107

- You **are** prepared! cs106b is a great preparation!
- However...you may want to learn a few things before class
  - Terminal



```
chrisgregg-imac:~/Downloads chrisgregg 2017-06-07 11:16:09
$ ls *.cpp
atoi_ex.cpp          knights.cpp          test.cpp
bufferTest.cpp        ngrams.cpp          test2.cpp
good-trailblazer.cpp permute.cpp          testVec.cpp
hello.cpp             r_williams.cpp      testptr.cpp
hello2.cpp            st100.cpp           traveling_salesman.cpp
helloOrig.cpp         st1000rig.cpp
chrisgregg-imac:~/Downloads chrisgregg 2017-06-07 11:16:11
$ whoami
chrisgregg
chrisgregg-imac:~/Downloads chrisgregg 2017-06-07 11:16:13
$ uptime
11:16 up 13 days, 2:27, 11 users, load averages: 1.60 1.75 1.73
chrisgregg-imac:~/Downloads chrisgregg 2017-06-07 11:16:17
$ █
```

/afs/ir/users/c/g/cgregg/cowsay/bin/cowsay Moooo  
ls /afs/ir/users/c/g/cgregg/cowsay/share/cows  
/afs/ir/users/c/g/cgregg/cowsay/bin/cowsay -f stegosaurus rowr



# How to Prepare for cs107

- How to log into Myth: Open Terminal (on Mac / Linux), use MobaXTerm on Windows. Then:

Substitute your SUNet id


chrisgregg@chrisgregg-xubuntu:~\$ ssh cgregg@myth.stanford.edu  
The authenticity of host 'myth.stanford.edu (171.64.15.185)' can't be established.  
ECDSA key fingerprint is SHA256:Tu94V/MyK4eRL3qckCSfv1UtpKHLjW2BFFZpgwrols8.  
Are you sure you want to continue connecting (yes/no)? yes  
Warning: Permanently added 'myth.stanford.edu,171.64.15.185' (ECDSA) to the list  
of known hosts.  
cgregg@myth.stanford.edu's password:  
=====  
myth4.stanford.edu  
Ubuntu 14.04 (Linux 3.13.0-106-generic amd64)  
2 x Intel(R) Core(TM)2 Duo CPU E8500 @ 3.16GHz, 7.73 GB RAM, 3.81 GB swap  
=====  
-> For help with your SUNetID, AFS, or class dirs call 725-HELP, or visit  
http://helpsu.stanford.edu  
-> For problems with hardware, local software, or facilities email  
action@soe.stanford.edu  
-> The myths are not for CPU-intensive workloads. For alternative  
computers see http://farmshare.stanford.edu  
-> To logout of the console, click in the background then hit ctrl-alt-del.

cgregg@myth4:~\$ █



# How to Prepare for cs107

- How to log into Myth: Open Terminal (on Mac / Linux), use MobaXTerm on Windows. Then:



chrisgregg@chrisgregg-xubuntu:~\$ ssh cgregg@myth.stanford.edu  
The authenticity of host 'myth.stanford.edu (171.64.15.185)' can't be established.  
ECDSA key fingerprint is SHA256:Tu94V/MyK4eRL3qckCSfv1UtpKHLjW2BFFZpgwrols8.  
Are you sure you want to continue connecting (yes/no)? yes  
Warning: Permanently added 'myth.stanford.edu,171.64.15.185' (ECDSA) to the list  
of known hosts.  
cggregg@myth.stanford.edu's password:  
=====  
myth4.stanford.edu  
Ubuntu 14.04 (Linux 3.13.0-106-generic amd64)  
2 x Intel(R) Core(TM)2 Duo CPU E8500 @ 3.16GHz, 7.73 GB RAM, 3.81 GB swap  
=====  
-> For help with your SUNetID, AFS, or class dirs call 725-HELP, or visit  
http://helpsu.stanford.edu  
-> For problems with hardware, local software, or facilities email  
action@soe.stanford.edu  
-> The myths are not for CPU-intensive workloads. For alternative  
computers see http://farmshare.stanford.edu  
-> To logout of the console, click in the background then hit ctrl-alt-del.

cgregg@myth4:~\$

*Only need to answer this once.*



# How to Prepare for cs107

- How to log into Myth: Open Terminal (on Mac / Linux), use MobaXTerm on Windows. Then:



chrisgregg@chrisgregg-xubuntu:~\$ ssh cgregg@myth.stanford.edu  
The authenticity of host 'myth.stanford.edu (171.64.15.185)' can't be established.  
ECDSA key fingerprint is SHA256:Tu94V/MyK4eRL3qckCSfv1UtpKHLjW2BFFZpgwrols8.  
Are you sure you want to continue connecting (yes/no)? yes  
Warning: Permanently added 'myth.stanford.edu,171.64.15.185' (ECDSA) to the list  
of known hosts.  
cgregg@myth.stanford.edu's password: [REDACTED]  
=====  
myth4.stanford.edu  
Ubuntu 14.04 (Linux 3.13.0-106-generic amd64)  
2 x Intel(R) Core(TM)2 Duo CPU E8500 @ 3.16GHz, 7.73 GB RAM, 3.81 GB swap  
=====  
-> For help with your SUNetID, AFS, or class dirs call 725-HELP, or visit  
http://helpsu.stanford.edu  
-> For problems with hardware, local software, or facilities email  
action@soe.stanford.edu  
-> The myths are not for CPU-intensive workloads. For alternative  
computers see http://farmshare.stanford.edu  
-> To logout of the console, click in the background then hit ctrl-alt-del.  
  
cgregg@myth4:~\$

Password won't show up when you type it.



# How to Prepare for cs107

- How to log into Myth: Open Terminal (on Mac / Linux), use MobaXTerm on Windows. Then:



The image shows a terminal window with the following text:

```
cgregg@myth4:~$ ls
106B
107
107e
allHonor.zip
assign3.zip
-b
bubbleOverlay.png
bubble_template.png
cgi-bin
cowsay
Download
Final_Winter_2017_Key.pdf
graphCode
Huffman
HuffmanWeichen
local
Mail
Midterm_2017_Key.pdf
midterm_grading
MidtermSpring2017_106B_KEY.pdf
myinput.txt
cgregg@myth4:~$
```

On the right side of the terminal window, the text "ls command lists files" is overlaid in pink.



# How to Prepare for cs107

- How to log into Myth: Open Terminal (on Mac / Linux), use MobaXTerm on Windows. Then:

The screenshot shows a terminal window with the following text:

```
cgregg@myth4:~$ whoami  
cgregg  
cgregg@myth4:~$ who  
axyli pts/19 2017-06-07 04:39 (c-73-70-10-134.hsd1.ca.comcast.net)  
rcai8 pts/20 2017-06-07 07:48 (dn51q836.sunet)  
cgregg pts/24 2017-06-07 12:03 (chrisgregg-xubuntu.stanford.edu)  
hungn2 pts/26 2017-06-07 08:54 (elucipi.stanford.edu)  
song22l pts/28 2017-06-07 10:26 (dn51t421.sunet)  
psprads pts/30 2017-06-07 10:46 (dn0a632a79.sunet)  
bzhou2 pts/31 2017-06-07 10:51 (76-218-107-95.lightspeed.sntcca.sbcgloba  
l.net)  
zibo pts/32 2017-06-07 02:25 (rescomp-16-336632.stanford.edu)  
bzhou2 pts/33 2017-06-07 10:51 (76-218-107-95.lightspeed.sntcca.sbcgloba  
l.net)  
bzhou2 pts/36 2017-06-07 10:52 (76-218-107-95.lightspeed.sntcca.sbcgloba  
l.net)  
zhenglyu pts/35 2017-06-07 11:15 (c-73-170-32-32.hsd1.ca.comcast.net)  
hungn2 pts/12 2017-06-06 06:02 (elucipi.stanford.edu)  
abaghel pts/40 2017-06-07 11:43 (dn800c1309.stanford.edu)  
rcai8 pts/7 2017-06-07 07:48 (dn51q836.sunet)  
shemmati pts/37 2017-06-07 11:28 (68.65.174.192)  
cwalker4 pts/38 2017-06-07 11:44 (dn51vc2d.sunet)  
abaghel pts/39 2017-06-07 11:43 (dn800c1309.stanford.edu)
```

A pink box highlights the command "some other commands" in the middle of the output.



# How to Prepare for cs107

- Your first C program!

```
cgregg@myth4:~$ cat > test.c
#include<stdlib.h>
#include<stdio.h>
int main() {
    printf("Hello, World!\n");
    return 0;
}
cgregg@myth4:~$ make test
cc      test.c   -o test
cgregg@myth4:~$ ./test
Hello, World!
cgregg@myth4:~$
```


Type "ctrl-D" to exit  
"make" compiles your program  
../test runs your program

But what if you want an actual editor...



# How to Prepare for cs107

- Lots of choices:
  - vi / vim
  - emacs
  - nano
  - Sublime Text from your own computer (slower, must transfer files)



# How to Prepare for cs107

Not logged in [Talk](#) [Contributions](#) [Create account](#) [Log in](#)

Article [Talk](#) Read Edit View history Search Wikipedia 

## Editor war

From Wikipedia, the free encyclopedia

*For a type of conflict between Wikipedia editors, see [Wikipedia:Edit war](#)*

**Editor war** is the common name for the rivalry between users of the [Emacs](#) and [vi \(Vim\)](#) text editors. The rivalry has become a lasting part of [hacker culture](#) and the [free software community](#).

The Emacs vs vi debate was one of the original "holy wars" conducted on [Usenet](#) groups,<sup>[1]</sup> with many [flame wars](#) fought between those insisting that their editor of choice is the [paragon](#) of editing [perfection](#), and insulting the other, since at least 1985.<sup>[2]</sup> Related battles have been fought over [operating systems](#), [programming languages](#), [version control systems](#), and even source code [indent style](#).<sup>[3][4][5]</sup> Notably, unlike other wars (ie, [UNIX](#) vs [ITS](#) vs [VMS](#), [C](#) vs [Pascal](#) vs [Fortran](#)), the editor war has yet to be resolved with a clear winner, and the hacker community remains split roughly 50/50.<sup>[2]</sup>

### Contents [hide]

- 1 Differences between vi and Emacs
  - 1.1 Benefits of Emacs
  - 1.2 Benefits of vi-like editors
- 2 Humor
- 3 Today
- 4 See also
- 5 Notes
- 6 References
- 7 External links


### Differences between vi and Emacs [edit]

The most important differences between vi and Emacs are presented in the following table:



# How to Prepare for cs107

- Vim Adventures: <https://vim-adventures.com/>



# How to Prepare for cs107

- You might want to learn more about pointers, and pointers-to-pointers... [https://www.tutorialspoint.com/cprogramming/c\\_pointer\\_to\\_pointer.htm](https://www.tutorialspoint.com/cprogramming/c_pointer_to_pointer.htm)

```
#include <stdio.h>

int main () {

    int var;
    int *ptr;
    int **pptr;

    var = 3000;

    /* take the address of var */
    ptr = &var;

    /* take the address of ptr using address of operator & */
    pptr = &ptr;

    /* take the value using pptr */
    printf("Value of var = %d\n", var );
    printf("Value available at *ptr = %d\n", *ptr );
    printf("Value available at **pptr = %d\n", **pptr);

    return 0;
}
```



# How to Prepare for cs107

- What is this "printf()" function??
- It is the "cout" for C

Let's talk about some C differences...



# How to Prepare for cs107

Going from C++ to C: “C has the speed and efficiency of assembly language combined with readability of assembly language.”


- You will find C to be similar in feel to C++ (C++ is based on C, after all)
- Things that are the same:
  - built-in data types: int, char, float, double, long, unsigned int
  - array indexing (using brackets, e.g., v[4])
  - function declarations
  - modularity between .h and .c files
  - flow: while, if, for, etc.



# How to Prepare for cs107

## Going from C++ to C

- Things that are different:
  - There isn't a “string” type. Strings are null terminated arrays of chars.
  - There are no classes, no objects, and no constructors/destructors.
  - Memory management is more involved than in C++
    - To allocate memory, C uses “malloc()” (so can C++, but normally we use `new ()`)



# How to Prepare for cs107

## C strings: null terminated char arrays

- There is no string class in C. Let me repeat: there is no string class in C.
- Strings are simply arrays of characters, with the final character of the array set aside for the NULL character.
- You must be careful to avoid **buffer overflows** when dealing with char strings.



# How to Prepare for cs107

## Going from C++ to C

- Things that are the same but that you might not have learned about yet:
  - There are entities called “void pointers” which can point to *any* type
  - You often need to cast variables to different types
  - “Pointer arithmetic” is often used instead of bracket notation



# How to Prepare for cs107

## Going from C++ to C

- **malloc( )** and **free( )**, and **sizeof( )**: used for memory management instead of new and delete
- **malloc( )** is used to reserve memory from the heap. You must pass it the size in bytes of the amount of memory you want. How do you know the size in bytes? You use **sizeof()**:
- **sizeof( int )** returns the size of an integer. On our machines, this is 4 bytes, or 32-bits.




# How to Prepare for cs107

## Going from C++ to C

- `malloc( )` returns a pointer to memory, e.g.,

```
/* an array of 10 ints from the heap */  
int *int_ptr;  
int_ptr = malloc(sizeof(int)*10);
```

- `malloc( )` returns `NULL` if the system runs out of memory.



# How to Prepare for cs107

## Going from C++ to C

- `free()` simply frees the previously allocated memory:

```
/* an array of 10 ints from the heap */
int *int_ptr;
int_ptr = malloc(sizeof(int)*10);
free(int_ptr);
```



# How to Prepare for cs107

## Going from C++ to C

- Pointer arithmetic is really important in C, and you have to understand it.

```
int main() {
    /* an array of 10 ints */
    int *int_ptr;
    int_ptr = (int *)malloc(sizeof(int)*10);

    int i;
    for(i=0;i<10;i++) {
        *(int_ptr+i)=i*10;
    }
    for(i=0;i<5;i++) {
        printf("%d\n",*(int_ptr+i*2));
    }
    free(int_ptr);
    return 0;
}
```

What will this print out?  
Oops — we'd better take a detour into  
printf() land.



# How to Prepare for cs107

## **printf()** – the way to print to stdout in C

- **printf( )** writes a formatted string to the standard output. The format can include *format specifiers* that begin with % and additional arguments are inserted into the string, replacing their formatters.
- Example: print the int variable, d:  

```
int i = 22;
printf("This is i: %d\n", i);
```

  
output:  
This is i: 22



# How to Prepare for cs107

**printf()** – the way to print to stdout in C

- lots of specifiers

o	Unsigned octal	610
x	Unsigned hexadecimal integer	7fa
X	Unsigned hexadecimal integer (uppercase)	7FA
f	Decimal floating point, lowercase	392.65
F	Decimal floating point, uppercase	392.65
e	Scientific notation (mantissa/exponent), lowercase	3.9265e+2
E	Scientific notation (mantissa/exponent), uppercase	3.9265E+2
g	Use the shortest representation: %e or %f	392.65
G	Use the shortest representation: %E or %F	392.65
a	Hexadecimal floating point, lowercase	-0xc.90fe
A	Hexadecimal floating point, uppercase	-0XC.90FE
c	Character	a
s	String of characters	sample
p	Pointer address	b8000000
n	Nothing printed. The corresponding argument must be a pointer to a signed int. The number of characters written so far is stored in the pointed location.	
%	A % followed by another % character will write a single % to the stream.	%



# How to Prepare for cs107

## printf() – more examples

```
#include <stdio.h>
int main()
{
    printf ("Characters: %c %c \n", 'a', 65);    Characters: a A
    printf ("Decimals: %d %ld\n", 1977, 650000L);   Decimals: 1977 650000
    printf ("Preceding with blanks: %10d \n", 1977);   Preceding with blanks:        1977
    printf ("Preceding with zeros: %010d \n", 1977);   Preceding with zeros: 0000001977
    printf ("Radices: %d %x %o %#x %#o \n", 100, 100, 100, 100, 100);   Radices: 100 64 144 0x64 0144
    printf ("floats: %4.2f %+0.e %E \n", 3.1416, 3.1416, 3.1416);   floats: 3.14 +3e+000 3.141600E+000
    printf ("Width trick: %*d \n", 5, 10);   Width trick:      10
    printf ("%s \n", "A string");   A string
    return 0;
}
```



# How to Prepare for cs107

Going from C++ to C (back to our example)

- Pointer arithmetic is really important in C, and you have to understand it.

```
int main() {
    /* an array of 10 ints */
    int *int_ptr;
    int_ptr = (int *)malloc(sizeof(int)*10);


    int i;
    for(i=0;i<10;i++) {
        *(int_ptr+i)=i*10;
    }
    for(i=0;i<5;i++) {
        printf("%d\n",*(int_ptr+i*2));
    }
    free(int_ptr);
    return 0;
}
```

What will this print out?

0  
20  
40  
60  
80



# CS107E



# CS109





Foundations of  
probability

Narrative driven

Intro to  
Machine Learning



# Computer Science Affects Every Field




# Courses Aren't Necessary!

Things to learn on your own:

- **A new language. Good candidates?**
  - Python: used *everywhere*, easy to learn, easy to write quick programs. Best online resource: <https://www.reddit.com/r/Python/> (see right side-bar)
  - Haskell: a "functional" programming language. Best online resource: [\*Learn You a Haskell for Great Good\*](#)
- **iOS / Android Programming: Why not learn how to program your phone?**
  - Best iOS resource: <https://www.raywenderlich.com>
  - Good tutorials link: <http://equallysimple.com/best-android-development-video-tutorials/>
  - Want to code for all phones (and the web, and the desktop?) Check out React Native: <https://facebook.github.io/react-native/>
- **Hardware: Raspberry Pi, Arduino, FPGA: Hardware is awesome!**
  - Raspberry Pi resources: [https://www.reddit.com/r/raspberry\\_pi/](https://www.reddit.com/r/raspberry_pi/)
  - Arduino Resources: <https://www.reddit.com/r/arduino/>
  - FPGA resources: <http://www.embedded.com/design/prototyping-and-development/4006429/FPGA-programming-step-by-step>
- **GPU and Multicore Programming: hard, but your code can fly**
  - Your GPU might have hundreds of individual processors. Resources: <http://gpgpu.org>



# Python



# It is the Time and Place for CS



Thank You

Congrats (in advance)

# References and Advanced Reading

- **References:**

- Online Bloom Filter example: <http://billmill.org/bloomfilter-tutorial/>
- Wikipedia Bloom Filters: [https://en.wikipedia.org/wiki/Bloom\\_filter](https://en.wikipedia.org/wiki/Bloom_filter)

