# **Group Assignment 3**

# Part A (Textbook Chapter 4.8 Exercises: Q1, Q6, Q8)

**Problem 1.** *Problem 1:* Using a little bit of algebra, prove that (4.2) is equivalent to (4.3). In other words, the logistic function representation and the logit representation for the logistic regression model are equivalent.

#### **Answer.** Solution:

Let

$$p(X) = \frac{1}{1 + e^{-(\beta_0 + \beta_1 X)}}.$$

We want to show this is equivalent to

$$\log\left(\frac{p(X)}{1-p(X)}\right) = \beta_0 + \beta_1 X.$$

**Proof:** 

$$p(X) = \frac{1}{1 + e^{-z}}, \text{ where } z = \beta_0 + \beta_1 X.$$

Then

$$1 - p(X) = 1 - \frac{1}{1 + e^{-z}} = \frac{1 + e^{-z} - 1}{1 + e^{-z}} = \frac{e^{-z}}{1 + e^{-z}}.$$

Hence,

$$\frac{p(X)}{1 - p(X)} = \frac{\frac{1}{1 + e^{-z}}}{\frac{e^{-z}}{1 + e^{-z}}} = \frac{1}{e^{-z}} = e^{z}.$$

Taking the natural logarithm on both sides,

$$\log\left(\frac{p(X)}{1-p(X)}\right) = \log(e^z) = z = \beta_0 + \beta_1 X.$$

Thus, (4.2) and (4.3) are indeed equivalent.

Problem 6. Problem 6: Logistic Regression Probability Estimate

### **Answer.** Solution:

(a) Given that  $\beta_0 = -6$ ,  $\beta_1 = 0.05$ , and  $\beta_2 = 1$ , we estimate the probability of getting an A for a student studying 40 hours with a GPA of 3.5 as follows:

$$P(Y=1) = \frac{1}{1 + e^{-(-6 + 0.05 \cdot 40 + 1 \cdot 3.5)}} = \frac{1}{1 + e^{-(-6 + 2 + 3.5)}} = \frac{1}{1 + e^{-0.5}} \approx 0.378 \text{ (37.8\%)}.$$

(b) To find the number of hours a student with a GPA of 3.5 needs to study to have a 50% chance of getting an A, we set P(Y = 1) = 0.5 and solve for  $X_1$ :

$$0.5 = \frac{1}{1 + e^{-(-6 + 0.05 \cdot X_1 + 1 \cdot 3.5)}}$$

Simplifying:

$$0.5(1 + e^{-(-6+0.05 \cdot X_1 + 3.5)}) = 1$$

$$1 + e^{-(-6+0.05 \cdot X_1 + 3.5)} = 2$$

$$e^{-(-6+0.05 \cdot X_1 + 3.5)} = 1$$

$$-(-6+0.05 \cdot X_1 + 3.5) = 0$$

$$6 - 0.05 \cdot X_1 - 3.5 = 0$$

$$2.5 - 0.05 \cdot X_1 = 0$$

$$-0.05 \cdot X_1 = -2.5$$

$$X_1 = \frac{2.5}{0.05} = 50$$

Therefore, the student would need to study 50 hours to have a 50% chance of getting an A in the class.

Problem 8: Comparison of Logistic Regression and K-Nearest Neighbors

#### **Answer.** Solution:

We have two classification methods:

#### 1. Logistic Regression:

Training error: 20%

• Test error: 30%

### 2. 1-Nearest Neighbor (K=1):

Average error: 18%

Even though KNN (K=1) has a lower average error, it is prone to overfitting and does not generalize well. Logistic regression, despite having a higher test error, is more stable and interpretable.

Thus, logistic regression is the better choice for classifying new observations in this case. However, using a better K value (e.g., K=5 or K=10) for KNN might improve its performance.

# Part B (Stock Market Data: Logistic Regression & LDA)

Problem 1. Problem 1: (a)–(d) Logistic Regression on the Stock Market Data

Answer. Solution:

- (a) Compute the testing error rate using all predictors Lag1, Lag2, Lag3, Lag4, Lag5.
- (b) Identify which predictors can be removed to reduce the testing error (based on p-values or other criteria).
- (c) Recompute the testing error after removing the less significant predictors.
- (d) Given Lag1 = 2.1 and Lag2 = -0.5, calculate the predicted probability of the market going up.

**Problem 2:** (a)–(c) LDA on the Stock Market Data

**Answer.** Solution:

- (a) Calculate  $Pr(Y = \mathsf{UP})$  and  $Pr(Y = \mathsf{DOWN})$  based on the training set.
- (b) Compute the mean vector of X (the predictors) for each class (UP vs. DOWN).
- (c) Discuss whether using a 70% posterior probability threshold ( $Pr(Y = \mathsf{UP}|\mathbf{X} = x) \ge 0.70$ ) is feasible or advisable for predicting a market increase.