# Physic formulary

School

2022.02.10

## Contents

1	Constants	1	
2	Other physical interrelationships	2	
3	Energy	3	
4	Motion	3	
5	Momentum	4	
6	Electricity	4	
7	Fields 7.1 Newtonian gravitation	<b>5</b> 5	
Index		Ш	
Bi	Bibliography		

#### 1 Constants

 $a_0 = \frac{4\pi\varepsilon_0\hbar^2}{m_{\rm e}e^2} = \frac{\varepsilon_0h^2}{\pi m_{\rm e}e^2} = \frac{\hbar}{m_{\rm e}c\alpha} = 5.291\,772\,109\,03 \times 10^{-11}\,{\rm m}$ Bohr radius

 $= 299792458 \frac{m}{s}$ Velocity of light:

 $= 1.602176634 \times 10^{-19} \,\mathrm{C}$ Elementary charge:  $\varepsilon_0 = 8.8541878128 \times 10^{-12} \frac{F}{m}$ Vacuum permittivity:

Permittivity of air: = 1.00059 $\varepsilon_{\mathtt{r}}$ 

 $= 96485.3321233\frac{C}{mol}$ Faraday constant

 $= 9.80665 \frac{m}{c^2}$ Acceleration due to gravity:

 $= 6.67430 \times 10^{-11} \, \frac{\mathrm{m}^3}{\mathrm{kg \, s}^2}$ Gravitational constant:  $= 6.62607015 \times 10^{-34} \frac{J}{Hz}$ Planck constant:

 $m_{\rm e} = 9.1093837015 \times 10^{-31} \,\rm kg$ Electron mass:

 $m_{\rm e} \ = \ 0.510\,998\,950\,00\,{\rm \frac{MeV}{c_0{}^2}}$ 

 $m_{\mu} = 1.883531627 \times 10^{-28} \,\mathrm{kg}$ 

 $m_{\mu} = 105.6583755 \frac{\text{MeV}}{\text{c}_0^2}$ Muon mass:

 $m_{\mu} = 0.1134289259 \,\mathrm{Da}$ 

 $m_{\rm n} = 1.67492749804 \times 10^{-27} \,\rm kg$ Neutron mass:

 $m_{\rm n} = 939.56542052 \, \frac{\rm MeV}{{\rm c_0}^2}$ 

 $m_{\rm p} = 1.67262192369 \times 10^{-27} \,\rm kg$ Proton mass:

 $m_{\rm p} = 938.272\,088\,16\,\frac{\rm MeV}{{\rm c_0}^2}$ 

 $\mu_0 = 1.25663706212 \times 10^{-6} \frac{H}{m}$ Vacuum permeability:

= 1.00000037Permeability of air:  $\mu_{\mathtt{r}}$ 

## 2 Other physical interrelationships

Visible spectrum:  $380\,\mathrm{nm}$  to  $750\,\mathrm{nm}$ 

Speed of sound under standart conditions:  $343\,\frac{\mathrm{m}}{\mathrm{s}}$ 

Dalton Da / unified atomic mass unit  $u\colon \quad Da/u \qquad = 1.660\,539\,066\,60\times 10^{-27}\,\mathrm{kg}$ 

Hydrogen mass:  $m_{
m H} = 1.007\,84\,{
m Da}$  to  $1.008\,11\,{
m Da}$ 

Atomic mass of helium  ${}^4\mathrm{He}$   $m_{\mathrm{He}} = 4.002\,603\,254\,\mathrm{Da}$ 

Alternate energy units:  $kW\,h \qquad = 3.6\times 10^6\,J$ 

eV =  $1.602176634 \times 10^{-19} \,\mathrm{J}$ 

Pressure:  $\begin{array}{ccc} 1\,\mathrm{Pa} & & = 1\,\frac{\mathrm{N}}{\mathrm{m}^2} \\ 1\,\mathrm{bar} & & = 10^5\,\mathrm{Pa} \end{array}$ 

Absolute zero:  $-273.15\,^{\circ}\mathrm{C} = 0\,\mathrm{K}$ 

## 3 Energy

#### Kinetic Energy

$$E_{\mathbf{k}} = \frac{1}{2}mv^2$$

#### Potential Energy

$$U=mgh$$
 (gravitational)  $U=\frac{1}{2}\cdot k\cdot x^2$  (elastic)  $U=\frac{1}{2}\cdot C\cdot V^2$  (electric)  $U=-mB$  (magnetic)  $U=\int F(r)\,dr$  (general)

#### 4 Motion

#### uniform linear motion

$$s(t) = vt \ (+s_0)$$

$$v(t) = const.$$

$$a(t) = 0$$

#### non-uniform linear motion

$$s(t) = \frac{1}{2}at^2(+v_0t + s_0)$$

$$v(t) = at \, (+v_0)$$

$$a(t) = const.$$

#### Circular motion

$$F_{\rm Z} = \frac{mv^2}{r} = m\,\omega^2 r$$
$$\omega = \frac{v}{r} = \frac{2\pi}{T} = \frac{\Delta\varphi}{\Delta t}$$

$$f = \frac{1}{T}$$

 $\varphi \ \text{in rad}$ 

### Momentum

#### momentum itself

$$\begin{split} \vec{p} &= m\vec{v} \\ \vec{p} &= \frac{\hbar}{\lambda} \\ \vec{p} &= \sqrt{m_0^2 {\rm c_0}^2 + \frac{E^2}{{\rm c_0}^2}} \end{split}$$

photons

general

#### relations to momentum

$$\sum_{i} m_i \, u_i = \sum_{i} m_i \, v_i$$

conservation of momentum

$$\Delta p = F \Delta t$$
$$E_{\mathbf{k}} = \int p \, dv$$

## Electricity

#### General

$$I = \frac{\Delta Q}{\Delta t} = \frac{\partial Q}{\partial t} = \dot{Q}$$

$$R = \frac{U}{I} = \rho \frac{l}{A}$$

$$\verb"in"\ A$$

$$R = \frac{U}{I} = \rho \frac{l}{A}$$

in 
$$\Omega$$

$$E = U \cdot Q$$

$$P = \frac{\Delta E}{\Delta t} = UI$$

in W Energy flow / "Power"

### 7 Fields

### 7.1 Newtonian gravitation

#### Homogeneous field

$$\begin{split} E &= mgh \\ \vec{F}_g &= m\vec{g} \\ \vec{g} &= \frac{\vec{F}_g}{m} \\ \Delta\varphi &= \frac{E}{m} = gh \end{split}$$

### Radial symmetric field

$$\begin{split} U &= GMm \left(\frac{1}{r_1} - \frac{1}{r_2}\right) \\ U &= -GMm \frac{1}{r} & \text{for } r_1 \to \infty \\ \vec{F_g} &= -G\frac{Mm}{r^2} \hat{r} \\ \vec{g} &= \frac{\vec{F_g}}{m} = -G\frac{M}{r_2} \hat{r} \\ \Delta \varphi &= \frac{E}{m} = \gamma M \left(\frac{1}{r_1} - \frac{1}{r_2}\right) \end{split}$$

### 7.2 Electromagnetism

### homogenous field

$$E = q \left| \vec{E} \right| d$$

## Index

В	Faraday constant1
Bohr radius1	G
E	Gravitation5
Electron 1	Gravitational constant1
Elemtary particle	Homogeneous Field5
Leptons	Radial symmetric field5
Muon1	·
Energy	L
Kinetic Energy3	Light1
Potential Energy3	P
F	Plank constant1

## Bibliography

1. <u>CODATA Internationally recommended 2018 values of the Fundamental Physical Constants</u>. May 2019. https://physics.nist.gov/cuu/Constants/index.html (2022).