

Name	
ASU ID Number	

CSE 472: Social Media Mining

Homework III - Community Analysis, Information Diffusion


Prof. Huan Liu

Due at 2023, October 27th, 11:59 PM


This is an *individual* homework assignment. Please submit a digital copy of this homework to **Grade-scope**. This is a fillable PDF and you are able to type into answer boxes provided for each question.

1. [Community Analysis]

- (a) Consider the following graph. Which cut is more balanced based on **Ratio Cut**? What about **Normalized Cut**? Provide the justifications for both types of cut.



- (b) One partitioning of three group is shown in the following graph, indicated by different colors, $P_1 : (v_1, v_6)$, $P_2 : (v_2, v_4, v_5)$, and $P_3 : (v_3)$. Compute **Modularity** for each of the three groups, and then compute **Normalized Modularity**.



- (c) Compute the following metric for the given figure:





Figure 1: The communities.

Normalized Mutual Information (NMI): [It is necessary to set the default base value for all logarithms to 2.]




2. [Information Diffusion]

- (a) For the following graph, assume that node i activates node j when $|i - j| \equiv 1 \pmod{3}$ and nodes 5 and 9 are activated at time 0. Follow **the Independent Cascade Model (ICM)** and detail all steps until it converges (Traverse the nodes in numerical order).





- (b) If you were given permission to introduce only one additional edge within the existing network, connecting either node 5 or node 9 with a node that is currently not connected to it, would it be possible to activate all nodes starting from nodes 5 and 9? Please provide an explanation for your response.



Good Luck