



{ JavaScript }

JavaScript Object Methods

soumyabalamaala@gmail.com



soumyabalamaala



soumyabalamaala



{ JavaScript }

1. Object.keys()

Definition:

Returns an array of a given object's property names.

```
const person = {  
  name: 'Alice',  
  age: 30,  
  occupation: 'Engineer'  
};  
  
const keys = Object.keys(person);  
console.log(keys); // Output: ['name', 'age', 'occupation']
```

soumyabalamaala@gmail.com



[soumyabalamaala](#)



[soumyabalamaala](#)



{ JavaScript }

2. Object.values()

Definition:

Returns an array of a given object's property values.

```
const person = {  
  name: 'Alice',  
  age: 30,  
  occupation: 'Engineer'  
};  
  
const values = Object.values(person);  
console.log(values); // Output: ['Alice', 30, 'Engineer']
```

soumyabalamaala@gmail.com



[soumyabalamaala](#)



[soumyabalamaala](#)



{ JavaScript }

3. Object.entries()

Definition:

Returns an array of a given object's own enumerable string-keyed property **[key, value]** pairs.

```
const person = {  
  name: 'Alice',  
  age: 30,  
  occupation: 'Engineer'  
};  
  
const entries = Object.entries(person);  
console.log(entries); // Output: [['name', 'Alice'], ['age', 30], ['occupation', 'Engineer']]
```

soumyabalamaala@gmail.com



soumyabalamaala



soumyabalamaala



{ JavaScript }

4. Object.assign()

Definition:

Copies the values of all enumerable own properties from one or more source objects to a target object. It returns the target object.

```
const target = { name: 'Alice' };  
const source = { age: 30, occupation: 'Engineer' };  
  
Object.assign(target, source);  
console.log(target); // Output: { name: 'Alice', age: 30, occupation: 'Engineer' }
```

soumyabalamaala@gmail.com



soumyabalamaala



soumyabalamaala



{ JavaScript }

5. Object.freeze()

Definition:

Freezes an object, preventing new properties from being added, existing properties from being removed, or existing properties from being modified.

```
const person = {  
  name: 'Alice',  
  age: 30  
};  
  
Object.freeze(person);  
person.age = 31; // This will not work  
console.log(person.age); // Output: 30
```

soumyabalamaala@gmail.com



soumyabalamaala



soumyabalamaala



{ JavaScript }

6. Object.seal()

Definition:

Seals an object, preventing new properties from being added and marking all existing properties as non-configurable.

```
const person = {  
  name: 'Alice',  
  age: 30  
};  
  
Object.seal(person);  
person.age = 31; // This will work  
delete person.age; // This will not work  
console.log(person.age); // Output: 31
```

soumyabalamaala@gmail.com



soumyabalamaala



soumyabalamaala



{ JavaScript }

7. Object.getPrototypeOf()

Definition:

Returns the prototype of the specified object.

```
const person = {  
  name: 'Alice'  
};  
  
const proto = Object.getPrototypeOf(person);  
console.log(proto); // Output: [Object: null prototype] {}
```

soumyabalamaala@gmail.com



[soumyabalamaala](#)



[soumyabalamaala](#)



{ JavaScript }

8. Object.setPrototypeOf()

Definition:

Sets the prototype of a specified object to another object or null.

```
const proto = {  
  greet() {  
    return 'Hello';  
  }  
};  
  
const person = {  
  name: 'Alice'  
};  
  
Object.setPrototypeOf(person, proto);  
console.log(person.greet()); // Output: 'Hello'
```

soumyabalamaala@gmail.com



soumyabalamaala



soumyabalamaala



{ JavaScript }

9. Object.create()

Definition:

Creates a new object with the specified prototype object and properties.

```
const personProto = {  
  greet() {  
    return `Hello, I'm ${this.name}`;  
  }  
};  
  
const person = Object.create(personProto);  
person.name = 'Alice';  
console.log(person.greet()); // Output: 'Hello, I'm Alice'
```

soumyabalamaala@gmail.com



soumyabalamaala



soumyabalamaala



{ JavaScript }

10. Object.create()

Definition:

Creates a new object with the specified prototype object and properties.

```
const personProto = {  
  greet() {  
    return `Hello, I'm ${this.name}`;  
  }  
};  
  
const person = Object.create(personProto);  
person.name = 'Alice';  
console.log(person.greet()); // Output: 'Hello, I'm Alice'
```

soumyabalamaala@gmail.com



soumyabalamaala



soumyabalamaala



{ JavaScript }

11. Object.defineProperty()

Definition:

Adds a property to an object, or modifies an existing property, and returns the object.

```
const person = {};  
  
Object.defineProperty(person, 'name', {  
  value: 'Alice',  
  writable: false, // Property cannot be modified  
  enumerable: true, // Property will be included in enumerations  
  configurable: false // Property cannot be deleted  
});  
  
console.log(person.name); // Output: 'Alice'  
person.name = 'Bob'; // Attempt to modify will fail  
console.log(person.name); // Output: 'Alice'
```

soumyabalamaala@gmail.com



soumyabalamaala



soumyabalamaala



{ JavaScript }

12. Object.defineProperty()

Definition:

Defines new properties or modifies existing properties on an object, and returns the object.

```
const person = {};  
  
Object.defineProperty(person, {  
  name: {  
    value: 'Alice',  
    writable: true  
  },  
  age: {  
    value: 30,  
    writable: false  
  }  
});  
  
console.log(person.name); // Output: 'Alice'  
console.log(person.age); // Output: 30  
person.age = 31; // This will not work  
console.log(person.age); // Output: 30
```

soumyabalamaala@gmail.com



soumyabalamaala



soumyabalamaala



{ JavaScript }

**Follow for more such
content on JavaScript**

soumyabalamaala@gmail.com



soumyabalamaala



soumyabalamaala