




# Write a CSS Like a Pro














## 1.Always Prefer Using CSS Variable for Big Apps



```
1 body {
      background-color: #000;
 3
 4
 5
    h2 {
      border: 2px solid #fff;
 6
 8
 9
    .box {
      background-color: #fff;
10
11
      color: #000;
12
```

```
--black: #161616;
      --white: #f6f6f6;
 4
 5
    body {
 6
      background-color: var(--black);
 8
 9
10
    h2 {
11
      border: 2px solid var(--white);
12
13
14
    .box {
      background-color: var(--white);
15
16
      color: var(--black);
17
```







### 2.Using Shorthand could be Good Sometime

```
.box
      padding-top: 10px;
 3
      padding-bottom: 20px;
      padding-left: 15px;
 4
 5
      padding-right: 15px;
      margin-top: 10px;
 6
      margin-bottom: 10px;
      margin-left: 20px;
 8
 9
      margin-right: 20px;
10
      border-width: 2px;
11
      border-style: solid;
12
      border-color: #fff;
13
```

```
1 .box {
2  padding: 10px 15px 20px 15px;
3  margin: 10px 20px;
4  border: 2px solid #fff;
5 }
```









#### 3. Try Giving Proper and Relatable Names Class& ID's

```
.p {
     color: #000;
4
    .myform {
     background-color: #eee;
6
```

```
.article-paragraph {
     color: #000;
3
   .contact-form {
     background-color: #eee;
6
```







## 4. Always reset Default Values, At The Start

```
1 h1{
2  margin: 0;
3  padding: 0;
4 }
5
6 .box{
7  margin: 0;
8 }
```

```
1 * {
2  box-sizing: border-box;
3  margin: 0;
4  padding: 0;
5 }
```





#### 5.Use Dry \* Code

```
h1 {
       color: #eee;
    h2 {
       color: #eee;
 8
 9
    h3 {
       color: #eee;
10
11
```

```
1 h1,h2,h3 {
2 color: #eee;
3 }
```