Module 3

Writing SELECT Queries

Module Overview

- Writing Simple SELECT Statements
- Eliminating Duplicates with DISTINCT
- Using Column and Table Aliases
- Writing Simple CASE Expressions

Lesson 1: Writing Simple SELECT Statements

- Elements of the SELECT Statement
- Retrieving Columns from a Table or View
- Displaying Columns
- Using Calculations in the SELECT Clause
- Demonstration: Writing Simple SELECT Statements

Elements of the SELECT Statement

Clause	Expression
SELECT	<select list=""></select>
FROM	
WHERE	<search condition=""></search>
GROUP BY	<group by="" list=""></group>
ORDER BY	<order by="" list=""></order>

Retrieving Columns from a Table or View

- Use SELECT with column list to display columns
- Use FROM to specify a source table or view
 - Specify both schema and table names
- Delimit names if necessary
- End all statements with a semicolon

Keyword	Expression
SELECT	<select list=""></select>
FROM	

SELECT companyname, country FROM Sales. Customers;

Displaying Columns

- Displaying all columns
 - This is not a best practice in production code!

```
SELECT *
FROM Sales Customers;
```

Displaying only specified columns

```
SELECT companyname, country FROM Sales Customers;
```

Using Calculations in the SELECT Clause

 Calculations are scalar, returning one value per row

Operator	Description
+	Add or concatenate
-	Subtract
*	Multiply
/	Divide
%	Modulo

Using scalar expressions in the SELECT clause

```
SELECT unitprice, qty, (unitprice * qty)
FROM sales.orderdetails;
```

Demonstration: Writing Simple SELECT Statements

In this demonstration, you will see how to:

Use simple SELECT queries

Lesson 2: Eliminating Duplicates with DISTINCT

- SQL Sets and Duplicate Rows
- Understanding DISTINCT
- SELECT DISTINCT Syntax
- Demonstration: Eliminating Duplicates with DISTINCT

SQL Sets and Duplicate Rows

- SQL query results are not truly relational
 - Rows are not guaranteed to be unique, no guaranteed order
- Even unique rows in a source table can return duplicate values for some columns

```
SELECT country
FROM Sales Customers;
```

```
country
-----
Argentina
Argentina
Austria
Austria
Belgium
Belgium
```

Understanding DISTINCT

- Specifies that only unique rows can appear in the result set
- Removes duplicates based on column list results, not source table
- Provides uniqueness across set of selected columns
- Removes rows already operated on by WHERE, HAVING, and GROUP BY clauses
- Some queries may improve performance by filtering out duplicates prior to execution of SELECT clause

SELECT DISTINCT Syntax

SELECT DISTINCT <column list>

FROM

SELECT DISTINCT companyname, country FROM Sales. Customers;

companyname country

Customer AHPOP UK

Customer AHXHT Mexico

Customer AZJED Germany

Customer BSVAR France

Customer CCFIZ Poland

Demonstration: Eliminating Duplicates with DISTINCT

In this demonstration, you will see how to:

Eliminate duplicate rows

Lesson 3: Using Column and Table Aliases

- Using Aliases to Refer to Columns
- Using Aliases to Refer to Tables
- The Impact of Logical Processing Order on Aliases
- Demonstration: Using Column and Table Aliases

Using Aliases to Refer to Columns

Column aliases using AS

```
SELECT orderid, unitprice, qty AS quantity
FROM Sales.OrderDetails;
```

Column aliases using =

```
SELECT orderid, unitprice, quantity = qty
FROM Sales.OrderDetails;
```

Accidental column aliases

```
SELECT orderid, unitprice quantity FROM Sales.OrderDetails;
```

Using Aliases to Refer to Tables

- Create table aliases in the FROM clause
- Table aliases with AS

```
SELECT custid, orderdate FROM Sales.Orders AS SO;
```

Table aliases without AS

```
SELECT custid, orderdate FROM Sales.Orders SO;
```

Using table aliases in the SELECT clause

```
SELECT SO.custid, SO.orderdate FROM Sales.Orders AS SO;
```

The Impact of Logical Processing Order on Aliases

- FROM, WHERE, and HAVING clauses processed before SELECT
- Aliases created in SELECT clause only visible to ORDER BY
- Expressions aliased in SELECT clause may be repeated elsewhere in query

Demonstration: Using Column and Table Aliases

In this demonstration, you will see how to:

Use column and table aliases

Lesson 4: Writing Simple CASE Expressions

- Using CASE Expressions in SELECT Clauses
- Forms of CASE Expressions
- Demonstration: Using a Simple CASE Expression

Using CASE Expressions in SELECT Clauses

- T-SQL CASE expressions return a single (scalar) value
- CASE expressions may be used in:
 - SELECT column list
 - WHERE or HAVING clauses
 - ORDER BY clause
- CASE returns result of expression
 - Not a control-of-flow mechanism
- In SELECT clause, CASE behaves as calculated column requiring an alias

Forms of CASE Expressions

- Two forms of T-SQL CASE expressions:
- Simple CASE
 - Compares one value to a list of possible values
 - Returns first match
 - If no match, returns value found in optional ELSE clause
 - If no match and no ELSE, returns NULL
- Searched CASE
 - Evaluates a set of predicates, or logical expressions
 - Returns value found in THEN clause matching first expression that evaluates to TRUE

Demonstration: Using a Simple CASE Expression

In this demonstration, you will see how to:

Use a simple CASE expression