

## Software Development Life cycle Testing Specification

*Author:* Tom Reed, Matt Whitmore, Dave Clark, Silhab  
Csoma, Mike Steel, Chris 'Tux' Lloyd, Aleksandra  
Badyda, Samuel Jackson, Chris Marriott  
*Config. Ref.:* SE.17.TP.01  
*Date:* 2013-1-28  
*Version:* 1.4  
*Status:* Finalised

Department of Computer Science,  
Aberystwyth University,  
Aberystwyth,  
Ceredigion, SY23 3DB,  
U.K.

©Aberystwyth University 2013

## **CONTENTS**

<b>1</b>	<b>Introduction</b>	<b>2</b>
1.1	Purpose of this Document . . . . .	2
1.2	Scope . . . . .	2
1.3	Objectives . . . . .	2
<b>2</b>	<b>Test Plan</b>	<b>2</b>
2.1	Test Overview . . . . .	2
2.2	Test Specification . . . . .	3
2.3	Test Result Reporting . . . . .	12
2.4	Configurations . . . . .	12
<b>3</b>	<b>Test Log Form</b>	<b>13</b>
	<b>DOCUMENT HISTORY</b>	<b>13</b>

## **1 Introduction**

### **1.1 Purpose of this Document**

By producing this document we shall explain any and all tests to be carried out on our project prior to it being considered finished, all tests shall cover necessary functions of the project and allow us to discover any errors or defects before it is put into use.

### **1.2 Scope**

This document specifies the tests that will be run to discover various bugs and put general strain on the system. It will in detail outline the tests that will be run and the required outcome as well as what will constitute a failed test. This document will also outline what will be done with the test data and how it will be reported.

### **1.3 Objectives**

The objective of this document is to outline the tests that will be run on the system, how they will be structured and how they will be documented and reported.

## **2 Test Plan**

### **2.1 Test Overview**

An HTTP servlet is used to access the data contained within the backend of the server as if it was almost a web page. We will pass parameters between it and get a response. We will be working on the principle that one main servlet will perform different actions, passing through an actions variable and any data required to be processed. There are two methods of accessing this; using get and post requests. The get request will pass the parameters through the URL, the post request through a hidden layer, based on the users input. JavaScript will collate the necessary data, and attach the appropriate action command before sending to the server. All coders will be responsible for testing their code, code will be tested using a set of JUnit tests. As the code has not been written yet it is impossible to stipulate at this time what the tests will need to be. HTML and CSS will be tested using the W3C validators as well as tested in various browsers that support HTML5. For the system testing, we need to test it through the client side as there is no real way access the server side of the system without using JUnit testing which has already been stipulated. So the only way to approach it is to test if the server side does as we expect from the client side.

## 2.2 Test Specification

Test Ref	Req. Being Tested	Test Content	Input	Output	Pass Criteria
SE-N17-001	FR1, FR7	Check that a valid user can login to the system.	Input on login page for existing user.  User-name: slj11@aber.ac.uk  Valid password for this user: <u>mypassword</u>  submit button pressed	User authenticated onto the system and redirected to their profile page. New session for this user started on server.	User is authenticated onto the system.
SE-N17-002	FR1, FR7	Check user names that are not emails are not admitted to the system.	Input on login page for existing user.  User-name: slj11  Valid password: <u>mypassword</u>	Error message warns user that email isn't valid.	User is not authenticated. Error message shown.
SE-N17-003	FR1, FR7	Check passwords of length less than 8 are too short.	Input on login page for existing user.  User-name: slj11@aber.ac.uk  Password: <u>mypassw</u>	Error message warns that password is invalid.	User is not authenticated. Error message shown.
SE-N17-004	FR1, FR7	Check that passwords of length greater than 20 are too long.	Input on login page for existing user.  User-name: slj11@aber.ac.uk  Password: <u>mypasswordqwertylopwq</u>	Error message warns that password is invalid.	User is not authenticated. Error message shown.
SE-N17-005	FR1, FR7	Check a user with a valid email, but not on the system is not authenticated.	Input on login page for existing user.  User-name: xxx@aber.ac.uk  password: <u>mypassword</u>	Error message warns that the user is not registered on the system.	User is not authenticated. Error message shown.
SE-N17-	FR1, FR7	Check a user with a valid	Input on login page for existing user.	Error message warns that the	User is not authenticated.

006		email but incorrect password is not authenticated.	User name: slj11@aber.ac.uk password: mywrongpass	user entered the wrong password.	Error message shown.
SE-N17-007	FR1, FR7, FR6	Check that a new user can be registered on the system.	Input on login page for new user form. Username: newuser@aber.ac.uk password: newpassword password check: newpassword	User added to system. Given starting monster and redirected to there profile page.	User is created in the system, has a new monster created and is authenticated and directed to their profile page.
SE-N17-008	FR1, FR7, FR6	Check a new user name that is not an email is not registered	Input on login page for new user. User-name: newuser Valid password: mypassword password check: mypassword	Error message warns user that email isn't valid.	User is not created. Error message shown.
SE-N17-009	FR1, FR7, FR6	Check passwords of length less than 8 are too short.	Input on login page for new user. User-name: newuser@aber.ac.uk Password: mypassw Password check: mypassw	Error message warns that password is invalid.	User is not created. Error message shown.
SE-N17-010	FR1, FR7, FR6	Check that passwords of length greater than 20 are too long.	Input on login page for new user. User-name: newuser@aber.ac.uk Password: mypasswordqwertylopwq Password check: mypasswordqwertylopwq	Error message warns that password is invalid.	User is not created. Error message shown.
SE-N17-011	FR1, FR7, FR6	Check a user with a valid email that is already on the system is not created	Input on login page for new user. User-name: slj11@aber.ac.uk password: mypassword password check: mypassword	Error message warns that the user is already registered with the system.	User is not created. Error message shown.
SE-N17-012	FR1, FR7, FR6	Check that if the password that has been typed matches	Input on login page for new user. User-name: newuser@aber.ac.uk Password: mypassword Confirm Password: mypassss	Error message warns that the passwords entered do not match.	User is not created. Error message shown.
SE-N17-013	FR1, FR7	Check that a user can only access parts of	Attempt to access all other pages of the site other than the	Should be redirected back to the	Unregistered/Unauthenticated users are redirected back

Testing Specification/1.4 (Finalised)

Aberystwyth University/Computer Science

Page 4 of 14

		the site if they are registered and authenticated.	login/register page.	login/register page.	to the login/register page.
SE-N17-014	FR7	Check a user can logout from the system.	Login to the system using a valid registered users details. Then logout using the logout button.	User is directed to the login/register page.	The users session is terminated and they can no longer access secure parts of the site.
SE-N17-015	FR2, FR8	User can access their friends page from their profile.	From the profile click the friends button.	User is taken to a list of their friends.	User is shown a list of their current friends.
SE-N17-016	FR3, FR8	User is shown a list of there current monsters and their stats on the profile page.	On the profile page a list of monsters is shown. Click/highlight a monster to view it's stats.	The monsters stats are shown next to the monster.	Monsters stats are successfully shown the user.
SE-N17-017	FR4, FR8	User can view a list of notifications.	On the profile page click the notifications button.	User should be shown a list of current notifications for battle/breeding/friend requests and fight/breeding results.	List of battle/breeding/friend requests and fight/breeding results shown.
SE-N17-018	FR4, FR8	User can view a list of no notifications.	On the profile page click the notifications button when the user has no pending notifications.	User should be shown a “no notifications” message	No notifications message shown.
SE-N17-019	FR4, FR8	For each type of notification (battle, breeding, friend requests and fight/breeding results) check that the list is displayed correctly when the user has only one of these requests and no others.	On the profile page click the notifications button.	User should be shown a list of current notifications for battle/breeding requests and fight/breeding results.	List of battle/breeding requests and fight results shown.
SE-N17-019a	FR4, FR8	For each type of notification (battle, breeding, friend requests and	On the profile page click the notifications button.	User should be shown none of that notification.	No notifications there.

Testing Specification/1.4 (Finalised)

		fight/breeding results) check that the list is empty when there are none of said request.			
SE-N17-020	FR2, FR6, FR8, FR9	Check that accepting a friend request adds the friend to the users friend list.	Accept a friend notification by clicking accept.	User should be shown a message telling them that the request has been accepted.	Message shown and friend added to the friends list.
SE-N17-021	FR2, FR6, FR8, FR9	Check that the user can send a friend request.	On the friends page, click add friend. Email: test@aber.ac.uk Click send request.	User should be notified with a message that a request has been sent.	Message shown and request should be pending on server.
SE-N17-022	FR2, FR6, FR8, FR9	Check that the user can not add a friend that doesn't exist.	On the friends page click add a friend. Email: noone@aber.ac.uk Click send a request.	User should be notified that the user doesn't exist	Message should be shown. List of friend not changed.
SE-N17-023	FR2, FR6, FR8, FR9	Check that the user can not add a friend with an email address that is not well formed.	On the friends page click add a friend. Email: noone Click send a request.	User should be notified that the email address is invalid.	Message should be shown. List of friend not changed.
SE-N17-024	FR4, FR8	Check that a user can accept a battle request.	Accept a battle notification by clicking accept.	User should be taken to battle page and a battle should start.	User directed to battle page.
SE-N17-025	FR4, FR8	Check that a user can send a battle request.	On the friends page, click on the button to send a battle request to a friends monster.	User should be notified with a message that a request has been sent.	Message shown and request should be pending on server.
SE-N17-026	FR4, FR8	Check that a user can accept a breeding request.	Accept a breeding notification by clicking accept.	User should be taken to breeding page and breeding starts.	User directed to breeding page.
SE-N17-027	FR6, FR8	Check that user can send a breeding request.	On the friends page, click on the button to send a breeding request to a friends monster.	User should be notified with a message that a request has been sent.	Message shown and request should be pending on server.
SE-N17-028	FR3, FR4, FR10	Check that battles are executed correctly.	Accept a battle request. Users should be redirected to battle page.	Battle should run. The user can then view the results of the battle.	Battle shown correctly. Both users are able to view the stats of the battle.

				Notification should also be sent to opponent to view the outcome.	
	<i>Testing Specification/1.4(Finalised)</i>				
SE-N17-029	FR3, FR4, FR6, FR8	Check that breeding monsters is executed correctly.	Accept a breeding request. User should be redirected to breeding results page	Results of breeding should be shown. A notification of the breeding should be sent to friend linking them to the results of the breeding.	Breeding stats shown correctly. Both player are able to access the outcomes of breeding. Request sender gets the children and request acceptor gets money prize.
SE-N17-030	FR3, FR8, FR10	Check that the outcome of a battle can be viewed by the request sender.	After a battle, check that the request sender gets a notification and can view the outcome of the battle.	Notification should be viewable and clicking it will show the outcome of the battle.	Outcome of the battle is viewable by the user.
SE-N17-031	FR3, FR6, FR8	Check that the outcome of breeding can be viewed by the request sender.	After a breeding event, check that the request sender gets a notification and can view the outcome of the breeding.	Notification should be viewable and clicking it will show the outcome of the breeding.	Outcome of the breeding is viewable by the user.
SE-N17-032	FR6, FR8, FR9	Check that a friend request that has been sent can be cancelled.	Click cancel on a pending request.	Message shown that the request has been removed.	Request removed from the system and no longer displayed to either of the users.
SE-N17-033	FR6, FR8	Check that a battle request that has been sent can be cancelled.	Click cancel on a pending request.	Message shown that the request has been removed.	Request removed from the system and no longer displayed to either of the users.
SE-N17-034	FR6, FR8	Check that a breeding request that has been sent can be cancelled.	Click cancel on a pending request.	Message shown that the request has been removed.	Request removed from the system and no longer displayed to either of the users.
SE-N17-035	FR8, FR9	Check that a friend request can be rejected.	Click reject on a request	Message shows that the request has been rejected.	The request should be removed from the system, the other user should be informed that their request was rejected.



SE-N17-036	FR8 <i>Testing Specification/1.4 (Finalised)</i>	Check that a battle request can be rejected	Click reject on a request	Message shows that the request has been rejected.	The request should be removed from the system, the other user should be informed that their request was rejected.
SE-N17-037	FR8	Check that a breeding request can be rejected.	Click reject on a request	Message shows that the request has been rejected.	The request should be removed from the system, the other user should be informed that their request was rejected.
SE-N17-037	FR11	Check that a rich list of the players friends can be viewed.	Go to the friends page.	A list of the richest friends should be showed	Rich list is shown and is accurate.
SE-N17-038	FR2, FR6, FR8, FR9, FR5	Check that accepting a friend request from a friend on another server adds the friend to the users friend list.	Accept a friend notification by clicking accept.	User should be shown a message telling them that the request has been accepted.	Message shown and friend added to the friends list.
SE-N17-039	FR2, FR6, FR8, FR9, FR5	Check that the user can send a friend request to a friend on another server.	On the friends page, click add friend. Enter email of friend on another server Click send request.	User should be notified with a message that a request has been sent.	Message shown and request should be pending on server.
SE-N17-040	FR2, FR6, FR8, FR9, FR5	Check that the user can't add a friend on another server that doesn't exist.	On the friends page click add a friend. Enter email of a friend that does not exist on another server. Click send a request.	User should be notified that the user doesn't exist	Message should be shown. List of friend not changed.
SE-N17-041	FR2, FR6, FR8, FR9, FR5	Check that the user can not add a friend with an email address that is not well formed.	On the friends page click add a friend. Email: noone Click send a request.	User should be notified that the email address is invalid.	Message should be shown. List of friend not changed.
SE-N17-042	FR4, FR8, FR5 <i>Aberystwyth University/Computer Science</i>	Check that a user can accept a battle request from a friend on another server.	Accept a battle notification by clicking accept.	User should be taken to battle page and a battle should start.	User directed to battle page.
SE-	FR4,	Check that a	On the friends page,	User should be	Message shown and

N17-043	FR8, FR5 <i>Testing Specification/1.4 (Finalised)</i>	user can send a battle request to a friend on another server.	click on the button to send a battle request to a friends monster.	notified with a message that a request has been sent.	request should be pending on server.
SE-N17-044	FR4, FR8, FR5	Check that a user can accept a breeding request from a friend on another server .	Accept a breeding notification by clicking accept.	User should be taken to breeding page and breeding should start.	User directed to breeding page.
SE-N17-045	FR6, FR8, FR5	Check that user can send a breeding request to a friend on another server.	On the friends page, click on the button to send a breeding request to a friends monster.	User should be notified with a message that a request has been sent.	Message shown and request should be pending on server.
SE-N17-046	FR3, FR4, FR10, FR5	Check that battles are executed correctly with a friend on another server .	Accept a battle request. Users should be redirected to battle page.	Battle should run. The user can then view the results of the battle. Notification should also be sent to opponent to view the outcome.	Battle shown correctly. Both users are able to view the stats of the battle.
SE-N17-047	FR3, FR4, FR6, FR8, FR5	Check that breeding monsters is executed correctly with a friend on another server.	Accept a breeding request. User should be redirected to breeding results page	Results of breeding shown. A notification of the breeding should be sent to friend linking them to the results of the breeding.	Breeding stats shown. Both player are able to access the outcomes of breeding. Request sender gets the children and request acceptor gets money prize.
SE-N17-048	FR3, FR8, FR10, FR5	Check that the outcome of a battle with a friend on another server can be viewed by the request sender.	After a battle, check that the request sender gets a notification and can view the outcome of the battle.	Notification should be viewable and clicking it will show the outcome of the battle.	Outcome of the battle is viewable by the user.
SE-N17-049	FR3, FR6, FR8, FR5 <i>Aberystwyth University/Computer Science</i>	Check that the outcome of breeding with a friend on another server can be viewed by the request sender.	After a breeding event, check that the request sender gets a notification and can view the outcome of the breeding.	Notification should be viewable and clicking it will show the outcome of the breeding.	Outcome of the breeding is viewable by the user.
SE-	FR6,	Check that a	Click cancel on a	Message shown	Request removed

N17-050	FR8, FR9, FR5 <i>Testing Specification/1.4 (Finalised)</i>	friend request that has been sent to a friend on another server can be cancelled.	pending request.	that the request has been removed.	from the system and no longer displayed to either of the users.
SE-N17-051	FR6, FR8, FR5	Check that a battle request that has been sent to a friend on another server can be cancelled.	Click cancel on a pending request.	Message shown that the request has been removed.	Request removed from the system and no longer displayed to either of the users.
SE-N17-052	FR6, FR8, FR5	Check that a breeding request that has been sent to a friend on another server can be cancelled.	Click cancel on a pending request.	Message shown that the request has been removed.	Request removed from the system and no longer displayed to either of the users.
SE-N17-053	FR8, FR9, FR5	Check that a friend request from a friend on another server can be rejected.	Click reject on a request	Message shows that the request has been rejected.	The request should be removed from the system, the other user should be informed that their request was rejected.
SE-N17-054	FR8, FR5	Check that a battle request from a friend on another server can be rejected.	Click reject on a request	Message shows that the request has been rejected.	The request should be removed from the system, the other user should be informed that their request was rejected.
SE-N17-055	FR8, FR5	Check that a breeding request from a friend on another server can be rejected.	Click reject on a request	Message shows that the request has been rejected.	The request should be removed from the system, the other user should be informed that their request was rejected.
SE-N17-056	N/a	Clicking on the help button.	Clicking on the help button takes you the informative help page.	User shown the help page.	Help page shown.
SE-N17-057	FR3, FR8	Set monster to be sold	Sell button pressed	Asks for price to be sold for	Asks for price
SE-N17-058	FR3, FR8 <i>Aberystwyth University/Computer Science</i>	Sold monster removed from your list of monsters	Monster bought by another user	Sold monster removed	Monster removed

SE-N17-059	FR3, FR8, FR8 <i>Testing Specification/1.4(Finalised)</i>	Set sell monster price	100	Monster sell price accepted, monster set for sale	Sell price accepted and monster for sale
SE-N17-060	FR3, FR8	Enter invalid sell monster price	rocketship	User notified that input is invalid	Input invalid, monster not set for sale
SE-N17-062	FR3, FR8	Sold monster sells for set price	Monster to buy selected by another user	Money increased by sell price of sold monster	Money increased by sell price of sold monster
SE-N17-063	FR3, FR8	Sold monster added to buyer's list of monsters	N/a	Monster previously bought is added to new owner's list	Monster now in new owner's list
SE-N17-064	FR4, FR8, FR5	Notification saying friend request accepted received	Request accepted by other	Sender receives notification saying request accepted, friend added to list	Request accepted, new friend added to list
SE-N17-065	FR4, FR8, FR10, FR5	Notification saying battle results received	Battle request accepted by other user	Sender receives notification and results	Notification and results received
SE-N17-066	FR4, FR8, FR5	Notification saying breed request accepted received	Breeding request accepted by another user	Breeding results received	Breeding results received
SE-N17-067	FR3, FR8	Set breeding price for a monster	100	Price accepted, monster now costs money to breed with	Price accepted
SE-N17-068	FR3, FR8	Enter invalid breeding price	THREE	User notified that input is invalid	User notified that input is invalid
SE-N17-069	FR3, FR8	Correct breeding price paid when monster is selected to breed with	Monster to breed with selected	Breeding begins and money paid	Breeding begins and money paid

## **2.3 Test Result Reporting**

Test results will be recorded in a test log form (included on the next page). These documents will be stored in the groups Github repository under the folder Test Data, there will be two sub folders with in this directory called Module Tests and System Tests. The corresponding test documents will be stored into those two directories.

## **2.4 Configurations**

Using Github we can branch off from the master copy of the project for testing and working on, doing this will insure that everyone is using the same version of the project. This is to make sure that everyone runs their tests on the same copy of the project insuring consistency. Branching off from the master copy will also allow for version roll back. Meaning that if a mistake is made and the system no longer works. We can return to a stable version when we know it works.

### 3 Test Log Form

<b>TEST LOG FORM</b>	Test Log No:
Test ID:	Test Date:
Tester:	Group:
Version When Tested:	
Test Passed? (Y/N):	
Passed Testing 1st[ ] ,2nd[ ] ,3rd[ ] ,4th[ ] time.	
Other.....	
Description of test:	
Comments:	
The Following Section only applies if the first test failed and changes needed to be made. If changes need to be made a change control form needs to be completed documenting this. The details of that form will also need to be highlighted below.	
Change Control Number:	
Description of Changes Made:	

## DOCUMENT HISTORY

Version	CCF No.	Date	Changes made to Document	Changed by
1.0	N/A	2012-10-31	Initial creation	CPM4
1.1	10	2012-11-2	Added information from Mike	CPM4
1.2	11	2012-12-5	Updated config ref and added other documents	CPM4
1.3	12	2012-12-6	Added missing data and fixed few mistakes	CPM4
1.4	13	2013-1-28	Made advised changes as per blackboard	MIS28
1.5	14	2013-1-29	Added in 'empty notification' tests	MIS28