

Linear Algebra Cryptography Project

Aadi Anard
Alexandre Lipson

May 14, 2024

Contents

0.1	Introduction	1
0.1.1	Cryptography	1
0.1.2	Hill Ciphers	1
0.2	Problems	1

0.1 Introduction

0.1.1 Cryptography

0.1.2 Hill Ciphers

0.2 Problems

In the following problems, assume the use of the usual 26 letter alphabet with A=0 and Z=25, unless otherwise specified.

1. You intercept the message “SONAFQCHMWPTVEVY,” which you know was enciphered using a Hill 2-cipher. An earlier statistical analysis of a long string of intercepted ciphertext revealed that the most frequently occurring ciphertext digraphs were “KH” and “XW” in that order. You take a guess that those digraphs correspond to “TH” and “HE,” respectively, since those are the most frequently occurring digraphs in most long plaintext messages on the subject you think is being discussed. Find the deciphering matrix, and read the message.

SENATORTTOOKBRIBE

2. In order to increase the difficulty of breaking your cryptosystem, you decide to encipher your messages using a Hill 2-cipher by first applying the matrix $\begin{pmatrix} 3 & 11 \\ 4 & 15 \end{pmatrix}$ working modulo 26 and then applying the matrix $\begin{pmatrix} 10 & 15 \\ 5 & 9 \end{pmatrix}$ working modulo 29.

Thus, while your plaintexts are in the usual 26 letter alphabet, your ciphertexts will be in the alphabet with 0-25 as usual and blank=26, ?=27, and !=28.

- a) Encipher the message “SEND”.
- b) Describe how to decipher a ciphertext by applying two matrices in succession, and decipher “ZMOY”.
- c) Under what conditions is a matrix with entries module 29 invertible modulo 29?

(a) ?CVK

(b) STOP

(c) Using Fermat's Little Theorem, where p is prime, $a^{p-1} \equiv 1 \pmod{p}$