Implement a MapReduce program to process a weather dataset

Steps:

1. Open command prompt and run as administrator

Go to hadoop sbin directory

```
C:\Windows\system32>cd C:\Hadoop\sbin
C:\Hadoop\sbin>
```

Note:

- 1. Check hadoop/data/datanode and hadoop/data/namenode and if both folders are empty, type "hdfs namenode -format".
- 2. Check python version with "python --version".
- 3. Check "C:\Python39\" is added in Environment variables > System variables > Path, if not add your python path.
- 4. Check Environment variables > System variables > HADOOP_HOME is set as "C:\Hadoop".

```
C:\Hadoop\sbin>echo %HADOOP_HOME%
C:\Hadoop

C:\Hadoop\sbin>python --version
Python 3.11.4
```


2. Start Hadoop Services start-dfs.cmd start-yarn.cmd

```
C:\Windows\System32>start-all.cmd
This script is Deprecated. Instead use start-dfs.cmd and start-yarn.cmd
starting yarn daemons

C:\Windows\System32>jps
22208 NodeManager
5808 ResourceManager
19416 DataNode
20888 Jps
2492 NameNode

C:\Windows\System32>_
```

3. Open the browser and go to the URL "localhost:9870"



4. Create a Directory in HDFS hadoop fs -mkdir /user/weather

```
C:\hadoop\sbin>hadoop fs -mkdir /user/weather
mkdir: `/user/weather': File exists
C:\hadoop\sbin>
```

5. Copy the Input File to HDFS hdfs dfs -put

C:\Users\monid\OneDrive\Documents\DataAnalytics\sample_weather.txt /user/weather

C:\hadoop\sbin>hdfs dfs -put C:\Users\monid\OneDrive\Documents\DataAnalytics\sample_weather.txt /user/weather
put: `/user/weather/sample_weather.txt': File exists
C:\hadoop\sbin>_

Note: mapper.py:

```
#! /usr/bin/env python import sys
def map1():
               for
line in sys.stdin:
    tokens = line.strip().split()
if len(tokens) < 13:
continue
    station = tokens[0]
if "STN" in station:
continue
    date_hour = tokens[2]
temp = tokens[3]
                      dew =
tokens[4]
              wind =
tokens[12]
    if temp == "9999.9" or dew == "9999.9" or wind == "999.9":
       continue
                      hour =
int(date_hour.split("_")[-1])
                                 date =
date_hour[:date_hour.rfind("_")-2] if 4 <
```

```
hour <= 10:
                   section = "section1"
elif 10 < hour <= 16:
                            section =
"section2"
               elif 16 < hour <= 22:
                                            section
= "section3"
    else:
       section = "section4"
    key\_out = f"\{station\}\_\{date\}\_\{section\}"
                      f"{temp} {dew} {wind}"
value_out
print(f"{key_out}\t{value_out}")
if __name___== "_main_":
  map1()
reducer.py:
                   #!
/usr/bin/env python import
sys
def reduce1():     current_key = None          sum_temp,
sum_dew, sum_wind = 0, 0, 0
  count = 0
  for line in sys.stdin:
```

```
key, value = line.strip().split("\t")
                                       temp,
dew, wind = map(float, value.split())
                                      if
current_key is None:
current_key = key
    if key == current_key:
sum_temp
                    temp
             +=
sum_dew
             +=
                    dew
sum_wind += wind
      count += 1
else:
      avg_temp = sum_temp / count
                                         avg_dew = sum_dew / count
avg wind = sum wind / count
                                  print(f"{current_key}\t{avg_temp}
{avg_dew} {avg_wind}")
      current_key = key
                              sum_temp, sum_dew,
sum_wind = temp, dew, wind
      count = 1
  if current_key is not None: avg_temp = sum_temp / count
avg_dew = sum_dew / count avg_wind = sum_wind / count
print(f"{current_key}\t{avg_temp} {avg_dew} {avg_wind}") if___name____
== "__main___":
```

reduce1()

6. Run the Hadoop Streaming Job


```
hadoop jar C:\hadoop\share\hadoop\tools\lib\hadoop-streaming-3.3.1.jar ^ -files "/Users/monid/OneDrive/Documents/DataAnalytics/mapper2.py,/Users/monid/One Drive/Documents/DataAnalytics/reducer2.py" ^ -input /user/weather/sample_weather.txt ^ -output /user/output1 ^ -mapper "python C:/Users/monid/OneDrive/Documents/DataAnalytics/mapper2.py" ^ -reducer "python C:/Users/monid/OneDrive/Documents/DataAnalytics/reducer2.py "
```

```
C:\hadoop\sbin>hadoop jar C:\hadoop\share\hadoop\tools\lib\hadoop-streaming-3.3.1.jar ^ -files "/Users/monid/OneDrive/Documents/DataAnalytics/reducer2.py" ^ -input /user/weather/sample_weather.txt ^ -output /user/output1 ^ -mapper "python C:/Users/monid/OneDrive/Documents/DataAnalytics/reducer2.py" ^ -reducer "python C:/Users/monid/OneDrive/Documents/DataAnalytics/mapp = re2.py" ^ -reducer "python C:/Users/monid/OneDrive/Documents/DataAnalytics/reducer2.py " packageJobJar: [/C:/Users/monid/AppData/Local/Temp/hadoop-unjar5991909413546494244/] [] C:\Users\monid\AppData\Local\Temp p\streamjob2531261441153576294.jar tmpDir=null  
2024-09-14 08:23:08,511 INFO client.DefaultNoHARMFailoverProxyProvider: Connecting to ResourceManager at /0.0.0.0:8032  
2024-09-14 08:23:08,736 INFO client.DefaultNoHARMFailoverProxyProvider: Connecting to ResourceManager at /0.0.0.0:8032  
2024-09-14 08:23:08,915 ERROR streaming.StreamJob: Error Launching job: Output directory hdfs://localhost:9000/user/out  
put1 already exists  
Streaming Command Failed!
```

7. View the Output hdfs dfs -cat /user/output1/part-00000

8. Once the map reduce operations are performed successfully, the output will be present in the specified directory.

[&]quot;/user/output1/part-00000"



9. Stop Hadoop Services stop-dfs.cmd stop-yarn.cmd

```
C:\Hadoop\sbin>stop-dfs.cmd
SUCCESS: Sent termination signal to the process with PID 7964.
SUCCESS: Sent termination signal to the process with PID 13580.
C:\Hadoop\sbin>stop-yarn.cmd
stopping yarn daemons
SUCCESS: Sent termination signal to the process with PID 14412.
SUCCESS: Sent termination signal to the process with PID 7092.
INFO: No tasks running with the specified criteria.
C:\Hadoop\sbin>
```

RESULT:

Thus the implementation of the MapReduce python program a weather dataset in Hadoop is executed successfully.