



Diameter*Height	A	C	D	d	P	Unit:mm
5 x 11mm	11	0.5	5	0.5	2	
5 x 12mm	12	0.5	5	0.5	2	
6 x 11mm	11	0.5	6	0.5	2.5	
6.3 x 12mm	12	0.5	6.3	0.5	2.5	
8 x 12mm	12	0.5	8	0.5	3.5	
8 x 16mm	16	0.5	8	0.5	3.5	
10 x 16mm	16	0.6	10	0.6	5	




1 = Cf / 250



Case dimensions d × l (mm)	4 × 5.4	5 × 5.4	6.3 × 5.4	6.3 × 5.8	6.3 × 7.7	8 × 10	10 × 10
A	1.8	2.1	2.4	2.4	2.4	2.9	3.2
B	4.3	5.3	6.6	6.6	6.6	8.3	10.3
C	4.3	5.3	6.6	6.6	6.6	8.3	10.3
E	1.0	1.3	2.2	2.2	2.2	3.1	4.5
H			0.5 ... 0.8	<i>= 0.65</i>		0.8 ... 1.1	



$c. 125 \omega \leftrightarrow 8 \omega$



DRUM TYPE	DIMENSIONS(mm)							
	P	A	B	C	D	E	F	G
DRUM-12X15 W/O PIN	-	12.0 ± 0.3	6.0 ± 0.3	-	15.0 ± 0.4	2.5 ± 0.15	10.0 ± 0.4	-
DRUM-10X12	5.0 ± 0.5	10.1 ± 0.3	4.1 ± 0.3	0.6 ± 0.1	12.2 ± 0.4	2.25 ± 0.15	7.0 ± 0.4	15.0 ± 0.5
DRUM-8X10	5.0 ± 0.5	8.0 ± 0.2	3.5 ± 0.2	0.6 ± 0.1	10.0 ± 0.4	2.0 ± 0.2	6.0 ± 0.2	15.0 ± 0.5
DRUM-6X8	3.0 ± 0.5	6.0 ± 0.2	2.5 ± 0.15	0.6 ± 0.1	8.0 ± 0.4	2.15 ± 0.15	4.0 ± 0.2	15.0 ± 0.5



EXTERNAL DIMENSIONS unit: mm

FIG 1




FIG 2





FIG 3



PART NO	A ± 0.5	B ± 0.5	C(Max)	D(Red)	E(Red)	F(Red)	FIG
VBH63	6.2	6.6	3.0	1.5	6.6	5.9	1
VBH65	6.2	6.6	5.0	1.5	6.6	5.9	1
VBH73	7.3	7.3	3.5	1.8	7.2	5.4	2
VBH74	7.3	7.3	4.5	1.8	7.2	5.4	2
VBH105	10.0	10.0	5.0	3	9.6	7.6	3
VBH124	12.0	12.0	4.5	5	11.8	7.6	3
VBH125	12.0	12.0	6.0	5	11.8	7.6	3
VBH127	12.0	12.0	8.0	5	12	7.6	3

