

## ANDROID STATIC ANALYSIS REPORT

app\_icon

### MadMuscles (3.8.0)

File Name: com.amomedia.madmuscles\_197.apk

Package Name: com.amomedia.madmuscles

Scan Date: Aug. 29, 2025, 7:38 p.m.

App Security Score: 48/100 (MEDIUM RISK)

В

Grade:

Trackers Detection: 7/432

#### FINDINGS SEVERITY

<b>∄</b> HIGH	<b>▲</b> MEDIUM	i INFO	✓ SECURE	<b>Q</b> HOTSPOT
2	21	4	1	1

#### FILE INFORMATION

File Name: com.amomedia.madmuscles\_197.apk

Size: 125.93MB

MD5: d1e910030471b763a5fffe1c65eb7383

**SHA1:** 5e6c784e99217d2873ac25512fc8cb093f6f673e

**\$HA256**: 3b1d480d4e3e728261a77b62dca0a62588f581226703c8ab11a37de8ba3109c2

## **i** APP INFORMATION

App Name: MadMuscles

Package Name: com.amomedia.madmuscles

Main Activity: com.amomedia.musclemate.presentation.startup.RouteActivity

Target SDK: 34 Min SDK: 26 Max SDK:

Android Version Name: 3.8.0 Android Version Code: 197

#### **EXECUTE** APP COMPONENTS

Activities: 30
Services: 16
Receivers: 18
Providers: 9
Exported Activities: 3
Exported Services: 2
Exported Receivers: 4
Exported Providers: 0

#### **\*** CERTIFICATE INFORMATION

Binary is signed

v1 signature: False

v2 signature: True

v3 signature: True v4 signature: False

X.509 Subject: C=US, ST=California, L=Mountain View, O=Google Inc., OU=Android, CN=Android

Signature Algorithm: rsassa\_pkcs1v15 Valid From: 2020-10-01 14:32:36+00:00

Valid To: 2050-10-01 14:32:36+00:00

Issuer: C=US, ST=California, L=Mountain View, O=Google Inc., OU=Android, CN=Android

Serial Number: 0xf67510dc21919adf031d0c692cf50091be4cac9a

Hash Algorithm: sha256

md5: bdb4c93777a5a931282108d6dd903edd

sha1: 52089a179f5aff5481e00e6f89a13fc31da227a5

sha256: 844a1ff2ae60ea0c111d0e7e4b4e7a67864ba4b4c585dcced410a2d91cfe33ca

sha512:6719ae6421259a21db75b7b20378b8eda3dde3451ec2adc068f78d57553b0e7cca14da42d3637b6d038d3559a53fd07db1a0ddfeddd615bfc8c04d0cd9a7b944

PublicKey Algorithm: rsa

Bit Size: 4096

Fingerprint: 114e728c96386371ce21a536b479015e419d1538c5548ecbad67331c0e761932

Found 1 unique certificates

#### **⋮** APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.VIBRATE	normal	control vibrator	Allows the application to control the vibrator.
android.permission.CAMERA	dangerous	take pictures and videos	Allows application to take pictures and videos with the camera. This allows the application to collect images that the camera is seeing at any time.
android.permission.POST_NOTIFICATIONS	dangerous	allows an app to post notifications.	Allows an app to post notifications

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.READ_EXTERNAL_STORAGE	dangerous	read external storage contents	Allows an application to read from external storage.
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.
android.permission.RECORD_AUDIO	dangerous	record audio	Allows application to access the audio record path.
android.permission.BLUETOOTH	normal	create Bluetooth connections	Allows applications to connect to paired bluetooth devices.
android.permission.BLUETOOTH_ADMIN	normal	bluetooth administration	Allows applications to discover and pair bluetooth devices.
android.permission.ACCESS_FINE_LOCATION	dangerous	fine (GPS) location	Access fine location sources, such as the Global Positioning System on the phone, where available. Malicious applications can use this to determine where you are and may consume additional battery power.
android.permission.BLUETOOTH_SCAN	dangerous	required for discovering and pairing Bluetooth devices.	Required to be able to discover and pair nearby Bluetooth devices.
android.permission.BLUETOOTH_CONNECT	dangerous	necessary for connecting to paired Bluetooth devices.	Required to be able to connect to paired Bluetooth devices.
android.permission.ACCESS_NETWORK_STATE	normal	view network status	Allows an application to view the status of all networks.
android.permission.WRITE_EXTERNAL_STORAGE	dangerous	read/modify/delete external storage contents	Allows an application to write to external storage.
android.permission.WAKE_LOCK	normal	prevent phone from sleeping	Allows an application to prevent the phone from going to sleep.
com.google.android.gms.permission.ACTIVITY_RECOGNITION	dangerous	allow application to recognize physical activity	Allows an application to recognize physical activity.
android.permission.ACTIVITY_RECOGNITION	dangerous	allow application to recognize physical activity	Allows an application to recognize physical activity.
com.google.android.c2dm.permission.RECEIVE	normal	recieve push notifications	Allows an application to receive push notifications from cloud.
com.android.vending.BILLING	normal	application has in-app purchases	Allows an application to make in-app purchases from Google Play.
com.google.android.gms.permission.AD_ID	normal	application shows advertisements	This app uses a Google advertising ID and can possibly serve advertisements.
android.permission.ACCESS_ADSERVICES_ATTRIBUTION	normal	allow applications to access advertising service attribution	This enables the app to retrieve information related to advertising attribution, which can be used for targeted advertising purposes. App can gather data about how users interact with ads, such as clicks or impressions, to measure the effectiveness of advertising campaigns.
android.permission.ACCESS_ADSERVICES_AD_ID	normal	allow app to access the device's advertising ID.	This ID is a unique, user-resettable identifier provided by Google's advertising services, allowing apps to track user behavior for advertising purposes while maintaining user privacy.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.RECEIVE_BOOT_COMPLETED	normal	automatically start at boot	Allows an application to start itself as soon as the system has finished booting. This can make it take longer to start the phone and allow the application to slow down the overall phone by always running.
android.permission.FOREGROUND_SERVICE	normal	enables regular apps to use Service.startForeground.	Allows a regular application to use Service.startForeground.
com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE	normal	permission defined by google	A custom permission defined by Google.
com.amomedia.madmuscles.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference
com.huawei.appmarket.service.commondata.permission.GET_COMMON_DATA	unknown	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_COARSE_LOCATION	dangerous	coarse (network-based) location	Access coarse location sources, such as the mobile network database, to determine an approximate phone location, where available.  Malicious applications can use this to determine approximately where you are.

# ক্ল APKID ANALYSIS

FILE	DETAILS			
	FINDINGS	DETAILS		
classes.dex	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.TAGS check		
	Compiler	r8 without marker (suspicious)		
	FINDINGS	DETAILS		
classes2.dex	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.TAGS check network operator name check device ID check ro.kernel.qemu check		
	Compiler	r8 without marker (suspicious)		

FILE	DETAILS			
	FINDINGS	DETAILS		
classes3.dex	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.HACS check possible VM check		
	Anti Debug Code	Debug.isDebuggerConnected() check		
	Compiler	r8 without marker (suspicious)		
	FINDINGS	DETAILS		
classes4.dex	Anti-VM Code	Build.MODEL check Build.MANUFACTURER check network operator name check		
	Compiler	r8 without marker (suspicious)		

## **■** BROWSABLE ACTIVITIES

ACTIVITY	INTENT
com.amomedia.musclemate.presentation.startup.RouteActivity	Schemes: unimeal://, madmuscle://, actions://, madmuscles://, http://, https://, Hosts: push, madmuscles.amomedia.com, link, intercom, @string/dynamic_link,
com.facebook.CustomTabActivity	Schemes: @string/fb_login_protocol_scheme://, fbconnect://, Hosts: cct.com.amomedia.madmuscles,

### **△** NETWORK SECURITY

HIGH: 0 | WARNING: 0 | INFO: 0 | SECURE: 0

NO	SCOPE	SEVERITY	DESCRIPTION

### **EXECUTIFICATE ANALYSIS**

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate

## **Q** MANIFEST ANALYSIS

HIGH: 0 | WARNING: 10 | INFO: 0 | SUPPRESSED: 0

HIGH: 0	RRNING: 10   INFO: 0   SUPPRESSED: 0		
NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable Android version Android 8.0, minSdk=26]	warning	This application can be installed on an older version of android that has multiple vulnerabilities. Support an Android version => 10, API 29 to receive reasonable security updates.
2	App has a Network Security Configuration [android:networkSecurityConfig=@xml/network_security_config]	info	The Network Security Configuration feature lets apps customize their network security settings in a safe, declarative configuration file without modifying app code. These settings can be configured for specific domains and for a specific app.
3	Activity (com.facebook.FacebookActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
4	Activity (com.facebook.CustomTabActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
5	Broadcast Receiver (com.amomedia.musclemate.presentation.widget.WorkoutProgramWidgetProvider) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
6	Service (com.google.android.gms.auth.api.signin.RevocationBoundService) is Protected by a permission, but the protection level of the permission should be checked.  Permission: com.google.android.gms.auth.api.signin.permission.REVOCATION_NOTIFICATION [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
7	Broadcast Receiver (com.google.firebase.iid.FirebaseInstanceIdReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.c2dm.permission.SEND [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
8	Service (androidx.work.impl.background.systemjob.SystemJobService) is Protected by a permission, but the protection level of the permission should be checked.  Permission: android.permission.BIND_JOB_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
9	Broadcast Receiver (androidx.work.impl.diagnostics.DiagnosticsReceiver) is Protected by a permission, but the protection level of the permission should be checked.  Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
10	Activity (androidx.compose.ui.tooling.PreviewActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
11	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked.  Permission: android.permission.DUMP  [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

# </> CODE ANALYSIS

HIGH: 1 | WARNING: 9 | INFO: 3 | SECURE: 1 | SUPPRESSED: 0

NO ISSUE	EVERITY STANDARDS	FILES
App can write to App Directory. Sensitive Information should be encrypted.	CWE: CWE-276: Incorrect Default Permissions OWASP MASVS: MSTG-STORAGE-14	com/lokalise/sdk/storage/preferences/LokaliseInstallationInfo.java ct0/f.java dv0/b.java dv0/b0.java dv0/j.java dv0/j0.java dv0/j0.java kc1/a.java kv1/a.java qv0/b.java qv1/0.java
		a01/c.java a11/b.java a21/d.java a24/a.java au0/h.java au0/h.java b01/b0.java b01/b0.java b01/f0.java b01/h0.java b01/h0.java b01/h0.java b01/k.java b01/k.java b01/k.java b01/k.java b01/k.java b01/r.java

NO ISSUE	SEVERITY STANDARDS	c4/w.java <b>日止兵S</b> a
		c5/m.java
		c91/f.java
		ca/p.java
		com/airbnb/epoxy/o.java
		com/airbnb/epoxy/v.java
		com/amomedia/musclemate/presentation/login/fragments/social/SocialLoginFr
		agment.java
		com/amomedia/musclemate/presentation/workout/view/player/MadMuscleV1
		PlayerView.java
		com/appsflyer/internal/AFf1cSDK.java
		com/appsflyer/internal/AFf1fSDK.java
		com/appsflyer/internal/AFf1gSDK.java
		com/appsflyer/internal/AFf1uSDK.java
		com/appsflyer/internal/AFg1dSDK.java
		com/appsflyer/share/LinkGenerator.java
		com/bumptech/glide/b.java
		com/bumptech/glide/k.java
		com/bumptech/glide/l.java
		com/bumptech/glide/load/data/b.java
		com/bumptech/glide/load/data/j.java
		com/bumptech/glide/load/data/l.java
		com/bumptech/glide/load/engine/GlideException.java
		com/bumptech/glide/load/resource/bitmap/DefaultImageHeaderParser.java
		com/intercom/twig/Twig.java
		com/lokalise/sdk/utils/Logger.java
		com/surveymonkey/surveymonkeyandroidsdk/SMFeedbackActivity.java
		cu0/a.java
		cw0/c.java
		d5/e.java
		da/r0.java
		du0/c.java
		du0/d.java
		du0/g.java
		du0/w.java
		du0/x.java
		du0/y.java
		dv0/a0.java
		dv0/f.java
		dv0/j0.java
		dv0/r.java
		dv0/s.java
		dv0/x,java
		dw0/b0,java
		dw0/w.java
		dx0/a,java
		dx0/b.java
		et0/b,java
		ev0/f.java
		ev0/i.java
		ev0/v.java
		f0/e0.java
		f0/i0.java
		f01/a.java
		f11/c.java
		f7/i.java
		ft0/a,java
		fu0/e,java
		fy0/r.java
		g01/c.java
		g01/e.java
		g7/g.java
		g7/j.java
		gu0/a0.java

NO ISSUE	SEVERITY STANDARDS	gu0/c.java <b>Flb£6</b> .java
		gu0/e.java
		gu0/k.java
		gu0/n.java
		gu0/o.java
		gu0/s.java
		gx0/e.java
		gx0/f.java
		h/p.java
		h0/n0.java
		h01/c.java
		h41/c.java
		h6/c.java
		hv0/f.java
		hx0/a0.java
		hx0/b.java
		hx0/c.java
		hx0/e.java
		hx0/g.java
		hx0/i.java
		hx0/k.java
		hx0/q.java
		hx0/u.java
		hx0/v.java
		hx0/x.java
		hx0/z.java
		i0/f.java
		i01/b.java
		i01/e.java
		i01/f.java
		i6/a.java
		ii/c.java
		io/sentry/android/core/h.java
		io/sentry/config/b.java
		io/sentry/m4.java
		iv0/e.java
		iv0/f.java
		ix0/b0.java
		ix0/e.java
		ix0/f.java
		ix0/h.java
		ix0/i.java
		ix0/k.java
		ix0/s.java
		ix0/w.java
		iz0/f,java
		j11/a.java
		j4/d.java
		jf/a.java
		k/e.java
		k01/a.java
		k01/b.java
		k5/b.java
		k9/a.java
		kq0/b.java
		ku0/a.java
		ku0/d.java
		ku0/j.java
		kv0/d.java
		kx0/b0.java
		kx0/e.java
		kx0/k0.java
		kx0/q0.java
		kx0/z.java

OV	ISSUE	SEVERITY	STANDARDS	ky0/a.java <b>FILES</b> a
•	13302	JEVE		14/p.java
			- 	141/e.java
		!	l	141/e.java
		!	l	l5/i.java
		!	l	lx0/c.java
			l	lx0/d1.java
		!	l	lx0/f.java
		!	i	lx0/g1.java
2	The App logs information. Sensitive information should never	info	CWE: CWE-532: Insertion of Sensitive Information into Log File	lx0/m0.java
۷	<u>be logged.</u>	lillo	OWASP MASVS: MSTG-STORAGE-3	lx0/t0.java
		!	l	
		!	l	lx0/v.java
		!	l	lx0/x0.java
		ļ	l	lx0/y.java
		ļ	l	ly0/d7.java
		ļ	l	ly0/t6.java
		!	l	ly0/v0.java
		ļ	l	
		ļ	l	m2/e.java
		ļ	l	m6/k.java
- 1		ļ	l	ma/p.java
- 1		ļ	l	ma/r.java
- 1		ļ	l	mu0/p.java
		ļ	l	mv0/d.java
		ļ	l	mv0/f.java
		!	l	0/- :
- 1		ļ	l	mv0/g.java
- 1		ļ	l	mv0/i.java
- 1		ļ	l	mv0/j.java
		!	l	n/g.java
		!	l	n/h.java
		!	l	n/i.java
		!	l	n/j.java
- 1		ļ	l	n/j.java
		!	l	n/t.java
- 1		ļ	l	n0/a.java
- 1		ļ	l	n01/g.java
- 1		ļ	l	ny0/a.java
- 1		ļ	l	o4/f.java
- 1		ļ	l	09/c.java
		!	l	
			l	of/c.java
- 1		ļ	l	on0/c.java
- 1		ļ	l	ox0/a.java
		!	l	oy0/a.java
			l	p0/a0.java
- 1		ļ	l	p0/s.java
- 1		ļ	l	po/s.java
- 1		ļ	l	p0/z.java
- 1		ļ	l	p1/s.java
		!	l	p9/c.java
- 1		ļ	l	p90/g.java
- 1		ļ	l	pu0/i.java
- 1		ļ	l	pv0/a.java
- 1		ļ	l	pw0/b.java
		ļ	İ	pworb.java
- 1		ļ	l	px0/a.java
- 1		ļ	l	q21/a.java
		!	l	q31/b.java
- 1		ļ	l	q31/c.java
- 1		ļ	l	q31/d.java
- 1		ļ	l	q4/a.java
		ļ	i	-4/- :
- 1		ļ	l	q4/c.java
- 1		ļ	l	q4/d.java
- 1		ļ	l	q4/e.java
- 1		ļ	l	q6/y.java
- 1		ļ	l	qt0/g0.java
- 1		ļ	l	-t0/-0:
- 1		ļ	l	qt0/q0.java
- 1		ļ	l	qu0/d.java
- 1		ļ	l	qu0/j.java
- 1		I	İ	qx0/i.java

NO ISSUE	SEVERITY STANDARDS	qx0/j.java <b>G}b</b> 距 <b>\$</b> ava	
		gy0/n.java	
		qz0/a.java	
		r/f.java	
		r0/b.java	
		r21/g.java	
		r31/a.java	
		r31/b.java	
		r31/c.java	
		r4/e.java	
		r4/f.java	
		r4/g.java	
		r4/h.java	
		r4/j.java	
		r4/k.java	
		r4/l.java	
		r4/n.java	
		r6/q.java	
		r8/b.java	
		r8/q.java	
		r9/a.java	
		ry0/m.java	
		s11/e.java	
		s11/k.java	
		s7/c.java	
		st0/h.java	
		st0/o.java	
		sw0/k.java	
		t0/d.java	
		t0/n.java	
		t11/e.java	
		t11/h.java	
		t21/a.java	
		t9/a.java	
		tt0/d.java	
		tv0/a0.java	
		tv0/x.java	
		u11/a.java	
		u3/h0.java	
		u4/e.java	
		u4/e0.java	
		u4/f.java	
		u4/g.java u4/l.java	
		u4/s.java u4/x.java	
		u4/x,Java u8/b,java	
		u8/f.java	
		u8/i.java	
		ut0/a.java	
		uu0/a.java	
		ux0/d.java	
		v4/a.iava	
		v4/a.java vt0/d.java	
		vt0/e.java	
		vu0/b.java	
		vu0/g.java	
		vu0/h.java	
		vu0/i.java	
		w0/a.java	
		vz0/k,java	
		w8/e0.java	
		wt0/a.java	
		wy0/f,java	
		1.75.1.94.14	

		1		ws0/g invo
NO	ICCLIE	CEVEDITY	CTANDARDC	wy0/g,java
NO	ISSUE	SEVERITY	STANDARDS	FJOE Sava
				x11/b0.java
				x11/g0.java
				x11/h0.java
				x11/i0.java
				x11/l0.java
				x11/n.java
				x11/w.java
				x4/g.java
				x4/k.java
				x5/a.java
				x8/a.java
				xp0/a.java
				xw0/d.java
				xx0/c.java
				xy0/g.java
				xy0/n.java
				xz0/b.java
				xz0/e.java
				y/e0.java
				y/f0.java
				y/g.java
				y/i.java
				y/i0.java
				y/10.java
				y/l0.java
				y/q0.java
				y/r.java
				y/x.java
				y01/d.java
				y4/g.java
				y4/i.java
				y4/j.java
				y4/o.java
				yt0/b.java
				yw0/o.java
				yz0/c.java
				yz0/d.java
				yz0/e.java
				yz0/f.java
				z/k.java
				z/l.java
				z/m.java
				z1/j2.java
				z11/d.java
				z11/h.java
				z31/b.java
				z5/a.java
				zendesk/messaging/android/internal/conversationscreen/messagelog/Message
				LogView.java
				zt0/a0.java
				zt0/j.java
				zt0/k.java
				at0/m.java
				zt0/m.java
		1		zz0/c.java

zz0/d.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
3	Files may contain hardcoded sensitive information like usernames, passwords, keys etc.	warning	CWE: CWE-312: Cleartext Storage of Sensitive Information OWASP Top 10: M9: Reverse Engineering OWASP MASVS: MSTG-STORAGE-14	com/amomedia/musclemate/presentation/login/fragments/social/a.java com/amomedia/uniwell/core/config/model/RateUsConditionJsonModel.java com/lokalise/sdk/Lokalise.java com/lokalise/sdk/storage/sqlite/SdkDbDaoImpl.java com/lokalise/sdk/storage/sqlite/Table.java dp0/b.java gt/e.java i50/a.java la/d.java mp0/c.java nt/i.java nt/i.java nt/i.java s3/i.java ad/l/2.java s3/i.java s3/i.java s3/i.java s3/i.java s3/i.java s3/i.java s3/i.java s3/i.java s1/p1.java va1/p1.java va1/p1.java va1/p1.java zendesk/core/CendeskCoreSettingsStorage.java zendesk/core/ZendeskGetinge.java zendesk/core/ZendeskGetinge.java zendesk/core/ZendeskStorage.java zendesk/support/ZendeskRequestStorage.java zendesk/support/ZendeskRequestStorage.java zendesk/support/ZendeskRequestStorage.java zendesk/support/ZendeskRequestStorage.java zendesk/support/ZendeskRequestStorage.java zendesk/support/ZendeskRequestStorage.java
4	App uses SQLite Database and execute raw SQL query. Untrusted user input in raw SQL queries can cause SQL Injection. Also sensitive information should be encrypted and written to the database.	warning	CWE: CWE-89: Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection') OWASP Top 10: M7: Client Code Quality	com/lokalise/sdk/storage/sqlite/SdkDbDaoImpl.java f0/v0.java ly0/k.java ly0/m7.java ly0/p0.java ly0/q.java ly0/t.java p9/b.java r21/f1.java r21/f1.java r21/t.java r6/o.java xw0/h.java y/r0.java yw0/o.java yw0/r.java yw0/v.java yw0/v.java yw0/v.java yw0/v.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
5	The App uses an insecure Random Number Generator.	warning	CWE: CWE-330: Use of Insufficiently Random Values OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-6	a21/a.java a7/w.java al/y.java com/appsflyer/internal/AFb1gSDK.java dw0/b.java io/sentry/metrics/g.java l61/a.java l61/a.java lt0/i.java lt0/i.java ly0/d7.java lz0/a.java m61/a.java p11/c.java p11/c.java s11/j.java s11/j.java
6	This App copies data to clipboard. Sensitive data should not be copied to clipboard as other applications can access it.	info	OWASP MASVS: MSTG-STORAGE-10	h3/l.java zendesk/messaging/android/internal/conversationscreen/ConversationActivity.j ava
7	SHA-1 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	a11/b.java a81/m0.java b01/h.java cw0/a.java io/sentry/w3.java qx0/a.java
8	This App may have root detection capabilities.	secure	OWASP MASVS: MSTG-RESILIENCE-1	b01/h.java io/sentry/android/core/internal/util/j.java io/sentry/android/core/y.java qy0/n.java wy0/i.java
9	MD5 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	ev0/d.java lf/d.java ly0/d7.java mv0/j.java
10	Insecure WebView Implementation. Execution of user controlled code in WebView is a critical Security Hole.	warning	CWE: CWE-749: Exposed Dangerous Method or Function OWASP Top 10: M1: Improper Platform Usage OWASP MASVS: MSTG-PLATFORM-7	ic/s.java zendesk/ui/android/conversation/conversationextension/ConversationExtensio nView.java
11	App creates temp file. Sensitive information should never be written into a temp file.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	a11/c.java bc1/c.java e31/h.java ke/y.java
12	App can read/write to External Storage. Any App can read data written to External Storage.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	d40/a.java io/sentry/android/core/y.java tv0/i0.java
13	The App uses the encryption mode CBC with PKCS5/PKCS7 padding. This configuration is vulnerable to padding oracle attacks.	high	CWE: CWE-649: Reliance on Obfuscation or Encryption of Security-Relevant Inputs without Integrity Checking OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-3	u6/a.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
14	This App may request root (Super User) privileges.	warning	CWE: CWE-250: Execution with Unnecessary Privileges OWASP MASVS: MSTG-RESILIENCE-1	io/sentry/android/core/internal/util/j.java

## MISHARED LIBRARY BINARY ANALYSIS

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
1	arm64-v8a/libcrashlytics-trampoline.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Position Independent Executable (PIE) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	No RELRO high This shared object does not have RELRO enabled. The entire GOT (.got and .got.plt both) are writable. Without this compiler flag, buffer overflows on a global variable can overwrite GOT entries. Use the option -z,relro,-z,now to enable full RELRO and only -z,relro to enable partial RELRO.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.
2	arm64-v8a/libgojni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.
3	arm64-v8a/librive-android.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
4	arm64-ν8a/libcrashlytics-handler.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	No RELRO high This shared object does not have RELRO enabled. The entire GOT (.got and .got.plt both) are writable. Without this compiler flag, buffer overflows on a global variable can overwrite GOT entries. Use the option -z,relro,-z,now to enable full RELRO and only -z,relro to enable partial RELRO.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_strlen_chk', '_memmove_chk', '_vsnprintf_chk']	True info Symbols are stripped.
5	arm64-v8a/libc++_shared.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_vsnprintf_chk', '_read_chk', '_strlen_chk', '_memmove_chk']	True info Symbols are stripped.
6	arm64-v8a/libimage_processing_util_jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_memcpy_chk']	True info Symbols are stripped.
7	arm64-v8a/libsqliteJni.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
8	arm64-v8a/libcrashlytics.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	No RELRO high This shared object does not have RELRO enabled. The entire GOT (.got and .got.plt both) are writable. Without this compiler flag, buffer overflows on a global variable can overwrite GOT entries. Use the option -z,relro,-z,now to enable full RELRO and only -z,relro to enable partial RELRO.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_strlen_chk', '_memmove_chk', '_vsnprintf_chk']	True info Symbols are stripped.
9	arm64-v8a/libcrashlytics-common.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	No RELRO high This shared object does not have RELRO enabled. The entire GOT (.got and .got.plt both) are writable. Without this compiler flag, buffer overflows on a global variable can overwrite GOT entries. Use the option -z_relro,-z_now to enable full RELRO and only -z_relro to enable partial RELRO.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_memcpy_chk', '_strlen_chk', '_read_chk', '_strchr_chk', '_vsnprintf_chk', '_memmove_chk']	True info Symbols are stripped.
10	x86_64/libcrashlytics-trampoline.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	Position Independent Executable (PIE) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	No RELRO high This shared object does not have RELRO enabled. The entire GOT (.got and .got.plt both) are writable. Without this compiler flag, buffer overflows on a global variable can overwrite GOT entries. Use the option -z,relro,-z,now to enable full RELRO and only -z,relro to enable partial RELRO.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.
11	x86_64/libgojni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
12	x86_64/librive-android.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
13	x86_64/libcrashlytics-handler.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	No RELRO high This shared object does not have RELRO enabled. The entire GOT (.got and .got.plt both) are writable. Without this compiler flag, buffer overflows on a global variable can overwrite GOT entries. Use the option -z,relro,-z,now to enable full RELRO and only -z,relro to enable partial RELRO.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_strlen_chk', '_memmove_chk', '_vsnprintf_chk']	True info Symbols are stripped.
14	x86_64/libc++_shared.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_vsnprintf_chk', '_read_chk', '_strlen_chk', '_memmove_chk']	True info Symbols are stripped.
15	x86_64/libimage_processing_util_jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_memcpy_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
16	x86_64/libsqliteJni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
17	x86_64/libcrashlytics.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	No RELRO high This shared object does not have RELRO enabled. The entire GOT (.got and .got.plt both) are writable. Without this compiler flag, buffer overflows on a global variable can overwrite GOT entries. Use the option -z,relro,-z,now to enable full RELRO and only -z,relro to enable partial RELRO.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_strlen_chk', '_memmove_chk', '_vsnprintf_chk']	True info Symbols are stripped.
18	x86_64/libcrashlytics-common.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	No RELRO high This shared object does not have RELRO enabled. The entire GOT (.got and .got.plt both) are writable. Without this compiler flag, buffer overflows on a global variable can overwrite GOT entries. Use the option -z,relro,-z,now to enable full RELRO and only -z,relro to enable partial RELRO.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_memcpy_chk', '_strlen_chk', '_read_chk', '_vsnprintf_chk', '_memmove_chk']	True info Symbols are stripped.
19	armeabi-v7a/libcrashlytics-trampoline.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Position Independent Executable (PIE) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	No RELRO high This shared object does not have RELRO enabled. The entire GOT (.got and .got.plt both) are writable. Without this compiler flag, buffer overflows on a global variable can overwrite GOT entries. Use the option -z,relro,-z,now to enable full RELRO and only -z,relro to enable partial RELRO.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
20	armeabi-v7a/libgojni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.
21	armeabi-v7a/librive-android.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
22	armeabi-v7a/libcrashlytics-handler.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	No RELRO high This shared object does not have RELRO enabled. The entire GOT (.got and .got.plt both) are writable. Without this compiler flag, buffer overflows on a global variable can overwrite GOT entries. Use the option -z,relro,-z,now to enable full RELRO and only -z,relro to enable partial RELRO.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_strlen_chk', '_vsnprintf_chk']	True info Symbols are stripped.
23	armeabi-v7a/libc++_shared.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_vsnprintf_chk', '_strlen_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
24	armeabi-v7a/libimage_processing_util_jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
25	armeabi-v7a/libsqliteJni.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
26	armeabi-v7a/libcrashlytics.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	No RELRO high This shared object does not have RELRO enabled. The entire GOT (.got and .got.plt both) are writable. Without this compiler flag, buffer overflows on a global variable can overwrite GOT entries. Use the option -z,relro,-z,now to enable full RELRO and only -z,relro to enable partial RELRO.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_strlen_chk', '_vsnprintf_chk']	True info Symbols are stripped.
27	armeabi-v7a/libcrashlytics-common.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	No RELRO high This shared object does not have RELRO enabled. The entire GOT (.got and .got.plt both) are writable. Without this compiler flag, buffer overflows on a global variable can overwrite GOT entries. Use the option -z,relro,-z,now to enable full RELRO and only -z,relro to enable partial RELRO.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_memcpy_chk', '_strlen_chk', '_read_chk', '_strchr_chk', '_vsnprintf_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
28	x86/libcrashlytics-trampoline.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Position Independent Executable (PIE) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	No RELRO high This shared object does not have RELRO enabled. The entire GOT (.got and .got.plt both) are writable. Without this compiler flag, buffer overflows on a global variable can overwrite GOT entries. Use the option -z,relro,-z,now to enable full RELRO and only -z,relro to enable partial RELRO.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.
29	x86/libgojni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.
30	x86/librive-android.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
31	x86/libcrashlytics-handler.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	No RELRO high This shared object does not have RELRO enabled. The entire GOT (.got and .got.plt both) are writable. Without this compiler flag, buffer overflows on a global variable can overwrite GOT entries. Use the option -z,relro,-z,now to enable full RELRO and only -z,relro to enable partial RELRO.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_strlen_chk', '_memmove_chk', '_vsnprintf_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
32	x86/libc++_shared.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_vsnprintf_chk', '_strlen_chk', '_memmove_chk']	True info Symbols are stripped.
33	x86/libimage_processing_util_jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
34	x86/libsqliteJni.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
35	x86/libcrashlytics.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	No RELRO high This shared object does not have RELRO enabled. The entire GOT (.got and .got.plt both) are writable. Without this compiler flag, buffer overflows on a global variable can overwrite GOT entries. Use the option -z,relro,-z,now to enable full RELRO and only -z,relro to enable partial RELRO.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_strlen_chk', '_memmove_chk', '_vsnprintf_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
36	x86/libcrashlytics-common.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	No RELRO high This shared object does not have RELRO enabled. The entire GOT (.got and .got.plt both) are writable. Without this compiler flag, buffer overflows on a global variable can overwrite GOT entries. Use the option -z,relro,-z,now to enable full RELRO and only -z,relro to enable partial RELRO.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_memcpy_chk', '_strlen_chk', '_read_chk', '_strchr_chk', '_vsnprintf_chk', '_memmove_chk']	True info Symbols are stripped.
37	arm64-v8a/libcrashlytics-trampoline.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	Position Independent Executable (PIE) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	No RELRO high This shared object does not have RELRO enabled. The entire GOT (.got and .got.plt both) are writable. Without this compiler flag, buffer overflows on a global variable can overwrite GOT entries. Use the option -z,relro,-z,now to enable full RELRO and only -z,relro to enable partial RELRO.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.
38	arm64-v8a/libgojni.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.
39	arm64-v8a/librive-android.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
40	arm64-v8a/libcrashlytics-handler.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	No RELRO high This shared object does not have RELRO enabled. The entire GOT (.got and .got.plt both) are writable. Without this compiler flag, buffer overflows on a global variable can overwrite GOT entries. Use the option -z,relro,-z,now to enable full RELRO and only -z,relro to enable partial RELRO.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_strlen_chk', '_memmove_chk', '_vsnprintf_chk']	True info Symbols are stripped.
41	arm64-v8a/libc++_shared.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_vsnprintf_chk', '_read_chk', '_strlen_chk', '_memmove_chk']	True info Symbols are stripped.
42	arm64-v8a/libimage_processing_util_jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_memcpy_chk']	True info Symbols are stripped.
43	arm64-v8a/libsqliteJni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
44	arm64-v8a/libcrashlytics.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	No RELRO high This shared object does not have RELRO enabled. The entire GOT (.got and .got.plt both) are writable. Without this compiler flag, buffer overflows on a global variable can overwrite GOT entries. Use the option -z,relro,-z,now to enable full RELRO and only -z,relro to enable partial RELRO.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_strlen_chk', '_memmove_chk', '_vsnprintf_chk']	True info Symbols are stripped.
45	arm64-v8a/libcrashlytics-common.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	No RELRO high This shared object does not have RELRO enabled. The entire GOT (.got and .got.plt both) are writable. Without this compiler flag, buffer overflows on a global variable can overwrite GOT entries. Use the option -z,relro,-z,now to enable full RELRO and only -z,relro to enable partial RELRO.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_memcpy_chk', '_strlen_chk', '_read_chk', '_strchr_chk', '_vsnprintf_chk', '_memmove_chk']	True info Symbols are stripped.
46	x86_64/libcrashlytics-trampoline.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	Position Independent Executable (PIE) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	No RELRO high This shared object does not have RELRO enabled. The entire GOT (.got and .got.plt both) are writable. Without this compiler flag, buffer overflows on a global variable can overwrite GOT entries. Use the option -z,relro,-z,now to enable full RELRO and only -z,relro to enable partial RELRO.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.
47	x86_64/libgojni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
48	x86_64/librive-android.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
49	x86_64/libcrashlytics-handler.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	No RELRO high This shared object does not have RELRO enabled. The entire GOT (.got and .got.plt both) are writable. Without this compiler flag, buffer overflows on a global variable can overwrite GOT entries. Use the option -z,relro,-z,now to enable full RELRO and only -z,relro to enable partial RELRO.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_strlen_chk', '_memmove_chk', '_vsnprintf_chk']	True info Symbols are stripped.
50	x86_64/libc++_shared.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_vsnprintf_chk', '_read_chk', '_strlen_chk', '_memmove_chk']	True info Symbols are stripped.
51	x86_64/libimage_processing_util_jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_memcpy_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
52	x86_64/libsqliteJni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
53	x86_64/libcrashlytics.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	No RELRO high This shared object does not have RELRO enabled. The entire GOT (.got and .got.plt both) are writable. Without this compiler flag, buffer overflows on a global variable can overwrite GOT entries. Use the option -z,relro,-z,now to enable full RELRO and only -z,relro to enable partial RELRO.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_strlen_chk', '_memmove_chk', '_vsnprintf_chk']	True info Symbols are stripped.
54	x86_64/libcrashlytics-common.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	No RELRO high This shared object does not have RELRO enabled. The entire GOT (.got and .got.plt both) are writable. Without this compiler flag, buffer overflows on a global variable can overwrite GOT entries. Use the option -z,relro,-z,now to enable full RELRO and only -z,relro to enable partial RELRO.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_memcpy_chk', '_strlen_chk', '_read_chk', '_strchr_chk', '_vsnprintf_chk', '_memmove_chk']	True info Symbols are stripped.
55	armeabi-v7a/libcrashlytics-trampoline.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	Position Independent Executable (PIE) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	No RELRO high This shared object does not have RELRO enabled. The entire GOT (.got and .got.plt both) are writable. Without this compiler flag, buffer overflows on a global variable can overwrite GOT entries. Use the option -z,relro,-z,now to enable full RELRO and only -z,relro to enable partial RELRO.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
56	armeabi-v7a/libgojni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.
57	armeabi-v7a/librive-android.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
58	armeabi-v7a/libcrashlytics-handler.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	No RELRO high This shared object does not have RELRO enabled. The entire GOT (.got and .got.plt both) are writable. Without this compiler flag, buffer overflows on a global variable can overwrite GOT entries. Use the option -z,relro,-z,now to enable full RELRO and only -z,relro to enable partial RELRO.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_strlen_chk', '_vsnprintf_chk']	True info Symbols are stripped.
59	armeabi-v7a/libc++_shared.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_vsnprintf_chk', '_strlen_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
60	armeabi-v7a/libimage_processing_util_jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
61	armeabi-v7a/libsqliteJni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
62	armeabi-v7a/libcrashlytics.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	No RELRO high This shared object does not have RELRO enabled. The entire GOT (.got and .got.plt both) are writable. Without this compiler flag, buffer overflows on a global variable can overwrite GOT entries. Use the option -z,relro,-z,now to enable full RELRO and only -z,relro to enable partial RELRO.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_strlen_chk', '_vsnprintf_chk']	True info Symbols are stripped.
63	armeabi-v7a/libcrashlytics-common.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	No RELRO high This shared object does not have RELRO enabled. The entire GOT (.got and .got.plt both) are writable. Without this compiler flag, buffer overflows on a global variable can overwrite GOT entries. Use the option -z,relro,-z,now to enable full RELRO and only -z,relro to enable partial RELRO.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_memcpy_chk', '_strlen_chk', '_read_chk', '_strchr_chk', '_vsnprintf_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
64	x86/libcrashlytics-trampoline.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Position Independent Executable (PIE) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	No RELRO high This shared object does not have RELRO enabled. The entire GOT (.got and .got.plt both) are writable. Without this compiler flag, buffer overflows on a global variable can overwrite GOT entries. Use the option -z,relro,-z,now to enable full RELRO and only -z,relro to enable partial RELRO.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.
65	x86/libgojni.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.
66	x86/librive-android.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
67	x86/libcrashlytics-handler.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	No RELRO high This shared object does not have RELRO enabled. The entire GOT (.got and .got.plt both) are writable. Without this compiler flag, buffer overflows on a global variable can overwrite GOT entries. Use the option -z,relro,-z,now to enable full RELRO and only -z,relro to enable partial RELRO.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_strlen_chk', '_memmove_chk', '_vsnprintf_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
68	x86/libc++_shared.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_vsnprintf_chk', '_strlen_chk', '_memmove_chk']	True info Symbols are stripped.
69	x86/libimage_processing_util_jni.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
70	x86/libsqliteJni.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled, RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
71	x86/libcrashlytics.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	No RELRO high This shared object does not have RELRO enabled. The entire GOT (.got and .got.plt both) are writable. Without this compiler flag, buffer overflows on a global variable can overwrite GOT entries. Use the option -z,relro,-z,now to enable full RELRO and only -z,relro to enable partial RELRO.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_strlen_chk', '_memmove_chk', '_vsnprintf_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
72	x86/libcrashlytics-common.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	No RELRO high This shared object does not have RELRO enabled. The entire GOT (.got and .got.plt both) are writable. Without this compiler flag, buffer overflows on a global variable can overwrite GOT entries. Use the option -z,relro,-z,now to enable full RELRO and only -z,relro to enable partial RELRO.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_memcpy_chk', '_strlen_chk', '_read_chk', '_strchr_chk', '_vsnprintf_chk', '_memmove_chk']	True info Symbols are stripped.

# ■ NIAP ANALYSIS v1.3

# ## BEHAVIOUR ANALYSIS

RULE ID	BEHAVIOUR	LABEL	FILES
00078	Get the network operator name	collection telephony	com/appsflyer/internal/AFi1xSDK.java et0/a.java la1/z1.java tv0/i0.java

RULE ID	BEHAVIOUR	LABEL	FILES
00022	Open a file from given absolute path of the file	file	at0/h.java bf/i.java bf/i.java bf/i.java con/appsflyer/internal/AFg1iSDK.java ct0/f.java dd0/a.java dj0/b.java dj0/b.java dj0/c.java io/sentry/android/core/AnrV2Integration.java io/sentry/android/core/lojava io/sentry/android/core/lojava io/sentry/android/core/y.java io/sentry/cache/b.java io/sentry/cache/d.java io/sentry/i.java io/sentry/i.java io/sentry/i.java io/sentry/i.java io/sentry/x1.java io/sentr
00005	Get absolute path of file and put it to JSON object	file	at0/b.java c01/g.java com/appsflyer/internal/AFg1iSDK.java k01/a.java
00009	Put data in cursor to JSON object	file	at0/b.java dv0/s.java r21/f1.java

RULE ID	BEHAVIOUR	LABEL	FILES
00063	Implicit intent(view a web page, make a phone call, etc.)	control	ai/h.java bc1/d.java com/amomedia/musclemate/presentation/splash/fragments/PreSplashFragment.java com/amomedia/musclemate/presentation/startup/RouteActivity.java com/amomedia/musclemate/presentation/widget/WorkoutProgramWidgetProvider.java com/amomedia/musclemate/push/AppFirebaseMessagingService.java com/appsflyer/internal/AFt1sDK.java com/appsflyer/internal/AFt1sDK.java com/appsflyer/internal/AFt1sDK.java com/appsflyer/internal/AFt1sDK.java com/appsflyer/internal/AFt1sDK.java com/ippsflyer/internal/AFt1sDK.java com/ippsflyer/internal/AFt1sDK.java com/iterable/iterable/iterableFirebaseMessagingService.java dw0/b.java ew/n.java fm/g2.java gs0/j.java h3/a1.java ixi0/f.java ly0/q4.java ob1/b.java ob1/b.java ob1/b.java ob1/b.java ob1/b.java ob1/b.java r8/b.java r8/b.java r8/b.java r8/b.java r8/b.java tv0/a0.java tv0/a0.java tv0/a0.java tv0/m0.java zendesk/messaging/android/internal/conversationscreen/ConversationActivity.java zendesk/messaging/android/internal/conversationscreen/ConversationActivity.java
00036	Get resource file from res/raw directory	reflection	com/amomedia/musclemate/presentation/widget/WorkoutProgramWidgetProvider.java com/amomedia/musclemate/presentation/workout/fragment/dailyworkout/DailyWorkoutFragment.java com/appsflyer/internal/AFf1jSDK.java com/appsflyer/internal/AFi1dSDK.java com/appsflyer/internal/AFi1dSDK.java com/iterable/iterableapi/lterableFirebaseMessagingService.java fm/g2.java gs0/j.java ix0/f.java qe/e.java r21/g.java r8/b.java rv0/b.java tv0/io.java tv0/io.java tv0/jo.java tv0/m0.java zendesk/messaging/android/internal/conversationscreen/ConversationActivity.java

RULE ID	BEHAVIOUR	LABEL	FILES
00013	Read file and put it into a stream	file	a11/c.java a81 /k.java b01/r.java b01/r.java b01/r.java b01/r.java b01/r.java b01/r.java b01/r.java c01/r.java com/appsflyer/internal/AFp1iSDK.java com/appsflyer/internal/AFp1iSDK.java duu/r.java e61 /e.java e61 /e.java e61 /e.java s01/r.java s02 /e.java s02 /e.java s02 /e.rava s03 /e.rava s03 /e.rava s04 /e.rava s05 /e.rava s05 /e.rava s05 /e.rava s05 /e.rava s05 /e.rava s05 /e.rava s05 /e.rava s05 /e.rava s05 /e.rava s05 /e.rava s05 /e.rava s05 /e.rava s05 /e.rava s05 /e.java s06 /e.java s07 /e.java

RULE ID	BEHAVIOUR	LABEL	FILES
00051	Implicit intent(view a web page, make a phone call, etc.) via setData	control	com/amomedia/musclemate/presentation/widget/WorkoutProgramWidgetProvider.java com/amomedia/musclemate/push/AppFirebaseMessagingService.java ew/n.java ix0/f.java ol/l.java r21/g.java r8/b.java tv0/i0.java tv0/j0.java zendesk/messaging/android/internal/conversationscreen/ConversationActivity.java
00109	Connect to a URL and get the response code	network command	b11/c.java b21/b.java com/appsflyer/internal/AFd1gSDK.java com/appsflyer/internal/AFe1oSDK.java com/appsflyer/internal/AFf1hSDK.java com/bumptech/glide/load/data/j.java dv0/s.java dx0/b.java gx0/e.java h/t.java io/sentry/transport/d.java ly0/d1.java ly0/s4.java o6/h.java pw0/b.java r21/c1.java r31/b.java r41/b.java
00004	Get filename and put it to JSON object	file collection	k01/a.java nv0/c.java p1/t.java vv0/b.java
00096	Connect to a URL and set request method	command network	b21/b.java com/appsflyer/internal/AFd1gSDK.java com/appsflyer/internal/AFe1oSDK.java dv0/s.java h/t.java io/sentry/SpotlightIntegration.java io/sentry/transport/d.java If/b.java It0/p.java o6/h.java pw0/b.java r21/c1.java r31/b.java r41/b.java

RULE ID	BEHAVIOUR	LABEL	FILES
00089	Connect to a URL and receive input stream from the server	command network	b11/c.java b21/b.java com/appsflyer/internal/AFd1gSDK.java com/appsflyer/internal/AFe1oSDK.java com/bumptech/glide/load/data/j.java cw0/c.java dv0/s.java h/t.java io/sentry/SpotlightIntegration.java io/sentry/transport/d.java lt0/p.java o6/h.java pw0/b.java r21/c1.java r31/b.java r31/c.java r41/b.java
00192	Get messages in the SMS inbox	sms	com/appsflyer/internal/AFb1lSDK.java
00011	Query data from URI (SMS, CALLLOGS)	sms calllog collection	bc1/d.java com/appsflyer/internal/AFb1lSDK.java com/appsflyer/internal/AFi1aSDK.java tv0/a0.java
00077	Read sensitive data(SMS, CALLLOG, etc)	collection sms calllog calendar	com/appsflyer/internal/AFb1lSDK.java com/appsflyer/internal/AFi1aSDK.java tv0/a0.java yt0/b.java
00012	Read data and put it into a buffer stream	file	ev0/f.java io/sentry/cache/a.java io/sentry/cache/d.java io/sentry/config/e.java io/sentry/q2.java io/sentry/r.java io/sentry/v1.java mv0/j.java tt0/c.java xS/a.java
00003	Put the compressed bitmap data into JSON object	camera	dv0/s.java hv0/f.java
00024	Write file after Base64 decoding	reflection file	bf/q.java
00147	Get the time of current location	collection location	n/i.java
00075	Get location of the device	collection location	n/i.java
00115	Get last known location of the device	collection location	et0/a.java n/i.java

RULE ID	BEHAVIOUR	LABEL	FILES
00030	Connect to the remote server through the given URL	network	com/bumptech/glide/load/data/j.java io/sentry/SpotlightIntegration.java io/sentry/transport/d.java If/b.java Iy0/d1.java o6/h.java r31/b.java
00014	Read file into a stream and put it into a JSON object	file	a11/c.java c01/g.java com/appsflyer/internal/AFg1iSDK.java lt0/i.java qv0/a.java vv0/f.java y/a1.java
00132	Query The ISO country code	telephony collection	e7/h.java et0/a.java
00112	Get the date of the calendar event	collection calendar	io/sentry/i.java y31/c.java
00079	Hide the current app's icon	evasion	ma/p.java
00191	Get messages in the SMS inbox	sms	bc1/d.java com/appsflyer/internal/AFi1aSDK.java com/appsflyer/internal/AFi1dSDK.java com/appsflyer/internal/AFi1iSDK.java dv0/s.java jb1/a2.java tv0/a.java tv0/a.java
00091	Retrieve data from broadcast	collection	com/amomedia/musclemate/push/AppFirebaseMessagingService.java com/appsflyer/internal/AFb1rSDK.java com/appsflyer/internal/AFc1tSDK.java dw0/e0.java ly0/p4.java qt0/l0.java r21/x0.java tv0/a0.java
00125	Check if the given file path exist	file	nv0/c.java
00108	Read the input stream from given URL	network command	ly0/q4.java ly0/y0.java o6/h.java
00094	Connect to a URL and read data from it	command network	f01/a.java o6/h.java
00163	Create new Socket and connecting to it	socket	r31/a.java r31/b.java
00015	Put buffer stream (data) to JSON object	file	tv0/i0.java

RULE ID	BEHAVIOUR	LABEL	FILES
00189	Get the content of a SMS message	sms	bc1/d.java com/appsflyer/internal/AFi1aSDK.java tv0/a0.java
00188	Get the address of a SMS message	sms	bc1/d.java com/appsflyer/internal/AFi1aSDK.java tv0/a0.java
00200	Query data from the contact list	collection contact	bc1/d.java com/appsflyer/internal/AFi1aSDK.java tv0/a0.java
00201	Query data from the call log	collection calllog	bc1/d.java com/appsflyer/internal/AFi1aSDK.java tv0/a0.java
00123	Save the response to JSON after connecting to the remote server	network command	r31/b.java
00187	Query a URI and check the result	collection sms calllog calendar	b1/a0.java tv0/a0.java
00126	Read sensitive data(SMS, CALLLOG, etc)	collection sms calllog calendar	bc1/d.java
00153	Send binary data over HTTP	http	tt0/f.java

### FIREBASE DATABASES ANALYSIS

TITLE	SEVERITY	DESCRIPTION
App talks to a Firebase database	info	The app talks to Firebase database at https://muscle-mate.firebaseio.com
		The Firebase Remote Config at https://firebaseremoteconfig.googleapis.com/v1/projects/535065427604/namespaces/firebase:fetch?key=AlzaSyDSYU7XDdyhpA3G3epfXN0a6NE9KRAzbpw is enabled. Ensure that the configurations are not sensit (ANDROID_ANOTHER_ASSIGN_COACH_BUTTON_ENABLED: 'true,' iANDROID_BLOOD_QUIZ_SCREEN_ENABLED: 'false,' ANDROID_CANCELLATION_FLOW: '("cancellationReasons":[("stringid":"quiz_what_gone_bad_program","analyticsValue":"bad ("stringid":"quiz_what_gone_wrong_gne_wrong_gne_wrong_pne_wrong_ancer(""analyticsValue":"iorget-Cancell-(", "stringid":"quiz_what_gone_wrong_gne_wrong_pne_wrong_ancer("), "analyticsValue":"notificalled: "iorget-wite analyticsValue":"analyticsValue":"analyticsValue":"notificalled: "iorget-wite analyticsValue":"analyticsValue":"analyticsValue":"notificalled: "iorget-wite analyticsValue":"analyticsValue":"notificalled: "iorget-wite analyticsValue":"analyticsValue":"analyticsValue":"notificalled: "iorget-wite analyticsValue":"analyticsValue":"analyticsValue":"analyticsValue":"analyticsValue":"notificalled: "iorget-wite analyticsValue":"analyticsValue":"analyticsValue":"analyticsValue":"analyticsValue":"iorget-wite analyticsValue":"analyticsValue":"analyticsValue":"analyticsValue":"iorget-wite analyticsValue":"analyticsValue:"iorget-wite analyticsValue":"analyticsValue:"

		"#B3B3B3",\n "selectedTextColor": "#FFFFFF",\n "textStyle": "h4_bold",\n "textWidth": "wrap_content",\n "horizontalAlignment": "center",\n "billingFieldType": "durationAmount"\n }\n },\n {\n "type": "text",\n "textField": {\n "textColor": "#B3B3B3"}
TITLE	SEVERITY	DESCRIPTION Theoremail/genoment* "center" in "Imperitation and in the property in "suprementation and in the property in "suprementation and in all managed and in the property in the propert
		"properties": (\n "backgroundColor": "#EDEDED\n \),\n "textField": \n "text": "paywall_caption_popular"\n "textColor": "#1E1E1"\n "textStyle": "caption_xs_semi_bold"\n "textWidth': "wrap_content"\n "horizontalAlignment": "center"\n "textEyle": "ha_bold"\n "textWidth': "wrap_content"\n "ha_f\n "type": "text"\n "textField": \n "textEyle": "ha_bold"\n "textWidth': "wrap_content"\n "ha_f\n "type": "text"\n "textField": \n "textEyle": "ha_bold"\n "textWidth': "wrap_content"\n "ha_f\n "type": "text"\n "textEyle": "body_m_bold"\n "textWidth": "wrap_content"\n "horizontalAlignment": "center"\n "billingFieldType": "body_m_bold"\n "textWidth": "wrap_content"\n "horizontalAlignment": "center"\n "billingFieldType": "periodDuration"\n \n
		"horizontalAlignment": "center", n "billingFieldType": "currentSplitPrice"\n ] n\ \h \n \n "type": "Spacer"\n "size": 4\n \h \h \n \n "type": "spacer"\n "size": 1\n \h \n \n \n "type": "Spacer"\n "size": 1\n \h \n \n \n \n \n \n \n "type": "Spacer"\n "size": 1\n \h \n \n \n \n \n \n \n \n \n \n \n \n \n

TITLE SEV		/pe":"oldSplitPi
	"textColor":"#B3B3B3","selectedTextColor":"#FFFFFF","textStyle":"caption_medium","textCrossed":false,"textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"currentSplitPrice"}},("type":"spacer", "size":4),	
	("start":8,"end":8,"top":4,"bottom":4}},("textColor":"#FFFFFFF,"textStyle":"caption_bold":("textWidth":"wrap_content","center","billingFieldType":"discount"}},("type":"spacer","size":16}]}),("backgrounds);("spacer", "size":16}]),("backgrounds);("spacer", "size":16}]),("backgrounds);("spacer", "size":16}]),("backgrounds);("spacer", "size":16}]),("spacer", "size":16	
	{"backgroundColor":"#005FCC"},"textField":{"text":"paywall_caption_best_price","textColor":"#FFFFFF","textStyle":"caption_xs_semi_bold","textWidth":"wrap_content","horizontalAlignment":"center")},"firstPart":{"paddings":("top": [{"type":"spacer","size":8},{"type":"text","textField":("textColor":"#8383B3","selectedTextColor":"#FFFFFF","textStyle":"h4_bold","textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"durationAmount"}},{"textColor":"#FFFFFF","textStyle":"h4_bold","textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"durationAmount"}},{"textColor":"#FFFFFF","textStyle":"h4_bold","textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"durationAmount"}},{"textColor":"#FFFFFF","textStyle":"h4_bold","textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"durationAmount"}},{"textColor":"#FFFFFFF,"textStyle":"h4_bold","textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"durationAmount"}},{"textColor":"#FFFFFFF,"textStyle":"h4_bold","textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"durationAmount"}},{"textColor":"#FFFFFFFF,"textStyle":"h4_bold","textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"durationAmount"}},{"textColor":"#FFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFF	
	("type: 3-john ye. text, text at the attention in the state of the sta	
	{"textColor": "#B3B3B3", "selectedTextColor": "#FFFFFF", "textSyle": "caption_bold", "textWidth": "wrap_content", "horizontalAlignment": "center", "billingFieldType": "text", "textSyle": "caption_bold", "textWidth": "wrap_content", "horizontalAlignment": "center", "billingFieldType": "textSyle": "caption_bold", "textWidth": "wrap_content", "horizontalAlignment": "center", "billingFieldType": "textSyle": "caption_bold", "textWidth": "wrap_content", "horizontalAlignment": "center", "billingFieldType": "textSyle": "caption_bold", "textWidth": "wrap_content", "horizontalAlignment": "center", "billingFieldType": "textSyle": "caption_bold", "textWidth": "textSyle": "textSy	exe / texti ieid
	{"textColor";"#B3B3B3","selectedTextColor";"#FFFFFF","textStyle":"caption_regular","textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"periodDuration"}},{"type":"spacer","size":8}}},"secondPart":("padd	ings":{"top":0,
	[("type":"spacer","size":8},("type":"text","textField":("textColor":"#83B3B3","selectedTextColor":"#83B3B3","textCrossed":true,"textStyle":"caption_regular","textWidth":"wrap_content","horizontalAlignment":"center","billingFieldTy	pe":"oldSplitP
	{"textColor":"#B3B3B3","selectedTextColor":"#FFFFFF","textStyle":"caption_medium","textCrossed":false,"textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"currentSplitPrice"}},"type":"spacer","size":4},	{"type":"badge
	{"start":8,"end":8,"top":4,"bottom":4}},"textField":{"textColor":"#FFFFFF","textStyle":"caption_bold","textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"discount"}},{"type":"Spacer","size":16}}}},{"type":"Spacer","size":16}}},	•
	[{"backgroundColor":"#393939","strokeColor":"#EDEDED","caption":("type":"badge","properties":("backgroundColor":"#EDEDED"),"textField":("text":"paywall_plan_lifetime_forever_fit","textColor":"#1E1E1E","textStyle":"caption_x:	s_semi_bold","
	{"paddings":{"top":8,"bottom":8,"start":16,"end":16},"horizontalAlignment":"start","weight":1,"items":[{"type":"spacer","size":8},{"type":"text","textField":  ("tottColor!"##930393!":relectedTottColor!"##IFFFFFF"   "tottColor!"##05150151   ("tottColor!"##930393!":relectedTottColor!"##IFFFFFF"   "tottColor!"##05150151   ("tottColor!"##930393!":relectedTottColor!"##IFFFFFF"   "tottColor!"##05150151   ("tottColor!"##930393!":relectedTottColor!"##05150151   ("tottColor!"##9303939!":relectedTottColor!"##05150151   ("tottColor!"##05150393   ("tottColor!"	montelli[[flltime
	{"textColor":"#B3B3B3","selectedTextColor":"#FFFFFF","textStyle":"body_m_bold","textWidth":"wrap_content","horizontalAlignment":"center","uppercase":true,"billingFieldType":"durationTitle"}},("type":"row","flowRow":false,"eler {"textColor":"#B3B3B3","selectedTextColor":"#B3B3B3","textStyle":"caption_regular","textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"currentPrice"}},("type":"spacer","size":4},("type":"text","textField"	
	{"textColor";"#B3B3B3","selectedTextColor";"#B3B3B3","textStyle";"caption_regular","textWidth";"wrap_content","nbrziontalAlignment";"center","ibilingFieldType:";"periodDuration_to_therein	
	{"text":"promo_code_button","textColor":"#FF6025","selectedTextColor":"#FF6025","textStyle":"body_i_semi_bold","textWidth":"wrap_content","horizontalAlignment":"center"}},{"textColor":"\$FF6025","selectedTextColor":"#FF6025","textStyle":"body_i_semi_bold","textWidth":"wrap_content","horizontalAlignment":"center"}},{"textColor":"\$FF6025","selectedTextColor":"#FF6025","textStyle":"body_i_semi_bold","textWidth":"wrap_content","horizontalAlignment":"center"}},{"textColor":"#FF6025","selectedTextColor":"#FF6025","textStyle":"body_i_semi_bold","textColor":"#FF6025","selectedTextColor":"#FF6025","textStyle":"body_i_semi_bold","textColor":"#FF6025","selectedTextColor":"#FF6025","textStyle":"body_i_semi_bold","textColor":"#FF6025","selectedTextColor":"#FF6025","textStyle":"body_i_semi_bold","textColor":"#FF6025","textStyle":"body_i_semi_bold","textColor":"#FF6025","textStyle":"body_i_semi_bold","textColor":"#FF6025","textStyle":"body_i_semi_bold","textColor":"#FF6025","textStyle":"body_i_semi_bold","textColor":"#FF6025","textStyle":"body_i_semi_bold","textColor":"#FF6025","textStyle":"body_i_semi_bold","textColor":"#FF6025","textStyle":"body_i_semi_bold","textColor":"#FF6025","textStyle":"body_i_semi_bold","textColor":"#FF6025","textStyle":"body_i_semi_bold","textColor":"#FF6025","textStyle":"body_i_semi_bold","textColor":"#FF6025","textStyle":"body_i_semi_bold","textColor":"#FF6025","textStyle":"body_i_semi_bold","textColor":"#FF6025","textStyle":"body_i_semi_bold","textColor":"#FF6025","textStyle":"body_i_semi_bold","textColor":"body_i_semi_bold","textColor":"#FF6025","textStyle":"body_i_semi_bold","textColor":"#FF6025","textStyle":"body_i_semi_bold","textColor":"#FF6025","textStyle":"body_i_semi_bold","textColor":"#FF6025","textStyle":"body_i_semi_bold","textColor":"#FF6025","textColor:"#FF6025","textColor:"#FF6025","textColor:"#FF6025","textColor:"#FF6025","textColor:"#FF6025","textColor:"#FF6025","textColor:"#FF6025","textColor:"#FF6025","textColor:"#FF6025","textColor:"#FF6025","textColor:"#FF6025","textColor:"#FF6	
	"text":"paywall_continue_button","textColor":"#FFFFFF,"textStyle":"body_l_semi_bold","textWidth":"match_parent","textCrossed":false,"horizontalAlignment":"center"),"paddings":("top":16,"bottom":16,"start":16,"end":16}}}, 'And the continue_button of the	
	"26",\n "properties": {\n "backgroundColor": "#171717",\n "backgroundlmageRes": "background_image",\n "backgroundOverlay": {\n "orientation": "vertical",\n "start": {\n "percent": 0.09,\n "value": "#001E1E1E"\n },\n "middle": {\n "orientation": "vertical",\n "start": 1.0" "percent": 0.09,\n "value": "#001E1E1E"\n },\n "middle": {\n "orientation": "vertical",\n "start": 1.0" "percent": 0.09,\n "value": "#001E1E1E"\n },\n "middle": {\n "orientation": "vertical",\n "start": 1.0" "percent": 0.09,\n "value": "" "" "" "" "" "" "" "" "" "" "" "" "	
	"#1E1E1E"\n }\n },\n "paddings": {\n "top": 16,\n "bottom": 16,\n "start": 16,\n "end": 16\n "start": 16,\n "end": 16\n },\n "lements": [\n {\n "type": "Spacer",\n "size": 110\n },\n {\n "type": "TextField",\n "textField";\n "textField": {\n "t	
	"horizontalAlignment": "center"\n }\n }\n \n \n "type": "Spacer",\n "size": 20\n }\n \n \n "type": "BillingContainer",\n "orientation": "vertical",\n "spacer": 16,\n "elements": [\n \n "backgroundColor": "#393939",\n "strokeColor": "#EDE	
	"horizontalAlignment": "center",\n "items": [\n {\n "type": "spacer",\n "size": 8\n },\n {\n "type": "text",\n "textField": {\n "textColor": "#B3B3B3",\n "selectedTextColor": "#FFFFFF",\n "textStyle": "h4_bold",\n "textWidth": "wrap_conter", "type": "text",\n "textField": {\n "textField": {\n "textField": {\n "textWidth": "wrap_content",\n "horizontalAlignment": "center",\n "uppercase": true,\n "billingFieldType": "	
	"textColor": "#B3B3B3",\n "selectedTextColor": "#FFFFFF",\n "textStyle": "caption_bold",\n "textWidth": "wrap_content",\n "horizontalAlignment": "center",\n "billingFieldType": "currentPrice"\n }\n }\n \]\n \[ \n \]\n \\ \n \]\n \[ \n \]\n \[ \n \]\n \\ \n \]\n \[ \n \]\n \\ \n \]\n \\ \n \]\n \\ \n \]\n \\ \n \]\n \\ \n \]\n \\ \n \\ \n \]\n \\ \n \	
	"#FFFFFF"\n "textStyle": "caption_regular"\n "textWidth": "wrap_content"\n "horizontalAlignment": "center"\n "billingFieldType": "periodDuration"\n \\n \\n \\n \\n \\n \\n \\n \\n \\n	
	"items": [\n {\n "type": "spacer",\n "size": 8\n }\n {\n "type": "text",\n "textColor": "#BBBBB3",\n "selectedTextColor": "#FFFFF",\n "textStyle": "caption_medium",\n "textCrossed": false,\n "textWidth": "wrap_content"	
	"type": "spacer",\n "size": 16\n }\n ]\n }\n }\n }\n }\n }\n }\n }\n }\n }\n }	all_caption_pc
	"textWidth": "wrap_content",\n "horizontalAlignment": "center"\n }\n }\n "firstPart": {\n "paddings": {\n "top": 0,\n "bottom": 0,\n "start": 8,\n "end": 8\n },\n "horizontalAlignment": "center",\n "items": [\n {\n "type": "spacer",\n "siz	
	"#FFFFFF",\n "textStyle": "h4_bold",\n "textWidth": "wrap_content",\n "horizontalAlignment": "center",\n "billingFieldType": "durationAmount"\n }\n ,\n (\n "type": "text",\n "textField": \{\n 'textColor': "#B3B3B3",\n 'selectedTextCo	
	"horizontalAlignment": "center",\n "uppercase": true,\n "billingFieldType": "durationTitle"\n }\n }\n \n "type": "spacer",\n "size": 2\n }\n \n "textField": \n "textField": \n "textField": \n "textColor": "#B3B3B3",\n "selectedTextColor": "#B3B3B3",\n "selectedTextColor": "#FFFFFF",\n "textStyle": "caption_regular",\n "textWidt	
	\lambda \text{\text}\lambda	
	"textCrossed": true,\n "textStyle": "caption_regular",\n "textWidth": "wrap_content",\n "horizontalAlignment": "center",\n "billingFieldType": "oldSplitprice"\n \}\n \}\n \\n \n \text\n \n \text\n \text\n \n \text\n \text\n \n \text\n \text\n \text\n \n \text\n \text\n	
	"textWidth": "wrap_content",\n "horizontalAlignment": "center",\n "billingFieldType": "currentSplitPrice"\n }\n }\n {\n "type": "spacer",\n "size": 4\n }\n {\n "type": "badge",\n "properties": {\n "backgroundColor": "#FF6025",\n "pad	
	"#FFFFFF",\n "textStyle": "caption_bold",\n "textWidth": "wrap_content",\n "horizontalAlignment": "center",\n "billingFieldType": "discount"\n }\n }\n {\n "type": "spacer",\n "size": 16\n }\n }\n }\n {\n "backgroundColor": "#3939	39",\n "stroke(
	"backgroundColor": "#005FCC"\n },\n "textField": {\n "text": "paywall_caption_best_price",\n "textColor": "#FFFFFF",\n "textStyle": "caption_xs_semi_bold",\n "textWidth": "wrap_content",\n "horizontalAlignment": "center"\n }\n },\n	
	"horizontalAlignment": "center",\n "items": [\n \n "type": "spacer",\n "size": 8\n },\n \n "type": "text",\n "textField": \n "textColor": "#B3B3B3",\n "selectedTextColor": "#FFFFFF",\n "textStyle": "h4_bold",\n "textWidth": "wrap_conte	
	"type": "text",\n "textField": {\n "textColor": "#83B3B3",\n "selectedTextColor": "#FFFFFF",\n "textStyle": "body_m_bold",\n "textWidth": "wrap_content",\n "horizontalAlignment": "center",\n "uppercase": true,\n "billingFieldType": "  """   """	
	"textColor": "#B3B3B3",\n "selectedTextColor": "#FFFFF",\n "textStyle": "caption_bold",\n "textWidth": "wrap_content",\n "horizontalAlignment": "center",\n "billingFieldType": "currentPrice"\n }\n }\n \n	
	"items": [\n (\n' \type": "spacer"\n' "size": 8\n \)\n (\n' \type": "caption_regular"\n' \textWidth": \"wrap_content"	
	"text",\n "textField": {\n "textColor": "#B3B3B3",\n "selectedTextColor": "#FFFFF",\n "textStyle": "caption_medium",\n "textCrossed": false,\n "textWidth": "wrap_content",\n "horizontalAlignment": "center",\n "billingFieldType": "cu	
	"properties": {\n "backgroundColor": "#FF6025",\n "paddings": {\n "start": 8,\n "end": 8,\n "top": 4,\n "bottom": 4\n }\n },\n "textField": {\n "textColor": "#FFFFFF",\n "textStyle": "caption_bold",\n "textWidth": "wrap_content",\n "hor	zontalAlignme
	"size": 16\n }\n ]\n }\n }\n }\n ]\n }\n ]\n }\n ]\n }\n {\n "type": "Spacer",\n "size": 20\n },\n "type": "#EIBlingContainer",\n "orientation": "horizontal",\n "spacer": 16,\n "elements": [\n {\n "backgroundColor": "#393939",\n "strokeColor": "#EDEDED",	\n "caption": {
	"textField": {\n "text": "paywall_plan_lifetime_forever_fit",\n "textColor": "#1E1E1E",\n "textStyle": "caption_xs_semi_bold",\n "textWidth": "wrap_content",\n "horizontalAlignment": "center"\n }\n },\n "firstPart": {\n "paddings": {\n "paddings": {\n "paddings": \n "paddings	
	"weight": 1,\n "items": [\n {\n "type": "spacer",\n "size": 8\n },\n {\n "type": "text",\n "textVidth": "wrap_content",\n "horizon "size": 8\n },\n {\n "type": "text",\n "textVidth": "wrap_content",\n "horizon "size": 8\n },\n {\n "type": "text",\n "text",\n "textVidth": "wrap_content",\n "horizon "size": 8\n },\n {\n "type": "text",\n "text",\n "textVidth": "wrap_content",\n "horizon "size": 8\n },\n {\n "type": "text",\n "type":	-
	"type": "row",\n "flowRow": false,\n "elements": [\n {\n "type": "text",\n "textField": {\n "textColor": "#B3B3B3",\n "selectedTextColor": "#B3B3B3",\n "textStyle": "caption_regular",\n "textWidth": "wrap_content",\n "horizontalAlignres";\n "text",\n "textField": {\n "textColor": "#B3B3B3",\n "textStyle": "caption_regular",\n "textField": {\n "textEvion_regular",\n "textVidith": "wrap_content",\n "billingFieldType": "periodDu	
	"Spacer", \n "size": 4\n \n ], \n "footer": \n "buttonType": "animated", \n "textField": \n "textField": \n "text": "paywall_continue_button", \n "textColor": "#FFFFF", \n "textStyle": "body_l_semi_bold", \n "textWidth": "match_parent", \n "textCrossed"	
	"paywall_start_free trial_button", in "textColor": "#121212", in "textStyle": "body_l_semi_bold", in "textCylor": "horizontalAlignment": "center"in ], in "bodtiongs": (in "top": 16 in "start": 16 in "end"	
	true,\n "productGroupId": "26",\n "properties": {\n "backgroundColor": "#171717",\n "backgroundImageRes": "background_image",\n "backgroundOverlay": {\n "orientation": "vertical",\n "start": {\n "percent": 0.09,\n "value": "#00,\n" orientation": "wertical",\n "background_imageRes": "background_ima	
	0.85,\n "value": "#1E1E1E"\n }\n },\n "paddings": {\n "top": 16,\n "bottom": 16,\n "start": 16,\n "end": 16\n "h },\n "elements": [\n {\n "type": "Spacer",\n "size": 110\n },\n {\n "type": "TextField";\n "textField"; {\n "textField": {\n "textField" },\n "textField" }	_workout",\n '
	"textCrossed": false,\n "horizontalAlignment": "center"\n }\n }\n {\n "type": "Spacer",\n "size": 20\n },\n {\n "type": "BillingContainer",\n "orientation": "vertical",\n "spacer": 16,\n "elements": [\n {\n "backgroundColor": "#393939",\n {\n "type": "BillingContainer",\n "orientation": "vertical",\n "spacer": 16,\n "elements": [\n {\n "backgroundColor": "#393939",\n {\n "type": "BillingContainer",\n "orientation": "vertical",\n "spacer": 16,\n "elements": [\n {\n "backgroundColor": "#393939",\n {\n "type": "BillingContainer",\n "orientation": "vertical",\n "spacer": 16,\n "elements": [\n {\n "backgroundColor": "#393939",\n {\n "type": "BillingContainer",\n "orientation": "vertical",\n "spacer": 16,\n "elements": [\n {\n "backgroundColor": "#393939",\n {\n "type": "BillingContainer",\n "orientation": "vertical",\n "spacer": 16,\n "elements": [\n {\n "backgroundColor": "#393939",\n {\n "type": "BillingContainer",\n "orientation": "vertical",\n "spacer": 16,\n "elements": [\n {\n "backgroundColor": "#393939",\n {\n "type": "BillingContainer",\n "orientation": "vertical",\n "spacer": 16,\n "elements": [\n {\n "backgroundColor": "#393939",\n {\n "type": "BillingContainer",\n "orientation": "vertical",\n "spacer": 16,\n "elements": [\n {\n "backgroundColor": "#393939",\n {\n "type": "BillingContainer",\n "orientation": "vertical",\n	
	8,\n "end": 8\n },\n "horizontalAlignment": "center",\n "items": [\n {\n "type": "spacer",\n "size": 8\n },\n {\n "type": "text",\n "textField": {\n "textColor": "#B3B3B3",\n "selectedTextColor": "#FFFFFF",\n "textSyle": "h4_bold",\n "textVold":	
	"durationAmount"\n }\n }\n \n "textWidth": "wrap_content"\n "textField": \n "textField": \n "textField": \n "textField": \n "textColor": "#B38383"\n "selectedTextColor": "#FFFFFF"\n "textStyle": "body_m_bold"\n "textWidth": "wrap_content"\n "horizontalAlignment": "center"\n "upperc	
	{\n"type": "text",\n"textField": {\n"textColor": "#B3B3B3",\n"selectedTextColor": "#FFFFFF",\n"textStyle": "caption_bold",\n"textWidth": "wrap_content",\n"horizontalAlignment": "center",\n"billingFieldType": "currentPrice"\n }\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
	"#B3B3B3",\n "selectedTextColor": "#FFFFFF",\n "textStyle": "caption_regular",\n "textWidth": "wrap_content",\n "horizontalAlignment": "center",\n "billingFieldType": "periodDuration"\n }\n },\n {\n "type": "spacer",\n "size": 8\n }\n "horizontalAlignment": "center",\n "items": [\n {\n "type": "spacer",\n "size": 8\n },\n "textCrossed": face of the space	
	"currentSplitPrice"\n }\n }\n {\n "type": "spacer",\n "size": 16\n }\n ]\n }\n {\n "backgroundColor": "#EDEDED"\n "currentSplitPrice"\n }\n }\n \n "type": "badge",\n "poperties": \n "backgroundColor": "#EDEDED"\n "currentSplitPrice"\n }\n \n \n \n "backgroundColor": "#EDEDED"\n "currentSplitPrice"\n \n "type": "badge",\n "properties": \n "backgroundColor": "#EDEDED"\n "currentSplitPrice"\n \n	
	"caption_xs_semi_bold"\n" istart"s, h"map_content"\n" indigenated in the start of t	
	"#B3B3B3",\n' "selectedTextColor": "#FFFFFF",\n' "textStyle": "h4_bold",\n' "textWidth": "wrap_content",\n' "horizontalAlignment": "center",\n' "billingFieldType": "durationAmount"\n }\n }\n }\n \n' "textField": \\n' "textField": \\n' "textEield": \\n' "textEield": \\n' "textField": \\\n' "textField": \\n' "textField": \\\n' "textField": \\n' "textField": \\\n' "t	
	"wrap_content",\n "horizontalAlignment": "center",\n "uppercase": true,\n "billingFieldType": "durationTitle"\n }\n },\n {\n "type": "spacer",\n "size": 2\n },\n {\n "type": "text",\n "textField": {\n "textColor": "#B3B3B3",\n "selectedTextColor": "#B3B3B3",\n "selectedTextColo	
	"horizontalAlignment": "center",\n "billingFieldType": "currentPrice"\n }\n }\n {\n "type": "spacer",\n "size": 2\n },\n {\n "type": "text",\n "textField": {\n "textColor": "#B3B3B3",\n "selectedTextColor": "#FFFFFF",\n "textStyle": "captio	n regular",\n
l		_ 0

TITLE	SEVERITY	SelectedTextColor: "#B38383" \n "textCrossed": false\n" textWidth" "wap. content"\n" horizontalAlignment": center"\n" billingFieldType": "oldspittPrice"n \n" \n" \n" \n" \n" \n" \n" \n" \n" \
		{"textColor":"#838383","selectedTextColor":"#FFFFF","textStyle":"caption_bold","textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"periodDuration"}},("type":"spacer","size":2},{"type":"textf.yle":"caption_regular","textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"periodDuration"}},("type":"spacer","size":2},{"type":"spacer","size":2},{"type":"spacer","size":2},{"type":"spacer","size":8},\"type:"spacer","size":8},\"type:"spacer","siz
		{"textColor":"#B3B3B3","selectedTextColor":"#FFFFFF","textStyle","caption_bold","textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"currentPrice")},{"type":"spacer","size":2},{"type":"textf.yle","caption_regular","textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"periodDuration")},{"type":"spacer","size":8},{"type":"s
		{"textColor":"#BB3B33","selectedTextColor":"#FFFFFF","textStyle":"coption_regular","textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"currentPrice"}},{"type":"currentPrice"}},{"type":"currentPrice"}},{"type":"currentPrice"}},{"type":"caption_regular","textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"currentPrice"}},{"type":"currentPrice"}},{"type":"currentPrice"}},{"textColor":"#B3B3B33","textStyle":"caption_regular","textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"percer",},{"textGolor":"#B3B3B3","textStyle":"caption_regular",textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"percer",spercer",size":16},{"textGolor":"#FF6025","selectedTextColor":"#FF6025","textStyle":"body_l_semi_bold","textWidth":"wrap_content","horizontalAlignment":"center"},{"textGolor":"#F6025","selectedTextColor":"#F6025","textStyle":"body_l_semi_bold","textWidth":"wrap_content","horizontalAlignment":"center"},{"textGolor":"#F6025","selectedTextColor":"#F6025","textStyle":"body_l_semi_bold","textWidth":"wrap_content","horizontalAlignment":"center"},{"textGolor":"#F6025","selectedTextColor":"#F6025","textStyle":"body_l_semi_bold","textWidth":"wrap_content","horizontalAlignment":"center"},{"textGolor":"#F6025","selectedTextColor":"#F6025","textStyle":"body_l_semi_bold","textWidth":"wrap_content","horizontalAlignment":"center"},{"textGolor":"#F6025","selectedTextColor":"#F6025","textStyle":"body_l_semi_bold","textWidth":"wrap_content","horizontalAlignment":"center","horizontalAlignment":"center","horizontalAlignment":"center","horizontalAlignment":"center","horizontalAlignment":"center","horizontalAlignment":"center","horizontalAlignment":"center","horizontalAlignment":"center","horizontalAlignment":"center","horizontalAlignment":"center","horizontalAlignment":"center","horizontalAlignment":"center","horizontalAlignment":"center","horizontalAlignment":"center","horizontalAlignment":"center","horizontalAlignment":"center","horizontalAl
		{"enabled":false,"titlekey":"survey_title","bodykey":"survey_message","buttonTextkey":"survey_positive_button","surveyId":"X2QZG6Z","locale":en","day":0,"count":1,"goal":"goal_weight_loss","swappedExercise": {"enabled":false,"titlekey":"survey_title","bodykey":"survey_message","buttonTextkey":"survey_positive_button","surveyId":"X2QZG6Z","locale":"en","day":0,"count":1,"goal":"goal_weight_loss","videoTutorialCompleted": {"enabled":false,"titlekey":"survey_title","bodykey":"survey_message","buttonTextkey":"survey_positive_button","surveyId":"X2QZG6Z","locale":"en","day":0,"count":1,"goal":"goal_weight_loss","challengeStart": {"enabled":false,"titlekey":"survey_title","bodykey":"survey_message","buttonTextkey":"survey_positive_button","surveyId":"X2QZG6Z","locale":"en","day":0,"count":1,"goal":"goal_weight_loss","challengeMarkDay": {"enabled":false,"titlekey":"survey_title","bodykey":"survey_message","buttonTextkey":"survey_positive_button","surveyId":"X2QZG6Z","locale":"en","day":0,"count":1,"goal":"goal_weight_loss"),"challengeCompleted": {"enabled":false,"titlekey:"survey_title","bodykey:"survey_message","buttonTextkey:"survey_positive_button","surveyId":"X2QZG6Z","locale":"en","day":0,"count":1,"goal":"goal_weight_loss"),"uniqueRecipeSeen": {"enabled":false,"titlekey:"survey_title","bodykey:"survey_message","buttonTextkey:"survey_positive_button","surveyId":"X2QZG6Z","locale":"en","day":0,"count":1,"goal":"goal_weight_loss"),"swappedMeall": {"enabled":false,"titlekey:"survey_title","bodykey:"survey_message","buttonTextkey:"survey_positive_button","surveyId":"X2QZG6Z","locale":en","day":0,"count":1,"goal":"goal_weight_loss"),"swappedMeall": {"enabled":false,"titlekey:"survey_title","bodykey:"survey_message","buttonTextkey:"survey_positive_button","surveyId":"X2QZG6Z","locale":en","day":0,"count":1,"goal":"goal_weight_loss"),"swappedMeall": {"enabled":false,"titlekey:"survey_title","bodykey:"survey_message","buttonTextkey:"survey_positive_button","surveyId":"X2QZG6Z","locale":en","day":0,"count":1,"goal":"goal_

TIT! -	CEVEDIT (	{"enabled":false,"titleKey":"survey_title","bodyKey":"survey_message","buttonTextKey":"survey_positive_button","surveyId":"X2QZG6Z","locale":"en","day":0,"count":1,"goal_weight_loss"},"analyticalReportSeen":
TITLE	SEVERITY	DESGRIPTION itle Key": "survey_title", "bodyKey": "survey_message", "buttonTextKey": "survey_positive_button", "surveyId": "X2QZG6Z", "locale": "en", "day":0, "count":1, "goal_weight_loss"}}, 'ANDROID_PRIORITY_TO_CUSTOM_RATING_SCRE
		["defaultpromo","calipromo"],"rateUsType;":customAndNative"); 'ANDROID_QUIZ_BUILDER_TYPE'; 'MB_quiz_v4.1', 'ANDROID_QUIZ_BUILDER_TYPE_V2'; 'quiz_taichi_fixed_locales', 'ANDROID_QUIZ_BUILDER_TYPE_V2_CALIPROMO'; 'MM_cali_promo_quiz_v5', 'ANDROID_QUIZ_CURRENT_SCHEMA_VERSION'; '7', 'ANDROID_RATE_US_CONFIG'; '{"isCustomRatingScreen":true,"rateUsType";"customOnly","customRateUsLayoutType":"fiveSweetSmiles","conditions":[{"key":"feedbac
		default_promo_quiz_vs_, ANDROID_quiz_corkent_schema_version : 7, ANDROID_RESEARCH_TOOL_CONFIG: { iscustomikatingscreen :true, fateostype : customikateostayout type : invesweetsmiles , conditions : [{ key : reedaact
		(ANDROID WELCOME SCREEN ABTEST_ENABLED: true, 'ANDROID WELCOME SCREEN ABTEST VARIANT: '1', 'DEBUG ANDROID QUIZ BUILDER TYPE V2; 'MM several options 1,' DEBUG ANDROID QUIZ CURRENT SCHEMA VERSION: '2', 'I
		'DEBUG IOS QUIZ BUILDER TYPE V2: 'chair yoga mm', 'DEBUG IOS QUIZ BUILDER TYPE V2 DEFAULTPROMO: 'MB quiz default promo', 'DEBUG IOS QUIZ CURRENT SCHEMA VERSION: '7', 'IOS ANOTHER ASSIGN COACH BUTTON ENABLED
		["stringld":"quiz what gone bad program","analyticsValue":"badProgram"},("stringld":"quiz what gone wrong functionality", "analyticsValue":"missing limited Functionality", ("stringld":"quiz what gone wrong confusing", "analyticsValue":"app
		{"stringId":"quiz_what_gone_wrong_price","analyticsValue":"highPrice"},{"stringId":"quiz_what_gone_wrong_cancel","analyticsValue":"forgetCancel"),{"stringId":"quiz_what_gone_unexpected_subscription","analyticsValue":"unexpectedSubscription",unexpectedSubscription",unexpectedSubscription,une
		{"stringId":"quiz_what_gone_wrong_app_no_need","analyticsValue":"appNoNeed"),{"stringId":"quiz_special_event_other","analyticsValue":"other"}],"productGroupId":53}, 'IOS_COACH_RATE_US_CONFIG':
		'{"isEnabled":true,"titleResid":"leave_review_to_coach_title","subtitleResid":"leave_review_to_coach_title","subtitleResid":"leave_review_to_coach_title","subtitleResid":"leave_review_to_coach_title","subtitleResid":"leave_review_to_coach_title","subtitleResid":"leave_review_to_coach_title","subtitleResid":"leave_review_to_coach_title","subtitleResid":"leave_review_to_coach_title","subtitleResid":"leave_review_to_coach_title","subtitleResid":"leave_review_to_coach_subtitle","subtitleResid":"leave_review_to_coach_subtitle","subtitleResid":"leave_review_to_coach_subtitle","subtitleResid":"leave_review_to_coach_subtitle","subtitleResid":"leave_review_to_coach_subtitle","subtitleResid":"leave_review_to_coach_subtitle","subtitleResid":"leave_review_to_coach_subtitle","subtitleResid":"leave_review_to_coach_subtitle","subtitleResid":"leave_review_to_coach_subtitle","subtitleResid":"leave_review_to_coach_subtitle","subtitleResid":"leave_review_to_coach_subtitleResid :"leave_review_to_coach_subtitleResid :"leave_review_to_coach_subtitleResid :"leave_review_to_coach_subtitleResid :"leave_review_to_coach_subtitleResid :"leave_r
		"IOS_CONSULTATION_ASSIGNED_COACH_ABTEST_VARIANT": '1', 'IOS_CONSULTATION_COACH_EXPERIENCE_ABTEST_ENABLED": 'true', 'IOS_CONSULTATION_COACH_EXPERIENCE_ABTEST_ENABLED': 'true', 'IOS_COACH_EXPERIENCE_ABTEST_ENABLED': 'IOS_COACH_EXPERIENCE_ABTEST_ENABLED': 'IOS_COACH_EXPERIENCE_ABTEST_ENABLED': 'IOS_COACH_EXPERIENCE_ABTEST_ENABLED': 'IOS_COACH_EXPERIENCE_ABTEST_ENABLED': 'IOS_COACH_EXPERIENCE_ABTEST_
		"IOS_CONSULTATION_MY_PROGRAM_CARD_ABTEST_ENABLED': 'true', 'IOS_CONSULTATION_MY_PROGRAM_CARD_ABTEST_VARIANT': '1', 'IOS_CONSULTATION_PROACTIVE_COACH_TRIGGER_ABTEST_ENABLED': 'false', 'IOS_COACH_TRIGGER_ABTEST_ENABLED': 'false', 'IOS_COACH_TRIGGER_ABTEST_ENABLE
		"IOS_CONSULTATION_QUIZ_INVITATION_ABTEST_ENABLED": 'true', 'IOS_CONSULTATION_QUIZ_INVITATION_ABTEST_VARIANT': '1', 'IOS_CUSTOM_COMPOSITE_PAYWALL': '(\n "version": 1\n "reversedLayout": true\n "productGroupId": "28"\n "reductGroupId": "28"\n "reductGroupId": "28"\n "reductGroupId": "#171717"\n "backgroundImageRes": "background image"\n "backgroundOverlay": '(\n "start": \n "percent": 0.09\n "value": "#001E1E1E"\n \}\n "middle": \n "percent": 0.34\n "value": "#E51E1E1E"\n \}\n "percent": 0.74\n "percent": 0.75\n
		16,\n "start": 16,\n "end": 16\n }\n },\n "elements": [\n {\n "type": "Spacer",\n "size": 110\n },\n "textStyle": "h3",\n "textWidth": "match_part of the first o
		"type!". "Spacer"\n "size": 20\n \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
		"type": "spacer",\n "size": 8\n },\n {\n "type": "text",\n "textField": {\n "textColor": "#B3B3B3",\n "selectedTextColor": "#FFFFFF",\n "textStyle": "h4_bold",\n "textWidth": "wrap_content",\n "horizontalAlignment": "center",\n "billingFieldType": "durated to the content of t
		#B3B3B33"\n "selectedTextColor": "#FFFFFF",\n "textStyle": "body_m_bold",\n "textWidth": "wrap_content",\n "horizontalAlignment": "center",\n "uppercase": true,\n "billingFieldType": "durationTitle"\n }\n }\n \n \n \n \text{ype": "spacer",\n "size": 2\n },
		"selectedTextColor": "#FFFFFF",\n "textStyle": "caption_bold",\n "textWidth": "wrap_content",\n "horizontalAlignment": "center",\n "billingFieldType": "currentPrice"\n }\n }\n {\n "type": "spacer",\n "size": 2\n },\n {\n "type": "text",\n "textField": {\r
		"caption_regular",\n "textWidth": "wrap_content",\n "horizontalAlignment": "center",\n "billingFieldType": "periodDuration"\n }\n },\n {\n "type": "spacer",\n "size": 8\n }\n ]\n ]\n },\n "secondPart": {\n "paddings": {\n "top": 0,\n "bottom": 0,\n "start": in the content of
		"spacer",\n "size": 8\n },\n {\n "type": "text",\n "textField": {\n "textColor": "#B3B3B3",\n "selectedTextColor": "#FFFFFF",\n "textStyle": "caption_medium",\n "textCrossed": false,\n "textWidth": "wrap_content",\n "horizontalAlignment": "center",\n
		16\n }\n ]\n }\n }\n ,\n {\n "backgroundColor": "#393939",\n "strokeColor": "#EDEDED",\n "caption": {\n "type": "badge",\n "backgroundColor": "#EDEDED",\n "textField": {\n "text": "paywall_caption_popular",\n "textColor": "#1E1E1E",\n "textStyle": ""
		"horizontalAlignment": "center"\n }\n }\n ;\n "firstPart": {\n "paddings": {\n "top": 0,\n "bottom": 0,\n "start": 8,\n "end": 8\n }\n "horizontalAlignment": "center",\n "items": [\n {\n "type": "spacer",\n "size": 8\n },\n "type": "text",\n "textField": {\n "type": "textWidth": "wrap_content",\n "horizontalAlignment": "center",\n "body_m_indepthalignment": "center",\n "body_m_indepthalignment": "center",\n "body_m_indepthalignment": "center",\n "body_m_indepthalignment": "center",\n "textStyle": "body_m_indepthalignment": "center",
		"uppercase": true,\n "billingFieldType": "durationTitle"\n }\n ,\n {\n "type": "spacer",\n "size": 2\n ,\n "kntfield": {\n "textField": {\n "t
		"currentPrice"\n \n\ \h,\n\ \n\ "type": "spacer"\n\ size": \n\ \h,\n\ \n\ "type": "text"\n\ \h,\n\ \n\ "type": "text"\n\ \n\ "textField": \n\ \n\ "textField": \n\ \n\ \n\ "textField": \n\ \n\ \n\ \n\ \n\ \n\ \n\ \n\ \n\ \n
		"size": 8\n }\n ]\n ]\n ]\n ]\n "secondPart": {\n "paddings": {\n "top": 0,\n "bottom": 0,\n "start": 8,\n "end": 8\n ]\n "horizontalAlignment": "center",\n "items": [\n {\n "type": "spacer",\n "size": 8\n ]\n [\n "type": "text",\n "textField": {\n "textField":
		"caption_regular",\n "textWidth": "wrap_content",\n "horizontalAlignment": "center",\n "billingFieldType": "oldSplitPrice"\n }\n }\n }\n {\n "type": "text",\n "textField": {\n "textColor": "#B3B3B3",\n "selectedTextColor": "#FFFFFF",\n "textStyle": "caption_regular",\n "textSide": {\n "textColor": "#B3B3B3",\n "selectedTextColor": "#FFFFFFF",\n "textStyle": "caption_regular",\n "textField": {\n "textColor": "#B3B3B3",\n "selectedTextColor": "#FFFFFF",\n "textStyle": "caption_regular",\n "textSide": {\n "textColor": "#B3B3B3",\n "selectedTextColor": "#FFFFFFF",\n "textStyle": "caption_regular",\n "textSide": {\n "textColor": "#B3B3B3",\n "selectedTextColor": "#B3B3B3",\n "select
		"horizontalAlignment": "center",\n "billingFieldType": "currentSplitPrice"\n }\n }\n }\n "top": "spacer",\n "size": 4\n },\n {\n "type": "badge",\n "backgroundColor": "#FF6025",\n "paddings": {\n "start": 8,\n "end": 8,\n "top": 4,\n "bottom": 4\n },\n "bottom": 4\n },\n "bottom": 1
		"textWidth": "wrap_content",\n "horizontalAlignment": "center",\n "billingFieldType": "discount"\n }\n }\n {\n "type": "spacer",\n "size": 16\n }\n ]\n }\n }\n {\n "backgroundColor": "#393939",\n "strokeColor": "#005FCC",\n "caption": {\n "type": "backgroundColor": "#393939",\n "strokeColor": "#005FCC",\n "caption": {\n "type": "backgroundColor": "#393939",\n "strokeColor": "#393939",\n "str
		"paywall_caption_best_price",\n "textColor": "#FFFFFF",\n "textSyle": "caption_xs_semi_bold",\n "textWidth": "wrap_content",\n 'horizontalAlignment": "center"\n }\n }\n \n
		"size": 8\n }\n {\n "type": "text",\n "textField": {\n "textColor": "#BSB3B3",\n "selectedTextColor": "#FFFFF",\n "textStyle": "h4_bold",\n "textWidth": "wrap_content",\n "horizontalAlignment": "center",\n "billingFieldType": "durationTitle"\n }\n }\n "\textWidth": "wrap_content",\n "horizontalAlignment": "center",\n "uppercase": true,\n "billingFieldType": "durationTitle"\n }\n }\n \\n "type": "spacer",\n "size": 2\n }\n \\n \\n "type": "topic for the first of the fir
		"#FFFFFF",\n "textStyle": "caption_bold",\n "textWidth": "wrap_content",\n "horizontalAlignment": "center",\n "billingFieldType": "currentPrice"\n }\n }\n {\n "type": "spacer",\n "size": 2\n }\n {\n "type": "text",\n "textField": {\n "textColor": "#B3B3f"   specified
		"textWidth": "wrap_content",\n "horizontalAlignment": "center",\n "billingfieldType": "periodDuration"\n }\n ,\n {\n "type": "spacer",\n "size": 8\n }\n ]\n ]\n }\n "secondPart": {\n "paddings": {\n "top": 0,\n "bottom": 0,\n "start": 8,\n "end": 8\n }\n ]\n "horizontalAlignment": "center",\n "billingfieldType": "periodDuration"\n }\n ]\n "type": "spacer",\n "size": 8\n }\n ]\n [\n ]\n \n \n "start": 8\n ]\n "type": "spacer",\n "size": 8\n }\n "type": "spacer",\n "size": 8\n }\n ]\n [\n ]\n ]\n \n \n "start": 8\n ]\n "type": "spacer",\n "size": 8\n ]\n "start":
		}\n {\n "type": "text",\n "textField": {\n "textColor": "#83B3B3",\n "selectedTextColor": "#B3B3B3",\n "textCrossed": true,\n "textStyle": "caption_regular",\n "textWidth": "wrap_content",\n "horizontalAlignment": "center",\n "billingFieldType": "olc
		"#B3B3B3",\n "selectedTextColor": "#FFFFFF",\n "textStyle": "caption_medium",\n "textCrossed": false,\n "textWidth": "wrap_content",\n "horizontalAlignment": "center",\n "billingFieldType": "currentSplitPrice"\n }\n }\n }\n {\n "textCrossed": false,\n "textWidth": "wrap_content",\n "horizontalAlignment": "center",\n "billingFieldType": "currentSplitPrice"\n }\n }\n {\n "textCrossed": false,\n "textWidth": "wrap_content",\n "horizontalAlignment": "center",\n "billingFieldType": "currentSplitPrice"\n }\n {\n "textStyle": "caption_medium",\n "textStyle": "ca
		{\n "start": 8,\n "end": 8,\n "top": 4,\n "bottom": 4\n }\n\"bottom": 4\n }\n\"bottom": 4\n boild"; \n "textColor": "#FFFFFF",\n "textStyle": "caption_bold",\n "textWidth": "wrap_content",\n "horizontalAlignment": "center",\n "billingFieldType": "discount"\n }\n }\n \n \tag{\n \ta
		},\n {\n "type": "BillingContainer",\n "orientation": "horizontal",\n "spacer": 16,\n "elements": [\n {\n "backgroundColor": "#393939",\n "strokeColor": "#EDEDED",\n "caption": {\n "type": "badge",\n "backgroundColor": "#EDEDED",\n "textField": {\
		"textStyle": "caption_xs_semi_bold",\n "textWidth": "wrap_content",\n "horizontalAlignment": "start",\n "weight": 1,\n "horizontalAlignment": "start",\n "horizontalAlignment": "start",\n "weight": 1,\n "horizontalAlignment": "start",\n "horizontalAlig
		\{\n\"textColor":\"#B3B3B3",\n\"selectedTextColor\":\"#FFFFFF,\n\"textStyle\":\"body_m_bold\",\n\"textWidth\":\"wrap_content\",\n\"horizontalAlignment\":\"center\",\n\"uppercase\":\true,\n\"billingFieldType\":\"durationTitle\\n\}\n\\n\\n\"type\":\"row\\n\\"type\":\"row\",\n\"type\":\"row\",\n\"horizontalAlignment\":\"center\",\n\"billingFieldType\":\"currentPrice\\n\}\n\\n\\n\\n\"type\":\"spacer\",\n\"size\":\4\n\\n\\n\\n\\n\\n\\n\\n\\n\\n\\n\\n\\n
		"#B3B3B3",\n "textStyle": "caption_regular",\n "textWidth": "wrap_content",\n "billingFieldType": "periodDuration"\n }\n }\n ]\n }\n  \n  \n "type": "spacer",\n "size": 8\n }\n ]\n }\n ]\n }\n  \n  \n  \n  \n  \n  \n  \n  \n  \n
		"paywall_continue_button",\n "textColor": "#FFFFFF",\n "textStyle": "body_l_semi_bold",\n "textWidth": "match_parent",\n "textCrossed": false,\n "horizontalAlignment": "center"\n },\n "paddings": {\n "top": 16,\n "bottom": 16,\n "start": 16,\n "enter"\n "enter"\n "top": 16,\n "top": 16,\n "bottom": 16,\n "start": 16,\n "enter"\n "top": 16,\n
		"reversedLayout": true, "productGroupId": "28", "restoreButtonText": "paywall_restore_button", "properties": { "backgroundColor": "#171717", "backgroundImageRes": "background_image", "backgroundOverlay": { "orientation": "vertical", "start
		"#E51E1E1E" }, "end": { "percent": 0.85, "value": "#1E1E1E" } }, "paddings": { "top": 16, "bottom": 16, "start": 16 }, "elements": [ { "type": "Spacer", "size": 110 }, { "type": "TextField", "textField": { "text": "paywall_title_workout_mealplan",
		"textCrossed": false, "horizontalAlignment": "center" } }, { "type": "Spacer", "size": 20 }, { "type": "BillingContainer", "orientation": "vertical", "spacer": 16, "elements": [ { "backgroundColor": "#393939", "strokeColor": "#EDEDED", "firstPart": { "paddention": "vertical", "spacer": 16, "elements": [ { "backgroundColor": "#393939", "strokeColor": "#EDEDED", "firstPart": { "paddention": "vertical", "spacer": 16, "elements": [ { "backgroundColor": "#393939", "strokeColor": "#EDEDEDED", "firstPart": { "paddention": "vertical", "spacer": 16, "elements": [ { "backgroundColor": "#393939", "strokeColor": "#EDEDEDED", "firstPart": { "paddention": "vertical", "spacer": 16, "elements": [ { "backgroundColor": "#393939", "strokeColor": "#EDEDEDED", "firstPart": { "paddention": "vertical", "spacer": 16, "elements": [ { "backgroundColor": "#393939", "strokeColor": "#EDEDEDED", "firstPart": { "paddention": "vertical", "spacer": 16, "elements": [ { "backgroundColor": "#393939", "strokeColor": "#EDEDEDED", "firstPart": { "paddention": "vertical", "spacer": 16, "elements": [ { "backgroundColor": "#393939", "strokeColor": "#IDEDEDEDEDEDEDEDEDEDEDEDEDEDEDEDEDEDEDE
		"center", "items": [{ "type": "spacer", "size": 8}, { "type": "text", "textField": { "textColor": "#B3B3B3", "selectedTextColor": "#FFFFFF," "textStyle": "h4_bold": "textWidth": "wrap_content", "horizontalAlignment": "center", "billingFieldType": "druation": "druation": "spacer", "size": "spacer", "
		"selectedTextColor": "#FFFFFF", "textStyle": "body_m_bold", "textWidth": "wrap_content", "horizontalAlignment": "center", "uppercase": true, "billingFieldType": "durationTitle" } }, { "type": "spacer", "size": 2 }, { "type": "text", "textField": { "textColor": "##329292" "selectedText" olor": "##329292" "selectedText" olor "##329292" "
		"textWidth": "wrap_content", "horizontalAlignment": "center", "billingFieldType": "currentPrice" } }, { "type": "spacer", "size": 2 }, { "type": "textField": { "textFolor": "#B3B3B3", "selectedTextColor": "#FFFFFF", "textStyle": "caption_regular", "textField": { "type": "spacer", "size": 8 } ] }, "secondPart": { "paddings": { "top": 0, "bottom": 0, "start": 8, "end": 8 }, "horizontalAlignment": "center", "items": [ { "type": "spacer", "size": 8 }, { "type": "text", "textField": { "textColor": "#B3B3B3", "secondPart": "text", "textField": { "type": "spacer", "size": 8 }, { "type": "text", "textField": { "textColor": "#B3B3B3", "secondPart": "textStyle": "textStyle": "caption_regular", "textStyl
		"textCrossed": false, "textWidth": "wrap_content", "horizontalAlignment": "center", "billingFieldType": "currentSplitPrice" } }, { "type": "spacer", "size": 16 } ] } } { "backgroundColor": "#393939", "strokeColor": "#EDEDED", "caption": { "type": "badg
		"paywall caption_popular", "textColor": "4"1E1E1E1", "textStyle": "caption_xs_semi-bold", "textWidth": "wrap_content", "horizontalAlignment": "center" }, "firstTortalAlignment": "center" }, "firstTortalAlignmen
		"textColor": "#B3B3B3", "selectedTextColor": "#FFFFFF", "textStyle": "h4_bold", "textWidth": "wrap_content", "horizontalAlignment": "center", "billingFieldType": "durationAmount" ) }, { "type": "text", "textField": { "textColor": "#B3B3B3", "selected ("selected ("
		"horizontalAlignment": "center", "uppercase": true, "billingFieldType": "durationTitle" } }, { "type": "spacer", "size": 2 }, { "type": "textField": { "textColor": "#83B3B3", "selectedTextColor": "#FFFFFF", "textStyle": "caption_bold", "textWidth": "v
		}, { "type": "spacer", "size": 2 }, { "type": "textf, "textField": { "textColor": "#B3B3B3", "selectedTextColor": "#FFFFF", "textStyle": "caption_regular", "textWidth": "wrap_content", "horizontalAlignment": "center", "billingFieldType": "periodDuration": "periodDuration": "wrap_content", "horizontalAlignment": "center", "billingFieldType": "periodDuration": "wrap_content", "billingFieldType": "wrap_content", "billingFieldTyp
		"bottom": 0, "start": 8, "end": 8 }, "horizontalAlignment": "center", "items": [ { "type": "spacer", "size": 8 }, { "type": "text", "textField": { "textColor": "#B3B3B3", "selectedTextColor": "#B3B3B3", "textCrossed": true, "textStyle": "caption_regular", "textField": { "textColor": "#B3B3B3", "selectedTextColor": "#B3B3B3", "textCrossed": true, "textStyle": "caption_regular", "textField": { "textColor": "#B3B3B3", "selectedTextColor": "#B3B3B3", "textCrossed": true, "textStyle": "caption_regular", "textStyle": "caption_regular", "textStyle": "caption_regular", "textStyle": "textStyle: "te
		"oldSplitPrice" } }, { "type": "text", "textField": { "textColor": "#BBBBBB", "selectedTextColor": "#FFFFFF", "textStyle": "caption_medium", "textCrossed": false, "textWidth": "wrap_content", "horizontalAlignment": "center", "billingFieldType": "current"
		"backgroundColor": "#FF6025", "paddings": { "start": 8, "end": 8, "top": 4, "bottom": 4} }, "textField": { "textColor": "#FFFFFF", "textStyle": "caption_bold", "textWidth": "wrap_content", "horizontalAlignment": "center", "billingFieldType": "discount" ["" "" "" "" "" "" "" "" "" "" "" "" "
		"strokeColor": "#005FCC", "caption": { "type": "badge", "properties": { "backgroundColor": "#005FCC" }, "textField": { "text": "paywall_caption_best_price", "textColor": "#FFFFFF", "textStyle": "caption_xs_semi_bold", "textWidth": "wrap_content", "horizontalAlignment": "center", "items": [ { "type": "spacer", "size": 8 }, { "type": "text", "textField": { "textColor": "#B3B3B3", "selectedTextColor": "#FFFFFF", "textStyle": "h4_bold", "textWidth": "wrap_content", "horizontalAlignment": "center", "items": [ { "type": "spacer", "size": 8 }, { "type": "text", "textField": { "textColor": "#B3B3B3", "selectedTextColor": "#FFFFFF", "textStyle": "h4_bold", "textWidth": "wrap_content", "horizontalAlignment": "center", "items": [ { "type": "spacer", "size": 8 }, { "type": "text", "textField": { "textColor": "#B3B3B3", "selectedTextColor": "#FFFFFF", "textStyle": "h4_bold", "textWidth": "wrap_content", "horizontalAlignment": "center", "items": [ { "type": "spacer", "size": 8 }, { "type": "text", "textField": { "textColor": "#B3B3B3", "selectedTextColor": "#FFFFFF", "textStyle": "h4_bold", "textWidth": "wrap_content", "horizontalAlignment": "center", "items": [ { "type": "spacer", "size": 8 }, { "type": "text", "textField": { "textColor": "#B3B3B3", "selectedTextColor": "#FFFFFF", "textStyle": "h4_bold", "textWidth": "wrap_content", "horizontalAlignment": "center", "items": [ { "type": "spacer", "size": 8 }, { "type": "text", "textField": { "type": "text", "textStyle": "h4_bold", "textWidth": "wrap_contents", "hard "textStyle": "h4_bold", "textWidth": "wrap_contents", "hard "textStyle": "h4_bold", "textWidth": "wrap_contents", "hard "textStyle": "h4_bold", "textWidth": "wrap_contents", "hard "textStyle": "h4_bold", "textStyle": "h4_bold", "textStyle": "h4_bold", "textStyle": "h4_bold", "textStyle": "h4_bold", "textStyle": "h4_bold", "textStyle": "h4_bold", "textStyle": "h4_bold", "textStyle": "h4_bold", "textStyle": "h4_bold", "textStyle": "h4_bold", "textStyle": "h4_bold", "textStyle": "h4_bold", "textStyle": "h4_bold", "t
		textfield": { "textColor": "#B3B3B3", "selectedTextColor": "#FFFFFF", "textStyle": "body m bold", "textWidth": "wrap content", "horizontalAlignment": "center", "uppercase": true, "billingFieldType": "durationTitle" } }, { "type": "spacer", "size": 2 },
		"#FFFFFF", "textStyle": "caption_bold", "textWidth": "wrap_content", "horizontalAlignment": "center", "billingFieldType": "currentPrice" } }, { "type": "spacer", "size": 2 }, { "type": "textField": { "textColor": "#B3B3B3", "selectedTextColor": "#FFFFFF", "textStyle": "caption_bold", "textWidth": "wrap_content", "horizontalAlignment": "center", "billingFieldType": "currentPrice" } }, { "type": "spacer", "size": 2 }, { "type": "textField": { "textColor": "#B3B3B3", "selectedTextColor": "#FFFFFF", "textStyle": "caption_bold", "textWidth": "wrap_content", "horizontalAlignment": "center", "billingFieldType": "currentPrice" } }, { "type": "spacer", "size": 2 }, { "type": "textField": { "textColor": "#B3B3B3", "selectedTextColor": "#FFFFFF", "textStyle": "caption_bold", "textWidth": "wrap_content", "horizontalAlignment": "center", "billingFieldType": "currentPrice" } }, { "type": "spacer", "size": 2 }, { "type": "textStyle": "textField": { "textColor": "#B3B3B3", "selectedTextColor": "#FFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFF
		"horizontalAlignment": "center", "billingFieldType": "periodDuration", "spacer", "size": 8}}, "spacer", "size": 8}}, "spacer", "size": 8
	1	

TITLE	SEVERITY	"#B3B3B3", "textCrossed": true, "textStyle": "caption_regular", "textWidth": "wrap_content", "horizontalAlignment": "center", "billingFieldType": "oldSplitPrice" } }, { "type": "text", "textField": { "textColor": "#B3B3B3", "selectedTextColor": "#FFFFFF DESCRIPTION horizontalAlignment": "center", "billingFieldType": "spacer", "size": 4 }, { "type": "badge", "properties": { "backgroundColor": "#FF6025", "paddings": { "start": 8, "end": 8, "top": 4, "bottom": 4 } }, "top": "spacer", "size": 16, "lype": "spacer", "size": 16, "lype": "spacer", "size": 20 }, { "type": "Spacer", "size": 20 }, { "type": "billingContainer", "orientation": "horizontal", "spacer": 16, "elements": [ { "background horizontal", "spacer", "size": 20 }, { "type": "Spacer", "size": 20 }, { "type": "spacer", "s
TITLE  Firebase Remote Config enabled	SEVERITY	DESCRIPTION orizontal Alignment": "center", "billingFieldType": "currentSplitPrice" } }, { "type": "spacer", "size": 4 }, { "type": "badge", "properties": { "backgroundColor": "#FF6025", "paddings": { "start": 8, "end": 8, "top": 4, "bottom": 4 } }, "top": 4, "bottom": 4 }, "top": "spacer", "size": 4 }, ("type": "badge", "properties": { "backgroundColor": "#FF6025", "paddings": { "start": 8, "end": 8, "top": 4, "bottom": 4 } }, "top": 4, "bottom": 4, "bottom: 4, "
		"center",\n "billingFieldType"; "currentSplitPrice"\n \\n \\\n \\n \type"; "spacer"\n "size"; 16\n \\n \\n \\n \\n \\n \\n \\n \\n \\n

		{\n "type": "spacer",\n "size": 16\n }\n ]\n ]\n ]\n ]\n ]\n ]\n ]\n ]\n ]\n ]
TITLE	SEVERITY	DESCRIPTION"textField": {\n "text": "paywall_plan_lifetime_forever_fit",\n "textColor": "#1E1E1E",\n "textStyle": "caption_xs_semi_bold",\n "textWidth": "wrap_content",\n "horizontalAlignment": "center"\n }\n },\n "firstPart": {\n "paddings": {\n "textStyle": "caption_xs_semi_bold",\n "textWidth": "wrap_content",\n "horizontalAlignment": "center"\n }\n },\n "firstPart": {\n "paddings": {\n "textStyle": "caption_xs_semi_bold",\n "textWidth": "wrap_content",\n "horizontalAlignment": "center"\n }\n }\]
		"start",\n "weight"; 1,\n "items"; [\n \\n "type"; "spacer",\n "size"; &\n \\n "type"; "text",\n "text",\n "textColor"; "#B3B3B3",\n "selectedTextColor"; "#FFFFFF",\n "textStyle"; "body_m_bold",\n "textWidth"; "wrap_content",\n "horizontalAlig
		},\n {\n "type": "row",\n "flowRow": false,\n "elements": [\n {\n "type": "text",\n "textField": {\n "textFi
		"size": 4\n }\n {\n "type": "text",\n "textField": {\n "textColor": "#83B383",\n "selectedTextColor": "#83B383",\n "textStyle": "caption_regular",\n "textWidth": "wrap_content",\n "horizontalAlignment": "center",\n "billingFieldType": "periodDuration "type": "Spacer",\n "size": 16\n },\n {\n "type": "Promo",\n "iconRes": "promolcon",\n "textField": {\n "text": "promo_code_button",\n "textColor": "#FF6025",\n "selectedTextColor": "#FF6025",\n "textStyle": "body_l_semi_bold",\n "textWidth": "wrap_content",\n "textColor": "#FF6025",\n "selectedTextColor": "#FF6025",\n "textStyle": "body_l_semi_bold",\n "textWidth": "wrap_content",\n "textColor": "#FF6025",\n "selectedTextColor": "#FF6025",\n "textStyle": "body_l_semi_bold",\n "textStyle": "body
		size: 4\n }\n ]\n "footer": {\n "buttonType": "animated",\n "textField": {\n "text": "paywall_continue_button",\n "textCrossed": filse,\n "horizontalAlignm"   "textStyle": "body_l_semi_bold",\n "textWidth": "match_parent",\n "textCrossed": false,\n "horizontalAlignm"   "textStyle": "body_l_semi_bold",\n "textWidth": "match_parent",\n "textStyle": "body_l_semi_bold",\n "textStyle":
		"end": 16\n \n
		("percent":0.34, "value": "#E51E1E1E"), "end": ("percent":0.85, 'value": "#E51E1E1E"), "end": (16), "elements: "[("type": "Spacer", "size", "s
		("text":"paywall_title_workout","textColor":"#FFFFFF","textStyle":"h3","textWidth":match_parent","textCrossed":false,"horizontalAlignment":"center"}},"type":"Spacer";"size":20},("type":"BillingContainer","orientation":"vertical", "spacer":16,"elem
		{"paddings":{"top":0,"bottom":0,"start":8,"end":8},"horizontalAlignment":"center","items":{{"type":"spacer","size":8},{"type":"textt","texttField":{\"textColor":"#B3B3B3","selectedTextColor":"#FFFFFF","textStyle":"h4_bold","textWidth":"wrap_content"
		{"type":"text","textField":{"textColor":"#BBBBB3","selectedTextColor":"#FFFFF","textStyle":"body_n_bold","textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"durationTitle")},{"type":"spacer","size":2},("type":"text","text");
		{"textColor":"#83B3B3","selectedTextColor":"#FFFFF","selectedTextStyle":"caption_13_semi_bold","textStyle":"caption_semi_bold","textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"caption_13_semi_bold","textStyle":"caption_semi_bold","textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"caption_13_semi_bold","textStyle":"caption_semi_bold","textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"caption_13_semi_bold","textStyle":"caption_semi_bold","textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"caption_13_semi_bold","textStyle":"caption_semi_bold","textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"caption_13_semi_bold","textStyle":"caption_semi_bold","textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"caption_13_semi_bold","textStyle":"caption_semi_bold","textSt
		{"textColor":"#838383","selectedTextColor":"#FFFFF","textStyle":"caption_regular","textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"periodDuration")},("type":"spacer","size":8}]},"secondPart":("paddings":("top":0"the first part of the f
		[{"type":"spacer","size":8},{"type":"textt","textField":{"textColor":"#B3B3B3","selectedTextColor":"#FFFFFF","textStyle":"caption_semi_bold","textCrossed":false,"textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"currentStyle":"caption_semi_bold","textCrossed":false,"textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"currentStyle":"caption_semi_bold","textCrossed":false,"textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"currentStyle":"caption_semi_bold","textCrossed":false,"textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"currentStyle":"caption_semi_bold","textCrossed":false,"textWidth":"wrap_content","horizontalAlignment":"center", billingFieldType":"currentStyle":"caption_semi_bold","textCrossed":false,"textWidth":"wrap_content","horizontalAlignment":"center", billingFieldType":"caption_semi_bold", billingFieldType:"caption_semi_bold", billingFieldType:"caption_semi_bold", billingFieldType:"caption_semi_bold",
		{"backgroundColor":"#393939","strokeColor":"#EDEDED","caption":{"type":"badge","backgroundColor":"#EDEDED","textField":{"text":"paywall_caption_popular","textColor":"#E1E1E","textStyle";"caption_xs_semi_bold","textWidth":"wrap_contents
		{"top":0,"bottom":0,"start":8,"end":8},"horizontalAlignment":"center","items":[{"type":"spacer","size":8},{"type":"textKolor":"#838383","selectedTextColor":"#87FFFFFF","textStyle":"h4_bold","textWidth":"wrap_content","horizontalAlignment ("textColor":"#838383","selectedTextColor:"#838383","selectedTextColor:"#838383","selectedTextColor:"#838383","selectedTextColor:"#838383","selectedTextColor:"#838383","selectedTextColor:"#838383","selectedTextColor:"#838383","selectedTextColor:"#838383","selectedTextColor:"#838383","selectedTextColor:"#838383","selectedTextColor:"#838383","selectedTextColor:"#838383","selectedTextColor:"#838383","selectedTextColor:"#838383","selectedTextColor:"#838383","selectedTextColor:"#838383","selectedTextColor:"#838383","selectedTextColor:"#838383","selectedTextColor:"#838383","selectedTextColor:"#838383",selectedTextColor:"#838383",selectedTextColor:"#838383",selectedTextColor:"#8383838",selectedTe
		{"type":"text","textField":{"textColor":"#8B8B83","selectedTextColor":"#FFFFF","textStyle":"body_m_bold","textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"durationTitle"}},{"type":"spacer","size":2},{"type":"text","textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"durationTitle"}},{"type":"spacer","size":2},{"type":"text","textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"durationTitle"}},{"type":"spacer","size":2},{"type":"text","textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"durationTitle"}},{"type":"spacer","size":2},{"type":"spacer","size":2},{"type":"spacer","size":2},{"type":"spacer","size":2},{"type":"spacer","size":2},{"type":"spacer","size":2},{"type":"spacer","size":2},{"type":"spacer","size":2},{"type":"spacer","size":2},{"type":"spacer","size":2},{"type":"spacer","size":2},{"type":"spacer","size":2},{"type":"spacer","size:2},{"type":"spacer","size:2},{"type":"spacer,"size:2},{"type":"spacer,"size:2},{"type":"spacer,"size:2},{"type":"spacer,"size:2},{"type":"spacer,"size:2},{"type":"spacer,"size:2},{"type:"spacer,"size:
		{"textColor":"#838383","selectedTextColor":"#FFFFF","selectedTextStyle":"caption_13_semi_bold","textStyle":"caption_semi_bold","textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"cype":"spacer","size":8}]},"secondPart":("paddings":("top":0-"textColor":"#838383","selectedTextColor":"#FFFFF","textStyle":"caption_regular","textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"spacer","size":8}]},"secondPart":("paddings":("top":0-"textColor":"#B7FFFFF","textStyle":"spacer","size":8}]},"secondPart":("paddings":("top":0-"textColor":"#B7FFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFF
		["type":"spacer", "size":8},{"type":"text","textField":{"textColor":"#83B3B3","selectedTextColor":"#83B3B3","textCrossed":true, "textStyle":"caption_regular", "textWidth":"wrap_content", "horizontalAlignment":"center", "billingFieldType":"oldSplitPri
		"("textColor": "#B3B3B3", "selectedTextColor": "#FFFFF", "textStyle": "caption_semi_bold", "textCrossed": false, "textWidth": "wrap_content", "horizontalAlignment": "center", "billingFieldType": "caption_semi_bold", "textCrossed": false, "textWidth": "wrap_content", "horizontalAlignment": "center", "billingFieldType": "caption_semi_bold", "textCrossed": false, "textWidth": "wrap_content", "horizontalAlignment": "center", "billingFieldType": "spacer", "size": 4), ("type": "size": 4), ("type": "size": 4), ("type": "size": 4
		("start":8, "end":8, "top":4, "bottom":4}, "textField":("textColor":"#FFFFF", "textStyle":"caption_bold", "textWidth":"wrap_content", "horizontalAlignment": "center", "billingFieldType": "discount"}},("type": "spacer", "size": 16)}}},("backgroundColor": "#938
		{"type":"badge","backgroundColor":"#005FCC","textField":{"text":"paywall_caption_best_price","textColor":"#FFFFFF","textStyle":"caption_xs_semi_bold","textWidth":"wrap_content","horizontalAlignment":"center")},"firstPart":{"paddings":{"top":0
		[{"type":"spacer","size":8},{"type":"text","textField":{"textColor":"#83B3B3","selectedTextColor":"#FFFFFF","textStyle":"h4_bold","textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"durationAmount"}},{"type":"text","textField":{"textColor":"#B3B3B3","selectedTextColor":"#FFFFFF","textStyle":"h4_bold","textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"durationAmount"}},{"textColor":"#FFFFFFF","textStyle":"h4_bold","textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"durationAmount"}},{"textColor":"#FFFFFFF","textStyle":"h4_bold","textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"durationAmount"}},{"textColor":"#FFFFFFF","textStyle":"h4_bold","textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"durationAmount"}},{"textColor":"#FFFFFFF","textStyle":"h4_bold","textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"durationAmount"},{"textColor":"#FFFFFF","textColor":"#FFFFFFF","textColor":"#FFFFFFF","textColor":"#FFFFFFFT","textColor":"#FFFFFFT","textColor":"#FFFFFFT","textColor":"#FFFFFFT","textColor":"#FFFFFFT","textColor":"#FFFFFFT","textColor":"#FFFFFT","textColor":"#FFFFFT","textColor":"#FFFFFT","textColor":"#FFFFFT","textColor":"#FFFFFT","textColor":"#FFFFFT","textColor":"#FFFFTT","textColor":"#FFFFTT","textColor":"#FFFFTT","textColor":"#FFFTTT","textColor":"#FFFTTT","textColor":"#FFFTTT","textColor":"#FFFTTT","textColor":"#FFFTTT","textColor":"#FFFTTT","textColor":"#FFFTTT","textColor":"#FFFTTT","textColor":"#FFFTTT","textColor":"#FFFTTT","textColor":"#FFFTTT","textColor":"#FFFTTT","textColor":"#FFFTTTT","textColor":"#FFFTTTT","textColor":"#FFFTTTT","textColor":"#FFFTTTT","textColor":"#FFFTTTT","textColor":"#FFFTTTT","textColor:"#FFFTTTT","textColor:"#FFFTTTTT","textColor:"#FFFTTTTT","textColor:"#FFFTTTTTT","textColor:"#FFFTTTTTT","textColor:"#FFFTTTTTTT","textColor:"#FFFTTTTTTTTT","textColor:"#FFFTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTT
		{"textColor":"#B3B3B3","selectedTextColor":"#FFFFF","textStyle":"body_m_bold","textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"durationTitle"}},{"type":"spacer","size":2},("type":"text","textField":
		{"textColor":"#838383","selectedTextColor":"#FFFFF","selectedTextStyle":"caption_13_semi_bold","textStyle":"caption_semi_bold","textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"currentPrice"}},{"type":"spacer","s
		{"textColor":"#B3B3B3","selectedTextColor":"#FFFFF,"textStyle":"caption_regular","textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"periodDuration")},{("type":"spacer","size":8}]},"secondPart":("paddings":("top":0,"lt
		[{"type":"spacer","size":8},{"type":"textField":("textFolor":"#83B3B3","selectedTextColor":"#B3B3B3","textCrossed":true,"textStyle":"caption_regular","textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"oldSplitPri
		{"textColor":"#B3B3B3","selectedTextColor":"#FFFFF","textStyle":"caption_semi_bold","textCrossed":false,"textWidth":"wrap_content","horizontalAlignment":"center","billingFieldType":"discount"}},{"type":"spacer","size":4},{"type":"Spacer","size":4},{"type":"spacer","size":20]}}},{"type":"spacer","size":16}}}}},{"type":"spacer","size":16}}}},{"type":"spacer","size":20]}
		{ start .o, end .o, top .4, bottom .4}, textrelid .{ textcolor . #rrrrrr , textstyle . caption_bold , textwidth . wrap_content , norzontalangimment . center , billingrield ype . discount }}, type . spacer , size .roj;}}}, type . spacer , size .zoj [{"backgroundColor":"#393939", "strokeColor":"#1E1E1E", "textStyle":"caption_xs_semi_bold", "textWidth":"wra
		("top":8,"bottom":8,"start":16,"end":19, "horizontalAlignment":"start", "type:"spacer", "size":16}, ("type:"spacer", "size":16), ("type:"textField":("textField":("textField":("textField":("textField":("textField":("textField":("textField):
		{"type";"row","flowRow":false,"elements":[{"type";"text","textField":{"textColor":"#8383B3","selectedTextColor":"#8383B3","textStyle":"caption_regular","textWidth":"wrap_content","horizontalAlignment":"center", "billingFieldType":"currentPrice"
		{"type":"Spacer","size":4}},"footer":{"buttonType":"animated","textField":{"textField":{"textCi."paywall_continue_button","textColor":"#FFFFFF,","textStyle":"body_l_semi_bold","textWidth":"match_parent","textCrossed":false,"horizontalAlignment":"center"},"pa
		"IOS_CUSTOM_PAYWALL_ENABLED": 'true', 'IOS_CUSTOM_PAYWALL_V2': '{\n "version": 2,\n "reversedLayout": false,\n "isTrialPaywall": true,\n "productGroupId": "61",\n "fallbackProductGroupId": "37",\n "configurationExp": "blinkist",\n "restoreE
		"backgroundImageRes": "background_gradient_image",\n "paddings": {\n "top": 16,\n "bottom": 16,\n "end": 16\n }\n }\n "h "\n "elements": [\n {\n "type": "Spacer",\n "size": 50\n }\n {\n "type": "TextField"; {\n "textField": {\n "textField"; {\n "textField": {\n "textField" \ "trial_par
		"h4_bold",\n "textWidth": "match_parent",\n "horizontalAlignment": "center"\n }\n },\n {\n "type": "Spacer",\n "size": 18\n },\n {\n "type": "Triallnfo",\n "elements": [\n {\n "spacer": 4,\n "title": {\n "text": "trial_paywall_step_1_today",\n "textColor": "
		"description": {\n "text": "trial_paywall_step_1_try",\n "textColor": "#FFFFFF",\n "textStyle": "caption_medium",\n "horizontalAlignment": "start"\n }\n },\n {\n "spacer": 4,\n "title": {\n "text": "trial_paywall_day",\n "textColor": "#FFFFFF",\n "textStyle": "caption_medium",\n "horizontalAlignment": "start"\n }\n },\n {\n "spacer": 4,\n "title": {\n "text": "trial_paywall_day",\n "textColor": "#FFFFFF",\n "textStyle": "caption_medium",\n "horizontalAlignment": "start"\n }\n },\n {\n "spacer": 4,\n "title": {\n "text": "trial_paywall_day",\n "textColor": "#FFFFFF",\n "textStyle": "caption_medium",\n "horizontalAlignment": "start"\n }\n {\n "spacer": 4,\n "title": {\n "text": "trial_paywall_day",\n "textColor": "#FFFFFF",\n "textStyle": "caption_medium",\n "horizontalAlignment": "start"\n }\n {\n "spacer": 4,\n "title": {\n "text": "trial_paywall_day",\n "textColor": "#FFFFFF",\n "textStyle": "caption_medium",\n
		"text": "trial_paywall_step_2_remind",\n "textColor": "#FFFFFF",\n "textStyle": "caption_medium",\n "horizontalAlignment": "start"\n }\n },\n {\n "spacer": 4,\n "title": {\n "text": "trial_paywall_day",\n "textColor": "#FFFFFF",\n "textStyle": "caption_medium",\n "horizontalAlignment": "start"\n "billingFieldType": "trialPeriod"\n }\n }\n ]\n },\n {\n "type": "Spacer",\n "size": 32\n },\n {\n "type": "BillingContainer",\n "totalPeriod"\n }\n "type": "souther the start",\n "totalPeriod"\n }\n "totalPeriod"\n "totalPeriod"\n }\n "totalPeriod"\n }\n "totalPeriod"\n "totalPeriod"\n }\n "totalPeriod"\n "totalPe
		"selectableElements": false,\n "spacer": 8,\n "elements": [\n {\n "backgroundColor": "#00000000",\n "strokeColor": "#00000000",\n "firstPart": {\n "paddings": {\n "top": 0,\n "bottom": 0,\n "start": 4,\n "end": 4\n },\n "horizontalAlignment": "center
		"trial_paywall_card_unlimited_free_access",\n" "textColor": "#FFFFFF",\n" "textStyle": "body_s_regular",\n" "textWidth": "wrap_content",\n" horizontalAlignment": "center",\n" billingfieldType": "trialPeriod"\n" \n" \n" \n" "type": "spacer",\n" "size": 4\n ]
		"textField": {\n "text": "trial_paywall_card_then",\n "textColor": "#FFFFFF",\n "textSyle": "body_s_regular",\n "textWidth": "wrap_content",\n "horizontalAlignment": "center",\n "billingFieldType": "plainText"\n }\n \n
		"body_s_bold",\n "textWidth": "wrap_content",\n "horizontalAlignment": "center",\n "billingFieldType": "currentPrice"\n }\n }\n {\n "type": "spacer",\n "size": 4\n }\n {\n "type": "text",\n "textField": {\n "textColor": "#FFFFF",\n "textStyle": "body_s_
		"billingFieldType": "periodDuration"\n }\n }\n {\n "type": "pacer",\n "size": 4\n }\n {\n "type": "text",\n "textField": {\n "textField": "\n "textColor": "#FFFFFF",\n "textStyle": "body_s_regular",\n "textWidth": "wrap_content",\n "horizontalAlignment": "c
		\n "textColor": "#FFFFFF",\n "textStyle": "body_s_regular",\n "textWidth": "wrap_content",\n "horizontalAlignment": "center",\n "billingFieldType": "currentSplitPrice"\n }\n \]\n \\n "type": "text",\n "textField": \\n "text": ")",\n "textColor": "#FFFFFF",
		"horizontalAlignment": "center",\n "billingFieldType": "plainText"\n }\n }\n }\n }\n }\n }\n }\n }\n }\n }
		"#569EF2",\n "textStyle": "caption_13_semi_bold",\n "textWidth": "wrap_content",\n "horizontalAlignment": "center"\n }\n }\n {\n "type": "Spacer",\n "size": 24\n }\n {\n "type": "TextColumn",\n "spacer": 8,\n "properties": {\n "backgroundGradien"   "backgroundGrad
		"#4d2514"\n },\n "middle": {\n "percent": 0.5,\n "value": "#351f14"\n },\n "elements": {\n "percent": 0.9,\n "value": "#171514"\n }\n },\n "paddings": {\n "top": 16,\n "bottom": 16,\n "start": 16,\n "s
		"textWidth": "match_parent",\n "horizontalAlignment": "start"\n }\n "horizontalAlignment": "start"\n }\n "horizontalAlignment": "start"\n }\n ]\n ]\n ]\n ]\n ]\n ]\n ]\n ]\n ]\n ]
		"reversedLayout": false,\n "properties": {\n "backgroundImageRes": "background_gradient_image",\n "paddings": {\n "top": 16,\n "bottom": 16,\n "start": 16,\n "end": 16\n }\n },\n "testEffFF",\n "textStyle": "h4_bold",\n "type": "ListContainer",\n "showDivider": false,\n "elements": [\n {\n "type": "Spacer",\n "size": 30\n },\n {\n "type": "ListContainer",\n "spacer": 12,\n "showDivider": false,\n "elements": [\n {\n "type": "ListContainer",\n "spacer",\n "spacer": 12,\n "showDivider": false,\n "elements": [\n {\n "type": "ListContainer",\n "spacer",\n
		"horizontalAlignment": "start",\n "verticalAlignment": "center",\n "paddings": {\n "bottom": 8\n },\n "elements": [\n {\n "text": "trial_paywall_unlock_point_1",\n "textColor": "#FFFFFF",\n "textStyle": "body_s_regular",\n "textWidth": "wrap_content",
		"." "checkbox",\n "iconVerticalAlignment": "top",\n "horizontalAlignment": "start",\n "verticalAlignment": "start",\n "verticalAlignment": "start",\n "bottom": 8\n },\n "elements": [\n {\n "text": "trial_paywall_unlock_point_2",\n "textColor": "#FFFFFF",\n "textStyle": "
		"start" in \n
		"wrap_content",\n "horizontalAlignment": "start"\n \n ]\n }\n \\n [\n ]\n }\n \\n [\n ]\n }\n \\n "spacer"\n "size": 24\n }\n "spacer": 9
		"#39939",\n "caption": {\n "type": "badge",\n "properties": {\n "backgroundColor": "#1371DC",\n "paddings": {\n "top": 1,\n "bottom": 1,\n "start": 6,\n "end": 6\n \n \n ,\n "verticalAlignment": "top",\n "textField": {\n "text": "paywall_caption_best_r
		"textWidth": "wrap_content",\n "uppercase": true,\n "horizontalAlignment": "center"\n }\n }\n "firstPart": {\n "paddings": {\n "typ": 0,\n "bottom": 0,\n "start": 20,\n "end": 8\n },\n "horizontalAlignment": "start",\n "weight": 1,\n "items": [\n {\n "typ": 0,\n "typ": 0,\n "end": 8\n },\n "horizontalAlignment": "start",\n "weight": 1,\n "items": [\n {\n "typ": 0,\n "end": 8\n },\n "horizontalAlignment": "start",\n "weight": 1,\n "items": [\n {\n "typ": 0,\n "end": 8\n },\n "horizontalAlignment": "start",\n "weight": 1,\n "items": [\n {\n "typ": 0,\n "end": 8\n },\n "horizontalAlignment": "start",\n "weight": 1,\n "items": [\n {\n "typ": 0,\n "end": 8\n },\n "horizontalAlignment": "start",\n "weight": 1,\n "items": [\n {\n "typ": 0,\n "end": 8\n },\n "horizontalAlignment": "start",\n "weight": 1,\n "items": [\n {\n "typ": 0,\n "end": 8\n },\n "horizontalAlignment": "start",\n "weight": 1,\n "items": [\n {\n "typ": 0,\n "end": 8\n },\n "horizontalAlignment": "start",\n "weight": 1,\n "items": [\n {\n "typ": 0,\n "end": 8\n },\n "horizontalAlignment": "start",\n "weight": 1,\n "items": [\n {\n "typ": 0,\n "end": 8\n },\n "horizontalAlignment": "start",\n "weight": 1,\n "items": [\n {\n "typ": 0,\n "end": 8\n },\n "items": [\n "typ": 0,\n "end": 8\n "items": [\n {\n "typ": 0,\n "end": 8\n },\n "items": [\n {\n "typ": 0,\n "end": 8\n "end": 8\n "end": 8
		"elements": [\n {\n "type": "text",\n "textField": {\n "textColor": "#FFFFF",\n "textStyle": "body_bold",\n "textWidth": "wrap_content",\n "horizontalAlignment": "center",\n "billingFieldType": "trialPeriod"\n }\n },\n {\n "type": "spacer",\n "size": 6\n
		"trial_paywall_card_days_free_trial",\n "textColor": "#FFFFFF",\n "textStyle": "body_l_bold",\n "textWidth": "wrap_content",\n "horizontalAlignment": "center",\n "billingFieldType": "plainText"\n }\n }\n }\n }\n }\n \n
		"textField": {\n "text": "trial_paywall_card_then",\n "textColor": "#FFFFFF",\n "textStyle": "caption_regular",\n "textWidth": "wrap_content",\n "horizontalAlignment": "center",\n "billingFieldType": "plainText"\n }\n }\n }\n \n \n \n "toxpe": "spacer",\n "size": 4
		"body_s_bold",\n "textWidth": "wrap_content",\n "horizontalAlignment": "center",\n "billingFieldType": "currentPrice"\n }\n }\n \n \n \n "type": "spacer",\n "size": 4\n \n \n \n \n "type": "text",\n "textField": \n "textField": \n "textColor": "#FFFFFF",\n "textStyle": "caption.
		"billingFieldType": "periodDuration"\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	1	"spacer",\n "size": 12\n },\n {\n "type": "row",\n "flowRow": false,\n "elements": [\n {\n "type": "text",\n "textColor": "#FFFFFF",\n "textStyle": "bodybold",\n "textWidth": "wrap_content",\n "horizontalAlignment": "center",\n "billing

TLE SEVERITY
TLE SEVERITY

TITLE SEV	VERITY	"wrap_content",\n "horizontalAlignment": "center",\n "billingFieldType": "currentPrice"\n }\n }\n ,\n {\n "type": "spacer",\n "size": 4\n },\n {\n "type": "text",\n "textField": {\n "textColor": "#838383",\n "selectedTextColor": "#838383",\n "textStyle": "Data Color ": "#838383",\n "selectedTextColor": "#838383",\n "textStyle": "Data Color ": "#838383",\n "selectedTextColor": "#838383",\n "textStyle": "Data Color ": "#838383",\n "textStyle": "promo",\n "iconRes": "promo",\n "icon
		montpower/for frest richosom tables on macroscalagement. Yoursery to be tradeging for they for face from the properties of the properties

		"caption_xs_semi_bold",\n "textWidth": "wrap_content",\n "horizontalAlignment": "center"\n }\n },\n "firstPart": {\n "paddings": {\n "top": 8,\n "bottom": 8,\n "start": 16,\n "end": 16\n },\n "horizontalAlignment": "start",\n "weight": 1,\n "items": [\n "paddings": 1,\n "items": 1,
TITLE	SEVERITY	DESGRIPTIBY 3B3",\n "selectedTextColor": "#FFFFFF",\n "textStyle": "body_m_bold",\n "type": "row",\n "florizontalAlignment": "center",\n "uppercase": true,\n "billingFieldType": "durationTitle"\n }\n }\n }\n \n
		#B3B3B3",\n "selectedTextColor": "#B3B3B3",\n "textStyle": "caption_regular",\n "textWidth": "wrap_content",\n "horizontalAlignment": "center",\n "billingFieldType": "currentPrice"\n }\n }\n {\n {\n "type": "spacer",\n "size": 4\n },\n {\n "type": "text
		"textStyle": "caption_regular",\n "textWidth": "wrap_content",\n "horizontalAlignment": "center",\n "billingFieldType": "periodDuration"\n }\n }\n {\n "type": "spacer",\n "size": 8\n }\n ]\n }\n {\n }\n }\n }\n }\n }\n }\n }\n }\n }\n \
		"promo_code_button",\n "textColor": "#FF6025",\n "selectedTextColor": "#FF6025",\n "selectedTextColor": "#FF6025",\n "seze: 4\n }\n ],\n "footer": {
		"paywall_continue_button",\n "textColor": "#FFFFFF",\n "textStyle": "body_l_semi_bold",\n "textWidth": "match_parent",\n "textCrossed": false,\n "horizontalAlignment": "center"\n },\n "paddings": {\n "top": 16,\n "bottom": 16,\n "start": 16,\n "enc
		'{"enabled":true,"paywallConfigurationExp":""}', 'IOS_PAYWALL_SKIP_ENABLED': 'true', 'IOS_POPUP_SURVEY': '{"workoutCompleted":
		{"enabled":false,"titleKey":"survey_workout_popup_title","bodyKey":"survey_workout_popup_body","buttonTextKey":"lokalise_survey_button_workoutComplete","surveyld":"925RJ3Q","locale":"en,",day":0,"count":1},"exerciseSwapped":
		{"enabled":false,"titleKey":"lokalise_title_key","bodalise_title_key","bodyKey":"lokalise_body_key","buttonTextKey":"lokalise_button_key_exerciseSwap","surveyId":"RSQK5R6","locale":"en","day":0,"count":1,"goal":"goal_weight_loss"),"tutorialCompleted":
		{"enabled":false,"titleKey":"lokalise_title_key","bodale":en","lokalise_title_key","bodyKey":"lokalise_body_key","buttonTextKey":"lokalise_button_key_tutorialCompleted","surveyId":"R5QK5R6","locale":en","day":0,"count":1,"goal":"goal_weight_loss"},"challengeStarted":
		{"enabled":false,"titleKey":"lokalise_title_key","bodalise_title_key","bodyKey":"lokalise_body_key","buttonTextKey":"challengeStarted","surveyId":"R5QK5R6","locale":"en","day":0,"count":2,"goal_weight_loss"},"challengeCompleted":
		{"enabled":false,"titleKey":"lokalise_title_key","bodyKey":"lokalise_body_key","buttonTextKey":"challengeCompleted","surveyId":"R5QK5R6","locale":"en","day":0,"count":1,"goal":"goal_weight_loss"},"challengeDayMarked":
		{"enabled":false,"titleKey":"lokalise_title_key","bodyKey":"lokalise_title_key","buttonTextKey":"challengeDayMarked","surveyId":"RSQKSR6","locale":"en","day":0,"count":1,"goal":"goal_weight_loss"},"mealSeen":
		{"enabled":false,"titleKey":"lokalise_title_key","bodalise_title_key","bodyKey":"lokalise_body_key","buttonTextKey":"lokalise_button_mealSeen","surveyId":"RSQK5R6","locale":"es","day":0,"count":1,"goal":"goal_weight_loss"},"mealSwapped":
		{"enabled":false,"titleKey":"lokalise_title_key","bodalise_title_key","bodyKey":"lokalise_body_key","buttonTextKey":"lokalise_button_key_mealSwapped","surveyId":"R5QK5R6","locale":"en","day":0,"count":1,"goal":"goal_weight_loss"},"weightLogged":
		{"enabled":false,"titleKey":"lokalise_title_key","bodalise_title_key","bodyKey":"lokalise_body_key","buttonTextKey":"lokalise_button_key_weightLogged","surveyId":"R5QK5R6","locale":"en","day":0,"count":1,"goal":"goal_weight_loss"},"fitnessTestCompleted":
		{"enabled":false,"titleKey":"lokalise_title_key","bodalise_title_key","bodyKey":"lokalise_body_key","buttonTextKey":"fitnessTestCompleted","surveyId":"RSQKSR6","locale":"en","day":0,"count":1,"goal"::"goal_weight_loss"},"workoutProgramChanged":
		{"enabled":false,"titleKey":"lokalise_title_key","bodyKey":"lokalise_body_key","buttonTextKey":"lokalise_button_key_workoutProgramChanged","surveyId":"R5QK5R6","locale":"en","day":0,"count":1,"goal":"goal_weight_loss"},"insightRead":
		{"enabled":false,"titleKey":"lokalise_title_key","bodyKey":"lokalise_body_key","buttonTextKey":"lokalise_button_key_insightRead","surveyId":"R5QK5R6","locale":"en","day":0,"count":1,"goal":"goal_weight_loss"},"workoutRescheduled":
		{"enabled":false,"titleKey":"lokalise_title_key","bodalise_title_key","bodyKey":"lokalise_body_key","buttonTextKey":"lokalise_button_key_workoutRescheduled","surveyId":"RSQKSR6","locale":"en","day":0,"count":1,"goal"::"goal_weight_loss"},"consultationFeedShown"
		you!","bodyKey":"survey_workout_popup_body","buttonTextKey":"lokalise_survey_button_workoutComplete","surveyld":"'2SZRL2R","locale":"en","day":1,"count":3},"coachProfileView":("enabled":false,"titleKey":"Help us find the best coach for
		you!","bodyKey":"survey_workout_popup_body","buttonTextKey":"lokalise_survey_button_workoutComplete","surveyId":""X75Bj3W","locale":"en","day":0,"count":2}}}, 'IOS_PRIORITY_TO_CUSTOM_RATING_SCREEN': 'true', 'IOS_PROMO_ACCESS_FE
		["defaultpromo", "calipromo"], "rateUsType": "nativeOnly", "rateUsConditions": [("key": "feedbackAfterWorkout", "limit": [1,2]}, ("key": "loginDay", "limit": []}]}, 'iOs_QUIZ_BLOOD_TEST_SCREEN_ENABLED': 'false', 'iOs_QUIZ_BUILDER_ENABLED': 'true',
		'IOS_QUIZ_BUILDER_TYPE_DEFAULTPROMO': 'MB_quiz_default_promo_v2', 'IOS_QUIZ_BUILDER_TYPE_V2': 'quiz_taichi_fixed_locales', 'IOS_QUIZ_BUILDER_TYPE_V2_CALIPROMO': 'MM_cali_promo', 'IOS_QUIZ_BUILDER_TYPE_V2_DEFAULTPROMO':
		'IOS_QUIZ_EVENT_DATE_ABTEST_ENABLED': 'true', 'IOS_QUIZ_EVENT_DATE_ABTEST_VARIANT': '1', 'IOS_RATE_US_CONFIG': '("isCustomRatingScreen":false,"rateUsType":"nativeOnly","conditions":[("key":"feedbackAfterWorkout","limit":[3,5,7]},("ke
		[{"key":"feedbackAfterWorkout","limit":[1],"rateUsType":"nativeOnly"},{"key":"feedbackAfterWorkout","limit":[2],"rateUsType":"nativeOnly"},{"key":"feedbackAfterWorkout","limit":[2],"rateUsType":"customOnly"}},'\]\), 'IOS_REGISTRATION_BEFORE_PAYWALL_ABTE
		{"0":0,"1":100,"2":0},"winner":"1","winnerRollout":"allUsers"}', 'IOS_RESEARCH_TOOL_CONFIG': '\bar{1}', 'IOS_SOCIAL_LOGIN_ENABLED_STATUS': '\facebook":false, "google":true}', 'IOS_PLIT_EXP': ", 'IOS_Welcome_Screen_ABTEST_ENABLED': 'true', 'IOS
		'{"product_id":"1_month_intro_offer_19.99_prod", "offer_id":"1-month-intro_offer_19.99_prod", "offer_id":"1-month-intro_offer_19.99_prod", "offer_id":"1-month-intro_offer_19.99_prod", "offer_id":"1-month_intro_offer_19.99_prod", "offer_id":"1-month_id":"1-mo
		'{"coach_pack_id":1,"coach_pack_per_minute_id":2,"coach_pack_per_minute_id_v2":3,"product_group_id":55,"product_group_id_for_minutes":63,"special_offer_product_group_id":56,"special_offer_product_group_id":56,"special_offer_product_group_id":56,"first_timezc
		'MM_EXITOFFER_PAYWALL_FEATURE': '{ "enabled": false, "offer_percentage": 33, "product_group_id": 19, "offer_product_id": "1_year_disc_39.99_prod", "base_product_id": "1_year_march_2023_59.99_prod" }', 'MM_GUIDE_FEATURE': '{"product_g
		"MM_NEWCOMER_GIFT: '("enabled":false,"expiration_interval":600000,"offer_percentage":33,"product_group_id":19,"offer_product_id":"1_year_disc_39.99_prod","base_product_id":"1_year_march_2023_59.99_prod"}', 'MM_PAYWALL_IMAGE': '(")
		prod.unimealplan.com/Paywall_image/GIFMonetisation_v2_YB_dND_320x200+(1).gif","background_url":"","title_string_res_name":"dialog_recalculation_warning_title")', 'MM_PAYWALL_IMAGE_IOS': '{"enabled":false,"type":"static","background_ty
		"MM_WORKOUT_PAYWALL_DISCOUNT_FEATURE": ", 'MM_WORKOUT_PAYWALL_FEATURE": '{"product_group_id":"20"}', 'MM_WORKOUT_PROGRAM_SETTINGS': '{"workoutTypesAvailability":

"[{"type":"feedbackAfterWorkout","isEnabled":true,"appearanceEventName":"feedbackAfterWorkout","submitEventName":"feedbackAfterWorkout","submitEventName":"feedbackAfterWorkout","submitEventName":"secondDayLogin","isEnabled":true,"appearanceEventName":"secondDayLogin","submitEventName":"feedbackAfterWorkout"),{"type":"secondDayLogin","isEnabled":true,"appearanceEventName":"secondDayLogin","submitEve

{"hiit":true, "strength":true, "calisthenics":true, "chairYoga":true, "forYoung":true, "indoorWalking":true, "forSeniors":true, "military":true, "noAlcohol":true, "chairWorkout":true, "taiChi":true, "shaolin":true, "adaptive":false}}, 'UW DEVELOPER MENU EN

TYPE	MATCHES	PERMISSIONS
Malware Permissions	11/25	android.permission.VIBRATE, android.permission.CAMERA, android.permission.READ_EXTERNAL_STORAGE, android.permission.INTERNET, android.permission.RECORD_AUDIO, android.permission.ACCESS_FINE_LOCATION, android.permission.ACCESS_NETWORK_STATE, android.permission.WRITE_EXTERNAL_STORAGE, android.permission.WAKE_LOCK, android.permission.RECEIVE_BOOT_COMPLETED, android.permission.ACCESS_COARSE_LOCATION
Other Common Permissions	8/44	android.permission.BLUETOOTH, android.permission.BLUETOOTH_ADMIN, com.google.android.gms.permission.ACTIVITY_RECOGNITION, android.permission.ACTIVITY_RECOGNITION, com.google.android.c2dm.permission.RECEIVE, com.google.android.gms.permission.AD_ID, android.permission.FOREGROUND_SERVICE, com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE

#### Malware Permissions:

Top permissions that are widely abused by known malware.

#### Other Common Permissions:

Permissions that are commonly abused by known malware.

#### ! OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

DOMAIN	COUNTRY/REGION
--------	----------------

# **Q** DOMAIN MALWARE CHECK

DOMAIN	STATUS	GEOLOCATION
madmuscles.zendesk.com	ok	IP: 216.198,54.6 Country: United States of America Region: California City: San Francisco Latitude: 37.773968 Longitude: -122.410446 View: Google Map
muscle-mate.firebaseio.com	ok	IP: 34.120.206.254  Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: -94.578568 View: Google Map
www.nhlbi.nih.gov	ok	IP: 13.107.246.69 Country: Netherlands Region: Noord-Holland City: Amsterdam Latitude: 52.374031 Longitude: 4.889690 View: Google Map
www.googleadservices.com	ok	IP: 142.250.9.157 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
graph-video.s	ok	No Geolocation information available.
goo.gle	ok	IP: 67.199.248.12 Country: United States of America Region: New York City: New York City Latitude: 40.739288 Longitude: -73.984955 View: Google Map
sinapps.s	ok	No Geolocation information available.
www.zendesk.com	ok	IP: 172.64.153.205 Country: United States of America Region: Texas City: Dallas Latitude: 32.783058 Longitude: -96.806671 View: Google Map

DOMAIN	STATUS	GEOLOCATION
api.eu.iterable.com	Ok	IP: 52.31.143.172 Country: Ireland Region: Dublin City: Dublin Latitude: 53.343990 Longitude: -6.267190 View: Google Map
support.madmuscles.com	ok	IP: 216.198.53.6 Country: United States of America Region: California City: San Francisco Latitude: 37.773968 Longitude: -122.410446 View: Google Map
api.eu.amplitude.com	ok	IP: 3.122.30.79 Country: Germany Region: Hessen City: Frankfurt am Main Latitude: 50.115520 Longitude: 8.684170 View: Google Map
xml.org	ok	IP: 104.239.142.8 Country: United States of America Region: Texas City: Windcrest Latitude: 29.499678 Longitude: -98.399246 View: Google Map
issuetracker.google.com	ok	IP: 64.233.177.100 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
.facebook.com	ok	No Geolocation information available.
www.surveymonkey.com	ok	IP: 18.155.173.82  Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map

DOMAIN	STATUS	GEOLOCATION
play.google.com	ok	IP: 172.253.124.138 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
graph.s	ok	No Geolocation information available.
facebook.com	ok	IP: 31.13.70.36  Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map
www.w3.org	Ok	IP: 104.18.22.19 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
madmuscles.page.link	ok	IP: 173.194.219.132 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
sdlsdk.s	ok	No Geolocation information available.
firebase.google.com	ok	IP: 74.125.136.113 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
apps.apple.com	ok	IP: 72.246.156.33 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map

DOMAIN	STATUS	GEOLOCATION
github.com	ok	IP: 140.82.112.3 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
sconversions.s	ok	No Geolocation information available.
simpression.s	ok	No Geolocation information available.
smonitorsdk.s	ok	No Geolocation information available.
10.0.2.2	ok	IP: 10.0.2.2   Country: -   Region: -   City: -   Latitude: 0.000000   Longitude: 0.000000   View: Google Map
www.google.com	ok	IP: 142.251.15.103  Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
sgcdsdk.s	ok	No Geolocation information available.
developer.android.com	ok	IP: 64.233.176.102 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
www.slf4j.org	ok	IP: 159.100.250.151 Country: Switzerland Region: Vaud City: Lausanne Latitude: 46.515999 Longitude: 6.632820 View: Google Map
sattr.s	ok	No Geolocation information available.
ssdk-services.s	ok	No Geolocation information available.
sadrevenue.s	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
developers.facebook.com	ok	IP: 31.13.70.1 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map
sars.s	ok	No Geolocation information available.
app-measurement.com	ok	IP: 64.233.177.100 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
pagead2.googlesyndication.com	ok	IP: 74.125.138.157 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
sregister.s	ok	No Geolocation information available.
madmuscles.com	ok	IP: 18.155.173.127 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
scdn-ssettings.s	ok	No Geolocation information available.
unimealapp.com	ok	IP: 18.190.0.106 Country: United States of America Region: Ohio City: Columbus Latitude: 39.961182 Longitude: -82.998787 View: Google Map
www.trustpilot.com	ok	IP: 18.155.173.117 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map

DOMAIN	STATUS	GEOLOCATION
firebaseremoteconfigrealtime.googleapis.com	ok	IP: 74.125.138.95 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
accounts.google.com	ok	IP: 172.217.215.84  Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
crashpad.chromium.org	ok	IP: 172.253.124.121 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
scdn-stestsettings.s	ok	No Geolocation information available.
api2.amplitude.com	ok	IP: 54.69.176.42 Country: United States of America Region: Oregon City: Portland Latitude: 45.523449 Longitude: -122.676208 View: Google Map
aps-webhandler.appsflyer.com	ok	IP: 18.238.109.70 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
public.rive.app	ok	IP: 18.155.173.2  Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199  View: Google Map

DOMAIN	STATUS	GEOLOCATION
developer.apple.com	ok	IP: 17.253.83.135 Country: Singapore Region: Singapore City: Singapore Latitude: 1.289670 Longitude: 103.850067 View: Google Map
slaunches.s	ok	No Geolocation information available.
sonelink.s	ok	No Geolocation information available.
ns.adobe.com	ok	No Geolocation information available.
api.surveymonkey.net	ok	IP: 18.155.173.109 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
svalidate-and-log.s	ok	No Geolocation information available.
api.iterable.com	ok	IP: 52.22.197.218 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
www.googleapis.com	ok	IP: 172.217.14.106 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
www.docs.developers.amplitude.com	ok	IP: 76.76.21.123 Country: United States of America Region: California City: Walnut Latitude: 34.015400 Longitude: -117.858223 View: Google Map
sapp.s	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
ota.lokalise.com	ok	IP: 18.158.7.239 Country: Germany Region: Hessen City: Frankfurt am Main Latitude: 50.115520 Longitude: 8.684170 View: Google Map
ktor.io	ok	IP: 13.224.53.103 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
schemas.android.com	ok	No Geolocation information available.
sviap.s	ok	No Geolocation information available.
google.com	ok	IP: 142.250.9.102 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
firebasestorage.googleapis.com	ok	IP: 74.125.136.95 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
xmlpull.org	ok	IP: 185.199.110.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map
www.facebook.com	ok	IP: 31.13.70.36 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map
svalidate.s	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
aomedia.org	ok	IP: 185.199.111.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map
console.firebase.google.com	ok	IP: 64.233.176.113 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
goo.gl	ok	IP: 64.233.176.100 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

# **EMAILS**

EMAIL	FILE
u0013android@android.com0 u0013android@android.com	ix0/r.java
john_doe420@gmail.com support@madmuscles.com  DDBDDDDDDDDSupport@madmuscles.com  DDBsupport@madmuscles.com  DDBDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD	Android String Resource

# # TRACKERS

TRACKER	CATEGORIES	URL
Amplitude	Profiling, Analytics	https://reports.exodus-privacy.eu.org/trackers/125
AppsFlyer	Analytics	https://reports.exodus-privacy.eu.org/trackers/12
Facebook Login	Identification	https://reports.exodus-privacy.eu.org/trackers/67

TRACKER	CATEGORIES	URL
Facebook Share		https://reports.exodus-privacy.eu.org/trackers/70
Google CrashLytics	Crash reporting	https://reports.exodus-privacy.eu.org/trackers/27
Google Firebase Analytics	Analytics	https://reports.exodus-privacy.eu.org/trackers/49
Sentry	Crash reporting	https://reports.exodus-privacy.eu.org/trackers/447

### **₽** HARDCODED SECRETS

POSSIBLE SECRETS
"com_facebook_device_auth_instructions" : " <b>facebook.com/device</b> 000000000000000000000000000000000000
"com_facebook_device_auth_instructions" : "@u <b>facebook.com/device</b> @uuuuuuu
"iterable_api_key" : "ca92b62583574d689bb8e5aab0fa9e37"
"appsflyer_dev_key" : "VMqAsVTg5QVvq4dhx34jRA"
"intercom_article_double_author" : "DDD{author_first_name1}D{author_first_name2}"
"intercom_article_single_author" : "DDD{author_first_name}"
"intercom_article_multiple_authors" : "DDDD{author_first_name1}DD{number_of_other_authors}D"
"intercom_article_single_author" : "DDDD{author_first_name}"
"lokalise_sdk_token" : "cfd4261f015385583be2a2a305704d75431c8628"
"google_crash_reporting_api_key" : "AlzaSyDsYu7xDdyhpA3t3epfXN0a6NE9KRAzbpw"
"com.google.firebase.crashlytics.mapping_file_id" : "721224fb84244fb587b3f5146c001250"
"zendesk_oauth_client_id": "mobile_sdk_client_b22c4bada6797c80bed8"
"intercom_article_double_author" : "DDDD{author_first_name1}D{author_first_name2}"
"google_api_key" : "AlzaSyDsYu7xDdyhpA3t3epfXN0a6NE9KRAzbpw"
"facebook_client_token" : "058de22af405415c6cbf249f6f599c37"
"firebase_database_url" : "https://muscle-mate.firebaseio.com"
"intercom_api_key" : "android_sdk-0231fa143a9d49272f4165d7ff20c99caf801a5f"
11839296a789a3bc0045c8a5fb42c7d1bd998f54449579b446817afbd17273e662c97ee72995ef42640c550b9013fad0761353c7086a272c24088be94769fd16650

POSSIBLE SECRETS
8c3a45a37e0ed23276a2665080becbdf
49f84087c73436d1b07d607c33918f26
6864797660130609714981900799081393217269435300143305409394463459185543183397656052122559640661454554977296311391480858037121987999716643812574028291115057151
258EAFA5-E914-47DA-95CA-C5AB0DC85B11
470fa2b4ae81cd56ecbcda9735803434cec591fa
4fe342e2fe1a7f9b8ee7eb4a7c0f9e162bce33576b315ececbb6406837bf51f5
383F2407-53F9-475B-87BD-6D2F1CE12105
a4b7452e2ed8f5f191058ca7bbfd26b0d3214bfc
E3F9E1E0CF99D0E56A055BA65E241B3399F7CEA524326B0CDD6EC1327ED0FDC1
19729b71e259830e02655f775406c4fb
921c4bab5c91742cf75a73b41aaf0798
e5ae8b642353d21ab0512d62b866cb7e
FBA3AF4E7757D9016E953FB3EE4671CA2BD9AF725F9A53D52ED4A38EAAA08901
c56fb7d591ba6704df047fd98f535372fea00211
edef8ba9-79d6-4ace-a3c8-27dcd51d21ed
39402006196394479212279040100143613805079739270465446667946905279627659399113263569398956308152294913554433653942643
8a3c4b262d721acd49a4bf97d5213199c86fa2b9
9c5a2da96b5664c1d8dbc5f653fb1f51
128-c20968b22ed168a498a4bf28ebadc7e883bd4b8c2dba719cb4c661a2c15147f5
5ac635d8aa3a93e7b3ebbd55769886bc651d06b0cc53b0f63bce3c3e27d2604b
c6858e06b70404e9cd9e3ecb662395b4429c648139053fb521f828af606b4d3dbaa14b5e77efe75928fe1dc127a2ffa8de3348b3c1856a429bf97e7e31c2e5bd66
9b8f518b086098de3d77736f9458a3d2f6f95a37
3617de4a96262c6f5d9e98bf9292dc29f8f41dbd289a147ce9da3113b5f0b8c00a60b1ce1d7e819d7a431d7c90ea0e5f
FFE391E0EA186D0734ED601E4E70E3224B7309D48E2075BAC46D8C667EAE7212
1a878c2ca9d2f9f1a551ab75fe7d7e1d
b3312fa7e23ee7e4988e056be3f82d19181d9c6efe8141120314088f5013875ac656398d8a2ed19d2a85c8edd3ec2aef

POSSIBLE SECRETS

2438bce1ddb7bd026d5ff89f598b3b5e5bb824b3

aa87ca22be8b05378eb1c71ef320ad746e1d3b628ba79b9859f741e082542a385502f25dbf55296c3a545e3872760ab7

5f6b901aaf8b0978eef1c05e18a8a2e1

1ca9f038cad4c15ea32e56a4a4bbffde

115792089210356248762697446949407573530086143415290314195533631308867097853951

051953eb9618e1c9a1f929a21a0b68540eea2da725b99b315f3b8b489918ef109e156193951ec7e937b1652c0bd3bb1bf073573df883d2c34f1ef451fd46b503f00

cc2751449a350f668590264ed76692694a80308a

3071c8717539de5d5353f4c8cd59a032

7d73d21f1bd82c9e5268b6dcf9fde2cb

3BAF59A2E5331C30675FAB35FF5FFF0D116142D3D4664F1C3CB804068B40614F

497be4dcbf97dea670398455c2ae4e44

df6b721c8b4d3b6eb44c861d4415007e5a35fc95

63459e72b30598fec23fb9bdc929bea6

6b17d1f2e12c4247f8bce6e563a440f277037d812deb33a0f4a13945d898c296

115792089210356248762697446949407573529996955224135760342422259061068512044369

#### > PLAYSTORE INFORMATION

Title: MadMuscles: Workouts & Diet

Score: 4.518253 Installs: 1,000,000+ Price: 0 Android Version Support: Category: Health & Fitness Play Store URL: com.amomedia.madmuscles

Developer Details: AMO Apps, AMO+Apps, None, https://madmuscles.com, support@madmuscles.com,

Release Date: Nov 6, 2020 Privacy Policy: Privacy link

#### Description:

MadMuscles is a fitness app designed to help people gain muscle, lose weight, look hot and feel incredible. We make workouts accessible, effective and joyful by creating personalized workout plans tailored to each user's needs and desires. No more excuses. It's time to get the mad muscles you've always wanted! What makes MadMuscles effective? • Static and dynamic workouts for the best results Our workouts are designed for people with different fitness levels, lifestyles and goals: gain muscle, lose weight or get shredded. MadMuscles helps to work on different parts of the body – from stronger arms to toned legs, no muscle group is left behind. You can choose whether you want to workout at home or go to the gym – we've got you covered either way. • More than just regular strength training We go way beyond classic workouts and keep things exciting. Introducing calisthenics and military workouts: push your limits and see if you're up for the challenge. Or, if you prefer something more relaxed, try tai chi or chair yoga. Pick your new favorite workout, depending on your preferences and never get bored with the same routine. • Video tutorials Don't worry if you don't know how to do a certain exercise – our high-quality professional video tutorials will show exactly how it's done. • Exercise swap Don't like the exercise in your workout gou've one in the same of the same difficulty. • Achievements Get rewarded for your hard work. Achievements will make working out fun and will keep you motivated. • Analytical reports Like stats and want to see how your progress in numbers? Get your first report after a week of training. Calories you've lost, workouts you've completed, steps you've walked – these reports will motivate you to keep going. • Sync with Google Health Sync MadMuscles with Google Health for better results. • Useful and fun challenges Make your body hot and your mind sharp. Develop healthy habits and discipline by trying our numerous challenges. You'll never experience lack of motivation again – MadMuscles wil

meal plans Nutrition is a key element in any body transformation process. Our meal plans are adjusted to your preferences and restrictions, with easy and quick recipes and a shopping list that will make cooking healthy and delicious meals easier. • Analytical Reports Like stats and want to see how your progress in numbers? Get your first report after a week of training. Calories you've lost, workouts you've completed, steps you've walked – these reports will motivate you to keep going. • Photos: Templates & Comparison Track your visual progress and take "before - after" photos by using templates. Compare photos with ease and make your friends jealous by sharing your results on social networks. Privacy policy: https://madmuscles.com/terms-of-service

### **:**≡ SCAN LOGS

Timestamp	Event	Error
2025-08-29 19:38:05	Generating Hashes	ОК
2025-08-29 19:38:05	Extracting APK	ОК
2025-08-29 19:38:05	Unzipping	ОК
2025-08-29 19:38:06	Parsing APK with androguard	ОК
2025-08-29 19:38:07	Extracting APK features using aapt/aapt2	ОК
2025-08-29 19:38:08	Getting Hardcoded Certificates/Keystores	ОК
2025-08-29 19:38:12	Parsing AndroidManifest.xml	ОК
2025-08-29 19:38:12	Extracting Manifest Data	ОК
2025-08-29 19:38:12	Manifest Analysis Started	ОК
2025-08-29 19:38:12	Reading Network Security config from network_security_config.xml	ОК
2025-08-29 19:38:12	Parsing Network Security config	ОК
2025-08-29 19:38:12	Performing Static Analysis on: MadMuscles (com.amomedia.madmuscles)	ОК
2025-08-29 19:38:12	Fetching Details from Play Store: com.amomedia.madmuscles	ОК
2025-08-29 19:38:13	Checking for Malware Permissions	ОК

2025-08-29 19:38:13	Fetching icon path	ОК
2025-08-29 19:38:13	Library Binary Analysis Started	ОК
2025-08-29 19:38:13	Analyzing lib/arm64-v8a/libcrashlytics-trampoline.so	ОК
2025-08-29 19:38:13	Analyzing lib/arm64-v8a/libgojni.so	ОК
2025-08-29 19:38:13	Analyzing lib/arm64-v8a/librive-android.so	ОК
2025-08-29 19:38:13	Analyzing lib/arm64-v8a/libcrashlytics-handler.so	ОК
2025-08-29 19:38:13	Analyzing lib/arm64-v8a/libc++_shared.so	ОК
2025-08-29 19:38:13	Analyzing lib/arm64-v8a/libimage_processing_util_jni.so	ОК
2025-08-29 19:38:13	Analyzing lib/arm64-v8a/libsqliteJni.so	ОК
2025-08-29 19:38:13	Analyzing lib/arm64-v8a/libcrashlytics.so	ОК
2025-08-29 19:38:13	Analyzing lib/arm64-v8a/libcrashlytics-common.so	ОК
2025-08-29 19:38:13	Analyzing lib/x86_64/libcrashlytics-trampoline.so	ОК
2025-08-29 19:38:13	Analyzing lib/x86_64/libgojni.so	ОК
2025-08-29 19:38:13	Analyzing lib/x86_64/librive-android.so	ОК
2025-08-29 19:38:13	Analyzing lib/x86_64/libcrashlytics-handler.so	ОК
2025-08-29 19:38:13	Analyzing lib/x86_64/libc++_shared.so	ОК
2025-08-29 19:38:13	Analyzing lib/x86_64/libimage_processing_util_jni.so	ОК

2025-08-29 19:38:13	Analyzing lib/x86_64/libsqliteJni.so	ОК
2025-08-29 19:38:13	Analyzing lib/x86_64/libcrashlytics.so	ОК
2025-08-29 19:38:13	Analyzing lib/x86_64/libcrashlytics-common.so	ОК
2025-08-29 19:38:13	Analyzing lib/armeabi-v7a/libcrashlytics-trampoline.so	ОК
2025-08-29 19:38:14	Analyzing lib/armeabi-v7a/libgojni.so	ОК
2025-08-29 19:38:14	Analyzing lib/armeabi-v7a/librive-android.so	ОК
2025-08-29 19:38:14	Analyzing lib/armeabi-v7a/libcrashlytics-handler.so	ОК
2025-08-29 19:38:14	Analyzing lib/armeabi-v7a/libc++_shared.so	ОК
2025-08-29 19:38:14	Analyzing lib/armeabi-v7a/libimage_processing_util_jni.so	ОК
2025-08-29 19:38:14	Analyzing lib/armeabi-v7a/libsqliteJni.so	ОК
2025-08-29 19:38:14	Analyzing lib/armeabi-v7a/libcrashlytics.so	ОК
2025-08-29 19:38:14	Analyzing lib/armeabi-v7a/libcrashlytics-common.so	ОК
2025-08-29 19:38:14	Analyzing lib/x86/libcrashlytics-trampoline.so	ОК
2025-08-29 19:38:14	Analyzing lib/x86/libgojni.so	ОК
2025-08-29 19:38:14	Analyzing lib/x86/librive-android.so	ОК
2025-08-29 19:38:14	Analyzing lib/x86/libcrashlytics-handler.so	ОК
2025-08-29 19:38:14	Analyzing lib/x86/libc++_shared.so	ОК

2025-08-29 19:38:14	Analyzing lib/x86/libimage_processing_util_jni.so	ОК
2025-08-29 19:38:14	Analyzing lib/x86/libsqliteJni.so	ОК
2025-08-29 19:38:14	Analyzing lib/x86/libcrashlytics.so	ОК
2025-08-29 19:38:14	Analyzing lib/x86/libcrashlytics-common.so	ОК
2025-08-29 19:38:14	Analyzing apktool_out/lib/arm64-v8a/libcrashlytics-trampoline.so	ОК
2025-08-29 19:38:14	Analyzing apktool_out/lib/arm64-v8a/libgojni.so	ОК
2025-08-29 19:38:14	Analyzing apktool_out/lib/arm64-v8a/librive-android.so	ОК
2025-08-29 19:38:14	Analyzing apktool_out/lib/arm64-v8a/libcrashlytics-handler.so	ОК
2025-08-29 19:38:14	Analyzing apktool_out/lib/arm64-v8a/libc++_shared.so	ОК
2025-08-29 19:38:14	Analyzing apktool_out/lib/arm64-v8a/libimage_processing_util_jni.so	ОК
2025-08-29 19:38:14	Analyzing apktool_out/lib/arm64-v8a/libsqlite]ni.so	ОК
2025-08-29 19:38:14	Analyzing apktool_out/lib/arm64-v8a/libcrashlytics.so	ОК
2025-08-29 19:38:14	Analyzing apktool_out/lib/arm64-v8a/libcrashlytics-common.so	ОК
2025-08-29 19:38:14	Analyzing apktool_out/lib/x86_64/libcrashlytics-trampoline.so	ОК
2025-08-29 19:38:14	Analyzing apktool_out/lib/x86_64/libgojni.so	ОК
2025-08-29 19:38:14	Analyzing apktool_out/lib/x86_64/librive-android.so	ОК
2025-08-29 19:38:14	Analyzing apktool_out/lib/x86_64/libcrashlytics-handler.so	ОК

2025-08-29 19;38:14	Analyzing apktool_out/lib/x86_64/libc++_shared.so	ОК
2025-08-29 19:38:14	Analyzing apktool_out/lib/x86_64/libimage_processing_util_jni.so	ОК
2025-08-29 19:38:14	Analyzing apktool_out/lib/x86_64/libsqliteJni.so	ОК
2025-08-29 19:38:14	Analyzing apktool_out/lib/x86_64/libcrashlytics.so	ОК
2025-08-29 19:38:14	Analyzing apktool_out/lib/x86_64/libcrashlytics-common.so	ОК
2025-08-29 19:38:14	Analyzing apktool_out/lib/armeabi-v7a/libcrashlytics-trampoline.so	ОК
2025-08-29 19:38:14	Analyzing apktool_out/lib/armeabi-v7a/libgojni.so	ОК
2025-08-29 19:38:14	Analyzing apktool_out/lib/armeabi-v7a/librive-android.so	ОК
2025-08-29 19:38:15	Analyzing apktool_out/lib/armeabi-v7a/libcrashlytics-handler.so	ОК
2025-08-29 19:38:15	Analyzing apktool_out/lib/armeabi-v7a/libc++_shared.so	ОК
2025-08-29 19:38:15	Analyzing apktool_out/lib/armeabi-v7a/libimage_processing_util_jni.so	ОК
2025-08-29 19:38:15	Analyzing apktool_out/lib/armeabi-v7a/libsqliteJni.so	ОК
2025-08-29 19:38:15	Analyzing apktool_out/lib/armeabi-v7a/libcrashlytics.so	ОК
2025-08-29 19:38:15	Analyzing apktool_out/lib/armeabi-v7a/libcrashlytics-common.so	ОК
2025-08-29 19;38:15	Analyzing apktool_out/lib/x86/libcrashlytics-trampoline.so	ОК
2025-08-29 19:38:15	Analyzing apktool_out/lib/x86/libgojni.so	ОК
2025-08-29 19:38:15	Analyzing apktool_out/lib/x86/librive-android.so	ОК

2025-08-29 19:38:15	Analyzing apktool_out/lib/x86/libcrashlytics-handler.so	ОК
2025-08-29 19:38:15	Analyzing apktool_out/lib/x86/libc++_shared.so	ОК
2025-08-29 19:38:15	Analyzing apktool_out/lib/x86/libimage_processing_util_jni.so	ОК
2025-08-29 19:38:15	Analyzing apktool_out/lib/x86/libsqliteJni.so	ОК
2025-08-29 19:38:15	Analyzing apktool_out/lib/x86/libcrashlytics.so	ОК
2025-08-29 19:38:15	Analyzing apktool_out/lib/x86/libcrashlytics-common.so	ОК
2025-08-29 19:38:15	Reading Code Signing Certificate	ОК
2025-08-29 19:38:16	Running APKiD 2.1.5	ОК
2025-08-29 19:38:24	Detecting Trackers	ОК
2025-08-29 19:38:29	Decompiling APK to Java with JADX	ОК
2025-08-29 19:38:55	Converting DEX to Small	ОК
2025-08-29 19:38:55	Code Analysis Started on - java_source	ОК
2025-08-29 19:39:03	Android SBOM Analysis Completed	ОК
2025-08-29 19:39:17	Android SAST Completed	ОК
2025-08-29 19:39:17	Android API Analysis Started	ОК
2025-08-29 19:39:35	Android API Analysis Completed	ОК
2025-08-29 19:39:35	Android Permission Mapping Started	ОК

2025-08-29 19:39:49	Android Permission Mapping Completed	ОК
2025-08-29 19:39:50	Android Behaviour Analysis Started	ОК
2025-08-29 19:40:13	Android Behaviour Analysis Completed	ОК
2025-08-29 19:40:13	Extracting Emails and URLs from Source Code	ОК
2025-08-29 19:40:23	Email and URL Extraction Completed	ОК
2025-08-29 19:40:23	Extracting String data from APK	ОК
2025-08-29 19:40:24	Extracting String data from SO	ОК
2025-08-29 19:40:25	Extracting String data from Code	ОК
2025-08-29 19:40:25	Extracting String values and entropies from Code	ОК
2025-08-29 19:40:31	Performing Malware check on extracted domains	ОК
2025-08-29 19:40:39	Saving to Database	ОК

#### Report Generated by - MobSF v4.4.0

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2025 Mobile Security Framework - MobSF | Ajin Abraham | OpenSecurity.