

Republic of the Philippines
HOUSE OF REPRESENTATIVES
Quezon City, Metro Manila

EIGHTEENTH CONGRESS
First Regular Session



COMMITTEE REPORT NO. 345

Submitted by the Committee on Natural Resources on JUN 01 2020
Re: House Bill No: 6900

Recommending its approval, in substitution of House Bill Numbered 4785

Sponsors: Representatives Elpidio F. Barzaga, Jr. and Vincent Franco D. Frasco

Mr. Speaker:

The Committee on Natural Resources, to which was referred House Bill No. 4785, introduced by Representative Vincent Franco D. Frasco, entitled:

AN ACT

DECLARING CERTAIN DRYLANDS OF THE PUBLIC DOMAIN, LOCATED IN THE ISLANDS OF PONSON, PORO AND PACIJAN, KNOWN AS CAMOTES GROUP OF ISLANDS, PROVINCE OF CEBU, AS ALIENABLE AND DISPOSABLE LAND OPEN TO DISPOSITION FOR AGRICULTURAL, COMMERCIAL, RESIDENTIAL, INDUSTRIAL, AND OTHER PURPOSES, AMENDING FOR THE PURPOSE PROCLAMATION NO. 2152 DATED DECEMBER 29, 1981, ENTITLED "DECLARING THE ENTIRE PROVINCE OF PALAWAN AND CERTAIN PARCELS OF THE PUBLIC DOMAIN AND/OR PARTS OF THE COUNTRY AS MANGROVE SWAMP FOREST RESERVES"

has considered the same and recommends that the attached House Bill No. 6900 entitled:


AN ACT

RATIONALIZING THE MANAGEMENT OF NATURAL RESOURCES IN THE CAMOTES ISLANDS, PROVINCE OF CEBU, DECLARING CERTAIN LANDS OF THE PUBLIC DOMAIN AS AGRICULTURAL LAND OPEN TO DISPOSITION FOR AGRICULTURAL, COMMERCIAL, RESIDENTIAL, INDUSTRIAL AND FOR OTHER PURPOSES, AMENDING FOR THE

**PURPOSE PROCLAMATION NO. 2152 DATED DECEMBER 29, 1981,
ENTITLED "DECLARING THE ENTIRE PROVINCE OF PALAWAN AND
CERTAIN PARCELS OF THE PUBLIC DOMAIN AND/OR PARTS OF THE
COUNTRY AS MANGROVE SWAMP FOREST RESERVES"**

be approved in substitution of House Bill No. 4785, with Representatives Frasco, Garcia (P.), Mangaoang, Dialog, Ecleo, Taduran, Cua, Fortun, Lusotan, Villanueva, Babasa, Yu, Gonzales (A.), Yap (V), De Jesus, Sangcopan, Cuaresma, and Barzaga as authors thereof.

Respectfully submitted,



REP. ELPIDIO F. BARZAGA

Chairperson

Committee on Natural Resources

THE HONORABLE SPEAKER

House of Representatives
Quezon City

Republic of the Philippines
HOUSE OF REPRESENTATIVES
Quezon City, Metro Manila

EIGHTEENTH CONGRESS
First Regular Session

HOUSE BILL NO. 6900
(In substitution of House Bill No. 4785)

Introduced by Representatives Vincent Franco D. Frasco, Pablo John F. Garcia, Allen Jesse C. Mangaoang, Maximo Y. Dalog, Jr., Allan I. B. Ecleo, Rowena Niña O. Taduran, Junie E. Cua, Lawrence "Law" H. Fortun, Macnell M. Lusotan, Noel L. Villanueva, Leonardo L. Babasa, Jr., Divina Grace C. Yu, Aurelio "Dong" C. Gonzales, Victor A. Yap, Presley C. De Jesus, Amihilda J. Sangcopan, Luisa Lloren Cuaresma, and Elpidio F. Barzaga, Jr.

"AN ACT
RATIONALIZING THE MANAGEMENT OF NATURAL RESOURCES
IN THE CAMOTES ISLANDS, PROVINCE OF CEBU, DECLARING
CERTAIN LANDS OF THE PUBLIC DOMAIN AS AGRICULTURAL
LAND OPEN TO DISPOSITION FOR AGRICULTURAL,
COMMERCIAL, RESIDENTIAL, INDUSTRIAL AND FOR OTHER
PURPOSES, AMENDING FOR THE PURPOSE PROCLAMATION
NO. 2152 DATED DECEMBER 29, 1981, ENTITLED "DECLARING
THE ENTIRE PROVINCE OF PALAWAN AND CERTAIN PARCELS
OF THE PUBLIC DOMAIN AND/OR PARTS OF THE COUNTRY AS
MANGROVE SWAMP FOREST RESERVES"

Be it enacted by the Senate and the House of Representatives of the Philippines in Congress assembled:

1 **SECTION 1. *Short Title*** - This Act shall be known as the "Camotes
2 Islands Natural Resources Management Act".

3 **SEC. 2. *Statement of Policy.*** - It is the policy of the State to protect and
4 advance the right of the people to a balanced and healthful ecology in accord
5 with the rhythm and harmony of nature. For this purpose, the State shall
6 promote the conservation of biodiversity and other ecosystems within the
7 Camotes Islands in the province of Cebu and address the present and future
8 needs of local and national development through a co-management mechanism
9 between the national government and the empowered local government units.

1 **SEC 3. Declaration of Agricultural Land.** – Parcels of land of the
2 public domain located within the territorial jurisdiction of the Camotes Islands,
3 Province of Cebu are hereby declared as agricultural lands open to disposition for
4 agricultural, commercial, residential, industrial, and for other purposes. The said
5 parcels of land are described as follows:

6 (a) Project No. 41 pertains to the area beginning at a point marked "1"
7 on the Land Classification Map, being S 44-46-58 E, 761.82 meters from BLLM-I,
8 Pilar CAD with geographic coordinates of $10^{\circ} 48' 33.977''$ latitude and $124^{\circ} 33'$
9 $42.761''$ longitude located at Barangay Lower Poblacion, Pilar, Camotes Islands,
10 Cebu,

11	thence	S40-00-00W	210.00	meters to corner 2;
12	thence	S63-00-00W	200.00	meters to corner 3;
13	thence	S70-11-39W	195.29	<u>meters to corner 4;</u>
14	thence	S45-00-00W	90.83	meters to corner 5;
15	thence	S45-00-00W	179.17	meters to corner 6;
16	thence	S46-00-05W	240.00	meters to corner 7;
17	thence	N14-59-58W	230.00	meters to corner 8;
18	thence	N89-00-00W	240.00	meters to corner 9;
19	thence	N06-00-00W	285.00	meters to corner 10;
20	thence	N38-00-00W	225.00	<u>meters to corner 11;</u>
21	thence	N52-00-00W	240.00	meters to corner 12;
22	thence	N34-00-00W	160.00	meters to corner 13;
23	thence	N23-00-01E	190.00	meters to corner 14;
24	thence	N56-00-00E	240.00	meters to corner 15;
25	thence	N55-00-00E	200.00	meters to corner 16;
26	thence	N55-00-00E	94.77	meters to corner 17;
27	thence	N55-00-00E	155.23	<u>meters to corner 18;</u>
28	thence	N55-00-00E	240.00	meters to corner 19;
29	thence	N82-00-00E	250.00	meters to corner 20;
30	thence	S72-00-00E	250.00	meters to corner 21;
31	thence	S55-00-00E	240.00	meters to corner 22;
32	thence	S24-00-00E	50.98	meters to corner 23;
33	thence	S24-00-00E	199.02	meters to corner 24;
34	thence	S03-00-00E	260.00	meters to corner 25;

1 thence S05-00-00W 330.00 meters to corner 1,
2 comprising an area of one hundred seventy-three (173) hectares more or less.

3 (b) Project No. 41-A Block I pertains to an area beginning at a point
4 marked "1" on the Land Classification Map, being S 15-53-30 W, 3,565.06 meters
5 from BLLM-1, Pilar CAD with geographic coordinates of $10^{\circ} 48' 33.977''$ latitude
6 and $124^{\circ} 33' 42.761''$ longitude located at Barangay Lower Poblacion, Pilar,
7 Camotes Islands, Cebu,

8	thence	S33-43-07E	432.56	meters to corner 2;
9	thence	S36-46-29W	533.45	meters to corner 3;
10	thence	S37-52-12W	382.07	meters to corner 4;
11	thence	S34-43-59W	407.77	meters to corner 5;
12	thence	N64-36-50W	17.72	meters to corner 6;
13	thence	N47-07-16W	14.01	meters to corner 7;
14	thence	N36-52-11W	25.67	meters to corner 8;
15	thence	N02-43-34W	15.42	meters to corner 9;
16	thence	N49-05-07W	14.56	meters to corner 10;
17	thence	N29-44-41E	17.74	meters to corner 11;
18	thence	N32-49-43W	27.06	meters to corner 12;
19	thence	S68-11-55W	15.80	meters to corner 13;
20	thence	N56-18-35W	13.22	meters to corner 14;
21	thence	S70-01-01W	42.93	meters to corner 15;
22	thence	S18-05-00W	37.81	meters to corner 16;
23	thence	S38-48-41W	43.30	meters to corner 17;
24	thence	N61-17-38W	35.13	meters to corner 18;
25	thence	S88-27-06W	27.15	meters to corner 19;
26	thence	N72-48-05W	32.25	meters to corner 20;
27	thence	S23-37-46W	25.62	meters to corner 21;
28	thence	S32-44-07W	36.63	meters to corner 22;
29	thence	S01-23-50W	30.08	meters to corner 23;
30	thence	S31-13-06E	28.31	meters to corner 24;
31	thence	S45-00-00E	26.97	meters to corner 25;
32	thence	S45-00-00E	29.05	meters to corner 26;
33	thence	S47-23-09E	24.92	meters to corner 27;
34	thence	S83-53-04E	20.66	meters to corner 28;

1 thence S56-18-36E 13.22 meters to corner 29;
2 thence N16-30-16E 20.66 meters to corner 30;
3 thence S80-08-04E 17.13 meters to corner 31;
4 thence N15-04-06E 19.75 meters to corner 32;
5 thence S67-09-59E 15.12 meters to corner 33;
6 thence S16-41-09E 21.32 meters to corner 34;
7 thence S07-40-30W 231.50 meters to corner 35;
8 thence S29-59-43W 336.72 meters to corner 36;
9 thence S56-23-41W 621.73 meters to corner 37;
10 thence S28-45-24W 166.42 meters to corner 38;
11 thence S31-48-19W 335.52 meters to corner 39;
12 thence S27-10-12W 466.73 meters to corner 40;
13 thence S46-44-41W 986.43 meters to corner 41;
14 thence N89-20-12W 167.87 meters to corner 42;
15 thence S60-04-48W 427.22 meters to corner 43;
16 thence S62-28-53W 72.15 meters to corner 44;
17 thence S57-50-22W 176.64 meters to corner 45;
18 thence S53-25-53W 493.44 meters to corner 46;
19 thence S48-47-20W 335.84 meters to corner 47;
20 thence S78-40-03W 447.61 meters to corner 48;
21 thence S75-43-19W 251.27 meters to corner 49;
22 thence S74-18-30W 440.89 meters to corner 50;
23 thence S58-40-11W 628.81 meters to corner 51;
24 thence N89-07-24W 110.85 meters to corner 52;
25 thence N17-40-03W 435.32 meters to corner 53;
26 thence N49-53-32W 255.92 meters to corner 54;
27 thence N28-27-31W 844.79 meters to corner 55;
28 thence N15-00-39W 447.42 meters to corner 56;
29 thence N57-51-57E 142.19 meters to corner 57;
30 thence N07-09-13E 489.11 meters to corner 58;
31 thence N14-31-26E 399.28 meters to corner 59;
32 thence N24-31-31E 369.38 meters to corner 60;
33 thence N60-12-59E 91.76 meters to corner 61;
34 thence N15-28-17E 113.66 meters to corner 62;

1 thence N42-52-44E 130.80 meters to corner 63;
2 thence N57-18-02E 94.14 meters to corner 64;
3 thence N68-44-58E 94.45 meters to corner 65;
4 thence N26-33-54E 83.11 meters to corner 66;
5 thence N01-44-09E 32.29 meters to corner 67;
6 thence N53-25-37W 37.75 meters to corner 68;
7 thence N04-29-05W 50.03 meters to corner 69;
8 thence S60-56-43E 70.49 meters to corner 70;
9 thence N64-47-56E 27.52 meters to corner 71;
10 thence N45-16-57E 82.08 meters to corner 72;
11 thence N13-11-16W 28.85 meters to corner 73;
12 thence N35-09-25E 135.31 meters to corner 74;
13 thence N38-31-12E 610.90 meters to corner 75;
14 thence N30-26-17E 248.38 meters to corner 76;
15 thence N56-03-56E 142.32 meters to corner 77;
16 thence N66-18-24E 101.83 meters to corner 78;
17 thence N61-15-36E 69.16 meters to corner 79;
18 thence N60-51-57E 136.61 meters to corner 80;
19 thence N51-12-13E 64.00 meters to corner 81;
20 thence N52-35-41E 104.66 meters to corner 82;
21 thence N55-58-50E 47.20 meters to corner 83;
22 thence N38-39-36E 37.58 meters to corner 84;
23 thence N59-02-10E 51.33 meters to corner 85;
24 thence N45-00-00E 30.43 meters to corner 86;
25 thence N50-11-40E 22.92 meters to corner 87;
26 thence N41-03-17E 40.21 meters to corner 88;
27 thence N47-09-24E 165.41 meters to corner 89;
28 thence N40-18-51E 169.31 meters to corner 90;
29 thence N34-36-20E 118.83 meters to corner 91;
30 thence N07-14-13E 62.11 meters to corner 92;
31 thence N30-15-23E 81.53 meters to corner 93;
32 thence N57-17-43E 110.42 meters to corner 94;
33 thence N35-33-38E 83.29 meters to corner 95;
34 thence N37-20-00E 72.57 meters to corner 96;

1 thence N04-06-54E 136.30 meters to corner 97;
2 thence N14-02-10E 40.33 meters to corner 98;
3 thence N79-41-42E 21.87 meters to corner 99;
4 thence S61-02-56E 52.53 meters to corner 100;
5 thence N87-02-20E 56.80 meters to corner 101;
6 thence N48-27-12E 125.35 meters to corner 102;
7 thence N49-30-33E 27.11 meters to corner 103;
8 thence N32-15-17E 119.12 meters to corner 104;
9 thence N15-26-09E 135.96 meters to corner 105;
10 thence N38-39-36E 18.79 meters to corner 106;
11 thence N40-57-44E 117.86 meters to corner 107;
12 thence N21-15-01E 18.89 meters to corner 108;
13 thence N25-12-04E 18.38 meters to corner 109;
14 thence N05-42-39E 39.32 meters to corner 110;
15 thence N19-10-45W 23.82 meters to corner 111;
16 thence S90-00-00W 25.43 meters to corner 112;
17 thence N14-55-53E 15.18 meters to corner 113;
18 thence N59-44-36E 13.59 meters to corner 114;
19 thence N32-00-20E 18.45 meters to corner 115;
20 thence N00-00-00E 19.56 meters to corner 116;
21 thence N01-58-30W 85.14 meters to corner 117;
22 thence N73-36-38W 17.33 meters to corner 118;
23 thence N27-38-45E 23.19 meters to corner 119;
24 thence N03-21-59W 16.66 meters to corner 120;
25 thence S68-59-48E 39.04 meters to corner 121;
26 thence S68-59-48E 78.29 meters to corner 122;
27 thence N48-56-43E 80.41 meters to corner 123;
28 thence N18-26-05E 15.46 meters to corner 124;
29 thence N09-27-44W 59.49 meters to corner 125;
30 thence N23-44-58E 53.43 meters to corner 126;
31 thence N02-39-47W 42.10 meters to corner 127;
32 thence N17-11-55E 43.00 meters to corner 128;
33 thence N81-57-26E 90.87 meters to corner 129;
34 thence N25-01-02E 16.19 meters to corner 130;

1 thence N46-48-32E 65.73 meters to corner 131;
2 thence N11-25-16E 98.78 meters to corner 132;
3 thence N06-48-51W 249.94 meters to corner 133;
4 thence N43-33-02E 611.96 meters to corner 134;
5 thence S83-08-44E 73.25 meters to corner 135;
6 thence N55-13-20E 32.15 meters to corner 136;
7 thence N49-45-00E 181.65 meters to corner 137;
8 thence N56-38-01E 36.01 meters to corner 138;
9 thence N43-34-05E 166.03 meters to corner 139;
10 thence N77-12-17E 44.66 meters to corner 140;
11 thence N79-57-33E 30.84 meters to corner 141;
12 thence N48-07-50E 85.93 meters to corner 142;
13 thence N52-07-29E 16.73 meters to corner 143;
14 thence N50-11-40E 11.46 meters to corner 144;
15 thence N36-52-12E 11.00 meters to corner 145;
16 thence N53-37-44E 134.83 meters to corner 146;
17 thence N43-31-51E 20.24 meters to corner 147;
18 thence N27-08-59E 32.15 meters to corner 148;
19 thence S79-45-21E 61.87 meters to corner 149;
20 thence S87-50-20E 38.91 meters to corner 150;
21 thence N39-17-22E 20.85 meters to corner 151;
22 thence S73-18-03E 30.63 meters to corner 152;
23 thence N85-54-52E 61.77 meters to corner 153;
24 thence N50-59-17E 74.58 meters to corner 154;
25 thence N42-52-44E 14.01 meters to corner 155;
26 thence N60-56-43E 15.10 meters to corner 156;
27 thence N51-50-34E 26.12 meters to corner 157;
28 thence N86-47-47E 196.90 meters to corner 158;
29 thence S85-30-55E 75.05 meters to corner 159;
30 thence S78-41-24E 44.88 meters to corner 160;
31 thence N61-59-27E 39.05 meters to corner 161;
32 thence N07-41-46E 54.78 meters to corner 162;
33 thence N87-52-44E 19.82 meters to corner 163;
34 thence S39-33-35E 21.88 meters to corner 164;

1 thence S78-10-43E 32.23 meters to corner 165;
2 thence S63-59-48E 33.46 meters to corner 166;
3 thence N85-57-02E 83.10 meters to corner 167;
4 thence N54-46-57E 15.26 meters to corner 168;
5 thence N15-56-44E 21.36 meters to corner 169;
6 thence N80-32-15E 31.23 meters to corner 170;
7 thence N74-21-28E 38.09 meters to corner 171;
8 thence N29-33-13E 81.80 meters to corner 172;
9 thence S55-03-39E 65.32 meters to corner 173;
10 thence N64-06-47E 55.44 meters to corner 174;
11 thence N83-07-05E 42.85 meters to corner 175;
12 thence S79-41-42E 32.81 meters to corner 176;
13 thence N06-13-33E 40.58 meters to corner 177;
14 thence N51-57-11E 21.42 meters to corner 178;
15 thence S87-30-38E 16.89 meters to corner 179;
16 thence N61-41-58E 10.83 meters to corner 180;
17 thence N47-07-16E 14.01 meters to corner 181;
18 thence N55-10-32E 20.55 meters to corner 182;
19 thence S35-38-24E 47.84 meters to corner 183;
20 thence S81-31-44E 34.86 meters to corner 184;
21 thence N55-25-14E 91.77 meters to corner 185;
22 thence S82-52-30E 29.57 meters to corner 186;
23 thence S04-53-56E 25.77 meters to corner 187;
24 thence S21-09-40E 24.38 meters to corner 188;
25 thence S82-14-05E 16.29 meters to corner 189;
26 thence N09-51-57E 34.25 meters to corner 190;
27 thence N71-57-57E 33.17 meters to corner 191;
28 thence S75-22-45E 17.44 meters to corner 192;
29 thence N43-31-52E 20.24 meters to corner 193;
30 thence N56-49-17E 22.79 meters to corner 194;
31 thence N05-26-25E 46.42 meters to corner 195;
32 thence S59-32-04E 28.94 meters to corner 196;
33 thence N81-34-23E 20.02 meters to corner 197;
34 thence S34-49-28E 41.10 meters to corner 198;

1 thence N40-09-22E 30.71 meters to corner 199;
2 thence N08-07-49W 46.68 meters to corner 200;
3 thence N17-51-01E 45.47 meters to corner 201;
4 thence S47-17-26E 12.98 meters to corner 202;
5 thence S51-20-26E 14.09 meters to corner 203;
6 thence S28-10-43E 46.60 meters to corner 204;
7 thence N45-00-00E 35.27 meters to corner 205;
8 thence N38-53-04E 29.21 meters to corner 206;
9 thence S62-51-11E 19.74 meters to corner 207;
10 thence N88-15-52E 43.05 meters to corner 208;
11 thence N09-27-45W 23.80 meters to corner 209;
12 thence N50-49-35W 45.42 meters to corner 210;
13 thence N19-59-00W 15.26 meters to corner 211;
14 thence N60-15-19W 31.54 meters to corner 212;
15 thence N35-06-43E 102.03 meters to corner 213;
16 thence N37-22-00E 90.25 meters to corner 214;
17 thence N53-29-23E 163.70 meters to corner 215;
18 thence S23-00-01W 190.00 meters to corner 216;
19 thence S34-00-00E 160.00 meters to corner 217;
20 thence S52-00-00E 240.00 meters to corner 218;
21 thence S38-00-00E 225.00 meters to corner 219;
22 thence S06-00-00E 285.00 meters to corner 220;
23 thence S89-00-00E 240.00 meters to corner 221;
24 thence S14-59-58E 230.00 meters to corner 222;
25 thence S73-32-38W 65.50 meters to corner 223;
26 thence S52-18-21W 61.18 meters to corner 224;
27 thence S46-00-19W 29.57 meters to corner 225;
28 thence S15-31-27W 13.70 meters to corner 226;
29 thence S48-10-47W 18.70 meters to corner 227;
30 thence S06-14-31W 47.23 meters to corner 228;
31 thence S12-05-42W 10.50 meters to corner 229;
32 thence S35-06-22W 90.56 meters to corner 230;
33 thence S46-58-30W 15.05 meters to corner 231;
34 thence S30-57-50W 29.94 meters to corner 232;

1 thence S21-10-53E 62.94 meters to corner 233;
2 thence S17-24-10W 51.50 meters to corner 234;
3 thence S51-13-33W 57.39 meters to corner 235;
4 thence S38-49-47W 38.61 meters to corner 236;
5 thence S69-26-38W 25.07 meters to corner 237;
6 thence S55-39-14W 53.31 meters to corner 238;
7 thence S30-03-00W 84.69 meters to corner 239;
8 thence S30-03-00W 17.86 meters to corner 240;
9 thence S10-15-44W 98.52 meters to corner 241;
10 thence S13-25-18W 74.66 meters to corner 242;
11 thence S08-35-01W 44.23 meters to corner 243;
12 thence S25-46-09W 53.15 meters to corner 244;
13 thence S29-28-08W 127.49 meters to corner 245;
14 thence S29-50-19W 93.71 meters to corner 246;
15 thence S16-56-47W 155.72 meters to corner 247;
16 thence S22-47-40W 145.91 meters to corner 248;
17 thence S11-58-13W 119.37 meters to corner 249;
18 thence S07-17-45E 120.22 meters to corner 250;
19 thence S21-30-57W 92.25 meters to corner 251;
20 thence S04-45-49W 54.65 meters to corner 252;
21 thence S14-39-34E 128.80 meters to corner 253;
22 thence S07-09-58E 98.68 meters to corner 254;
23 thence S07-07-29W 11.83 meters to corner 255;
24 thence S07-51-12E 42.95 meters to corner 256;
25 thence S06-29-37E 90.81 meters to corner 257;
26 thence S35-18-40W 21.57 meters to corner 258;
27 thence S17-21-13E 12.30 meters to corner 259;
28 thence S07-45-55W 32.57 meters to corner 260;
29 thence S48-48-51E 15.60 meters to corner 261;
30 thence S14-55-52E 11.39 meters to corner 262;
31 thence S04-45-49W 17.67 meters to corner 263;
32 thence S04-34-26E 18.40 meters to corner 264;
33 thence S07-35-42E 11.10 meters to corner 265;
34 thence S38-35-26E 40.47 meters to corner 1,

1 comprising an area of one thousand six hundred seventy-two (1,672) hectares,
2 more or less.

3 (c) Project No. 41-A, Block II pertains to the area beginning at a point
4 marked "1" on the Land Classification Map, being S 40-38-43 W, 6,068.88 meters
5 from BLLM-1, Pilar CAD with geographic coordinates of $10^{\circ} 48' 33.977''$ latitude
6 and $124^{\circ} 33' 42.761''$ longitude located at Barangay Lower Poblacion, Pilar,
7 Camotes Islands, Cebu,

8 thence S 14-22-53 E 80.52 meters to corner 2;
9 thence S 52-00-59 W92.62 meters to corner 3;
10 thence S 19-44-49 W124.31 meters to corner 4;
11 thence S 83-59-28 E 152.84 meters to corner 5;
12 thence S 18-53-32 W237.81 meters to corner 6;
13 thence S 06-51-18 E 184.32 meters to corner 7;
14 thence S 59-07-32 E 220.20 meters to corner 8;
15 thence N 42-40-20 E174.09 meters to corner 9;
16 thence S 53-56-43 E 154.62 meters to corner 10;
17 thence S 44-21-48 W127.29 meters to corner 11;
18 thence S 56-30-50 W77.94 meters to corner 12;
19 thence N 68-37-46 W148.19 meters to corner 13;
20 thence N 55-15-36 W242.17 meters to corner 14;
21 thence N 13-17-55 E56.52 meters to corner 15;
22 thence N 81-36-25 W184.98 meters to corner 16;
23 thence S 76-26-40 W260.25 meters to corner 17;
24 thence S 08-54-06 W168.02 meters to corner 18;
25 thence S 48-37-59 W178.55 meters to corner 19;
26 thence S 28-31-10 W301.60 meters to corner 20;
27 thence N 41-43-46 W148.74 meters to corner 21;
28 thence S 14-22-22 W330.34 meters to corner 22;
29 thence N 56-32-48 W134.24 meters to corner 23;
30 thence S 51-27-14 W157.27 meters to corner 24;
31 thence S 43-26-54 E 600.55 meters to corner 25;
32 thence S 85-32-42 W413.84 meters to corner 26;
33 thence N 02-49-47 W352.58 meters to corner 27;
34 thence N 77-50-51 W346.77 meters to corner 28;

1 thence S 06-42-04 W385.64 meters to corner 29;
2 thence S 49-23-55 W156.73 meters to corner 30;
3 thence N 73-57-03 W75.96 meters to corner 31;
4 thence N 18-55-54 E218.84 meters to corner 32;
5 thence N 62-14-29 W257.65 meters to corner 33;
6 thence N 11-52-34 W312.83 meters to corner 34;
7 thence N 47-26-02 E99.34 meters to corner 35;
8 thence N 87-59-02 E83.33 meters to corner 36;
9 thence N 84-34-00 E101.18 meters to corner 37;
10 thence S 67-40-59 E 187.60 meters to corner 38;
11 thence N 71-55-00 E48.65 meters to corner 39;
12 thence N 49-12-00 E81.40 meters to corner 40;
13 thence N 14-43-00 W109.80 meters to corner 41;
14 thence N 59-43-00 E170.03 meters to corner 42;
15 thence N 07-13-00 E101.09 meters to corner 43;
16 thence N 72-25-00 E68.16 meters to corner 44;
17 thence N 44-55-01 E81.59 meters to corner 45;
18 thence S 87-29-01 E 19.93 meters to corner 46;
19 thence S 54-47-00 E 46.73 meters to corner 47;
20 thence S 57-49-59 E 55.30 meters to corner 48;
21 thence N 84-59-00 E65.15 meters to corner 49;
22 thence N 35-55-00 E119.91 meters to corner 50;
23 thence N 25-43-00 E225.20 meters to corner 51;
24 thence N 82-47-00 E71.30 meters to corner 52;
25 thence N 20-09-04 W8.56 meters to corner 53;
26 thence N 73-31-00 E84.67 meters to corner 54;
27 thence N 13-40-00 W97.84 meters to corner 55;
28 thence N 55-00-01 E54.95 meters to corner 56;
29 thence S 48-26-59 E 26.87 meters to corner 57;
30 thence N 76-40-01 E26.21 meters to corner 58;
31 thence N 13-43-00 E139.44 meters to corner 59;
32 thence S 70-25-00 E 98.47 meters to corner 60;
33 thence N 29-57-01 E78.65 meters to corner 61;
34 thence N 27-32-00 E47.07 meters to corner 62;

thence N 73-08-59 E94.88 meters to corner 63;
thence N 13-39-00 E69.40 meters to corner 64;
thence N 08-47-01 W32.63 meters to corner 65;
thence N 38-53-01 E42.92 meters to corner 66;
thence S 88-13-08 E 183.31 meters to corner 67;
thence N 56-47-05 E200.81 meters to corner 1.

comprising an area of one hundred sixteen (116) hectares, more or less.

8 (d) Project No. 54 pertains to the area beginning at a point marked "1"
9 on the Land Classification Map, being S 60-12-32 E, 1,850.14 meters from
10 BLLM-7, Tudela CAD with geographic coordinates of $10^{\circ} 41' 25.335''$ latitude and
11 $124^{\circ} 28' 46.974''$ longitude located at Barangay Puertobello, Tudela, Camotes
12 Islands, Cebu,

thence N21-13-55W227.59 meters to corner 2;
thence N29-12-46W178.95 meters to corner 3;
thence N25-50-07W194.28 meters to corner 4;
thence N33-19-15W175.54 meters to corner 5;
thence N46-45-11W287.27 meters to corner 6;
thence N44-05-04W168.98 meters to corner 7;
thence N44-52-19E 161.21 meters to corner 8;
thence S44-01-59E 169.07 meters to corner 9;
thence S45-31-12E 304.03 meters to corner 10;
thence S45-31-12E 325.03 meters to corner 11;
thence S45-31-12E 313.92 meters to corner 12;
thence S79-05-32E 197.24 meters to corner 13;
thence S64-50-41E 302.56 meters to corner 14;
thence S59-29-13W 241.57 meters to corner 15;
thence S74-07-51W 333.21 meters to corner 16;
thence N76-31-08W170.00 meters to corner 1.

29 comprising an area of thirty-nine (39) hectares, more or less.

30 (e) Project No. 54-A pertains to the area beginning at a point marked
31 "1" on the Land Classification Map, being N 14-53-05 W, 1,116.62 meters from
32 BLLM-7, Tudela CAD with geographic coordinates of $10^{\circ} 41' 25.335''$ latitude and
33 $124^{\circ} 28' 46.974''$ longitude located at Barangay Puertobello, Tudela, Camotes
34 Islands, Cebu,

1 thence S79-53-46E 244.37 meters to corner 2;
2 thence S77-39-03E 174.51 meters to corner 3;
3 thence S73-33-57E 146.18 meters to corner 4;
4 thence S38-57-11E 169.27 meters to corner 5;
5 thence S41-05-44E 240.93 meters to corner 6;
6 thence S37-50-27E 148.81 meters to corner 7;
7 thence S65-18-55E 178.74 meters to corner 8;
8 thence S49-08-15E 168.06 meters to corner 9;
9 thence S43-24-58E 191.64 meters to corner 10;
10 thence S44-52-19W 161.21 meters to corner 11;
11 thence S44-05-04E 168.98 meters to corner 12;
12 thence S46-45-11E 287.27 meters to corner 13;
13 thence S33-19-15E 175.54 meters to corner 14;
14 thence S25-50-07E 194.28 meters to corner 15;
15 thence S29-12-46E 178.95 meters to corner 16;
16 thence S21-13-55E 227.59 meters to corner 17;
17 thence S76-31-08E 170.00 meters to corner 18;
18 thence N74-07-51E 333.21 meters to corner 19;
19 thence N59-29-13E 241.57 meters to corner 20;
20 thence S53-14-33E 154.23 meters to corner 21;
21 thence S57-36-15E 117.67 meters to corner 22;
22 thence S61-03-22E 152.15 meters to corner 23;
23 thence S62-22-15E 145.73 meters to corner 24;
24 thence S36-38-03E 147.07 meters to corner 25;
25 thence S73-53-25E 297.21 meters to corner 26;
26 thence S47-15-11E 245.06 meters to corner 27;
27 thence S39-12-49E 288.82 meters to corner 28;
28 thence S12-50-52E 117.95 meters to corner 29;
29 thence S31-40-00E 354.36 meters to corner 30;
30 thence S04-14-11E 273.10 meters to corner 31;
31 thence S42-52-09E 153.46 meters to corner 32;
32 thence S01-30-58E 696.82 meters to corner 33;
33 thence S18-49-29W 377.84 meters to corner 34;
34 thence S39-13-32W 685.50 meters to corner 35;

1 thence S79-06-52W 143.47 meters to corner 36;
2 thence S75-21-09W 246.43 meters to corner 37;
3 thence S83-09-26W 136.44 meters to corner 38;
4 thence S75-22-45W 257.60 meters to corner 39;
5 thence S59-35-48W 380.10 meters to corner 40;
6 thence S69-40-37W 78.01 meters to corner 41;
7 thence S29-10-03W 266.84 meters to corner 42;
8 thence S21-02-15E 188.68 meters to corner 43;
9 thence N90-00-00W 116.50 meters to corner 44;
10 thence S68-07-45W 414.56 meters to corner 45;
11 thence S51-40-00W 148.52 meters to corner 46;
12 thence S20-13-29W 109.72 meters to corner 47;
13 thence S60-38-32W 198.95 meters to corner 48;
14 thence S61-33-25W 73.95 meters to corner 49;
15 thence S72-16-21W 347.02 meters to corner 50;
16 thence S62-29-17W 146.63 meters to corner 51;
17 thence S29-53-56W 125.01 meters to corner 52;
18 thence S63-26-06E 109.05 meters to corner 53;
19 thence S67-54-00W 482.49 meters to corner 54;
20 thence S85-21-52W 402.30 meters to corner 55;
21 thence S69-55-05W 536.56 meters to corner 56;
22 thence N89-09-27W 184.26 meters to corner 57;
23 thence S56-18-36W 117.22 meters to corner 58;
24 thence N64-26-24W 414.45 meters to corner 59;
25 thence S79-05-20W 229.02 meters to corner 60;
26 thence S71-51-43W 330.72 meters to corner 61;
27 thence S56-07-17W 685.31 meters to corner 62;
28 thence S55-11-46W 270.57 meters to corner 63;
29 thence N01-46-04E 439.12 meters to corner 64;
30 thence N57-04-40E 448.65 meters to corner 65;
31 thence S07-11-19E 303.12 meters to corner 66;
32 thence N60-38-32E 149.21 meters to corner 67;
33 thence N30-08-29E 97.12 meters to corner 68;
34 thence S79-30-31E 74.40 meters to corner 69;

1 thence N42-27-59E 216.70 meters to corner 70;
2 thence N25-50-40E 192.67 meters to corner 71;
3 thence N41-04-54W 140.18 meters to corner 72;
4 thence N32-44-07W 45.09 meters to corner 73;
5 thence S59-32-04W 53.44 meters to corner 74;
6 thence N36-52-12W 135.47 meters to corner 75;
7 thence N33-41-24W 234.45 meters to corner 76;
8 thence N75-07-28W 179.41 meters to corner 77;
9 thence S69-40-37W 234.03 meters to corner 78;
10 thence N00-19-52E 468.72 meters to corner 79;
11 thence S87-54-35E 371.43 meters to corner 80;
12 thence S06-09-19E 277.96 meters to corner 81;
13 thence S47-33-50E 128.49 meters to corner 82;
14 thence S58-09-03E 210.51 meters to corner 83;
15 thence S53-52-50E 248.20 meters to corner 84;
16 thence S47-07-16E 155.29 meters to corner 85;
17 thence N02-48-56W 165.47 meters to corner 86;
18 thence N90-00-00E 119.21 meters to corner 87;
19 thence N49-12-19W 261.25 meters to corner 88;
20 thence N00-00-00E 65.02 meters to corner 89;
21 thence N84-57-27E 184.95 meters to corner 90;
22 thence N17-21-14E 90.83 meters to corner 91;
23 thence S27-26-23E 158.75 meters to corner 92;
24 thence N70-13-58E 184.26 meters to corner 93;
25 thence N18-58-13E 183.36 meters to corner 94;
26 thence N65-10-14E 200.02 meters to corner 95;
27 thence N34-38-27W 181.12 meters to corner 96;
28 thence N88-29-33W 102.99 meters to corner 97;
29 thence N25-47-46W 180.55 meters to corner 98;
30 thence S88-29-33W 205.98 meters to corner 99;
31 thence N72-17-03W 204.78 meters to corner 100;
32 thence N29-50-08W 212.39 meters to corner 101;
33 thence N70-46-10W 246.77 meters to corner 102;
34 thence N34-27-39W 167.59 meters to corner 103;

7 (f) Project No. 69 pertains to the area beginning at a point marked "1"
8 on the Land Classification Map, being N 66-07-22 W, 1,033.18 meters from
9 BLLM-1, Poro CAD with geographic coordinates of 10° 37' 47.057" latitude and
10 124° 24' 21.557" longitude located at Barangay Eastern Poblacion, Poro, Camotes
11 Islands, Cebu.

(g) Project No. 69-A Block 1 pertains to the area beginning at a point marked "1" on the Land Classification Map, being N 88-23-15 E, 5,475.80 meters from BLLM-1, Poro CAD with geographic coordinates of $10^{\circ} 37' 47.057''$ latitude and $124^{\circ} 24' 21.557''$ longitude located at Barangay Eastern Poblacion, Poro, Camotes Islands, Cebu,

12	thence	S66-01-15W	334.42	meters to corner 2;
13	thence	N86-51-18W	740.77	meters to corner 3;
14	thence	S75-22-11W	697.23	meters to corner 4;
15	thence	N83-55-39W	512.23	meters to corner 5;
16	thence	S81-35-07W	1388.58	meters to corner 6;
17	thence	N70-19-11W	394.21	meters to corner 7;
18	thence	N21-09-41E	90.06	meters to corner 8;
19	thence	N06-42-35E	278.26	meters to corner 9;
20	thence	N15-06-04W	176.79	meters to corner 10;
21	thence	N28-50-08W	275.26	meters to corner 11;
22	thence	N09-49-09W	285.96	meters to corner 12;
23	thence	N88-11-29W	257.52	meters to corner 13;
24	thence	N64-44-49W	158.77	meters to corner 14;
25	thence	N60-52-33W	217.10	meters to corner 15;
26	thence	N58-40-17W	145.90	meters to corner 16;
27	thence	N89-05-26W	170.71	meters to corner 17;
28	thence	S61-04-25W	235.26	meters to corner 18;
29	thence	S77-13-44W	208.36	meters to corner 19;
30	thence	S19-54-59W	198.84	meters to corner 20;
31	thence	S83-14-02W	160.97	meters to corner 21;
32	thence	S59-41-50W	241.63	meters to corner 22;
33	thence	S57-18-29W	215.70	meters to corner 23;
34	thence	S67-28-14W	395.98	meters to corner 24;

1	thence	N31-39-05W 116.17	meters to corner 25;
2	thence	N37-24-19W 115.97	meters to corner 26;
3	thence	N00-00-00W 113.79	meters to corner 27;
4	thence	N65-46-20E 118.84	meters to corner 28;
5	thence	N05-42-38E 108.91	meters to corner 29;
6	thence	N05-56-49W 523.01	meters to corner 30;
7	thence	N72-03-02W 202.21	meters to corner 31;
8	thence	N62-19-08W 186.63	meters to corner 32;
9	thence	N08-19-32W 112.27	meters to corner 33;
10	thence	N70-29-51E 137.96	meters to corner 34;
11	thence	N50-56-49E 184.91	meters to corner 35;
12	thence	N22-14-56W 64.40	meters to corner 36;
13	thence	N08-49-47W 282.41	meters to corner 37;
14	thence	N04-49-50E 193.05	meters to corner 38;
15	thence	N10-05-28W 324.73	meters to corner 39;
16	thence	N26-12-41E 196.29	meters to corner 40;
17	thence	N58-12-04E 159.39	meters to corner 41;
18	thence	N05-17-24E 146.93	meters to corner 42;
19	thence	N32-11-45W 86.44	meters to corner 43;
20	thence	N40-25-34W 96.10	meters to corner 44;
21	thence	N28-31-23W 141.85	meters to corner 45;
22	thence	N27-04-19W 136.92	meters to corner 46;
23	thence	N07-33-23E 267.84	meters to corner 47;
24	thence	S84-17-22W 81.69	meters to corner 48;
25	thence	N10-18-17E 181.75	meters to corner 49;
26	thence	N88-21-48W 94.87	meters to corner 50;
27	thence	N06-29-52E 1060.56	meters to corner 51;
28	thence	N17-21-21E 1471.24	meters to corner 52;
29	thence	N32-55-18E 2187.55	meters to corner 53;
30	thence	N56-18-36W 98.20	meters to corner 54;
31	thence	N45-00-00E 77.03	meters to corner 55;
32	thence	S53-01-38E 112.37	meters to corner 56;
33	thence	N42-16-56E 225.65	meters to corner 57;
34	thence	N46-08-04W 144.11	meters to corner 58;

1 thence N43-37-19E 398.53 meters to corner 59;
2 thence N56-23-48E 716.28 meters to corner 60;
3 thence N55-26-20E 818.83 meters to corner 61;
4 thence N70-36-37E 574.25 meters to corner 62;
5 thence N86-00-42E 529.34 meters to corner 63;
6 thence S84-38-54E 665.12 meters to corner 64;
7 thence S74-18-52E 1328.10 meters to corner 65;
8 thence S59-10-26E 1711.96 meters to corner 66;
9 thence S53-51-16E 143.65 meters to corner 67;
10 thence S68-55-52E 131.88 meters to corner 68;
11 thence S46-44-56E 93.48 meters to corner 69;
12 thence S45-42-26E 115.56 meters to corner 70;
13 thence S48-29-41E 187.22 meters to corner 71;
14 thence S76-24-28E 268.26 meters to corner 72;
15 thence S52-56-50E 505.57 meters to corner 73;
16 thence S33-45-50W 3422.35 meters to corner 74;
17 thence S05-00-23W 2438.35 meters to corner 75;
18 thence S85-21-07W 334.35 meters to corner 76;
19 thence S79-14-31W 275.78 meters to corner 77;
20 thence S87-27-19W 122.04 meters to corner 78;
21 thence N30-40-38E 185.86 meters to corner 79;
22 thence N75-15-23W 159.69 meters to corner 80;
23 thence N05-02-33W 277.43 meters to corner 81;
24 thence N06-32-12W 261.80 meters to corner 82;
25 thence N18-13-57W 242.47 meters to corner 83;
26 thence N41-49-13W 276.30 meters to corner 84;
27 thence N18-26-06W 188.49 meters to corner 85;
28 thence N02-05-12W 247.56 meters to corner 86;
29 thence N11-18-42W 175.69 meters to corner 87;
30 thence N00-09-05E 292.60 meters to corner 88;
31 thence S71-00-40W 173.22 meters to corner 89;
32 thence S21-49-58W 300.05 meters to corner 90;
33 thence N81-09-10W 239.39 meters to corner 91;
34 thence S75-13-23W 264.98 meters to corner 92;

1	thence	S80-55-52W	374.37	meters to corner 93;
2	thence	S65-14-17W	209.02	meters to corner 94;
3	thence	S56-42-45W	320.87	meters to corner 95;
4	thence	S54-51-57W	178.90	meters to corner 96;
5	thence	S68-19-31W	227.41	meters to corner 97;
6	thence	S57-43-28W	182.65	meters to corner 98;
7	thence	S48-14-23W	203.40	meters to corner 99;
8	thence	S22-45-04W	273.23	meters to corner 100;
9	thence	S44-44-43W	431.06	meters to corner 101;
10	thence	S50-07-02W	257.74	meters to corner 102;
11	thence	S38-44-45W	281.38	meters to corner 103;
12	thence	S08-07-48W	229.90	meters to corner 104;
13	thence	S36-43-27W	212.96	meters to corner 105;
14	thence	S22-51-17W	355.76	meters to corner 106;
15	thence	S25-26-10W	246.01	meters to corner 107;
16	thence	S19-26-24W	97.69	meters to corner 108;
17	thence	S38-58-00E	236.96	meters to corner 109;
18	thence	S77-44-07E	191.31	meters to corner 110;
19	thence	N82-32-22E	229.53	meters to corner 111;
20	thence	S83-11-27E	182.82	meters to corner 112;
21	thence	S82-41-39E	213.06	meters to corner 113;
22	thence	N72-53-50E	184.26	meters to corner 114;
23	thence	S79-41-43E	212.04	meters to corner 115;
24	thence	S79-54-09E	200.89	meters to corner 116;
25	thence	N24-23-11W	223.11	meters to corner 117;
26	thence	N32-33-52E	382.55	meters to corner 118;
27	thence	N10-29-29E	148.79	meters to corner 119;
28	thence	N61-50-38E	218.18	meters to corner 120;
29	thence	N25-14-26E	209.67	meters to corner 121;
30	thence	N84-04-07E	209.74	meters to corner 122;
31	thence	N57-59-41E	178.92	meters to corner 123;
32	thence	N54-50-45E	235.28	meters to corner 124;
33	thence	N83-48-22E	351.56	meters to corner 125;
34	thence	S61-20-34E	265.53	meters to corner 126;

1 thence S53-33-20E 218.92 meters to corner 127;
2 thence S14-39-24E 182.03 meters to corner 128;
3 thence S03-52-43E 160.22 meters to corner 129;
4 thence S22-42-52W 252.59 meters to corner 130;
5 thence S30-22-45W 273.23 meters to corner 131;
6 thence S10-00-29W 327.39 meters to corner 132;
7 thence S84-03-11E 130.75 meters to corner 133;
8 thence N81-52-12E 210.74 meters to corner 134;
9 thence N25-06-53E 191.50 meters to corner 135;
10 thence N31-36-27E 206.78 meters to corner 136;
11 thence N85-58-18E 192.84 meters to corner 137;
12 thence S74-48-51E 196.52 meters to corner 138;
13 thence N72-45-31E 164.54 meters to corner 139;
14 thence S10-18-17W 181.75 meters to corner 140;
15 thence S08-19-32E 224.53 meters to corner 141;
16 thence S52-23-10E 208.64 meters to corner 142;
17 thence S32-07-30E 275.13 meters to corner 143;
18 thence S57-53-52E 136.82 meters to corner 144;
19 thence S01-46-04W 439.12 meters to corner 1,

20 comprising an area of five thousand four hundred ninety-four (5,494) hectares,
21 more or less.

22 (h) Project No. 69-A Block II pertains to the area beginning at a point
23 marked "1" on the Land Classification Map, being S 45-53-08 E, 1,423.37 meters
24 from BLLM-8, Poro CAD with geographic coordinates of 10° 39' 3.909" latitude
25 and 124° 26' 53.013" longitude located at Barangay General, Poro, Camotes
26 Islands, Cebu,

27 thence N83-56-45W 179.82 meters to corner 2;
28 thence N08-14-47W 188.90 meters to corner 3;
29 thence S87-36-51W 65.08 meters to corner 4;
30 thence N86-38-01W 230.69 meters to corner 5;
31 thence N60-11-09W 277.92 meters to corner 6;
32 thence N41-33-09E 318.60 meters to corner 7;
33 thence N64-07-23E 403.51 meters to corner 8;
34 thence S29-34-40E 345.80 meters to corner 9;

3 (i) Project No. 48 pertains to the area beginning at a point marked "1"
4 on the Land Classification Map, being N 73-28-00 E, 105.78 meters from BLLM-
5 1, San Francisco CAD with geographic coordinates of 10° 38' 50.201" latitude and
6 124° 22' 50.287" longitude located at Barangay Southern Poblacion, San
7 Francisco, Camotes Islands, Cebu,

7 (j) Project No. 70 Block I pertains to the area beginning at a point
8 marked "1" on the Land Classification Map, being S 39-30-14 W, 910.78 meters
9 from BLLM-1, San Francisco CAD with geographic coordinates of $10^{\circ} 38' 50.201''$
10 latitude and $124^{\circ} 22' 50.287''$ longitude located at Barangay Southern Poblacion,
11 San Francisco, Camotes Islands, Cebu,

12	thence	S61-23-22E	135.79	meters to corner 2;
13	thence	S55-57-15E	96.79	meters to corner 3;
14	thence	S25-15-11E	127.02	meters to corner 4;
15	thence	S58-42-25E	258.72	meters to corner 5;
16	thence	S64-30-39E	206.50	meters to corner 6;
17	thence	S18-05-00W	446.90	meters to corner 7;
18	thence	S08-05-48E	523.24	meters to corner 8;
19	thence	S22-13-39W	487.03	meters to corner 9;
20	thence	S75-42-55W	878.18	meters to corner 10;
21	thence	S48-32-12W	1211.17	meters to corner 11;
22	thence	N86-46-32W	192.67	meters to corner 12;
23	thence	N41-46-50W	614.02	meters to corner 13;
24	thence	S81-22-22W	397.35	meters to corner 14;
25	thence	S48-36-53W	1610.55	meters to corner 15;
26	thence	N82-47-38W	712.77	meters to corner 16;
27	thence	S67-31-14W	255.10	meters to corner 17;
28	thence	N86-02-45W	294.67	meters to corner 18;
29	thence	S55-21-59W	319.40	meters to corner 19;
30	thence	S53-49-13W	337.34	meters to corner 20;
31	thence	S53-55-26W	234.65	meters to corner 21;
32	thence	S47-14-45W	195.56	meters to corner 22;
33	thence	S56-18-36W	146.53	meters to corner 23;
34	thence	S46-54-33W	230.02	meters to corner 24;

1 thence S54-12-40W 143.62 meters to corner 25;
2 thence S56-41-22W 283.67 meters to corner 26;
3 thence S31-41-27W 366.17 meters to corner 27;
4 thence S34-59-31W 165.36 meters to corner 28;
5 thence S30-12-41W 247.68 meters to corner 29;
6 thence S25-58-28W 235.07 meters to corner 30;
7 thence S22-18-38W 441.70 meters to corner 31;
8 thence S84-28-21W 337.53 meters to corner 32;
9 thence N31-20-58W 276.01 meters to corner 33;
10 thence N74-23-58W 401.97 meters to corner 34;
11 thence S65-55-00W 940.16 meters to corner 35;
12 thence S89-18-17W 893.06 meters to corner 36;
13 thence N80-45-39W 823.49 meters to corner 37;
14 thence N63-18-47W 682.89 meters to corner 38;
15 thence N33-13-54W 375.73 meters to corner 39;
16 thence N02-47-34W 622.80 meters to corner 40;
17 thence N31-07-49E 255.74 meters to corner 41;
18 thence N06-10-48W 342.28 meters to corner 42;
19 thence N16-23-22E 652.93 meters to corner 43;
20 thence N53-18-12E 286.54 meters to corner 44;
21 thence N16-01-56W 196.20 meters to corner 45;
22 thence N44-51-28E 1235.31 meters to corner 46;
23 thence N23-37-46E 605.65 meters to corner 47;
24 thence N63-55-48E 448.81 meters to corner 48;
25 thence N24-45-12E 398.59 meters to corner 49;
26 thence N85-58-41E 278.12 meters to corner 50;
27 thence N26-44-00E 660.11 meters to corner 51;
28 thence N61-45-45W 132.85 meters to corner 52;
29 thence N29-41-17E 1085.31 meters to corner 53;
30 thence S56-09-51E 79.31 meters to corner 54;
31 thence S08-38-14W 173.19 meters to corner 55;
32 thence N89-17-34E 175.58 meters to corner 56;
33 thence N05-45-26E 144.11 meters to corner 57;
34 thence N01-42-59W 800.64 meters to corner 58;

1 thence N24-44-42E 1434.35 meters to corner 59;
2 thence N07-20-35E 464.91 meters to corner 60;
3 thence N17-12-52W 378.08 meters to corner 61;
4 thence N00-17-58W 664.43 meters to corner 62;
5 thence N10-58-49E 644.18 meters to corner 63;
6 thence N17-30-55W 380.12 meters to corner 64;
7 thence N15-19-44E 551.70 meters to corner 65;
8 thence N20-42-46W 239.46 meters to corner 66;
9 thence N20-42-22E 517.25 meters to corner 67;
10 thence N35-18-51E 874.06 meters to corner 68;
11 thence N01-19-30E 283.67 meters to corner 69;
12 thence N43-12-52W 227.65 meters to corner 70;
13 thence N28-26-35E 252.75 meters to corner 71;
14 thence N85-51-55E 770.60 meters to corner 72;
15 thence S78-33-48E 1437.04 meters to corner 73;
16 thence N76-54-40E 826.33 meters to corner 74;
17 thence S62-42-54E 679.65 meters to corner 75;
18 thence S49-43-21E 1643.65 meters to corner 76;
19 thence S62-33-23E 1294.30 meters to corner 77;
20 thence S74-42-57E 466.19 meters to corner 78;
21 thence S18-33-22E 692.92 meters to corner 79;
22 thence S07-17-03E 990.54 meters to corner 80;
23 thence S11-59-44W 404.71 meters to corner 81;
24 thence S01-34-57E 502.94 meters to corner 82;
25 thence S24-32-56E 625.65 meters to corner 83;
26 thence S02-36-52W 475.17 meters to corner 84;
27 thence S84-47-32W 244.06 meters to corner 85;
28 thence S64-28-36W 333.26 meters to corner 86;
29 thence S86-05-58W 238.98 meters to corner 87;
30 thence S79-36-40W 330.54 meters to corner 88;
31 thence S53-54-54W 197.80 meters to corner 89;
32 thence S15-56-43W 177.52 meters to corner 90;
33 thence S17-21-14W 181.67 meters to corner 91;
34 thence S28-23-35W 227.91 meters to corner 92;

1 thence S25-53-13E 204.78 meters to corner 93;
2 thence S12-59-41W 361.47 meters to corner 94;
3 thence S15-41-42W 189.19 meters to corner 95;
4 thence S50-48-24E 181.78 meters to corner 96;
5 thence S69-49-14E 270.18 meters to corner 97;
6 thence S82-24-19E 426.40 meters to corner 98;
7 thence N84-13-32E 193.89 meters to corner 99;
8 thence S70-06-53E 216.66 meters to corner 1,
9 comprising an area of eight thousand one hundred ninety-two (8,192) hectares,
10 more or less.

11 (k) Project No. 70 Block II pertains to the area beginning at a point
12 marked "1" on the Land Classification Map, being N 31-18-31 E, 2,186.47 meters
13 from BLLM-12, San Francisco CAD with geographic coordinates of 10° 41'
14 51.981" latitude and 124° 18' 48.026" longitude located at Barangay Esperanza,
15 San Francisco, Camotes Islands, Cebu,

16 thence N36-04-49W 56.05 meters to corner 2;
17 thence N11-32-56W 198.20 meters to corner 3;
18 thence N37-57-31W 105.33 meters to corner 4;
19 thence N46-10-32W 266.23 meters to corner 5;
20 thence N62-54-05W 210.83 meters to corner 6;
21 thence N81-50-14W 260.91 meters to corner 7;
22 thence N69-24-26W 321.47 meters to corner 8;
23 thence N00-27-30E 109.74 meters to corner 9;
24 thence N25-23-23E 88.04 meters to corner 10;
25 thence N03-52-13W 309.54 meters to corner 11;
26 thence N19-58-13E 66.32 meters to corner 12;
27 thence N69-47-23E 68.10 meters to corner 13;
28 thence S79-27-42E 281.27 meters to corner 14;
29 thence S60-24-44E 238.24 meters to corner 15;
30 thence S26-43-12E 87.08 meters to corner 16;
31 thence S22-09-33E 193.18 meters to corner 17;
32 thence S25-52-55E 230.47 meters to corner 18;
33 thence S28-09-05E 209.88 meters to corner 19;
34 thence S39-49-18E 239.34 meters to corner 20;

1 thence S31-24-50E 91.96 meters to corner 21;
2 thence S60-45-12E 172.85 meters to corner 22;
3 thence S21-06-49W 95.04 meters to corner 23;
4 thence S59-23-40W 163.80 meters to corner 1,
5 comprising an area of fifty-two (52) hectares, more or less.

6 **SEC. 4. Management of Forest Lands.** – All lands of the public domain
7 in the Camotes Islands, excluding the agricultural land defined in Section 3 of
8 this Act, shall remain under the classification of forest land. Said forest lands are
9 defined by the following technical description:

10 (a) Project No. 41-A Forest land (Upland) pertains to the area
11 beginning at a point marked "1" on the Land Classification Map, being S 27-04-
12 37 W, 1,708.50 meters from BLLM-1, Pilar CAD with geographic coordinates of
13 10° 48' 33.977" latitude and 124° 33' 42.761" longitude located at Barangay
14 Lower Poblacion, Pilar, Camotes Islands, Cebu,

15 thence S 05-57-14 W 437.92 meters to corner 2;
16 thence S 12-28-08 W 154.94 meters to corner 3;
17 thence N 85-26-54 W 520.19 meters to corner 4;
18 thence S 27-08-29 W 622.55 meters to corner 5;
19 thence S 08-15-21 E 257.67 meters to corner 6;
20 thence N 87-00-31 W 421.57 meters to corner 7;
21 thence N 66-26-52 W 127.63 meters to corner 8;
22 thence N 34-55-10 W 193.91 meters to corner 9;
23 thence N 52-49-33 W 150.60 meters to corner 10;
24 thence S 05-29-18 W 282.29 meters to corner 11;
25 thence N 76-37-24 W 337.15 meters to corner 12;
26 thence N 37-57-15 W 126.82 meters to corner 13;
27 thence S 60-56-43 W 216.21 meters to corner 14;
28 thence S 71-20-32 W 243.81 meters to corner 15;
29 thence S 36-32-09 E 277.69 meters to corner 16;
30 thence N 48-04-19 E 284.52 meters to corner 17;
31 thence S 53-36-53 E 401.36 meters to corner 18;
32 thence S 37-31-52 W 341.61 meters to corner 19;
33 thence N 83-07-45 E 727.22 meters to corner 20;
34 thence S 87-33-13 E 245.16 meters to corner 21;

1 thence S 14-26-58 W 230.55 meters to corner 22;
2 thence S 84-45-20 W 911.01 meters to corner 23;
3 thence S 78-19-13 W 205.93 meters to corner 24;
4 thence S 51-13-17 E 421.07 meters to corner 25;
5 thence S 21-21-22 W 335.58 meters to corner 26;
6 thence N 79-06-06 W 285.22 meters to corner 27;
7 thence S 17-33-00 W 226.63 meters to corner 28;
8 thence S 26-54-04 W 668.36 meters to corner 29;
9 thence S 15-20-00 E 281.75 meters to corner 30;
10 thence S 63-32-52 W 220.35 meters to corner 31;
11 thence N 53-56-43 W 154.61 meters to corner 32;
12 thence S 42-40-20 W 174.09 meters to corner 33;
13 thence N 59-07-32 W 220.20 meters to corner 34;
14 thence N 06-51-18 W 184.32 meters to corner 35;
15 thence N 18-53-32 E 237.81 meters to corner 36;
16 thence N 83-59-28 W 152.84 meters to corner 37;
17 thence N 19-44-49 E 124.31 meters to corner 38;
18 thence N 52-00-59 E 92.62 meters to corner 39;
19 thence N 14-22-53 W 80.52 meters to corner 40;
20 thence S 56-47-05 W 200.81 meters to corner 41;
21 thence N 88-13-08 W 183.31 meters to corner 42;
22 thence S 38-53-01 W 42.92 meters to corner 43;
23 thence S 08-47-01 E 32.63 meters to corner 44;
24 thence S 13-39-00 W 69.40 meters to corner 45;
25 thence S 73-08-59 W 94.88 meters to corner 46;
26 thence S 27-32-00 W 47.07 meters to corner 47;
27 thence S 29-57-01 W 78.65 meters to corner 48;
28 thence N 70-25-00 W 98.47 meters to corner 49;
29 thence S 13-43-00 W 139.44 meters to corner 50;
30 thence S 76-40-01 W 26.21 meters to corner 51;
31 thence N 48-26-59 W 26.87 meters to corner 52;
32 thence S 55-00-01 W 54.95 meters to corner 53;
33 thence S 13-40-00 E 97.84 meters to corner 54;
34 thence S 73-31-00 W 84.67 meters to corner 55;

1 thence S 20-09-04 E 8.56 meters to corner 56;
2 thence S 82-47-00 W 71.30 meters to corner 57;
3 thence S 25-43-00 W 225.20 meters to corner 58;
4 thence S 35-55-00 W 119.91 meters to corner 59;
5 thence S 84-59-00 W 65.15 meters to corner 60;
6 thence N 57-49-59 W 55.30 meters to corner 61;
7 thence N 54-47-00 W 46.73 meters to corner 62;
8 thence N 87-29-01 W 19.93 meters to corner 63;
9 thence S 44-55-01 W 81.59 meters to corner 64;
10 thence S 72-25-00 W 68.16 meters to corner 65;
11 thence S 07-13-00 W 101.09 meters to corner 66;
12 thence S 59-43-00 W 170.03 meters to corner 67;
13 thence S 14-43-00 E 109.80 meters to corner 68;
14 thence S 49-12-00 W 81.40 meters to corner 69;
15 thence S 71-55-00 W 48.65 meters to corner 70;
16 thence N 67-40-59 W 187.60 meters to corner 71;
17 thence S 84-34-00 W 101.18 meters to corner 72;
18 thence S 87-59-02 W 83.33 meters to corner 73;
19 thence S 47-26-02 W 99.34 meters to corner 74;
20 thence S 11-52-34 E 312.83 meters to corner 75;
21 thence S 62-14-29 E 257.65 meters to corner 76;
22 thence S 18-55-54 W 218.84 meters to corner 77;
23 thence S 73-57-03 E 75.96 meters to corner 78;
24 thence N 49-23-55 E 156.73 meters to corner 79;
25 thence N 06-42-04 E 385.64 meters to corner 80;
26 thence S 77-50-51 E 346.77 meters to corner 81;
27 thence S 02-49-47 E 352.58 meters to corner 82;
28 thence N 85-32-42 E 413.84 meters to corner 83;
29 thence N 43-26-54 W 600.55 meters to corner 84;
30 thence N 51-27-14 E 157.27 meters to corner 85;
31 thence S 56-32-48 E 134.24 meters to corner 86;
32 thence N 14-22-22 E 330.34 meters to corner 87;
33 thence S 41-43-46 E 148.74 meters to corner 88;
34 thence N 28-31-10 E 301.60 meters to corner 89;

1 thence N 48-37-59 E 178.55 meters to corner 90;
2 thence N 08-54-06 E 168.02 meters to corner 91;
3 thence N 76-26-40 E 260.25 meters to corner 92;
4 thence S 81-36-25 E 184.98 meters to corner 93;
5 thence S 13-17-55 W 56.52 meters to corner 94;
6 thence S 55-15-36 E 242.17 meters to corner 95;
7 thence S 68-37-46 E 148.19 meters to corner 96;
8 thence N 56-30-50 E 77.94 meters to corner 97;
9 thence N 44-21-48 E 127.29 meters to corner 98;
10 thence N 63-32-52 E 220.35 meters to corner 99;
11 thence S 01-28-08 W 341.95 meters to corner 100;
12 thence S 31-03-55 W 424.66 meters to corner 101;
13 thence S 43-35-51 W 835.67 meters to corner 102;
14 thence S 57-53-54 W 630.90 meters to corner 103;
15 thence S 58-22-42 W 396.29 meters to corner 104;
16 thence S 61-43-46 W 555.17 meters to corner 105;
17 thence N 66-22-15 W 229.62 meters to corner 106;
18 thence S 75-57-50 W 198.77 meters to corner 107;
19 thence N 62-39-48 W 582.16 meters to corner 108;
20 thence N 41-10-00 W 533.78 meters to corner 109;
21 thence N 31-47-54 E 408.98 meters to corner 110;
22 thence N 19-32-11 W 254.21 meters to corner 111;
23 thence N 45-19-52 W 170.35 meters to corner 112;
24 thence N 24-02-03 E 225.65 meters to corner 113;
25 thence S 79-51-16 E 222.76 meters to corner 114;
26 thence N 38-12-02 E 148.08 meters to corner 115;
27 thence N 50-39-11 E 10.93 meters to corner 116;
28 thence N 38-39-32 E 11.29 meters to corner 117;
29 thence N 50-38-42 E 10.93 meters to corner 118;
30 thence N 38-40-01 E 71.29 meters to corner 119;
31 thence N 53-37-00 W 86.91 meters to corner 120;
32 thence N 52-13-55 E 48.32 meters to corner 121;
33 thence N 33-11-00 W 42.41 meters to corner 122;
34 thence N 50-42-00 E 81.64 meters to corner 123;

1 thence N 37-46-59 E 56.95 meters to corner 124;
2 thence N 44-49-00 E 45.70 meters to corner 125;
3 thence N 74-57-00 E 43.85 meters to corner 126;
4 thence S 76-15-05 E 17.09 meters to corner 127;
5 thence N 00-30-12 E 202.30 meters to corner 128;
6 thence N 38-28-49 E 131.59 meters to corner 129;
7 thence N 89-59-40 E 288.91 meters to corner 130;
8 thence N 01-16-03 W 80.41 meters to corner 131;
9 thence N 18-46-57 W 34.00 meters to corner 132;
10 thence N 81-44-00 W 56.82 meters to corner 133;
11 thence N 17-56-00 W 63.66 meters to corner 134;
12 thence N 20-34-01 W 16.20 meters to corner 135;
13 thence N 47-29-13 E 71.72 meters to corner 136;
14 thence S 65-44-02 E 19.35 meters to corner 137;
15 thence S 85-41-57 E 81.31 meters to corner 138;
16 thence N 53-08-23 E 167.17 meters to corner 139;
17 thence S 37-29-59 E 44.33 meters to corner 140;
18 thence N 45-34-00 E 103.20 meters to corner 141;
19 thence N 88-33-00 E 52.67 meters to corner 142;
20 thence N 28-34-00 E 93.20 meters to corner 143;
21 thence N 09-08-59 E 74.74 meters to corner 144;
22 thence S 82-10-00 W 58.21 meters to corner 145;
23 thence N 65-55-00 W 27.06 meters to corner 146;
24 thence N 05-54-59 W 137.85 meters to corner 147;
25 thence S 79-20-09 E 128.32 meters to corner 148;
26 thence N 63-44-01 E 252.14 meters to corner 149;
27 thence N 21-57-59 W 110.10 meters to corner 150;
28 thence N 72-48-01 E 95.99 meters to corner 151;
29 thence N 87-55-06 E 43.04 meters to corner 152;
30 thence N 01-45-32 E 175.72 meters to corner 153;
31 thence S 86-49-13 E 158.02 meters to corner 154;
32 thence N 42-47-51 E 161.27 meters to corner 155;
33 thence S 72-38-45 E 146.93 meters to corner 156;
34 thence N 32-25-16 E 384.20 meters to corner 157;

1 thence N 08-09-54 E 509.16 meters to corner 158;
2 thence N 79-12-57 E 374.76 meters to corner 159;
3 thence N 00-51-59 W 641.71 meters to corner 160;
4 thence N 06-06-50 E 124.65 meters to corner 161;
5 thence N 65-05-04 E 341.81 meters to corner 162;
6 thence N 22-37-56 E 358.62 meters to corner 163;
7 thence S 75-22-45 E 142.62 meters to corner 164;
8 thence N 52-40-44 E 254.01 meters to corner 165;
9 thence N 22-31-14 E 177.54 meters to corner 166;
10 thence S 77-30-35 E 323.66 meters to corner 167;
11 thence N 75-37-07 E 362.36 meters to corner 168;
12 thence N 66-19-46 E 239.12 meters to corner 169;
13 thence N 33-36-17 E 186.10 meters to corner 170;
14 thence S 66-48-05 E 510.26 meters to corner 171;
15 thence S 60-11-09 E 205.15 meters to corner 172;
16 thence S 62-42-26 E 246.44 meters to corner 173;
17 thence N 75-18-41 E 141.53 meters to corner 174;
18 thence N 77-10-49 E 341.02 meters to corner 1,

19 comprising an area of one thousand two hundred thirty-two (1,232) hectares,
20 more or less.

21 (b) Project No. 54-A Block A Forest land (Upland) pertains to the area
22 beginning at a point marked "1" on the Land Classification Map, being N 36-18-
23 49 W, 2,163.85 meters from BLLM-1, Tudela CAD with geographic coordinates of
24 10° 38' 12.205" latitude and 124° 28' 9.182" longitude located at Barangay
25 Southern Poblacion, Tudela, Camotes Islands, Cebu,

26 thence S 74-30-41 E 233.35 meters to corner 2;
27 thence N 69-05-31 E 258.13 meters to corner 3;
28 thence S 34-27-39 E 167.59 meters to corner 4;
29 thence S 70-46-10 E 246.77 meters to corner 5;
30 thence S 29-50-08 E 212.39 meters to corner 6;
31 thence S 72-17-03 E 204.78 meters to corner 7;
32 thence N 88-29-33 E 205.98 meters to corner 8;
33 thence S 25-47-46 E 180.55 meters to corner 9;
34 thence S 88-29-33 E 102.99 meters to corner 10;

1 thence S 34-38-27 E 181.12 meters to corner 11;
2 thence S 65-10-14 W 200.02 meters to corner 12;
3 thence S 18-58-13 W 183.36 meters to corner 13;
4 thence S 70-13-58 W 184.26 meters to corner 14;
5 thence N 27-26-23 W 158.75 meters to corner 15;
6 thence S 17-21-14 W 90.83 meters to corner 16;
7 thence S 84-57-27 W 184.95 meters to corner 17;
8 thence S 00-00-00 W 65.02 meters to corner 18;
9 thence S 49-12-19 E 261.25 meters to corner 19;
10 thence S 90-00-00 W 119.21 meters to corner 20;
11 thence S 02-48-56 E 165.47 meters to corner 21;
12 thence N 47-07-16 W 155.29 meters to corner 22;
13 thence N 53-52-50 W 248.20 meters to corner 23;
14 thence N 58-09-03 W 210.51 meters to corner 24;
15 thence N 47-33-50 W 128.49 meters to corner 25;
16 thence N 06-09-19 W 277.96 meters to corner 26;
17 thence N 87-54-35 W 371.43 meters to corner 27;
18 thence N 01-21-11 E 688.36 meters to corner 1,

19 comprising an area of one hundred thirteen (113) hectares, more or less.

20 (c) Project No. 54-A Block B Forest land (Upland) pertains to the area
21 beginning at a point marked "1" on the Land Classification Map, being N 10-09-
22 07 W, 2,565.80 meters from BLLM-1, Tudela CAD with geographic coordinates of
23 10° 38' 12.205" latitude and 124° 28' 9.182" longitude located at Barangay
24 Southern Poblacion, Tudela, Camotes Islands, Cebu,

25 thence N 40-25-34 W 96.10 meters to corner 2;
26 thence N 66-53-22 W 231.24 meters to corner 3;
27 thence N 52-18-21 W 75.33 meters to corner 4;
28 thence N 26-52-41 E 221.74 meters to corner 5;
29 thence N 57-43-28 W 243.54 meters to corner 6;
30 thence N 47-02-43 E 214.71 meters to corner 7;
31 thence N 20-34-06 E 436.01 meters to corner 8;
32 thence S 72-04-19 E 252.32 meters to corner 9;
33 thence S 76-36-27 E 152.43 meters to corner 10;
34 thence N 42-12-26 E 58.56 meters to corner 11;

thence S 61-45-45 E 61.83 meters to corner 12;
thence N 36-07-10 E 184.81 meters to corner 13;
thence S 30-48-57 E 200.84 meters to corner 14;
thence S 25-21-13 E 372.13 meters to corner 15;
thence S 24-39-21 E 181.85 meters to corner 16;
thence S 10-28-09 E 253.48 meters to corner 17;
thence S 30-43-08 E 217.46 meters to corner 18;
thence S 48-48-51 W 230.41 meters to corner 19;
thence S 23-37-46 W 236.58 meters to corner 20;
thence N 67-00-41 W 291.36 meters to corner 21;
thence N 37-34-07 W 222.18 meters to corner 22;
thence N 39-03-11 W 184.91 meters to corner 23;
thence N 70-27-48 W 89.12 meters to corner 24;
thence S 33-24-28 W 152.54 meters to corner 1,

(d) Project No. 54-A Block C Forest land (Upland) pertains to

16 (d) Project No. 54-A Block C Forest land (Upland) pertains to the area
17 beginning at a point marked "1" on the Land Classification Map, being N 19-53-
18 23 E, 625.36 meters from BLLM-1, Tudela CAD with geographic coordinates of
19 10° 38' 12.205" latitude and 124° 28' 9.182" longitude located at Barangay
20 Southern Poblacion, Tudela, Camotes Islands, Cebu,

thence N 37-02-33 E 179.90 meters to corner 2;
thence N 39-59-13 E 219.24 meters to corner 3;
thence N 63-02-52 E 179.33 meters to corner 4;
thence N 84-38-39 E 87.08 meters to corner 5;
thence S 82-34-07 E 314.21 meters to corner 6;
thence S 15-25-20 E 163.01 meters to corner 7;
thence S 33-41-24 W 175.84 meters to corner 8;
thence S 51-00-32 W 219.61 meters to corner 9;
thence S 64-02-28 W 229.02 meters to corner 10;
thence N 64-01-32 W 117.54 meters to corner 11;
thence S 21-48-05 W 116.72 meters to corner 12;
thence N 14-02-10 W 145.22 meters to corner 13;
thence N 29-58-54 W 81.33 meters to corner 14;
thence N 79-52-31 W 154.12 meters to corner 1,

1 comprising an area of thirty-one (31) hectares, more or less.

2 (e) Project No. 54-A Block D Forest land (Upland) pertains to the area
3 beginning at a point marked "1" on the Land Classification Map, being N 65-42-
4 59 W, 1,426.64 meters from BLLM-1, Tudela CAD with geographic coordinates of
5 10° 38' 12.205" latitude and 124° 28' 9.182" longitude located at Barangay
6 Southern Poblacion, Tudela, Camotes Islands, Cebu,

7 thence N 69-40-37 E 234.03 meters to corner 2;
8 thence S 75-07-28 E 179.41 meters to corner 3;
9 thence S 33-41-24 E 234.45 meters to corner 4;
10 thence S 36-52-12 E 135.47 meters to corner 5;
11 thence N 59-32-04 E 53.44 meters to corner 6;
12 thence S 32-44-07 E 45.09 meters to corner 7;
13 thence S 41-04-54 E 140.18 meters to corner 8;
14 thence S 25-50-40 W 192.67 meters to corner 9;
15 thence S 42-27-59 W 216.70 meters to corner 10;
16 thence N 79-30-31 W 74.40 meters to corner 11;
17 thence S 30-08-29 W 97.12 meters to corner 12;
18 thence S 60-38-32 W 149.21 meters to corner 13;
19 thence N 07-11-19 W 303.12 meters to corner 14;
20 thence S 57-04-40 W 448.65 meters to corner 15;
21 thence N 09-10-50 E 815.12 meters to corner 1,

22 comprising an area of fifty-one (51) hectares, more or less.

23 (f) Project 69-A Forest land (Upland) pertains to the area beginning at
24 a point marked "1" on the Land Classification Map, being S 23-43-53 E, 694.61
25 meters from BLLM-8, Poro CAD with geographic coordinates of 10° 39' 3.909"
26 latitude and 124° 26' 53.013" longitude located at Barangay General, Tudela,
27 Camotes Islands, Cebu,

28 thence S 60-11-09 E 277.92 meters to corner 2;
29 thence S 86-38-01 E 230.69 meters to corner 3;
30 thence N 87-36-51 E 65.08 meters to corner 4;
31 thence S 08-14-47 E 188.90 meters to corner 5;
32 thence S 83-56-45 E 179.82 meters to corner 6;
33 thence S 09-10-50 W 815.11 meters to corner 7;
34 thence N 57-53-52 W 136.82 meters to corner 8;

1 thence N 32-07-30 W 275.13 meters to corner 9;
2 thence N 52-23-10 W 208.64 meters to corner 10;
3 thence N 08-19-32 W 224.53 meters to corner 11;
4 thence N 10-18-17 E 181.75 meters to corner 12;
5 thence S 72-45-31 W 164.54 meters to corner 13;
6 thence N 74-48-51 W 196.52 meters to corner 14;
7 thence S 85-58-18 W 192.84 meters to corner 15;
8 thence S 31-36-27 W 206.78 meters to corner 16;
9 thence S 25-06-53 W 191.50 meters to corner 17;
10 thence S 81-52-12 W 210.74 meters to corner 18;
11 thence N 84-03-11 W 130.75 meters to corner 19;
12 thence N 10-00-29 E 327.39 meters to corner 20;
13 thence N 30-22-45 E 273.23 meters to corner 21;
14 thence N 22-42-52 E 252.59 meters to corner 22;
15 thence N 03-52-43 W 160.22 meters to corner 23;
16 thence N 14-39-24 W 182.03 meters to corner 24;
17 thence N 53-33-20 W 218.92 meters to corner 25;
18 thence N 61-20-34 W 265.53 meters to corner 26;
19 thence S 83-48-22 W 351.56 meters to corner 27;
20 thence S 54-50-45 W 235.28 meters to corner 28;
21 thence S 57-59-41 W 178.92 meters to corner 29;
22 thence S 84-04-07 W 209.74 meters to corner 30;
23 thence S 25-14-26 W 209.67 meters to corner 31;
24 thence S 61-50-38 W 218.18 meters to corner 32;
25 thence S 10-29-29 W 148.79 meters to corner 33;
26 thence S 32-33-52 W 382.55 meters to corner 34;
27 thence S 24-23-11 E 223.11 meters to corner 35;
28 thence N 79-54-09 W 200.89 meters to corner 36;
29 thence N 79-41-43 W 212.04 meters to corner 37;
30 thence S 72-53-50 W 184.26 meters to corner 38;
31 thence N 82-41-39 W 213.06 meters to corner 39;
32 thence N 83-11-27 W 182.82 meters to corner 40;
33 thence S 82-32-22 W 229.53 meters to corner 41;
34 thence N 77-44-07 W 191.31 meters to corner 42;

1 thence N 38-58-00 W 236.96 meters to corner 43;
2 thence N 19-26-24 E 97.69 meters to corner 44;
3 thence N 25-26-10 E 246.01 meters to corner 45;
4 thence N 22-51-17 E 355.76 meters to corner 46;
5 thence N 36-43-27 E 212.96 meters to corner 47;
6 thence N 08-07-48 E 229.90 meters to corner 48;
7 thence N 38-44-45 E 281.38 meters to corner 49;
8 thence N 50-07-02 E 257.74 meters to corner 50;
9 thence N 44-44-43 E 431.06 meters to corner 51;
10 thence N 22-45-04 E 273.23 meters to corner 52;
11 thence N 48-14-23 E 203.40 meters to corner 53;
12 thence N 57-43-28 E 182.65 meters to corner 54;
13 thence N 68-19-31 E 227.41 meters to corner 55;
14 thence N 54-51-57 E 178.90 meters to corner 56;
15 thence N 56-42-45 E 320.87 meters to corner 57;
16 thence N 65-14-17 E 209.02 meters to corner 58;
17 thence N 80-55-52 E 374.37 meters to corner 59;
18 thence N 75-13-23 E 264.98 meters to corner 60;
19 thence S 81-09-10 E 239.39 meters to corner 61;
20 thence N 21-49-58 E 300.05 meters to corner 62;
21 thence N 71-00-40 E 173.22 meters to corner 63;
22 thence S 00-09-05 W 292.60 meters to corner 64;
23 thence S 11-18-42 E 175.69 meters to corner 65;
24 thence S 02-05-12 E 247.56 meters to corner 66;
25 thence S 18-26-06 E 188.49 meters to corner 67;
26 thence S 41-49-13 E 276.30 meters to corner 68;
27 thence S 18-13-57 E 242.47 meters to corner 69;
28 thence S 06-32-12 E 261.80 meters to corner 70;
29 thence S 05-02-33 E 277.43 meters to corner 71;
30 thence S 75-15-23 E 159.69 meters to corner 72;
31 thence S 30-40-38 W 185.86 meters to corner 73;
32 thence N 87-27-19 E 122.04 meters to corner 74;
33 thence N 79-14-31 E 275.78 meters to corner 75;
34 thence N 85-21-07 E 334.35 meters to corner 76;

6 (g) Project No. 70 Block A Forest land (Upland) pertains to the area
7 beginning at a point marked "1" on the Land Classification Map, being S 33-22-
8 52 E, 1,446.48 meters from BLLM-10, San Francisco CAD with geographic
9 coordinates of 10° 39' 0.144" latitude and 124° 19' 58.432" longitude located at
10 Barangay Campo, San Francisco, Camotes Islands, Cebu,

1 thence N 03-05-39 W 200.78 meters to corner 26;
2 thence N 05-30-20 W 225.92 meters to corner 27;
3 thence N 28-52-02 E 241.31 meters to corner 28;
4 thence N 29-40-59 E 311.86 meters to corner 29;
5 thence N 37-22-00 E 187.49 meters to corner 30;
6 thence N 47-16-05 E 193.65 meters to corner 31;
7 thence N 36-44-26 E 240.05 meters to corner 32;
8 thence N 85-54-52 E 152.11 meters to corner 33;
9 thence N 40-17-32 E 163.39 meters to corner 34;
10 thence N 28-29-44 E 215.80 meters to corner 35;
11 thence N 34-24-55 E 205.98 meters to corner 36;
12 thence N 34-24-55 E 179.91 meters to corner 37;
13 thence N 45-45-50 E 287.39 meters to corner 38;
14 thence N 85-03-39 W 220.27 meters to corner 39;
15 thence N 88-41-53 W 238.48 meters to corner 40;
16 thence S 80-21-07 W 274.82 meters to corner 41;
17 thence N 00-37-22 E 249.27 meters to corner 42;
18 thence N 31-50-12 E 243.97 meters to corner 43;
19 thence N 60-45-04 E 232.89 meters to corner 44;
20 thence N 81-07-10 E 263.25 meters to corner 45;
21 thence S 89-34-09 E 180.18 meters to corner 46;
22 thence N 88-30-44 E 208.69 meters to corner 47;
23 thence N 89-09-27 E 184.26 meters to corner 48;
24 thence S 83-02-49 E 111.91 meters to corner 49;
25 thence S 01-41-05 E 184.32 meters to corner 50;
26 thence S 10-18-17 E 151.46 meters to corner 51;
27 thence S 61-52-35 E 178.18 meters to corner 52;
28 thence S 82-27-02 E 113.42 meters to corner 1,

29 comprising an area of four hundred thirty-eight (438) hectares more or less.

30 (h) Project No. 70 Block B Forest land (Upland) pertains to the area
31 beginning at a point marked "1" on the Land Classification Map, being N 69-47-
32 00 E, 2,809.215 meters from BLLM-11, San Francisco CAD with geographic
33 coordinates of 10° 41' 37.394" latitude and 124° 18' 51.224" longitude located at
34 Barangay Esperanza, San Francisco, Camotes Islands, Cebu;

SEC. 5. Management of Coastal Waters. – The management of coastal waters, fisheries and other aquatic resources shall be the primary responsibility of the concerned municipalities, consistent with Republic Act No. 7160, or the Local Government Code, and Republic Act No. 8550, or the Fisheries Code. For purposes of this section, the extent of coastal waters is equivalent to the municipal waters under the Fisheries Code: *Provided*, That each municipality shall prepare, within twelve (12) months from the effectivity of this Act, a coastal resources management plan that shall clearly delineate fish sanctuaries or marine protected areas, ecotourism and other appropriate management zones: *Provided, further*, That all municipalities constituting the Camotes Islands shall establish within twenty-four (24) months, through the Camotes Islands Co-Management Steering Committee mandated in Section 7 hereof, an integrated network of marine protected areas for the conservation of fisheries resources and the protection of the marine ecosystem within the Camotes Islands.

SEC. 6. Co-Management Framework for Management of Lands & Natural Resources. – The management of lands and natural resources found in the Camotes Islands shall be the joint responsibility of the Department of Environment and Natural Resources (DENR) and the respective municipalities, consistent with the principles of local autonomy and subsidiarity. Under the co-management system, all decisions on issues of allocation of resources and resource use rights, management planning, and implementation of management activities, enforcement and the like shall be jointly undertaken. All decisions of co-management parties shall be final and immediately executory and enforceable, for as long as the said decisions are made in accordance with the authority granted under this Act: *Provided, however,* That the DENR Secretary may, in an appropriate judicial proceeding, seek nullification of any decision that is patently rendered without authority. The DENR Secretary, through the

1 representative in the Co-Management Steering Committee created hereunder,
2 shall exhaust all means for the said committee to reconsider a decision made
3 without authority before seeking judicial intervention.

4 **SEC. 7. *The Camotes Islands Co-Management Steering Committee.***

5 – There is hereby created the Camotes Islands Co-Management Steering
6 Committee, hereinafter to be referred to as the Steering Committee, which shall
7 be the highest policy-making body for forestlands and natural resources
8 management in the Camotes Islands. It shall be guided by the basic policy stated
9 in Section 2 hereof. The Co-Management Steering Committee shall be composed
10 of the following members:

- 11 (a) Regional Director of DENR Region VII, as chairperson;
- 12 (b) Representative of the Provincial Government of Cebu to be designated
13 by the Provincial Governor;
- 14 (c) Mayors of the municipalities of Pilar, Poro, San Francisco and Tudela;
- 15 (d) Presidents of the *Liga ng mga Barangay* of each municipality or their
16 designated representatives;
- 17 (e) One (1) representative from civil society groups with existing projects
18 relevant to sustainable forest and mangrove management, appointed
19 by the Chairperson from nominees of civil society groups; and
- 20 (f) One (1) representative from accredited people's organization.

21 The Secretariat of the Steering Committee shall be chosen from among
22 the personnel of the Environment and Natural Resources Offices of the
23 concerned municipalities and shall be augmented by personnel coming from the
24 DENR and the Province of Cebu.

25 **SEC. 8. *Functions of the Co-Management Steering Committee.*** – The

26 Steering Committee shall prepare and adopt an overall framework plan for the
27 ~~management, protection and conservation of forest, coastal, marine, mineral and~~
28 other natural resources, including the integrated network of marine protected
29 areas for the conservation of fisheries resources and the protection of marine
30 ecosystems in the Camotes Islands. It shall oversee the implementation of each
31 municipal plan for consistency with the thrusts, principles and direction of the
32 overall management framework.

33 **SEC. 9. *Implementation of Resource Management Plans.*** – Through

34 the Comprehensive Resource Use Plans (CRUPs), the final implementation of

1 the resource management framework for the Camotes Islands shall be the
2 responsibility of the respective municipalities and the DENR, in coordination
3 with the Department of Agriculture (DA), the Department of Tourism (DOT) and
4 other concerned government agencies. For this purpose, each municipality shall
5 undertake the following:

- 6 (a) Designate zones for allocation of utilization rights in production
7 forests;
- 8 (b) Issue tenure instruments, resource use, cutting, harvesting and
9 transport permits consistent with the CRUPs;
- 10 (c) Monitor and evaluate existing tenure instruments and other
11 agreements and issue cancellation, revocation or renewal orders,
12 whenever necessary, after public hearing; and
- 13 (d) Issue rules and regulations to effectively carry out their functions
14 under this Act.

15 **SEC. 10. *Role of the DENR.*** – In consultation with the Camotes Islands
16 Co-Management Steering Committee, the DENR shall set the overall targets for
17 the management of the natural resources in each municipality, taking into
18 consideration the national interest and the framework for managing natural
19 resources. It shall ensure that each municipal plan is harmonized with the
20 comprehensive land use plan and resource plans for contiguous areas. The
21 DENR shall provide technical assistance to the Co-Management Steering
22 Committee and all municipalities in the preparation of their CRUPs, in the
23 issuance of resource rights and the enforcement of laws and local ordinances to
24 ensure consistency with national policies.

25 **SEC. 11. *Role of the Municipal Governments.*** – In their respective
26 jurisdictions, each municipal government shall be the primary agency
27 responsible for providing logistical support for the preparation and the
28 implementation of the CRUP, jointly with the DENR. The municipal
29 government concerned shall lead in enforcement activities in their respective
30 jurisdictions, and shall promote participation of local residents and investors in
31 the planning and implementation of management activities. All municipalities
32 are directed to establish an Environment and Natural Resources Office (ENRO)
33 in their respective municipalities.

1 **SEC. 12. *Role of the Barangays.*** – The component barangays shall
2 participate actively in the preparation of the comprehensive Forest Land Use
3 Plan (FLUP) and shall lead in enforcement activities in their respective
4 jurisdictions. They shall likewise promote the participation of local residents and
5 investors in the planning and implementation of management activities.

6 **SEC. 13. *Role of Other National Government Agencies.*** – National
7 government agencies such as the DA, the DOT, the National Mapping and
8 Resource Information Authority, and other government agencies shall provide
9 relevant technical support to the Camotes Islands Co-Management Steering
10 Committee and the local government units in the preparation and
11 implementation of their CRUPs. Representatives of these agencies may take part
12 in technical working groups organized by the Steering Committee.

13 **SEC. 14. *Role of Other Stakeholders.*** – Local stakeholder groups,
14 including research groups, shall be consulted and shall have the right to
15 participate in the planning and implementation of the CRUP and in the
16 monitoring and enforcement activities.

17 **SEC. 15. *Exclusion from the Coverage of Proclamation No. 2152***
18 ***and RA 7586.*** – The Camotes Islands is hereby excluded from the coverage of
19 Proclamation No. 2152 dated December 29, 1981, entitled “Declaring the Entire
20 Province of Palawan and Certain Parcels of Public Domain and/or Parts of the
21 Country as Mangrove Swamp Forest Reserves”, and is likewise disestablished as
22 an initial component of the National Integrated Protected Areas System
23 established pursuant to Republic Act No. 7586, as amended by RA 11038.

24 **SEC. 16. *Implementing Rules and Regulations.*** – Within six (6)
25 months following the effectivity of this Act, the Secretary of the DENR, in
26 consultation with the local government units of the municipalities of Pilar,
27 Tudela, Poro and San Francisco, the Provincial Government of Cebu, and
28 concerned national government agencies, shall promulgate the rules and
29 regulations for the effective implementation of this Act.

30 **SEC. 17. *Separability Clause.*** – If any provision of this Act is declared
31 unconstitutional or invalid, other parts or provisions hereof not affected shall
32 continue to be in full force and effect.

33 **SEC. 18. *Repealing Clause.*** – The provisions of Republic Act No.7160 or
34 the Local Government Code, vesting the DENR with powers to supervise, control

1 and review the enforcement by municipalities of environmental laws and
2 limiting their jurisdiction; Presidential Decree No. 1067 or the Water Code;
3 Presidential Decree No. 705, as amended, or the Revised Forestry Code of the
4 Philippines; Republic Act No. 9275, or the Philippine Clean Water Act of 2004; as
5 well as all other laws, orders, issuances, rules and regulations inconsistent with
6 this Act, are hereby superseded or modified as they apply to the Camotes
7 Islands.

8 **SEC. 19. Effectivity.** – This Act shall take effect fifteen (15) days after its
9 publication in the *Official Gazette* or in a newspaper of general circulation.

10 Approved,