

Ex. 3

I compiled LAPACK with lines 19-24 changed to following in make.inc because running tests caused segfault with -frecursive:

```
FORTRAN = gfortran
OPTS     = -O2
DRVOPTS  = $(OPTS)
NOOPT    = -O0
LOADER   = gfortran
LOADOPTS =
```

Then I compiled fortran version of the given program with "gfortran -o ex2_p3 ex2_p3.f90 -llapack -lblas" (flags to link lapack) and ran it first with "./ex2_p3 < matrix6" which yielded following x:

```
-22.413899      12.990382      29.555568      -9.3848441      -21.079137
10.385575
```

After that I gave it matrix100, vector x for which was following:

```
  7.2144883      11.163655      3.0358445      1.0799059      1.8689894
4.7119332      -8.2343102      5.5900076      -4.1903471      -3.5101576
10.645714      -4.0814602      -8.6241006      -0.63710851      2.7890658
8.7764311      -4.1028957      -4.7785748      -4.4614943      -11.498610
 -11.963623      11.075400      5.6697070      3.5490224
0.58301116E-01  -5.0599416      -1.9754759      -1.2538670      -3.8985944
8.2744529      -5.6839025      -5.6691980      0.37960791      -4.1624764
10.597685      -0.34778509      -1.6239494      -3.8423147      -4.8322450
0.62900360
 -2.6086740      6.8657889      -8.9785345      4.6703364      0.54891920
-8.3940974      -5.2656037      5.1105622      2.7500810      7.5109883
5.4796523      9.1413935      2.0645985      -3.7819297      -3.8121316
-1.5216914      10.472063      10.756644      -12.808315      -3.2649371
  4.2395374      -8.4943304      -3.9817579      -5.1799615      2.5102437
-1.9911264      0.23276902E-01  4.8850823      -0.69939738      3.1103510
0.94131700      0.10284713      4.3865474      5.2776985      4.2953560
-2.3233743      15.556085      -4.8151092      6.9185871      -8.0440978
 -0.75193463      2.3261727      -1.4131884      -1.7420666      3.6335352
-13.360496      6.8480197      -7.3610078      -2.3170964      3.3144431
-1.6072032      -3.5258292      4.2756271      -6.1851535      -5.3759474
-8.5609332      -3.9181126      -0.66337326      8.2351565      8.6265645
```

Ex. 4

Residuals:

m	matrix6	matrix100
0	23.270612	14.725804
1	7.408628	14.725804
2	46.801251	14.725804

I used dgemm for matrix multiplication. Makefile for compiling is attached. I did not manage to use LAPACK with C-standard newer than C89, is that how it just is or did I fail at googling?