Weekly Epidemiology Report





Nigeria Centre for Disease Control (NCDC) Federal Ministry of Health - Nigeria

Issue: Volume 4 No. 19 16th May, 2014

Summary Table (IDSR Weekly Report as at 16/05/2014)

		Week 18	Wee	k 19	Cumulative Weeks							
Disease	Variables	2014	2014	2013		01 - 19, 2013						
	Cases	48	111	100	1481	2086						
AFP	Deaths	0	0	0	0	0						
	CFR	0.00%	0.00%	0.00%	0.00%	0.00%						
	WPV Types 1 & 3	0	1	6	3	22						
Polio	WPV Types 1	0	1	6	3	22						
	WPV Types 3	0	0	0	0	0						
	Cases	739	613	0	19807	3						
Cholera	Deaths	9	9	0	253	1						
	CFR	1.22%	1.47%	0.00%	1.28%	33.33%						
	Cases	0	23	31	544	758						
Lassa Fever	Deaths	0	0	0	24	26						
	CFR	0.00%	0.00%	0.00%	4.41%	3.43%						
	Cases	3	14	5	1027	728						
CSM	Deaths	0	0	0	79	34						
	CFR	0.00%	0.00%	0.00%	7.69%	4.67%						
	Cases	532	358	2446	10639	38148						
Measles	Deaths	7	1	20	65	248						
	CFR	1.32%	0.28%	0.82%	0.61%	0.65%						
	Cases	0	0	0	0	0						
Guinea Worm	Deaths	0	0	0	0	0						
	CFR	0.00%	0.00%	0.00%	0.00%	0.00%						

Nigeria: Polio cases as at Week 19, 2014 2013 (Jan - Dec) - 2014 WPV and cVDPV 2 isolates by States and Zones as at Week 19, 2014)




SNb	Zone	State	NewR	esuitsR	eceived thi	sweek	WPVI	WPV3	dADPV	Cum	WPVI	WD D	d/DP/2	Cum
			WPVI	WPV3	d/DP/2	Total	WPVI	WPV3	2	Total	WPV1	W P V3	CVUPVZ	Total
1		FCT, Abuja	•				0	0	0	0	1	0	0	1
2	NC	Nasarawa	•				0	0	0	0	1	0	0	1
3		Niger	•				0	0	0	0	1	0	0	1
4		Jigawa				-	0	0	0	0	0	0	0	0
5		Kaduna	-	-		-	0	0	0	0	0	0	0	0
6		Kano	-	-			2	0	0	2	15	0	0	15
7	NW	Katsina	-	-		-	0	0	0	0	0	0	0	0
8		Kebbi	-	-		-	0	0	0	0	0	0	0	0
9		Solvoto	-	-		-	0	0	0	0	0	0	0	0
10		Zanfara	-	-		-	0	0	0	0	0	0	0	0
11		Adamawa	-	-		-	0	0	0	0	0	0	1	1
12		Baudi	-	-		-	0	0	0	0	6	0	0	6
13	NE	Barno	-	-	2	2	0	0	3	3	17	0	4	21
14	NE	Gombe	-	-		-	0	0	0	0	1	0	0	1
15		Taraba	-	-		-	0	0	0	0	3	0	0	3
16		Yobe	1	-		1	1	0	0	1	8	0	0	8
	T	OTAL	1	-	2	3	3	0	3	6	53	0	5	58
Lat	est on	set of confirm	edWP\	/ was 1	9-Apr-201	4 from	Gujba	LGA, Y	obe Sta	te.				


Weekly updates on epidemics in Nigeria: as at 16th May, 2014

1. Updates on poliomyelitis for week 19 as at May 9th, 2014

- 1.1. One Wild Polio Virus (WPV) was isolated from Gujba LGA (Yobe State) in the reporting week 19 while six (6) WPVs were isolated from 6 LGAs (4 States) at the same period in 2013.
- 1.2. Between weeks 1 & 19, 2014 three (3) WPV were isolated from 2 States compared to 22 WPVs isolated from 9 States at the same period in 2013 (Figure 1).
- 1.3. Two (2) circulating Vaccine Derived Polio Virus type 2 (cVDPV2) were isolated from 2 LGAs (Borno State) in the reporting week 19, 2014 as against one (1) cVDPV2 isolated from Kebbi State same period in 2013.
- 1.4. Between weeks 1 & 19, 2014 three (3) cVDPV2 were isolated while only one (1) cVDPV2 was isolated at the same period in 2013 (Figure 2).
- 1.5. Fifty three (53) confirmed WPV were isolated in 2013
- 1.6. As at week 19, 2014, only one (1) polio compatible case was reported from Birnin Kudu LGA (Jigawa State) (Figure 3).







- 1.7. From January 2014 to date, 3 Supplemental Immunization Activities (SIAs) for Oral Polio Vaccine (OPV) had been conducted across the country (involving bOPV and tOPV; Figure 4).
- 1.7.1. Polio SIAs (using bivalent OPV) were conducted in selected States within Northern Nigeria between 25th and 28th January, 2014, while the National Immunization Plus Days (NIPDs) was conducted nationwide between 22nd and 25th of February, 2014.
- 1.7.2. The last nationwide SIAs (involving the use of bOPV in the north and tOPV in the south) was conducted between 12th and 15th April, 2014. The SIAs activities include the following:
- 1.7.2.1. Establishment of health camp facilities.
- 1.7.2.2. High level supervision/team supervisor and use of households/ household head's name.
- 1.7.2.3. Field supportive supervision and monitoring.
- 1.7.2.4. Improved Enhanced Independent Monitoring (EIM) and Lots Quality Assessments (LQAs).
- 1.8. FMOH in collaboration with the Rotary International held the Nigeria Polio Summit, 2014 with the theme,ö Polio End Game, let& end it nowö.




Figure 4: Supplemental Immunization Activities in Nigeria, 2014

2. Update on suspected Cholera for week 19 as at 16th May, 2014

- 2.1. Outbreaks of Cholera are on-going in some States across the country. So far in 2014, 14 States and the FCT have reported outbreak of Cholera between weeks 1 & 19 (Figure 5) with the most recent reported in Jos North LGA, Plateau State. This has however been investigated by WHO in collaboration with SMOH, LGA rapid response teams and other stakeholders.
- 2.2. In reporting week (Week 19, 2014), 613 cholera cases (Figure 6) with 3 lab-confirmed and 9 deaths (CFR, 1.22%) were reported from 22 LGAs (6 States) compared with no case/death at the same period in 2013.
- 2.3. Between weeks 1 and 19 (2014), 19,807 suspected cholera cases with 94 lab-confirmed and 253 deaths (CFR, 1.27%) from 95 LGAs (17 States and FCT) were reported compared with 3 cases with 1 death (CFR, 33.33%) from 2 LGAs (2 States) at the same period in 2013 (Figure 7 and 8).
- 2.4. The outbreaks were investigated by the State MOH, FMOH/MSF/WHO with other stakeholders, and are under control.
- 2.5. Actions taken by relevant stakeholders include:
- 2.5.1. Sensitization of both health workers and communities.
- 2.5.2. Procurement/distribution of medicines/other medical supplies.
- 2.5.3. Supply of cholera test kits to all the States of Federation.
- 2.5.4. Mass chlorination of wells/buckets in all households of the affected communities.
- 2.6. States are enjoined to intensify surveillance.




Figure 5: Cholera cases by States, week 1-19, 2014




Figure 6: Cholera cases epi-curve by week, week 1-19, 2014




Figure 7: Cholera cases by weeks, week 1-19, 2013 & 2014




Figure 8: Status of LGAs/States that reported Cholera cases in week 1-19, 2013 & 2014

3. Lassa fever update for week 19 as at 16th May, 2014

- 3.1. Twenty-three (23) suspected Lassa fever cases with one lab-confirmed and 0 death were reported in week 19, 2014 compared with 31 cases with one (1) lab-confirmed and 0 death from Esan Central LGA (Edo State) reported at same period in 2013.
- 3.2. Between weeks 1 & 19 2014, 544 Lassa fever cases with 61 lab-confirmed and 24 deaths (CFR, 4.47%) from 25 LGAs (11 States) were reported compared with 758 cases with 141 lab-confirmed and 26 deaths (CFR, 3.43%) from 23 LGAs (11 States) at the same period in 2013 (Figure 9).
- 3.3. Outbreaks were investigated by the State MOH and FMOH and are on-going.
- 3.4. FMOH received donation of Ribavirin (100mg/ml of 4,110 ampoules) from Government of Liberia through the WHO
- 3.5. Actions taken include:
- 3.5.1. Ribavirin distributed to some of the affected the States.

- 3.5.2. A Training of Trainers for clinicians and other health workers on Ebola, Lassa, Yellow and Dengue fever was conducted by zone between 11th ó 16th April, 2014 involving all the 36 States and FCT. States are expected to cascade the training to all clinicians and other health workers in their States.
- 3.5.3. National Lassa Fever Rapid Response Committee (NLFRRC) Meeting was held on 30th April, 2014 with far reaching conclusions and the following action points:
- 3.5.3.1. Involvement of other stakeholders to expand its composition.
- 3.5.3.2. Development of enhanced communication strategy
- 3.5.3.3. Regular supply of reagent to identified diagnostic centres
- 3.5.3.4. Advocacy to relevant stakeholders for resource mobilization
- 3.5.3.5. Reactivation of Emergency Operation Centre (EOC)
- 3.5.3.6. Expansion of laboratory network and treatment centres
- 3.5.3.7. Planning of National Lassa Fever Day which comes up by 27th September
- 3.5.3.8. Memo to Mr. President on urgent release of fund to procure relevant medicines and other consumables for VHFs
- 3.5.3.9. Memo to National Council on Health on procurement of ribavirin injection/tablets and Personal Protective Equipment (PPE) by State in line with National Drug Policy.





Figure 9: Map of Nigeria showing areas affected by Lassa fever, week 1 - 19, 2013 & 2014

4. Update on cerebrospinal meningitis (CSM) for week 19 as at 16th May, 2014

- 4.1. In the reporting week (Week 19) 2014, 14 suspected cerebrospinal meningitis (CSM) cases with 0 death were recorded from 3 LGAs (2 States) compared with 5 suspected CSM cases with 0 death from 4 LGAs (4 States) at the same period in 2013.
- 4.2. The following LGAs had reached alert/epidemic threshold in Kebbi State: Aliero (weeks 4, 5, 12, 13, 16 and 17), Augie (weeks 12, 13 and 17) and Gwandu (weeks 12, 16 and 17).
- 4.3. Between weeks 1 & 19, 2014, 1027 CSM cases with 73 lab-confirmed and 79 deaths (CFR, 7.69%) were recorded from 103 LGAs (24 States) compared with 728 cases with 34 deaths (CFR, 4.67%) from 103 LGAs (25 States) at the same period in 2013 (Figure 10).

- 4.4. Timeliness/completeness of CSM case-reporting from States to National Level: on the average, average 68.2% of the 26 endemic states sent CSM reports timely while 96.4% were complete as against 70.2% timeliness and 96.6% completeness recorded within the same period in 2013.
- 4.5. The outbreak in Kebbi State was investigated by the State MOH, MSF and WHO and it is under control.
- 4.6. Actions taken include:
- 4.6.1. A consignment of 2,500 doses of ACYW135 vaccines was supplied to Kebbi State
- 4.6.2. On the job training for clinicians on lumbar puncture
- 4.6.3. Distribution of rapid diagnostic kits (Pastorex) and lumbar puncture kits to all the States in the meningitis belt.
- 4.7. Intensive Surveillance is on-going in high risk States.



5. Update on suspected Measles for week 19 as at 16th May, 2014

- 5.1. In week 19, 2014, three hundred and fifty-eight (358) suspected cases of measles with one (1) death (CFR, 0.28%) were recorded from 26 States (Figure 11) compared with 2,446 suspected measles cases and 20 deaths (CFR, 0.82%) from 24 States and FCT at the same period in 2013.
- 5.2. Between weeks 1 & 19 (2014), 10,639 suspected measles cases with 65 deaths (CFR, 0.61%) were reported from 36 States and FCT (Figure 12) compared with 38,148 cases with 248 deaths (CFR, 0.65%) at the same period in 2013 (Figure 13).

- 5.3. Confirmed Measles cases (lab, epi-link and clinical) between weeks 1 and 19 (2014) were 3,127 cases (Figure 14) from 192 LGAs (Figure 15). Fifty-two (52) LGAs have so far reported confirmed Measles outbreak in 2014 (Figure 16).
- 5.4. Most affected children are within the age group 9 59 months (>1900 confirmed cases & 60%; Figure 17 & 18 respectively).
- 5.5. Vaccination status of measles cases is 63% zero dose (Figure 19).
- 5.6. Response measures were intensified with selective vaccination for 6 59 months old children and case management including vitamin A supplement.
- 5.7. Measles campaign was conducted in all the 6 geopolitical zones nationwide in 2013.




Figure 11: Suspected measles epi-curve by weeks in Nigeria, week 1 - 19, 2014 as at 16th May, 2014




Figure 12: Suspected measles cases by States, week 1 - 19, 2014 as at 16th May, 2014




Figure 13: Measles cases by weeks, week 1 – 19, 2013 and 2014 as at 16th May, 2014




Figure 14: Nigeria: Distribution of suspected and confirmed measles cases, week 1 - 19, as at 16th May, 2014





Figure 15: Nigeria: LGAs with confirmed Measles and intervention, as at 16th May, 2014



Source: Outside Monitoring data (October /November 2013 IMC) and Measles case based database of 2014 as of 02 May 2014.

Figure 16: Nigeria: LGAs with Measles outbreak and intervention, as at 16th May, 2014




Figure 17: Age and vaccination status of confirmed measles cases in Nigeria, week 1 - 19, 2014 as at May 16th, 2014




Figure 18: Breakdown of confirmed measles cases by age group in Nigeria, week 1-19, 2014 as at 16/5/14




Figure 19: Vaccination status of confirmed measles cases in Nigeria, week 1 - 19, 2014 as at 16/05/2014

6. Update on Guinea worm disease: as at 2nd May, 2014

- 6.1. As at 2nd May, 2014, no GWD rumour was reported in week 17, 2014. Three (3) GWD rumours were reported in April 2014 and investigated but only two (2) were investigated within 24 hours.
- 6.2. So far in 2014, 85 GWD rumour reports were received and investigated but 82 (96.4%) of these were investigated within 24 hours.
- 6.3. None of these rumours were confirmed to be GWD case.
- 6.4. In 2013, a total of 366 GWD rumour reports were received and investigated from 188 LGAs (31 States), of which 342 (93.4%) were investigated within 24 hours. None of these rumours were confirmed to be GWD case.
- 6.5. Nigeria has celebrated 5 consecutive years of zero reporting of Guinea worm disease in the country.
- 6.6. At the 9th Meeting of the International Commission for the Certification of Dracunculiasis Eradication (ICCDE9), Nigeria was officially certified free of dracunculiasis transmission.

(For further information, contact NIGEP NC/Director: Mrs. I, Anagbogu: +2348034085607, ifechuba@yahoo.co.uk)

7. Update on national Influenza sentinel surveillance, Nigeria week 1 - 17, 2014

- 7.1 From week 1 17, a total of 478 cases were recruited of which 417 were Influenza like illness (ILI), 61 Severe Acute Respiratory Infection (SARI).
- 7.2 A total of 478 samples were received out of which 456 were processed. Of the processed samples, 401(87.9%) were ILI cases, 55(12.1%) were Severe Acute Respiratory Infection (SARI).
- 7.3 Of the 401 processed ILI samples, 33(8.2%) were positive for Influenza A and 17(4.2%) positive for Influenza B. Of the 55 processed SARI samples, 2(3.6%) were positive for Influenza A while 2(3.6%) were positive for Influenza B.
- 7.4 Fifty-five (12.1%) of the processed 456 samples were positive for Influenza, with 36(65.5%) of these positive for Influenza A and 19(34.5%) positive for Influenza B. The subtypes A

(2009) H1N1, seasonal H3, seasonal H1 and A/H5 account for 12 (33.3%), 8 (22.2%), 0(0.0%) and 0 (0.0%) of the total influenza A positive samples respectively. A/not sub typed and Un-subtypeable account for 16 (44.4%), 0(0.0%) of the total positive influenza A samples respectively.

- 7.5 The percentage influenza positive was highest (45.0%) in week 14.
- 7.6 In the reporting week17, 29 samples received have not been processed.




Figure 20: Number of Influenza positive specimens and percent positive by epidemiological week (week 1 - 17, 2014

Table 1: Status of Reporting by the State Epidemiologists, Nigeria, Weeks 1 - 19, 2014, as at 9th May, 2014

Keys:																							Timale	<50%	Poor	115
T= Arrived on Time																							Timely Reports	50-79%	Good	98
L= Arrived late		N	Report	t not rec	eived																		керопѕ	80-100%	Excellent	17.9
N = No Report (Report not receive	ed)																							00 200,0	Esterient	17.0
14 - 140 Report (Report not recent	Luj																					Timely Rpts	Late Rpts	Rpts Not Recvd	%	(
State	GeoZones	W01	W02	W03	W04	W05	W06	W07	W08	W09	W10	W11	W12	W13	W14	W15	W16	W17	W18	W19	Expected (Es)	(Ts)	(Ls)	(Ns)	Timely	Com
Abia	SEZ	I.	I.	Т	Т	Т	Т	I.	I.	Т	I.	I.	I.	I.	Т	I.	Т	I.	Т	Т	19	9	10	0	47%	10
Adamawa	NEZ	L	T	T	T	T	I.	I.	I.	I.	I.	I.	L	T	T	T	T	T	T	N	19	10	8	1	53%	9
Akwa Ibom	SSZ	T	L	L	L	L	L	L	L	L	L	T	L	T	L	L	L	T	N	N	19	4	13	2	21 %	8
Anambra	SEZ	L	L	Т	T	T	Т	T	Т	Т	Т	T	T	I.	T	Т	Т	T	Т	Т	19	16	3	0	84%	1
Bauchi	NEZ	T	T	T	T	T	T	T	T	Т	T	T	T	T	T	T	T	T	T	T	19	19	0	0	100%	1
Bayelsa	SSZ	L	Т	L	T	L	T	T	T	Т	I.	T	T	T	T	T	T	Т	T	Т	19	15	4	0	79%	1
Benue	NCZ	L	I.	T	I.	I.	I.	T	T	Т	T	T	T	I.	I.	T	T	T	T	T	19	12	7	0	63%	1
Bomo	NEZ	L	Ī.	T	I.	Ĭ.	Ī.	T	I.	Т	I.	I.	T	I.	T	T	T	T	T	L	19	9	10	0	47%	1
Cross River	SSZ	L	T	T	T	T	T	T	T	I.	T	T	T	T	T	T	T	T	T	T	19	17	2	0	89%	1
Delta	SSZ	L	T	T	T	L	T	J.	T	Т	T	T	T	T	T	J.	I.	T	T	T	19	14	5	0	74%	1
Ebonyi	SEZ	I.	I.	T	I.	I.	I.	I.	I.	I.	T	T	I.	T	T	I.	T	T	N	N	19	7	10	2	37%	- {
Edo	SSZ	L	L	T	T	L	T	T	I.	T	J.	L	L	L	J.	J.	T	J.	T	L	19	7	12	0	37%	1
Ekiti	SWZ	T	I.	T	T	T	T	I.	T	Т	T	T	I.	I.	L	T	T	L	T	Т	19	13	6	0	68%	1
Enugu	SEZ	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N.	N	19	0	0	19	0%	ŕ
FCT	NCZ	L	I.	T	T	L	I.	T	Т	I.	T	T	L	L	I.	T	T.	Т	T	Ī.	19	9	10	0	47%	1
Gombe	NEZ	Т	Т	T	T	T	T	T	T	Т	T	T	T	T	T	T	T	T	T	T	19	19	0	0	100%	1
Imo	SEZ	I.	I.	I.	T	T	T	T	I	I.	I	I.	I.	T	T	I	T	T	T	T	19	10	9	0	53%	1
Jigawa	NWZ	T	I	T	T	T	T	T	T	L	T	T	T	I	I.	I	T	T	N	N	19	12	5	2	63%	1
Kaduna	NWZ	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	19	19	0	0	100%	1
Kano	NWZ	Т	T	T	T	T	T	Т	T	Т	T	T	T	T	T	T	Т	Т	T	Т	19	19	0	0	100%	1
Katsina	NWZ	I.	T	T	T	T	T	T	T	Т	T	T	T	T	T	T	Т	Т	T	Т	19	18	1	0	95%	1
Kebbi	NWZ	T	Ī	I.	T	I.	T	T	T	Т	T	T	T	T	T	T	Т	T	T	T	19	16	3	0	84%	1
Kogi	NCZ	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	19	0	0	19	0%	-
Kwara	NCZ	L	I.	L	L	I.	I	T	Ĭ	I	T	T	T	L	T	T	N	N	N	N	19	6	9	4	32 %	
Lagos	SWZ	I	I	T	T	T	I	I	T	Т	T	T	T	T	T	T	Т	Т	T	Т	19	15	4	0	79%	1
Nasarawa	NCZ	Т	Т	Т	T	T	Т	Т	T	Т	T	T	T	T	T	Т	T	T	T	Т	19	19	0	0	100%	1
Niger	NCZ	L	L	L	I	L	I	I	I	I	I	L	L	L	T	T	I	I	T	N	19	3	15	1	16%	9
Ogun	SWZ	Т	T	T	T	T	Т	T	Т	Т	Т	T	T	T	T	T	Т	Т	T	T	19	19	0	0	100%	1
Ondo	SWZ	T	T	T	T	I.	T	T	T	Т	T	T	T	I	T	T	T	T	T	T	19	17	2	0	89%	1
Osun	SWZ	T	T	T	T	T	T	I	T	Т	T	T	T	T	T	T	T	T	T	T	19	18	1	0	95%	1
Oyo	SWZ	T	I	T	T	T	T	T	T	Т	T	T	T	T	T	I	T	T	I	T	19	16	3	0	84%	1
Plateau	NCZ	T	T	T	T	T	T	T	T	T	T	T	I	T	I	I	T	T	T	T	19	16	3	0	84%	1
Rivers	SSZ	I	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	19	18	1	0	95%	1
Sokoto	NWZ	T	I	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	19	18	1	0	95%	1
Taraba	NEZ	L	I	T	T	I.	T	T	T	T	T	T	T	I	T	T	T	T	T	I	19	14	5	0	74%	1
Yobe	NEZ	L.	I	I.	L	I.	T	T	T	T	T	I.	L	I	I	T	T	I	T	M	19	8	10	1	42%	1
Zamfara	NWZ	T	Т	T	T	I	T	T	T	Т	T	T	T	T	T	T	T	T	T	Т	19	18	10	0	95%	1
Zamuara Total number of reports expe		37	37	37	37	37	37	37	37	37	37	37	37	37	37	37	37	37	37	37	703	10	1	U	7370	
	- '	16		28	28	20		26		26	27	28	24	22	27	26	30	29	30	24	100	479				-
Total reports sent on			16				26	_	26		_											117	173			1
Total reports sent	17	19	19	7	7	15	9	9	9	9	8	7	11	13	8	9	4	5	1	4			1/3	P1		1
Total number of reports not recei		2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	3	3	6	9				51	(60)	
Timeliness of reports =1	_	43.2	43.2	75.7	75.7	54.1	70.3	70.3	70.3	70.3	73.0	75.7	64.9	59.5	73.0	70.3	81.1	78.4	81.1	64.9					68%	L
Completeness of reporting=100*(E-N)/ E	94.6	94.6	94.6	94.6	94.6	94.6	94.6	94.6	94.6	94.6	94.6	94.6	94.6	94.6	94.6	91.9	91.9	83.8	75.7		1				9

Correspondence:

nigeriaepidnews@yahoo.com elsiesamantha1@yahoo.com gbekeloluwa2003@yahoo.com badaru2001@yahoo.com

Distribution of the Weekly Epidemiology Report (WER)

The FMoH is currently circulating the WER to many institutions and organizations (private and public) including individual health professionals

The WER is also available on the FMOH website: www.fmh.gov.ng

Federal Ministry of Health - Nigeria

											Up	da	ate	es	or	E	pi	de	mic	CS,	W	le e	ek	19	(0	5 -	- 1	1 I	Иa	у,	20	14)	as	at	16	th N	Иа _у	/, 2	201	14										
П						AFF)					C	CSM					(holera					Me	asles					Lassa	Fever				Yello	w Fever	1			Guin	eawori	n Dise	ase		Other	r Dise	eases/	Events	ì	
			Status of		ew		umulative	Data Wk01			New		Cumul	lative Da	ta Wk01-19		New			tive Data			New		Cumulat	ive Data W			New		Cumulative	Data Wk01-19		New		Cumulative	-			lew		_	Data Wk01-19		New		Cumula	tive Data V		Damari
	State	StatePop2014	Report	Cases Lab	Cfd Dear	ths Case:	s LabCfd	Deaths	CFR	Cases	LabCfd D	Deaths C	Cases La	abCfd D	eaths C	R Cas	es LabCi	d Deaths	Cases Lat	Cfd Dea	aths CFR	Cases	LabCfd	Deaths C	ases Lab	Ctd Deat	hs CFR	Cases Li	abCfd De	eaths Cas	es LabCfo	Deaths CF	FR Case	s LabCfd De	eaths Ca	ases LabCt	fd Deaths	CFR C	Cases La	bCfd Deat	hs Cases	LabCfd	Deaths CF	R Ca	ses LabCfd De	eaths (Cases La	bCfd Deat	its CFR	Remarl
1 Ab		3,507,222	Ţ	2	0	0	5 0	0 0	0.00	0	0	0	0	0	0		0	0 (0	0	0 40.00	1	0	0	58	0	0.00	0	0	0	0 (0	_	0 0	0	0	0 0	0.00	0	0	0	0 (0 0	_	0 0	0	0	0	0	
2 Ac		3,982,190		0	0	0 7	1 0	0	0.00	0	0	U	11	0	0).00	1	3 1	15	3	2 13.33	35	0	0	1129	0	23 2.04	0	0	0	0 (0	_	0 0	0	1	0 0	0.00	0	0	0	0 0	0 0	_	0 0	0	0	0	0	
3 A) 4 Ar		5,122,399 5,215,936		55	0	0 7	4 U	0	0.00	0	0	0	0	0	0	-	0	0 (0	0	0	95	. 0	0	142	0	0 0.00	0	0	0	1 (0 0	0.00	0 0	0	11	0 0	0.00	0	0	0	0 0	0 0	_	0 0	0	0	0	0	
4 Ai		6.110.574		00	0	0 6	2 0	0	0.00	0	0	0	18	0	0	0.00 2	U E4	0 (1,1726	12	76 0.50	93	ı v	0	192	0	0 0.00	0	0	0	10 0	0 00	0.00	0 0	0	0	0 0		0	0	0	0 0	0 0	_	0 0	0	0	0	0	
6 Ba		2.141.060	_	1	0	0 0	0 0	0	0.00	0	0	0	10	0	0	1.00 2	۱۱	0 0	14720	0	0.02	1	0	0	32	0	0 0.00	0	0	0	0 0	0 00	0.00	0 0	0	1	0 0	0.00	0	0	0	0 0	0		0 0	0	0	0	0	
7 Be		5,344,812	_	4	0	0 5	5 0	0	0.00	0	0	0	23	0	0	100	0	0 0	828	0	50 7 M	2	1 0	0	136	0	0 0.00	0	0	0	0 0	0	-	0 0	0	5	0 0	0.00	0	0	0	0 0	1 1	+	0 0	0	0	0	0	
8 Bo		5,424,219	_	1	0	0 5	0 0	0	0.00	0	0	0	7	0	1 1	1 20	0	0 0	020	0	0 7.00	8	1	0	1331	0	10 143	0	0	0	0 0	0	+	0 0	0	1	0 0	0.00	0	0	0	0 0	1 1	+	0 0	0	0	0	0	
	loss River	3,631,328		0	0	0 1	,	0	0.00	n	0	0	2	0	1.5	0.00	0	0 0	0	0	0	n	n	0	27	0	0 000	0	0	0	0 (0		0 0	0	1	0 0	000	0	0	0	0 0	0 0	t	0 0	0	0	0	0	
10 De		5,272,917	Ī	0	0	0	0 0	0	7.00	0	0	0	0	0	0		0	0 (0	0	0	2	0	0	43	0	0 0.00	0	0	0	0 (0		0 0	0	0	0 0	5.00	0	0	0	0 (0 0		0 0	0	0	0	0	
11 Et		2,710,845	T	0	0	0	0 0	0 0		0	0	0	60	0	0	0.00	0	0 (16	0	6 37.50	0	0	Ö	37	0	0 0.00	0	0	0	17 8	3 17	7.65	0 0	0	0	0 0		0	0	0	0 (0 0		0 0	0	0	0	0	
12 Ec		3,982,854		1	0	0 9	5 0	0 0	0.00	0	0	0	0	0	0		0	0 (0	0	0	0	0	0	49	0	0 0.00	23	1	0 4	75 42	8 1	1.68	0 0	0	10	0 0	0.00	0	0	0	0 (0 0		0 0	0	0	0	0	
13 E	kiti	3,043,787	T	0	0	0	0 0	0		0	0	0	0	0	0		0	0 (0	0	0	12	0	0	119	0	0.00	0	0	0	0 (0		0 0	0	0	0 0		0	0	0	0 (0 0		0 0	0	0	0	0	
14 Er		4,126,248	T	7	0	0 9	0 0	0	0.00	0	0	0	7	0	0	0.00	0	0 (0	0	0	2	. 0	0	78	0	0.00	0	0	0	0 (0		1 0	0	11	0 0	0.00	0	0	0	0 (0		0 0	0	0	0	0	
15 FC		2,862,198	T	1	0	0 6	6 0	0	0.00	0	0	0	1	0	0	0.00	7	0 (312	3	8 2.56	0	0	0	20	0	0.00	0	0	0	0 (0		0 0	0	0	0 0		0	0	0	0 (0 0		0 0	0	0	0	0	
16 G		3,028,459	T	5	0	0 7	1 0	0	0.00	0	0	0	17	1	2 1	1.76	4	0 (4	0	0.00	18	0	0	425	0	1 0.24	0	0	0	2 (0 0	0.00	0 0	0	5	0 0	0.00	0	0	0	0 (0 0		0 0	0	0	0	0	
17 m		5,062,571	Ţ	1	0	0 5	1 0	0	0.00	0	0	0	0	0	0		0	0 (0	0	0	6	0	0	51	0	0.00	0	0	0	0 (0		3 0	0	18	0 0	0.00	0	0	0	0 (0 0		0 0	0	0	0	0	
18 Jig		5,466,097	N	0	0	0 6	4 0	0	0.00	0	0	0	0	0	0		0	0 (0	0	0	0	0	0	690	0	0.00	0	0	0	0 (0		0 0	0	0	0 0		0	0	0	0 (0 0		0 0	0	0	0	0	
19 Ka		7,684,939	Ţ	0	0	0	0 0	0		2	0	0	8	0	0	1.00	19	0 (1054	2	31 2.94	3	0	0	189	0	1 0.53	0	0	0	0 (0		0 0	0	0	0 0		0	0	0	0 (0 0		0 0	0	0	0	0	
20 Ka		12,166,786	Ī	0	0	0 4	0 0	0	0.00	0	0	0	3	1	0).00 1	54	0 4	1911	65	36 1.88	15	0	0	386	18	3 0.78	0	0	0	0 (0		0 0	0	1	0 0	0.00	0	0	0	0 (0 0		0 0	0	0	0	0	
21 Ka		7,337,865	I	8	0	0 9	5 0	0 0	0.00	0	0	0	17	0	0).00	0	0 (20	0	0 0.00	20	0	0	374	0	0.00	0	0	0	0 (0		0 0	0	0	0 0		0	0	0	0 (0 0		0 0	0	0	0	0	
22 Ke		4,134,570	I	0	0	0	0 0	0		0	0	0	602	68	55	3.14	0	0 (0	0	0	5	0	0	322	0	2 0.62	0	0	0	0 (0		0 0	0	4	0 0	0.00	0	0	0	0 (0 0	_	0 0	0	0	0	0	
23 Ko	.ogi	4,153,089	_	0	0	0 3	1 0	0	0.00	0	0	0	3	0	0).00	0	0 (14	0	0 0.00	1	0	0	46	0	0 0.00	0	0	0	1 1	0 0	0.00	0 0	0	4	0 0	0.00	0	0	0	0 (0 0	_	0 0	0	0	0	0	
24 Kv		3,003,625		0	0	0 1	0 0	0	0.00	0	0	0	0	0	0		0	0 (0	0	0	(0	0	20	0	0.00	0	0	0	0 (0	0.00	0 0	0	0	0 0		0	0	0	0 (0 0	_	0 0	0	0	0	0	
25 La	agos	11,596,653	-	9	0	0 13	4 0	0	0.00	- 4	0	U	3	0	0).00	0	0 (4	0	0 0.00	4	0	U	159	0	1 0.63	0	U	0	b (2 33	5.55 0.57	0 0	U	U	0 0	0.00	U	0	0	0 (0 0	_	0 0	U	0	0	U	
26 Na 27 Ni	inor BNB1686	2,360,341 5,161,653	T	2	0	0 3	0 0	1 0	0.00	0	U	U	8	0	1 4	0.50	0	0 (2	0	0 0.00	1	0	U	191	0	0 000	U A	U	U	0 (2 28	5.07	0 0	U	1	0 0	0.00	U	U A	0	0 (0 0		0 0	U	0	0	0	
28 Og		4,833,814	_	5	0	0 6	1 0	0	0.00	U n	U	U	1	0	0	1.00	0	0 (0	0	0 0.00	1	. U	U	58	0	0 0.00	U	N N	0	0 (0		0 0	0	2	0 0	0.00	0	0	0	0 (0		0 0	U	0	0	0	
28 Or	yuli Indo	4,033,014		D D	n n	0 0	4 0	0	0.00	U n	U n	U	2	0	0	1.00	0	0 1	0	0	0	1	. U	U	37	0	0 0.00	U	n	0	1 1	0 0	000	0 0	0	0	0 0	0.00	U	0	U	0 0	0		0 0	U	0	0	0	
30 Os		4,404,660	T	1	0	0 1	1 0	1 0	0.00	Q Q	n	0	23	0	0	1.00	5	0 1	5	0	1 20.00	12	, v	n n	127	1	0 000	0	0	0	0 0	0	0.00	0 0	0	0	0 0		0	٥	0	0 0	0		0 0	0	0	0	0	
31 0		7.306.335	I	2	0	0 3	4 0	0	0.00	U	n	n	Ω	0	0	7.00	0	0 1	0	0	0	16	0	n	235	0	0 0.00	۸	n	0	0 0	0		0 0	0	0	0 0		Ŋ	0	0	0 0	0		0 0	n	0	0	0	
32 Pl		3,933,822	_	3	0	0 5	2 0	0	0.00	1	n	0	29	0	0	000	58	0 :	599	1	27 451	Δ	, o	n	133	0	0 000	0	0	0	13 (1 7	769	2 0	0	3	0 0	000	0	0	0	0 0	0 0		0 0	0	0	0	0	
33 Ri		6,775,581	Ī	0	0	0 1	1 0	0	0.00	n	0	0	0	0	0		0	0 (0	0	0	- 5	0	0	56	0	0 000	0	n	0	0 (0	1.00	0 0	0	3	0 0	000	n	0	0	0 (0 0		0 0	0	0	0	0	
34 Sc	okoto	4,683,248	Ī	0	0	0 4	3 0	0	0.00	0	0	0	75	0	7	9.33	0	0 (0	0	0	0	0	0	262	0	0 0.00	0	0	0	0 (0		0 0	0	2	0 0	0.00	0	0	0	0 (0 0		0 0	0	0	0	0	
35 Ta		2,866,486		Ö	0	0	8 0	0	0.00	1	0	Ö	23	1	0	0.00	8	0 (270	2	6 27	2 2	0	1	264	0	6 227	0	0	0	11 (0 0	0.00	0 0	0	0	0 0		0	0	0	0 (0 0		0 0	0	0	0	0	
36 Yo	obe	3,057,092		Ö	0	0 6	6 0	0	0.00	0	0	0	1	0	0	0.00	0	0 (0	0	0	0	0	0	1804	0	8 0.44	0	0	0	0 (0		0 0	0	1	0 0	0.00	0	0	0	0 (0 0		0 0	0	0	0	0	
37 Za		4,194,060		0	0	0 4	0 0	0	0.00	0	0	0	83	2	12 1	1.46	0	0 (25	6	2 8.00	0	0	0	145	0	0 0.00	0	0	0	0 (0		0 0	0	0	0 0		0	0	0	0 (0 0		0 0	0	0	0	0	
To		180,049,323	34T=92%	111	0	0 148	1 0	0 0	0.00	14	0	0	1027	73	79	7.69 6	13	3 9	19807	94	253 1.2	358	0	1	10639	19	65 0.61	23	1	0 ;	6 44	24	441	6 0	0	88	0 0	0.00	0	0	0	0	0 0		0 0	0	0	0	0	
		the status of r			is from	WHOS	tate Offi	ice																																										
						•																																												