

Please write clearly in block capitals.

Centre number

--	--	--	--	--

Candidate number

--	--	--	--

Surname

---

Forename(s)

---

Candidate signature

---

# GCSE MATHEMATICS

# H

Higher Tier

Paper 3 Calculator

Monday 12 November 2018


Morning

Time allowed: 1 hour 30 minutes

## Materials

For this paper you must have:

- a calculator
- mathematical instruments.



## Instructions

- Use black ink or black ball-point pen. Draw diagrams in pencil.
- Fill in the boxes at the top of this page.
- Answer **all** questions.
- You must answer the questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- Do all rough work in this book. Cross through any work you do not want to be marked.

## Information

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 80.
- You may ask for more answer paper, graph paper and tracing paper. These must be tagged securely to this answer book.

### For Examiner's Use

Pages	Mark
2–3	
4–5	
6–7	
8–9	
10–11	
12–13	
14–15	
16–17	
18–19	
20–21	
22–23	
24–25	
26	
<b>TOTAL</b>	

## Advice

In all calculations, show clearly how you work out your answer.



N 0 V 1 8 8 3 0 0 3 H 0 1

Answer **all** questions in the spaces provided

Do not write  
outside the  
box

- 1** A shape is translated by the vector  $\begin{pmatrix} 0 \\ 4 \end{pmatrix}$

In which direction does the shape move?

Circle your answer.

**[1 mark]**

up

down

left

right

- 2** What is 1.75 kilometres as a fraction of 700 metres?

Circle your answer.

**[1 mark]**

$$\frac{5}{2}$$

$$\frac{1}{4}$$

$$\frac{4}{1}$$

$$\frac{2}{5}$$

- 3** The first 4 terms of a linear sequence are

3      11      19      27

Circle the expression for the  $n$ th term.

**[1 mark]**

$$8 - 5n$$

$$n + 8$$

$$8n + 3$$

$$8n - 5$$



- 4** Work out the lowest common multiple (LCM) of 20, 30 and 40  
Circle your answer.

**[1 mark]**

10

120

240

24 000

- 5** The length of a table is 110 cm to the nearest cm  
Complete the error interval.

**[2 marks]**

\_\_\_\_\_ cm  $\leq$  length < \_\_\_\_\_ cm

**Turn over for the next question**



6


A music festival has taken place each year from 2011

The table shows the number of people who attended each year.

Year	2011	2012	2013	2014	2015	2016	2017	2018
Number of people	350	583	906	1471	2023	2612	3251	3780

The festival organisers draw a time series graph to represent the data.

The first four years have been plotted.



**6 (a)** Complete the graph.

**[2 marks]**

**6 (b)** Use the graph to estimate the number of people who will attend the festival in 2019

**[2 marks]**

---

---

Answer \_\_\_\_\_

**Turn over for the next question**



$$k = n^2 + 9n + 1$$

" $k$  will be a prime number for all integer values of  $n$  from 1 to 9"

You **must** show that your value of  $k$  is **not** prime.

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



8

Doug owes an amount of £600

He wants to pay off this amount in five months.

He says,

“Each month, I will pay back 20% of the amount I still owe.”

Show working to check if his method is correct.

**[3 marks]**

---

---

---

---

---

---

---

---

---

---

---

---


**Turn over for the next question**



9

A motor racing circuit consists of  
 two parallel straight sections, each of length 0.75 km  
 a semicircle of diameter 0.9 km  
 three equal, smaller semicircles.

Not drawn  
accurately



The length of a motor race must be greater than 305 km

What is the lowest number of **full** laps needed at this circuit?

You **must** show your working.

[5 marks]

---

---

---

---

---

---

---

---

---

---

Answer \_\_\_\_\_





10 Solve  $8 > 3 - \frac{1}{2}x$

[2 marks]

---



---



---




---

Answer \_\_\_\_\_

11 Use trigonometry to work out the size of angle  $x$ .

[2 marks]



Not drawn  
accurately

---



---



---



---



---




---

Answer \_\_\_\_\_ degrees



- 12 Lewis wants to draw the graph  $y = x^3$  for values of  $x$  from  $-2$  to  $2$ . Here is his graph.



Make **one** criticism of his graph.

[1 mark]

---

---



- 13** The probability of Heads when a biased coin is thrown is 0.6  
The coin is thrown 500 times.  
Circle the expected number of Tails. **[1 mark]**

20

200

250

300

- 14** The mean mass of a squad of 19 hockey players is 82 kg  
A player of mass 93 kg joins the squad.  
Work out the mean mass of the squad now. **[3 marks]**

---

---

---

---

---

---

---

Answer \_\_\_\_\_ kg




- 15 A company makes two types of lampshade using fabric on wire frames.

**Lampshade A**


Fabric is used to make the curved surface of a cylinder.

The cylinder has radius 8 cm and height 22 cm




**Lampshade B**

Fabric is used to make the four triangular faces of a pyramid.



Each triangular face has base 15 cm and perpendicular height 24 cm



Not drawn  
accurately



Cost of fabric	£400 per square metre
Other costs for A	£3.50 per lampshade
Other costs for B	£7.50 per lampshade

Work out the ratio      cost of one lampshade A : cost of one lampshade B

Give your answer in the form  $n : 1$

**[5 marks]**

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins or other markings on the paper.

Answer \_\_\_\_\_ :

5

**Turn over ►**



16

In a running club there are 50 females and 80 males.

If a female is chosen at random, the probability she has blue eyes is 0.38

If a male is chosen at random, the probability he has blue eyes is 0.6

One person is chosen at random.

Show that the probability the person has blue eyes is **more than** 0.5

[4 marks]

---

---

---

---

---

---

---

---

---

---

17

$$w = \frac{3}{5\sqrt{x}}$$

Circle the expression for  $w^2$

[1 mark]

$$\frac{6}{10x^2}$$

$$\frac{9}{25x^2}$$

$$\frac{6}{10x}$$

$$\frac{9}{25x}$$




18

Here is some information about the ages of people at a concert.

Age, $x$ (years)	Frequency
$10 \leq x < 15$	8
$15 \leq x < 25$	24
$25 \leq x < 40$	30
$40 \leq x < 70$	39

Draw a histogram to represent the information.

[3 marks]



Turn over ►



**19**

The length of a roll of ribbon is 30 metres, correct to the nearest half-metre.

A piece of length 5.8 metres, correct to the nearest 10 centimetres, is cut from the roll.

Work out the maximum possible length of ribbon left on the roll.

**[3 marks]**

---

---

---

---

---

---

---

Answer \_\_\_\_\_ metres





20

Curve P has equation  $y = 2(x - 1)^2 - 5$

Curve Q is a reflection in the  $y$ -axis of curve P.

Work out the equation of curve Q.

Give your answer in the form  $y = ax^2 + bx + c$  where  $a$ ,  $b$  and  $c$  are integers.

**[3 marks]**

---

---

---

---

---

---

Answer \_\_\_\_\_

**Turn over for the next question**



Priya and Joe travel the same 16.8 km route.

Joe starts at 9.30 am and runs at a constant speed.

At what time does Joe finish the route?

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are approximately 20 lines visible. The paper has a slight shadow on the right side, suggesting it's resting on a surface.

Answer \_\_\_\_\_



- 22** An approximate solution to an equation is found using the iterative formula

$$x_{n+1} = \frac{(x_n)^3 - 2}{10} \quad \text{with } x_1 = -1$$

- 22 (a)** Work out the values of  $x_2$  and  $x_3$

**[2 marks]**

---



---



---



---

$$x_2 = \underline{\hspace{10cm}}$$

$$x_3 = \underline{\hspace{10cm}}$$

- 22 (b)** Work out the solution to 5 decimal places.

**[1 mark]**

---



---



---




---

$$x = \underline{\hspace{10cm}}$$



The diagram shows the side view of a step ladder with a horizontal strut of length 48 cm. The strut is one third of the way up the ladder. The symmetrical cross section of the ladder shows two similar triangles.



**[5 marks]**

[illegible]

Answer cm



Volume of a sphere =  $\frac{4}{3}\pi r^3$     where  $r$  is the radius

Volume of a cone =  $\frac{1}{3}\pi r^2 h$  where  $r$  is the radius and  $h$  is the perpendicular height

A cone has

perpendicular height  $h$  cm

Work out      radius of cone : perpendicular height of cone

Give your answer in the form  $a : b$  where  $a$  and  $b$  are integers.


**[4 marks]**

[illegible]

Answer \_\_\_\_\_ :



25

 $ABCD$  is a quadrilateral.Not drawn  
accuratelyThe quadrilateral is reflected in the line  $x = 4$ 

Which vertices are invariant?

Circle your answer.

[1 mark]

☐  $A$  and  $D$ ☐  $C$  and  $D$ ☐  $B$  and  $C$ ☐  $B$  and  $D$ 

26

$$f(x) = \frac{2x+3}{x-4}$$

Work out  $f^{-1}(x)$ **[4 marks]**

---

---

---

---

---

---

---

---

Answer \_\_\_\_\_

**Turn over for the next question**

- 27** The line  $y = 3x + p$  and the circle  $x^2 + y^2 = 53$  intersect at points  $A$  and  $B$ .  
 $p$  is a positive integer.

- 27 (a)** Show that the  $x$ -coordinates of points  $A$  and  $B$  satisfy the equation

$$10x^2 + 6px + p^2 - 53 = 0$$

**[3 marks]**

---

---

---

---

---

---

---

---

---





You **must** show your working.

**[5 marks]**

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Answer ( \_\_\_\_\_ , \_\_\_\_\_ )

**Turn over for the next question**




28

Here is a sketch of a quadratic curve.

The turning point is  $(3, -2)$

Not drawn  
accurately



Circle the correct statement about the gradient of the curve for  $x < 3$

[1 mark]

gradient is positive

gradient is negative

gradient is zero

gradient could be any value

**END OF QUESTIONS**



**There are no questions printed on this page**

*Do not write  
outside the  
box*

**DO NOT WRITE ON THIS PAGE  
ANSWER IN THE SPACES PROVIDED**



**There are no questions printed on this page**

*Do not write  
outside the  
box*

**DO NOT WRITE ON THIS PAGE  
ANSWER IN THE SPACES PROVIDED**

**Copyright information**

For confidentiality purposes, from the November 2015 examination series, acknowledgements of third-party copyright material will be published in a separate booklet rather than including them on the examination paper or support materials. This booklet is published after each examination series and is available for free download from [www.aqa.org.uk](http://www.aqa.org.uk) after the live examination series.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2018 AQA and its licensors. All rights reserved.



---

# GCSE MATHEMATICS 8300/3H

Higher Tier Paper 3 Calculator

---

Mark scheme

November 2018

---

Version: 1.0 Final



Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts. Alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Assessment Writer.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this mark scheme are available from [aqa.org.uk](http://aqa.org.uk)

**Glossary for Mark Schemes**

GCSE examinations are marked in such a way as to award positive achievement wherever possible. Thus, for GCSE Mathematics papers, marks are awarded under various categories.

If a student uses a method which is not explicitly covered by the mark scheme the same principles of marking should be applied. Credit should be given to any valid methods. Examiners should seek advice from their senior examiner if in any doubt.

<b>M</b>	Method marks are awarded for a correct method which could lead to a correct answer.
<b>A</b>	Accuracy marks are awarded when following on from a correct method. It is not necessary to always see the method. This can be implied.
<b>B</b>	Marks awarded independent of method.
<b>ft</b>	Follow through marks. Marks awarded for correct working following a mistake in an earlier step.
<b>SC</b>	Special case. Marks awarded for a common misinterpretation which has some mathematical worth.
<b>M dep</b>	A method mark dependent on a previous method mark being awarded.
<b>B dep</b>	A mark that can only be awarded if a previous independent mark has been awarded.
<b>oe</b>	Or equivalent. Accept answers that are equivalent. eg accept 0.5 as well as $\frac{1}{2}$
<b>[a, b]</b>	Accept values between a and b inclusive.
<b>[a, b)</b>	Accept values $a \leq \text{value} < b$
<b>3.14 ...</b>	Accept answers which begin 3.14 eg 3.14, 3.142, 3.1416
<b>Use of brackets</b>	It is not necessary to see the bracketed work to award the marks.

Examiners should consistently apply the following principles

### **Diagrams**

Diagrams that have working on them should be treated like normal responses. If a diagram has been written on but the correct response is within the answer space, the work within the answer space should be marked. Working on diagrams that contradicts work within the answer space is not to be considered as choice but as working, and is not, therefore, penalised.

### **Responses which appear to come from incorrect methods**

Whenever there is doubt as to whether a student has used an incorrect method to obtain an answer, as a general principle, the benefit of doubt must be given to the student. In cases where there is no doubt that the answer has come from incorrect working then the student should be penalised.

### **Questions which ask students to show working**

Instructions on marking will be given but usually marks are not awarded to students who show no working.

### **Questions which do not ask students to show working**

As a general principle, a correct response is awarded full marks.

### **Misread or miscopy**

Students often copy values from a question incorrectly. If the examiner thinks that the student has made a genuine misread, then only the accuracy marks (A or B marks), up to a maximum of 2 marks are penalised. The method marks can still be awarded.

### **Further work**

Once the correct answer has been seen, further working may be ignored unless it goes on to contradict the correct answer.

### **Choice**

When a choice of answers and/or methods is given, mark each attempt. If both methods are valid then M marks can be awarded but any incorrect answer or method would result in marks being lost.

### **Work not replaced**

Erased or crossed out work that is still legible should be marked.

### **Work replaced**

Erased or crossed out work that has been replaced is not awarded marks.

### **Premature approximation**

Rounding off too early can lead to inaccuracy in the final answer. This should be penalised by 1 mark unless instructed otherwise.

### **Continental notation**

Accept a comma used instead of a decimal point (for example, in measurements or currency), provided that it is clear to the examiner that the student intended it to be a decimal point.



Question	Answer	Mark	Comments
1	up	B1	
	Additional Guidance		
2	$\frac{5}{2}$	B1	
	Additional Guidance		
3	$8n - 5$	B1	
	Additional Guidance		
4	120	B1	
	Additional Guidance		
5	109.5 in the correct position	B1	oe
	110.5 in the correct position	B1	oe Allow 110.49 answers reversed score B0B1
	Additional Guidance		
	110.4999...		B1
	110.4999		B0

Question	Answer	Mark	Comments
6(a)	Plots at least 3 points correctly	M1	Plots within the correct 2 mm vertical square
	Fully correct with all points joined	A1	
	<b>Additional Guidance</b>		
6(b)	[4200, 4500]	B2	B1 Any indication the 2018 figure is being increased for 2019 eg a point plotted for 2019 that is greater than 3780
	<b>Additional Guidance</b>		
	Answer in range with or without working		B2
	4300 – 4350 on answer line (both values in range)		B2
	4400 – 4600 on answer line (one value in range)		B1
	Answer outside of range but between 3780 and 4200		B1
	Answer outside of range but greater than 4500		B1

Question	Answer	Mark	Comments
7	Any correct value	M1	11, 23, 37, 53, 71, 91, 113, 137, 163
	Selects 91 as the only incorrect value with no errors in values given	A1	oe eg stops at 91
	91 and 13 (is a factor) or 91 and 7 (is a factor) or 91 and $13 \times 7$	A1	oe eg $91 \div 7 = 13$
	<b>Additional Guidance</b>		
	Ignore incorrect evaluations for first mark		
	Ignore all values for $n$ greater than 9		
	Do not allow 11 within a list of prime numbers eg 2, 3, 5, 7, 11...		
	Error in list eg <u>12</u> , 23, 37, 53, 71, 91, 113, 137, 163 with 12 and 91 selected as not prime (not valid as incorrect)		M1A0A0
	Error in list eg <u>12</u> , 23, 37, 53, 71, 91, 113, 137, 163 with only 91 selected as not prime (not valid as incorrect conclusion from their list)		M1A0A0
	$9^2 + 9 + 1 = 91$ is incorrect working		M0A0A0

Question	Answer	Mark	Comments
8	<b>Alternative method 1</b>		
	$(600 \times) 0.8$ or 480	M1	oe
	$600 \times 0.8^2$ or 384 or $600 \times 0.8^3$ or 307.2(0) or $600 \times 0.8^4$ or 245.76 or $600 \times 0.8^5$ or [196, 197]	M1dep	
	[196, 197] and incorrect	A1	oe eg 196.61 and no 196.61 still owed
	<b>Alternative method 2</b>		
	$600 \times 0.2$ or 120	M1	oe
	$120 \times 0.8$ or 96 or $96 \times 0.8$ or 76.8(0) or $76.8(0) \times 0.8$ or 61.44 or $61.44 \times 0.8$ or [49.15, 49.16]	M1dep	oe eg $(600 - 120) \times 0.2$ or $480 \times 0.2$
	[403, 404] and incorrect	A1	oe eg paid off 403.39(2)
	<b>Alternative method 3</b>		
	0.8	M1	
	$0.8^5$ or 0.327 68 or 0.3277 or 0.328 or 0.33	M1dep	
	0.327 68 (or 0.3277 or 0.328 or 0.33) and incorrect	A1	oe
	<b>Additional Guidance</b>		
	Ignore units		
	Full marks can be awarded for a correct explanation eg 120 and 96 calculated with a comment 'as soon as the payment is below 120 a month it cannot be paid off in five months'		

Question	Answer	Mark	Comments
9	$0.9 \times \pi \div 2$ or $0.9\pi \div 2$ or $0.45\pi$ or $0.9 \times [3.14, 3.142] \div 2$ or $[2.82, 2.83] \div 2$ or $2.8 \div 2$ or $1.4\dots$	M1	Large semicircle
	$0.9 \div 3 \times \pi \div 2$ or $0.3\pi \div 2$ or $0.15\pi$ or $0.9 \div 3 \times [3.14, 3.142] \div 2$ or $0.94\dots \div 2$ or $0.47\dots$	M1	Small semicircle May be implied from using $1.4\dots$ for three small semicircles in next mark
	their $1.4\dots$ $+ 3 \times$ their $0.47\dots$ $+ 2 \times 0.75$  or $0.9\pi + 2 \times 0.75$  or $2 \times$ their $1.4\dots + 2 \times 0.75$  or $4.3\dots$	M1dep	oe dep on both marks
	$305 \div$ their $4.3\dots$ or $[70.4, 70.94]$	M1dep	dep on previous mark
	71 with working	A1	
	<b>Additional Guidance</b>		
	$0.9\pi$ or $2.8\dots$ with no evidence of incorrect method		M1M1
	$0.45\pi \div 2$		M0

Question	Answer	Mark	Comments
10	<b>Alternative method 1</b>		
	$\frac{1}{2}x > 3 - 8$ or $\frac{1}{2}x > -5$ or $8 - 3 > -\frac{1}{2}x$ or $5 > -\frac{1}{2}x$ or $8 + \frac{1}{2}x > 3$	M1	oe
	$x > -10$	A1	oe $-10 < x$
	<b>Alternative method 2</b>		
	$16 > 6 - x$ or $16 - 6 > -x$ or $10 > -x$ or $x > 6 - 16$ or $16 + x > 6$	M1	oe
	$x > -10$	A1	oe $-10 < x$
	<b>Additional Guidance</b>		
	Answer using incorrect sign eg $x < -10$ or $x = -10$		M1A0

Question	Answer	Mark	Comments
11	$\cos x = \frac{9}{10}$	M1	oe eg $\sin x = \frac{\sqrt{10^2 - 9^2}}{10}$ $\tan x = \frac{\sqrt{10^2 - 9^2}}{9}$
	25.8... or 26	A1	
	<b>Additional Guidance</b>		
	$\cos = \frac{9}{10} \quad x = 25.8$ (recovered)		M1A1
	$\cos = \frac{9}{10}$		M0A0
12	Graph should be a curve	B1	oe eg Should not be straight lines Not a curve Not smooth Too straight Need more points plotted
	<b>Additional Guidance</b>		
13	200	B1	
	<b>Additional Guidance</b>		

Question	Answer		Mark	Comments	
14	19 × 82 or 1558		M1		
	$\frac{\text{their } 1558 + 93}{20}$ or $\frac{1651}{20}$		M1dep	oe	
	82.55 or 82.6		A1		
	Additional Guidance				
15	$2 \times \pi \times 8 \times 22$ or $352\pi$ or [1105, 1106]		M1	Area of lampshade A oe $2 \times \pi \times 0.08 \times 0.22$ or $0.0352\pi$ or [0.1105, 0.1106]	
	$4 \times \frac{1}{2} \times 15 \times 24$ or 720		M1	Area of lampshade B oe $4 \times \frac{1}{2} \times 0.15 \times 0.24$ or 0.072	
	their $352\pi \div 100^2 \times 400$ or 14.08π or [44.2, 44.24]	their $720 \div 100^2 \times 400$ or 28.8(0)	M1dep	their $0.0352\pi \times 400$ or 14.08π or [44.2, 44.24]	their $0.072 \times 400$ or 28.8(0)
				dep on 1st M1	dep on 2nd M1
	their $14.08\pi + 3.50$ or [47.7, 47.74] and their $28.8(0) + 7.5(0)$ or 36.3(0)		M1dep	dep on M3 and method for fabric cost for both lampshades correct	
	1.3(1...) : 1 or 1.32 : 1		A1		
	Additional Guidance				
	1 : 1.3(1...) or 1 : 1.32				M4A0



Question	Answer	Mark	Comments
16	<b>Alternative method 1</b>		
	$0.38 \times 50$ or 19	M1	oe
	$0.6 \times 80$ or 48	M1	oe
	$\frac{\text{their } 19 + \text{their } 48}{50 + 80}$ or $\frac{67}{130}$	M1dep	oe
	$0.51(5\dots)$ or 0.52 or $\frac{67}{130}$ and $(67 \times 2 =) 134$ or $\frac{67}{130}$ and $(130 \div 2 =) 65$	A1	oe
	<b>Alternative method 2</b>		
	$0.38 \times 50$ or 19	M1	oe
	$0.6 \times 80$ or 48	M1	oe
	$0.5 \times (50 + 80)$ or 65	M1dep	oe
	65 and 67	A1	
	<b>Alternative method 3</b>		
	$0.38 \times 50$ or 19	M1	oe
	$0.5 \times (50 + 80)$ or 65	M1	oe
	$\frac{\text{their } 65 - \text{their } 19}{80}$ or $\frac{46}{80}$	M1dep	oe
	0.575	A1	

Continues on next page

Question	Answer	Mark	Comments
16 cont	<b>Alternative method 4</b>		
	$0.6 \times 80$ or 48	M1	oe
	$0.5 \times (50 + 80)$ or 65	M1	oe
	$\frac{\text{their } 65 - \text{their } 48}{50}$ or $\frac{17}{50}$	M1dep	oe
	0.34	A1	
	<b>Alternative method 5</b>		
	$\frac{50}{130} \times 0.38$ or 0.14... or 0.15	M1	oe
	$\frac{80}{130} \times 0.6$ or 0.36... or 0.37	M1	oe
	their 0.14... + their 0.36...	M1dep	oe
	0.51(5...) or 0.52	A1	
	<b>Additional Guidance</b>		
17	$\frac{9}{25x}$	B1	
	<b>Additional Guidance</b>		

Question	Answer	Mark	Comments
18	Any one of $8 \div 5$ or 1.6 or $24 \div 10$ or 2.4 or $30 \div 15$ or 2 or $39 \div 30$ or 1.3	M1	Implied by a correct bar
	At least three of 1.6 and 2.4 and 2 and 1.3	M1dep	Implied by three correct bars
	Fully correct histogram	A1	Tolerance $\pm \frac{1}{2}$ square ignore frequency polygon if drawn
	<b>Additional Guidance</b>		
	<p style="text-align: center;"><b>Ages of people at a concert</b></p>		3 marks

Question	Answer	Mark	Comments
19	30.25 or 29.75 or 5.85 or 5.75	B1	
	their 30.25 – their 5.75	M1	Must be their max roll – their min cut their max must be (30, 30.5] their min must be [5.5, 5.8)
	24.5	A1	
	<b>Additional Guidance</b>		
	30.5 – 5.75 = 24.75		B1M1A0
20	<b>Alternative method 1</b>		
	$2(-x - 1)^2 - 5$	M1	oe Replacing $x$ with $-x$
	$2(x^2 + x + x + 1) - 5$ or $2x^2 + 4x + 2 - 5$ or $2x^2 + 4x - 3$	M1dep	oe expansion
	$y = 2x^2 + 4x - 3$	A1	
	<b>Alternative method 2</b>		
	$2(x^2 - x - x + 1) - 5$ or $2x^2 - 4x + 2 - 5$ or $2x^2 - 4x - 3$	M1	oe expansion Multiplying out original expression
	$2(-x)^2 - 4(-x) - 3$ or $2x^2 + 4x - 3$	M1dep	oe Replacing $x$ with $-x$
	$y = 2x^2 + 4x - 3$	A1	
	<b>Additional Guidance</b>		
	Using symmetry in $y$ axis, $y = 2(x + 1)^2 - 5 \rightarrow y = 2x^2 + 4x - 3$		M1M1A1

Question	Answer	Mark	Comments
21	1(h) 20 (min) and 50 (min) or $1\frac{20}{60}$ (h) or $1\frac{1}{3}$ (h) or 1.33...(h) or $\frac{50}{60}$ (h) or $\frac{5}{6}$ (h) or 0.83...(h)	B1	oe Journey time(s) at 10.20 am
	$6 \times \text{their } 1\frac{1}{3}$ or 8	M1	oe Priya's distance at 10.20 am
	their $8 \div \text{their } \frac{50}{60}$ or 9.6 or $16.8 \div 8$ or 2.1	M1dep	oe Joe's speed in km/h Multiplier for distance comparison
	$16.8 \div \text{their } 9.6$ or 1.75(h) or 1(h) 45 (min) or 105 (min)  or $16.8 \div 8 \times 50 (\div 60)$  or $\frac{16.8 - \text{their } 8}{\text{their } 9.6}$ or $\frac{8.8}{\text{their } 9.6}$ or 0.91(6...)(h) or 0.917(h) or 0.92(h) or 55(min)	M1dep	oe Joe's total journey time  Joe's journey time after overtaking Priya
	11.15 (am)	A1	oe eg quarter past 11 (in the morning)
	<b>Additional Guidance</b>		
	If 11.15 comes from correct method but with premature rounding eg $8 \div 0.83 = 9.64$ $16.8 \div 9.64 = 1.743$ h $1.743 \times 60 = 104.58$ minutes ie 11 : 14 : 58 so 11 : 15		B1M3A0
	8 km implies		B1M1
	16.8 $\div$ 6 or 2.8 with no further valid working		B0M0

Question	Answer	Mark	Comments
22(a)	$-0.3$ or $-\frac{3}{10}$	B1	
	$-0.2027$ or $-\frac{2027}{10\,000}$	B1ft	ft their $-0.3$
	<b>Additional Guidance</b>		
	ft answer must be to at least 4 decimal places		
	Note: if their $-0.3$ is $-0.2027$ , then ft answer is $-0.200\,832\,8\dots$		
22(b)	$-0.20081$	B1	
	<b>Additional Guidance</b>		
	Answer must be to exactly 5 decimal places		
	$-0.20083$		B0
23	<b>Alternative method 1</b>		
	$48 \div 2 \times 3$ or $72$	M1	oe
	their $72 \div 2$ or $36$	M1dep	$\cos^{-1}\left(\frac{36}{141}\right)$ or $75.2$
	$141^2 - \text{their } 36^2$ or $18\,585$	M1dep	ft their base $\div 2$ $\sin(\text{their } 75.2) = \frac{h}{141}$ or $\tan(\text{their } 75.2) = \frac{h}{\text{their } 36}$
	$\sqrt{141^2 - \text{their } 36^2}$ or $\sqrt{18\,585}$	M1dep	$141 \times \sin(\text{their } 75.2)$ or $\text{their } 36 \times \tan(\text{their } 75.2)$
	$[136.2, 136.4]$ or $136$	A1	

Continues on next page

Question	Answer	Mark	Comments
23 cont	<b>Alternative method 2</b>		
	$141 \div 3$ or 47	M1	oe
	24 and their $47 \times 2$ or 24 and 94 or 12 and their 47	M1dep	$\cos^{-1}\left(\frac{24}{94}\right)$ or 75.2
	their $94^2 - 24^2$ or 8260 or $\sqrt{8260}$ or 90.88...  or their $47^2 - 12^2$ or 2065 or $\sqrt{2065}$ or 45.44...	M1dep	$\sin(\text{their } 75.2) = \frac{h}{\text{their } 94}$ or $\tan(\text{their } 75.2) = \frac{h}{24}$
	$\sqrt{\text{their } 94^2 - 24^2} \times 3 \div 2$ or $\sqrt{8260} \times 3 \div 2$ or $90.88... \times 3 \div 2$ or $\sqrt{\text{their } 47^2 - 12^2} \times 3$ or $\sqrt{2065} \times 3$ or $45.44... \times 3$	M1dep	their $94 \times \sin(\text{their } 75.2) \times 3 \div 2$ or $24 \times \tan(\text{their } 75.2) \times 3 \div 2$
	[136.2, 136.35] or 136	A1	
	<b>Additional Guidance</b>		
	Values may be seen on diagram in correct positions		

Question	Answer	Mark	Comments
24	$\frac{4}{3}\pi(2x)^3$ or $\frac{1}{3}\pi(3x)^2h$	M1	oe
	$\frac{4}{3}\pi(2x)^3 = \frac{1}{3}\pi(3x)^2h$ or $\frac{4}{3}\pi 8x^3 = \frac{1}{3}\pi 9x^2h$	M1dep	oe Sets up equation
	$32x = 9h$ or $x = \frac{9}{32}h$ or $h = \frac{32}{9}x$ or $\frac{32}{3}r = 9h$ or $r = \frac{27}{32}h$ or $h = \frac{32}{27}r$ or $27h = 32r$ or $\frac{27}{32}h : h$ or $3x : \frac{32}{9}x$ or $\frac{27}{32} : 1$ or $3 : \frac{32}{9}$ or $0.84... : 1$ or $3 : 3.55...$	M1dep	oe linear equation or ratio
	27 : 32	A1	
	<b>Additional Guidance</b>		
	32 : 27		M1M1M1A0
	Note $\frac{4}{3}\pi(2)^3 = [33.49, 33.52]$ $\frac{1}{3}\pi(3)^2h = [9.42h, 9.43h]$		



Question	Answer	Mark	Comments
25	$B$ and $C$	B1	
	<b>Additional Guidance</b>		
26	$y(x - 4) = 2x + 3$	M1	$x(y - 4) = 2y + 3$
	$yx - 4y = 2x + 3$	M1dep	$xy - 4x = 2y + 3$
	$yx - 2x = 4y + 3$ or $x(y - 2) = 4y + 3$ or $x = \frac{4y + 3}{y - 2}$	M1dep	$xy - 2y = 4x + 3$ or $y(x - 2) = 4x + 3$
	$\frac{4x + 3}{x - 2}$	A1	oe Must be in terms of $x$
	<b>Additional Guidance</b>		
	Ignore any attempt to give the domain of $f^{-1}$		
27(a)	$x^2 + (3x + p)^2 = 53$	M1	oe
	$9x^2 + 3xp + 3xp + p^2$ or $9x^2 + 6xp + p^2$	M1	Expands $(3x + p)^2$ correctly
	$x^2 + (3x + p)^2 = 53$ and $x^2 + 9x^2 + 3xp + 3xp + p^2 = 53$ and $10x^2 + 6px + p^2 - 53 = 0$ or $x^2 + (3x + p)^2 = 53$ and $x^2 + 9x^2 + 6xp + p^2 = 53$ and $10x^2 + 6px + p^2 - 53 = 0$	A1	
	<b>Additional Guidance</b>		

Question	Answer	Mark	Comments
27(b)	$7 = 3 \times 2 + p$ or $7 = 6 + p$ or $p = 1$	M1	oe Substitutes $x = 2$ into given equation $10(2)^2 + 6p(2) + p^2 - 53 = 0$ or $p^2 + 12p - 13 = 0$ or $(p - 1)(p + 13)$ or $p = 1$ (and $p = -13$ )
	$10x^2 + 6x + 1 - 53 (= 0)$ or $10x^2 + 6x - 52 (= 0)$ or $5x^2 + 3x - 26 (= 0)$	M1dep	oe equation Substitutes their $p$ into given equation
	$(5x + 13)(x - 2)$ or $\frac{-3 \pm \sqrt{3^2 - 4 \times 5 \times -26}}{2 \times 5}$ or $-\frac{3}{10} \pm \sqrt{\frac{529}{100}}$	M1	oe Correct factorisation of their 3-term quadratic or correct substitution in formula for their 3-term quadratic or correct completion of square to expression for $x$
	$(x =) -2.6$	A1	oe
	$(-2.6, -6.8)$	A1	oe
	<b>Additional Guidance</b>		
	After scoring first M1, they substitute $p = -13$ $(p - 1)(p + 13)$ or $p = 1$ (and $p = -13$ )  $10x^2 - 78x + 169 - 53 = 0$ or $10x^2 - 78x + 116 = 0$ or $5x^2 - 39x + 58 = 0$  $(5x - 29)(x - 2)$ or $\frac{-39 \pm \sqrt{(-39)^2 - 4 \times 5 \times 58}}{2 \times 5}$ or $\frac{39}{10} \pm \sqrt{\frac{361}{100}}$		M1  M1dep  M1dep A0 A0

Question	Answer	Mark	Comments
28	gradient is negative	B1	
	Additional Guidance		