Surname	Oth	er names
Pearson Edexcel Level 1/Level 2 GCSE (9-1) Mathemat	Centre Number	Candidate Number
Paper 2 (Calculator)		
Paper 2 (Calculator)		Higher Tier

You must have: Ruler graduated in centimetres and millimetres, protractor, pair of compasses, pen, HB pencil, eraser, calculator. Tracing paper may be used.

Total Marks

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** guestions.
- Answer the questions in the spaces provided
 there may be more space than you need.
- You must **show all your working**.
- Diagrams are **NOT** accurately drawn, unless otherwise indicated.
- Calculators may be used.
- If your calculator does not have a π button, take the value of π to be 3.142 unless the question instructs otherwise.

Information

- The total mark for this paper is 80
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.

Advice

- Read each question carefully before you start to answer it.
- Keep an eye on the time.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶



P49361A
©2017 Pearson Education Ltd.
6/6/6/7/2/2/



Answer ALL questions.

Write your answers in the spaces provided.

You must write down all the stages in your working.

1 Solve
$$5x - 6 = 3(x - 1)$$

x =.....

(Total for Question 1 is 3 marks)

2 Emily buys a pack of 12 bottles of water. The pack costs £5.64


Emily sells all 12 bottles for 50p each.

Work out Emily's percentage profit. Give your answer correct to 1 decimal place.

.....

(Total for Question 2 is 3 marks)

3 Hasmeet walks once round a circle with diameter 80 metres.




There are 8 points equally spaced on the circumference of the circle.

(a) Find the distance Hasmeet walks between one point and the next point.

(2)

Four of the points are moved, as shown in the diagram below.



Hasmeet walks once round the circle again.

(b) Has the mean distance that Hasmeet walks between one point and the next point changed? You must give a reason for your answer.

(1)

(Total for Question 3 is 3 marks)



4 There are only blue cubes, yellow cubes and green cubes in a bag.

There are


twice as many blue cubes as yellow cubes and four times as many green cubes as blue cubes.

Hannah takes at random a cube from the bag.

Work out the probability that Hannah takes a yellow cube.

(Total for Question 4 is 3 marks)

5



(a) Rotate trapezium T 180° about the origin. Label the new trapezium A.

(1)

(b) Translate trapezium **T** by the vector $\begin{pmatrix} -1 \\ -3 \end{pmatrix}$ Label the new trapezium **B**.

(1)

(Total for Question 5 is 2 marks)

 $6 \quad p^3 \times p^x = p^9$

(a) Find the value of x.

$$x = \dots (1)$$

$$(7^2)^y = 7^{10}$$

(b) Find the value of y.

$$y = \dots$$
 (1)


 $100^a \times 1000^b$ can be written in the form 10^w

(c) Show that w = 2a + 3b

(2)

(Total for Question 6 is 4 marks)

7 ABCD is a trapezium.



Work out the size of angle *CDA*. Give your answer correct to 1 decimal place.

(Total for Question 7 is 5 marks)



- 8 Use your calculator to work out $\sqrt{\frac{\sin 25^\circ + \sin 40^\circ}{\cos 25^\circ \cos 40^\circ}}$
 - (a) Write down all the figures on your calculator display.

(2)

(b) Write your answer to part (a) correct to 2 decimal places.

(1)

(Total for Question 8 is 3 marks)

9 Yesterday it took 5 cleaners $4\frac{1}{2}$ hours to clean all the rooms in a hotel.

There are only 3 cleaners to clean all the rooms in the hotel today.


Each cleaner is paid £8.20 for each hour or part of an hour they work.

How much will each cleaner be paid today?

£

(Total for Question 9 is 3 marks)

10 Here is part of a distance-time graph for a car's journey.



(a) Between which two times does the car travel at its greatest speed? Give a reason for your answer.


(2)

(b) Work out this greatest speed.


.....m/

(Total for Question 10 is 3 marks)

11 The pie charts give information about the ages, in years, of people living in two towns, Adley and Bridford.



Diagrams accurately drawn




The ratio of the number of people living in Adley to the number of people living in Bridford is given by the ratio of the areas of the pie charts.

What proportion of the total number of people living in these two towns live in Adley and are aged 0-19?

Give your answer correct to 3 significant figures.

(Total for Question 11 is 3 marks)





RS and ST are 2 sides of a regular 12-sided polygon. RT is a diagonal of the polygon.

Work out the size of angle *STR*. You must show your working.

0

(Total for Question 12 is 3 marks)

13 At the beginning of 2009, Mr Veale bought a company. The value of the company was £50 000

Each year the value of the company increased by 2%.

(a) Calculate the value of the company at the beginning of 2017 Give your answer correct to the nearest £100

£	
	(2)

At the beginning of 2009 the value of a different company was £250 000 In 6 years the value of this company increased to £325 000

This is equivalent to an increase of x% each year.

(b) Find the value of *x*. Give your answer correct to 2 significant figures.




(Total for Question 13 is 5 marks)



14 On the grid, shade the region that satisfies all these inequalities.

$$x + y < 5$$

Label the region **R**.



(Total for Question 14 is 3 marks)

15 Tracey is going to choose a main course and a dessert in a cafe.

She can choose from 8 main courses and 7 desserts.

Tracey says that to work out the number of different ways of choosing a main course and a dessert you add 8 and 7

(a) Is Tracey correct?

You must give a reason for your answer.

(1)

12 teams play in a competition.

Each team plays each other team exactly once.

(b) Work out the total number of games played.

(2)

(Total for Question 15 is 3 marks)

16 Solve $(x-2)^2 = 3$


Give your solutions correct to 3 significant figures.

(Total for Question 16 is 2 marks)

17 The table gives information about the heights of 150 students.

Height (h cm)	Frequency
$140 < h \leqslant 150$	15
$150 < h \leqslant 155$	30
$155 < h \leqslant 160$	51
$160 < h \leqslant 165$	36
$165 < h \leqslant 180$	18

(a) On the grid, draw a histogram for this information.



(3)

(b) Work out an estimate for the fraction of the students who have a height between 150 cm and 170 cm.

(2)

(Total for Question 17 is 5 marks)

18 At time t = 0 hours a tank is full of water.

Water leaks from the tank.

At the end of every hour there is 2% less water in the tank than at the start of the hour.

The volume of water, in litres, in the tank at time t hours is \boldsymbol{V}_t

Given that

$$V_{0} = 2000 V_{t+1} = kV_{t}$$

write down the value of k.

 $k = \dots$

(Total for Question 18 is 1 mark)

19 A triangle has vertices P, Q and R.

The coordinates of P are (-3, -6)

The coordinates of Q are (1, 4)

The coordinates of R are (5, -2)

M is the midpoint of PQ.


N is the midpoint of QR.

Prove that MN is parallel to PR.

You must show each stage of your working.

(Total for Question 19 is 4 marks)





OAC is a sector of a circle, centre O, radius 10 m.

BA is the tangent to the circle at point A. BC is the tangent to the circle at point C.

Angle $AOC = 120^{\circ}$

Calculate the area of the shaded region. Give your answer correct to 3 significant figures.

......m²

(Total for Question 20 is 5 marks)



21 There are 12 counters in a bag.

There is an equal number of red counters, blue counters and yellow counters in the bag. There are no other counters in the bag.

- 3 counters are taken at random from the bag.
- (a) Work out the probability of taking 3 red counters.

(2)

The 3 counters are put back into the bag.

Some more counters are now put into the bag.

There is still an equal number of red counters, blue counters and yellow counters in the bag. There are no counters of any other colour in the bag.

- 3 counters are taken at random from the bag.
- (b) Is it now less likely or equally likely or more likely that the 3 counters will be red? You must show how you get your answer.

(2)

(Total for Question 21 is 4 marks)



22 The functions f and g are such that

$$f(x) = 5x + 3 \qquad g(x)$$

$$g(x) = ax + b$$

f(x) = 5x + 3 g(x) = ax + b where a and b are constants.

$$g(3) = 20$$
 and $f^{-1}(33) = g(1)$

Find the value of a and the value of b.

(Total for Question 22 is 5 marks)

23 S is a geometric sequence.

(a) Given that $(\sqrt{x} - 1)$, 1 and $(\sqrt{x} + 1)$ are the first three terms of S, find the value of x. You must show all your working.

(3)

(b) Show that the 5th term of S is $7 + 5\sqrt{2}$

(2)

(Total for Question 23 is 5 marks)

TOTAL FOR PAPER IS 80 MARKS

BLANK PAGE



BLANK PAGE



Mark Scheme (Results)

November 2017

Pearson Edexcel GCSE (9 – 1) In Mathematics (1MA1) Higher (Calculator) Paper 2H



Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

November 2017
Publications Code 1MA1_2H_1711_MS
All the material in this publication is copyright
© Pearson Education Ltd 2017

General marking guidance

These notes offer general guidance, but the specific notes for examiners appertaining to individual questions take precedence.

- 1 All candidates must receive the same treatment. Examiners must mark the last candidate in exactly the same way as they mark the first.
 - Where some judgement is required, mark schemes will provide the principles by which marks will be awarded; exemplification/indicative content will not be exhaustive. When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the response should be sent to review.
- All the marks on the mark scheme are designed to be awarded; mark schemes should be applied positively. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme. If there is a wrong answer (or no answer) indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.
 - **Questions where working is not required**: In general, the correct answer should be given full marks. **Questions that specifically require working**: In general, candidates who do not show working on this type of question will get no marks full details will be given in the mark scheme for each individual question.

3 Crossed out work

This should be marked **unless** the candidate has replaced it with an alternative response.

4 Choice of method

If there is a choice of methods shown, mark the method that leads to the answer given on the answer line.

If no answer appears on the answer line, mark both methods then award the lower number of marks.

5 Incorrect method

If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks.

6 Follow through marks

Follow through marks which involve a single stage calculation can be awarded without working as you can check the answer, but if ambiguous do not award.

Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

7 Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question or its context. (eg. an incorrectly cancelled fraction when the unsimplified fraction would gain full marks). It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect (eg. incorrect algebraic simplification).

8 Probability

Probability answers must be given as a fraction, percentage or decimal. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).

Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.

If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

9 Linear equations

Unless indicated otherwise in the mark scheme, full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously identified in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded (embedded answers).

10 Range of answers

Unless otherwise stated, when an answer is given as a range (e.g 3.5 - 4.2) then this is inclusive of the end points (e.g 3.5, 4.2) and all numbers within the range.

Guidance on the use of abbreviations within this mark scheme

- **M** method mark awarded for a correct method or partial method
- **P** process mark awarded for a correct process as part of a problem solving question
- A accuracy mark (awarded after a correct method or process; if no method or process is seen then full marks for the question are implied but see individual mark schemes for more details)
- **C** communication mark
- **B** unconditional accuracy mark (no method needed)
- **oe** or equivalent
- cao correct answer only
- ft follow through (when appropriate as per mark scheme)
- sc special case
- dep dependent (on a previous mark)
- indep independent
- awrt answer which rounds to
- isw ignore subsequent working

Paper: 1MA	Paper: 1MA1/2H				
Question	Working	Answer	Mark	Notes	
1		$1\frac{1}{2}$	M1	for correct expansion of the bracket or dividing all terms by 3 as a first step eg $3x - 3$ or $(5x - 6)/3 = 3(x - 1)/3$	
			M1	for isolating terms in x on one side of an equation eg $5x - 6 - 3x = -3$ or both constants on one side of an equation, eg $5x = 3x - 3 + 6$, ft $5x - 6 = 3x - 1$ for $1\frac{1}{2}$ oe	
2	£6 - £5.64 = 36p or $50p - 47p = 3p$	6.4	P1	for a strategy to compare the same number of bottles e.g. £5.64 ÷ 12 (= 47 or 0.47) or $12 \times 50p$ (= 6 or 600) or 36 or 0.36 or 3 or 0.03 for start of process to find percentage profit e.g. $\frac{"36"}{564}$ or $\frac{"3"}{47"}$ or $\frac{"6"}{5.64}$ or $\frac{50}{"47"}$ oe with consistent units	
	6.3829787%		A1	for answer in the range 6.3 to 6.4	

Paper: 1MA	.1/2H			
Question	Working	Answer	Mark	Notes
3 (a)		31.4	P1	for working with circumference formula, eg $\pi \times 80$ (=251) oe
			A1	for answer in the range 31.4 to 31.5 accept 10π
(b)		No (supported)	C1	Mean distance stays the same with reason, eg total distance remains unchanged or same number of points
4		1/11	P1	for starting the process, eg by writing down a correct ratio or using a given number of cubes for one relationship, eg 2B 1Y or B:Y = 2:1 or 4G 1B or G:B = 4:1 or 8G, 1Y or G:Y = 8:1 oe or yellow = 2, blue = 4, or states 2:1:8 oe in any order (can be algebraic)
			P1	for complete process to find possible number of each colour or equivalent ratio, eg 8G 2B 1Y or G:B:Y = 8:2:1 oe or yellow = 2, blue = 4, green = 16 oe (can be algebraic)
			A1	$\frac{1}{11}$ oe
5 (a)		(-2, 1) (-4, 1) (-2, 2) (-5, 2)	B1	Shape labelled A
(b)		(1, -4) (3, -4) (1, -5) (4, -5)	B1	Shape labelled B

Paper: 1MA	Paper: 1MA1/2H					
Question	Working	Answer	Mark	Notes		
6 (a)		6	B1	cao		
(b)		5	B1	cao		
(c)		Shown	M1	for writing 100^a or 1000^b as a power of $10 \ (=10^{2a} \text{ or } 10^{3b})$ or 10^{2a+3b} or $100 = 10^2$ and $1000 = 10^3$		
			C1	for complete chain of reasoning leading to conclusion		

Paper: 1MA	A1/2H			
Question	Working	Answer	Mark	Notes
7		32.3	P1	for using Pythagoras to find length of third side of triangle, eg $7.5^2 - 6^2$ or $6^2 + x^2 = 7.5^2$ or uses trigonometry to find angle in triangle, eg $\sin A = \frac{6}{7.5}$ or $\cos B = \frac{6}{7.5}$
			P1 P1 A1	(dep P1) for complete process to find length of third side of triangle eg $\sqrt{7.5^2 - 6^2}$ or $\sqrt{56.25 - 36}$ or $\sqrt{20.25}$ (= 4.5) or uses trigonometry to find base length of triangle, eg $7.5 \times \cos "A"$ or $7.5 \times \sin "B"$ or $\frac{6}{\tan "A"}$ (dep P2) for $24 - 10 - "4.5"$ (= 9.5) (indep) for process to find angle CDA , eg tan $CDA = \frac{6}{\text{base}}$ from right- angled triangle for answer in the range 32.2 to 32.3
8 (a)		2.7560	M1	for 1.0654(059), 0.1402(633), 7.5957(541), 2.756 truncated or rounded to no less than 2dp for 2.7560()
(b)		2.76	B1	for 2.76 ft from (a)

5) or $4.5 = \frac{k}{5}$ or
y_{1} , eg $\frac{22.5}{3}$ (= 7.5)
n

Paper: 1MA1/2H				
Question	Working	Answer	Mark	Notes
12		15	P1	for a process to find the interior or exterior angle of a regular 12 sided polygon e.g. $\frac{10\times180}{12}$ (= 150) or $\frac{360}{12}$ (= 30), must be no contradictions
			P1	for process to find angle STR, eg $\frac{180-"150"}{2}$ or $\frac{"30"}{2}$
			A1	cao
13 (a)		58600	M1	for a complete method, eg 50000×1.02^8 (= $58582(.969)$) or for finding the increase in value of the company after 8 years, eg $8582(.969)$ or 8600
			A1	cao
(b)		4.5	P1	for a process to find multiplier for 6 year period, eg $325 \div 250$ oe (= 1.3) or $130(\%)$ or for $250000 \times y^6 = 325000$
			P1 A1	for a process to find multiplier for one year, eg ("1.3") $\frac{1}{6}$ or 1.044or 1.045 4.4 – 4.5

Paper: 1MA	Paper: 1MA1/2H					
Question	Working	Answer	Mark	Notes		
14		Region R shaded	M1	for two of the lines $y = 1$, $x + y = 5$, $y = 2x$ correctly drawn		
			M1	for three lines correctly drawn		
			A1	for fully correct region indicated with all lines correct		
15 (a)		No with reason	C1	for "no" with reason, eg Tracey should multiply 8 and 7		
(b)		66	M1	for starting a method to find number of games played, eg 12×11 (= 132) or sum of integers from 1 to 11		
			A1	cao		
16	$\frac{4 \pm \sqrt{(-4)^2 - 4 \times 1 \times 1}}{2 \times 1}$	0.268, 3.73	M1	for $x - 2 = \pm \sqrt{3}$ oe or one solution or use of $x^2 - 4x + 1 = 0$ to substitute into formula (allow one error in substitution)		
			A1	0.267 – 0.27, 3.7 – 3.74		

Paper: 1MA	Paper: 1MA1/2H						
Question	Working	Answer	Mark	Notes			
17 (a)	1.5, 6, 10.2, 7.2, 1.2	Histogram drawn	C1	for 2 correct bars of different widths or at least 3 correct frequency densities.			
			C1	for all bars in correct proportions or 4 correct bars with axes scaled and labelled.			
			C1	for fully correct histogram with axes scaled and labelled.			
(b)		$\frac{123}{150}$	M1	for a method to find number of students in interval, eg 30 + 51 + 36 + $\frac{1}{3}$ × 18 (= 123) or 150 - 15 - $\frac{2}{3}$ × 18 (= 123)			
			A1	for $\frac{123}{150}$ oe or 0.82 or 82%			
18		0.98	B1	cao			

Paper: 1MA	aper: 1MA1/2H				
Question	Working	Answer	Mark	Notes	
19		Proof (supported)	M1	for a method to find coordinates of $M(-1, -1)$ or $N(3, 1)$	
			M1	for method to find gradient of MN or PR or for method to find column vector for MN or PR or for differences of x coordinates and differences of y coordinates for MN or PR	
			A1	for gradients of MN and PR , ie ½ oe or for column vectors of MN and PR , $\overline{MN} = \binom{4}{2}$ and $\overline{PR} = \binom{8}{4}$ or for differences of x coordinates and of y coordinates for MN and PR	
			C1	for conclusion from reasoning and correct working	

Paper: 1MA	aper: 1MA1/2H					
Question	Working	Answer	Mark	Notes		
20		68.5	B1	for angle $OAB = 90^{\circ}$ or angle $OCB = 90^{\circ}$, may be seen on diagram		
			P1	for a process to find the length of AB or the length of CB (= $10\sqrt{3}$ oe) eg $10 \times \tan 60^{\circ}$ (= 17.3) or the length of OB (= 20), eg $10 \div \cos 60^{\circ}$		
			P1	for a process (dep previous P1) to find the area of the triangle OAB (= $50\sqrt{3}$ oe) or area of triangle OCB (= $50\sqrt{3}$ oe) or area of kite $OABC$ (= $100\sqrt{3}$ oe)		
			P1	for a process to find the area of the sector OAC e.g. $\frac{1}{3} \times \pi \times 10^2$ (= 104.7),accept rounded or truncated to 3 significant figures or more		
			A1	for 68.4 – 68.6		

Paper: 1MA	aper: 1MA1/2H				
Question	Working	Answer	Mark	Notes	
21 (a)		$\frac{1}{55}$	M1	$for \frac{4}{12} \times \frac{3}{11} \times \frac{2}{10}$	
			A1	for $\frac{1}{55}$ oe	
(b)		Conclusion (supported)	C1	starts correct argument, eg by calculating a relevant probability, $eg \frac{5}{15} \times \frac{4}{14} \times \frac{3}{13}$	
			C1	statement of "more likely" from eg comparison of probabilities, ft answer to (a) eg $\frac{1}{55}$ (= 0.018) and $\frac{2}{91}$ (= 0.021or 0.022)	
22		7, -1	P1	for strategy to use $g(3) = 20$, e.g. $3a + b = 20$	
			P1	for $g(1) = a + b$	
			P1	for a process to find inverse of f. e.g. $f^{-1}(x) = \frac{x-3}{5}$ or $f^{-1}(33) = 6$	
			P1	for using $f^{-1}(33) = g(1)$ to find an equation e.g. $\frac{33-3}{5} = a+b$	
			A1	for $a = 7$, $b = -1$	

Paper: 1MA	Paper: 1MA1/2H					
Question	Working	Answer	Mark	Notes		
23 (a)		2	M1	for start to express the common ratio algebraically,		
				eg $1/(\sqrt{x} - 1)$ or $(\sqrt{x} + 1)/1$ or $\sqrt{x} + 1 = k \times 1$ or $1 = k \times (\sqrt{x} - 1)$		
			M1	for setting up an appropriate equation in x, eg $1/(\sqrt{x} - 1) = (\sqrt{x} + 1)/1$		
			C1	for convincing argument to show $x = 2$		
(b)		Shown	M1	for expressing the relationship between the common ratio, one of the first three terms of the sequence and the fifth term, eg 5^{th} term = 3^{rd} term × (common ratio) ²		
			C1	for a complete explanation to include eg, $(\sqrt{2} + 1)(\sqrt{2} + 1)^2 = 7 + 5\sqrt{2}$		

Modifications to the mark scheme for Modified Large Print (MLP) papers.

Only mark scheme amendments are shown where the enlargement or modification of the paper requires a change in the mark scheme.

The following tolerances should be accepted on marking MLP papers, unless otherwise stated below:

Angles: ±5°

Measurements of length: ±5 mm

PAPER: 1MA1_2H				
Question	Modification	Mark scheme notes		
3	Both diagrams enlarged and put on the same page in the diagram book. Wording changed to 'There are 8 points equally spaced on the circumference of the circle, as shown in the diagram for Question 18(a)'. Wording changed to 'Four of the points are moved, as shown in the diagram for Question 18(b)'.	Standard mark scheme		

Question	Modification	Mark scheme notes
5	The grid has been split into two parts for part (a) and part (b).	
5 (a)	Question reversed. Trapezium T and A have been put on a grid. Question wording changed to 'It shows trapezium T and trapezium A given on a grid. Describe the single transformation that maps trapezium T onto trapezium A'. 3 answer lines and have been provided	B1 for "Rotation 180" about the origin
	7 6 1 1 1 1 1 1 1 1 1 1 1 1 1	

Question	Modification	Mark scheme notes
5 (b)	Question reversed. Question wording changed to 'It shows trapezium T and trapezium B given on a grid. Write down the vector that translates trapezium T onto trapezium B.' Vector brackets have been provided.	B1 for $\begin{pmatrix} -1 \\ -3 \end{pmatrix}$
	7 7 6 6 4 4 3 3 2 2 1 1 1 2 1 1 2 1 1 2 1 1 2 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1	

PAPER:	PAPER: 1MA1_2H					
Ques	stion	Modification	Mark scheme notes			
6	(c)	MLP and braille: a changed to e, b changed to f.	Standard mark scheme but for Braille letters changed as indicated.			
7		Diagram enlarged. Arrows have been removed from 10cm and 6cm. Wording added 'BC = 10cm, AB = 7.5cm, AD = 24cm. The vertical height of the trapezium is 6cm.'	Standard mark scheme.			

Question	Modification	Mark scheme notes
10	Diagram enlarged. Right axis has been labelled. Graph line moved to go through (20, 400) (60, 600) (80, 600). Axes labels moved to the left of the horizontal axis and above the vertical axis.	Standard mark scheme but in (b) the answer is 20
	Distance (metres)	
	600	
	400	
	200	
	0 20 40 60 80	

PAPER: 1MA1_2H						
Question		Modification	Mark scheme notes			
11		Diagrams enlarged × 2 but angles have been kept the same size.	Standard mark scheme but P1 areas are 100π and 64π P1 working is $\frac{70}{360} \times \frac{100\pi}{164\pi}$			
12		Diagram enlarged. Dashes made longer and thicker.	Standard mark scheme			
14		Diagram enlarged. List of inequalities stacked vertically.	Standard mark scheme			
17		Numbers on the table have changed from 51 to 50, 36 to 40 and 18 to 15. In (a) grid enlarged.	Standard mark scheme in (a) using amended figures. In (b) M1 for a method to find number of students in interval eg $30 + 50 + 40 + 1/3 \times 15$ or $150 - 15 - 2/3 \times 15$ A1 for $125/150$ or $0.83 - 0.84$ or $0.83 - 84\%$			
20		Diagram enlarged. Shading has changed to dotty shading. Angle moved outside the angle arc and the angle arc made smaller.	Standard mark scheme			
23	(a)	MLP and braille: <i>x</i> changed to <i>y</i> .	Standard mark scheme but for braille note change of letters.			