

### NEW SPECIMEN PAPERS PUBLISHED JUNE 2015

# GCSE Mathematics Specification (8300/3H)



Paper 3 Higher tier

Date Morning 1 hour 30 minutes

#### **Materials**

#### For this paper you must have:

- a calculator
- mathematical instruments.



#### Instructions

- Use black ink or black ball-point pen. Draw diagrams in pencil.
- Fill in the boxes at the bottom of this page.
- Answer all questions.
- You must answer the questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- Do all rough work in this book.
- In all calculations, show clearly how you work out your answer.

#### Information

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 80.
- You may ask for more answer paper, graph paper and tracing paper.
   These must be tagged securely to this answer book.

Centre number			(	Car	ndic	late	nu	mb	er						
Surname															
Forename(s)															

#### Answer all questions in the spaces provided.

1 Work out the square root of 100 million.

Circle your answer.

[1 mark]

1000

10 000

100 000

1 000 000

$$\mathbf{a} = \begin{pmatrix} 5 \\ -2 \end{pmatrix} \quad \text{and} \quad \mathbf{b} = \begin{pmatrix} -2 \\ 3 \end{pmatrix}$$

Circle the vector  $\mathbf{a} - \mathbf{b}$ 

[1 mark]

$$\begin{pmatrix} -3 \\ -5 \end{pmatrix}$$

$$\begin{pmatrix} 7 \\ 1 \end{pmatrix}$$

$$\begin{pmatrix} 3 \\ 1 \end{pmatrix}$$

$$\begin{pmatrix} 7 \\ -5 \end{pmatrix}$$

3 Circle the decimal that is closest in value to  $\frac{2}{3}$ 

[1 mark]

0.6

0.66


0.667


0.67


4 y is directly proportional to x.


Which graph shows this? Circle the correct letter.

[1 mark]










Turn over for the next question

In 2013 it was £6.31 per ho	3411			
Work out the percentage in	ncrease in the	minimum wa	ge.	
	Answer			%
A bag contains counters th	at are red, blu	ue, green or y	ellow.	
	red	blue	green	yellow
	ieu	Dide	green	yenow
Number of counters	9	<b>3</b> x	<i>x</i> – 5	2 <i>x</i>
		3 <i>x</i>	<i>x</i> – 5	2 <i>x</i>
A counter is chosen at rand	dom.	3 <i>x</i>	<i>x</i> – 5	2 <i>x</i>
A counter is chosen at rand The probability it is <b>red</b> is	dom. <u>9</u> 100	3 <i>x</i>	<i>x</i> – 5	2 <i>x</i>
A counter is chosen at rand The probability it is <b>red</b> is	dom. <u>9</u> 100	3x	<i>x</i> – 5	2 <i>x</i>
A counter is chosen at rand The probability it is <b>red</b> is	dom. <u>9</u> 100	3x	<i>x</i> – 5	2 <i>x</i>
A counter is chosen at rand The probability it is <b>red</b> is -	dom. <u>9</u> 100	3x	<i>x</i> – 5	2 <i>x</i>
A counter is chosen at rand The probability it is <b>red</b> is	dom. <u>9</u> 100	3x	<i>x</i> – 5	2x
A counter is chosen at rand The probability it is <b>red</b> is	dom. <u>9</u> 100	3x	<i>x</i> – 5	2x
A counter is chosen at rand The probability it is <b>red</b> is	dom. <u>9</u> 100	3x	<i>x</i> – 5	2x
A counter is chosen at rand The probability it is <b>red</b> is	dom. <u>9</u> 100	3x	<i>x</i> – 5	2x
A counter is chosen at rand The probability it is <b>red</b> is	dom. <u>9</u> 100	3x	<i>x</i> – 5	2x

7 Use ruler and compasses to answer this question.

Point P is

- the same distance from AB and AD
- 6 cm from *C*.




Show the position of *P* on the diagram.

[3 marks]

Turn over for the next question

8	(a)	Use your calculator to		<sup>2</sup> – <sup>3</sup> √1006 ÷ 4.95		[1 mark]
			Answer			
8	(b)	Use approximations to You <b>must</b> show your		nswer to part (a) is se	nsible.	[2 marks]
9		The exterior angle of a		s 45°		[1 mark]
		pentagon	hexagon	octagon	decagon	

10 ABC is a triangle with AB = ACBA is parallel to CD.



Not drawn accurately

Show that angle $x = 30^{\circ}$

_		[3 marks]

The pressure at sea level is 101 325 Pascals.	
Any rise of 1 km above sea level decreases the pressure by 14%	
For example,	
at 3 km above sea level the pressure is 14% less than at 2 km	
Work out the pressure at 4 km above sea level.	
Give your answer to 2 significant figures.	
erre year anemer to 2 eigrimoant ngareer	[4 mark
Answer Pascals	


12	Tick whether each statement is true or false.  Give a reason for your answer.
12 (a)	When $x^2 = 16$ the <b>only</b> value that $x$ can be is 4 [1 mark]
	True False
	Reason
12 (b)	When $n$ is a positive integer, the value of $2n$ is <b>always</b> a factor of the value of $20n$ .  [1 mark]  True  False
	Reason
12 (c)	When $y$ is positive, the value of $y^2$ is <b>always</b> greater than the value of $y$ . [1 mark]  True False
	Reason

Here are the examination marks for 60 pupils.

Mark, <i>m</i> (%)	Frequency
0 ≤ <i>m</i> < 20	8
20 ≤ <i>m</i> < 40	9
40 ≤ <i>m</i> < 60	21
60 ≤ <i>m</i> < 80	10
80 ≤ <i>m</i> < 100	12

Molly drew this cumulative frequency graph to show the data.





Make <b>two</b> criticism	ns of Molly's graph.	[2
Criticism 1		
Criticism 2		
	Turn over for the next question	
	Turn over for the next question	

<b>14 (a)</b> The <i>n</i> th term of a sequence is $2^n +$	4 (a)	<b>a)</b> The $n$ th term of a se	equence is 2	$2^{n} + 2^{n-1}$
---	-------	-----------------------------------	--------------	-------------------

Work out the 10th term of the sequence.

[1 mark]

**14 (b)** The *n*th term of a different sequence is  $4(2^n + 2^{n-1})$ 

Circle the expression that is equivalent to  $4(2^n + 2^{n-1})$ 

[1 mark]

$$2^{n+2} + 2^{n+1}$$


$$2^{2n} + 2^{2(n-1)}$$

$$8^{n} + 8^{n-1}$$

$$2^{n+2} + 2^{n-1}$$

15 The diagram shows a design for a zipwire.

The zipwire will run between the top of two vertical posts, AB and CD.



Work out the distance AD.	[4 marks]

Answer m

6	During a game, players can win and lose counters.	
	At the start of the game	
	Rob, Tim and Zak share the counters in the ratio 5:6:7	
	At the end of the game	
	Rob, Tim and Zak share the <b>same number</b> of counters in the ratio 7:9:	: 8
	Show that Rob ends the game with more counters than he started with.	[3 marks]
7	Factorise $3x^2 + 14x + 8$	[2 marks]
7	Factorise $3x^2 + 14x + 8$	[2 marks]
7	Factorise $3x^2 + 14x + 8$	[2 marks]
7	Factorise $3x^2 + 14x + 8$	[2 marks]
7	Factorise $3x^2 + 14x + 8$	[2 marks]
7		[2 marks]
7	Factorise $3x^2 + 14x + 8$ Answer	[2 marks]
7		[2 marks]

Here is some information about the number of books read by a group of people in 2014


One of the frequencies is missing.

Number of books	Frequency	Midpoint	
0 – 4	16	2	
5 – 9		7	
10 – 14	20	12	
15 – 19	10	17	

Midpoints are used to work out an estimate for the mean number of books read. The answer is 8.5

	[5 marks]
	[J IIIdi KS]
Answer	

19 Here are two function machines, A and B.



Both machines have the same input.

Work out the range of input values for which

the output of  ${\bf A}$  is  ${\bf less}$  than the output of  ${\bf B}.$ 


-	

Answer

Version 1.0 8300/3H

[4 marks]

20	In the triangle,	angle y is	obtuse.
----	------------------	------------	---------



Mork	out t	tha	0170	٥f	onalo	٠.
Work	out 1	tne	size	OT	andie	ν.


[3 marks]


degrees Answer

Turn over for the next question

A box is a cuboid with dimensions 27 cm by 15 cm by 20 cm.
These dimensions are to the nearest **centimetre**.

DVD cases are cuboids with dimensions 1.5 cm by 14.3 cm by 19.2 cm. These dimensions are to the nearest **millimetre**.






Show that 17 DVD cases, stacked as shown, will definitely fit in the box.

[4 marks]

Bag X contains 9 blue balls and 18 red balls.  Bag Y contains 7 blue balls and 14 red balls.	
Liz picks a ball at random from bag X.	
She puts the ball into bag Y.	
Mike now picks a ball at random from bag Y.	
Show that	
P (Liz picks a blue ball) = P (Mike picks a blue ball)	
	[4 marks]

A container is filled with water in 5 seconds.


The graph shows the depth of water, d cm, at time t seconds.





23	(a)	The water flows into the container at a constant rate.
	` '	


Which diagram represents the container? Circle the correct letter.

[1 mark]










**23 (b)** Use the graph to estimate the rate at which the depth of water is increasing at 3 seconds. You **must** show your working.

Answer \_\_\_\_\_ cm/s

[2 marks]

24 Amina and Ben had a cycle race.

Here is Amina's speed-time graph from the start of the race.



24	The distance of the race was 400 metres.  Ben cycled the 400 metres in 64 seconds.					
	Who won the race?					
	You <b>must</b> show your working.	[4 marks]				
	Answer	-				
	Turn over for the next question					


25	In triangle	ABC
	iii tiidiigio	,,,,,,,

*M* is the midpoint of *AC* 

N is the point on BC where BN: NC = 2:3

$$\rightarrow$$
  $AC = 2a$ 

$$\overrightarrow{AB} = 3\mathbf{b}$$



			$\rightarrow$	
25	(a)	Work out	MN	in terms of <b>a</b> and <b>b</b> .

C:		00011101	:	:4~	-:	-14	f ~ ""	
Give	your	answer	m	แร	SIIII	piesi	101111	

[3 marks]

Answer			

[1	mark]
----	-------

An approximate solution to an equation is found using this iterative process.

$$x_{n+1} = \frac{(x_n)^3 - 3}{8}$$
 and  $x_1 = -1$ 

**26 (a)** Work out the values of  $x_2$  and  $x_3$ 

[2 marks]

 $x_2 = \underline{\hspace{1cm}}$ 

 $x_3 =$ 

**26 (b)** Work out the solution to 6 decimal places.

[1 mark]

r –

The curve with equation  $y = x^2 - 5x + 2$  is reflected in the *x*-axis.

Circle the equation of the reflected curve.

[1 mark]


$$y = x^2 - 5x - 2$$

$$y = -x^2 + 5x + 2$$

$$y = -x^2 + 5x - 2$$

$$y = x^2 + 5x + 2$$

27	
The diagram shows a line joining $O$ to $P$ .	
<i>y</i>	Not drawn accurately
• P	$\longrightarrow_{\mathcal{X}}$
The gradient of the line is 2  The length of the line is $\sqrt{2645}$	
Work out the coordinates of <i>P</i> .	[4 mar
Answer (	)
END OF QUESTIONS	
	The diagram shows a line joining $O$ to $P$ .  The gradient of the line is 2 The length of the line is $\sqrt{2645}$ Work out the coordinates of $P$ .





## GCSE **MATHEMATICS**

New Specimen Papers published June 2015

Paper 3 Higher - Mark Scheme

8300/3H

Version 1.0



Principal Examiners have prepared these mark schemes for specimen papers. These mark schemes have not, therefore, been through the normal process of standardising that would take place for live papers.

Further copies of this Mark Scheme are available from aqa.org.uk

#### Glossary for Mark Schemes

GCSE examinations are marked in such a way as to award positive achievement wherever possible. Thus, for GCSE Mathematics papers, marks are awarded under various categories.

If a student uses a method which is not explicitly covered by the mark scheme the same principles of marking should be applied. Credit should be given to any valid methods. Examiners should seek advice from their senior examiner if in any doubt.

M Method marks are awarded for a correct method which could

lead to a correct answer.

A Accuracy marks are awarded when following on from a correct

method. It is not necessary to always see the method. This can

be implied.

**B** Marks awarded independent of method.

ft Follow through marks. Marks awarded for correct working

following a mistake in an earlier step.

SC Special case. Marks awarded within the scheme for a common

misinterpretation which has some mathematical worth.

M dep A method mark dependent on a previous method mark being

awarded.

**B dep** A mark that can only be awarded if a previous independent mark

has been awarded.

**oe** Or equivalent. Accept answers that are equivalent.

eg accept 0.5 as well as  $\frac{1}{2}$ 

[a, b] Accept values between a and b inclusive.

**3.14...** Accept answers which begin 3.14 eg 3.14, 3.142, 3.1416

**Use of brackets** It is not necessary to see the bracketed work to award the marks.

Page 2 Version 1.0

Examiners should consistently apply the following principles

#### **Diagrams**

Diagrams that have working on them should be treated like normal responses. If a diagram has been written on but the correct response is within the answer space, the work within the answer space should be marked. Working on diagrams that contradicts work within the answer space is not to be considered as choice but as working, and is not, therefore, penalised.

#### Responses which appear to come from incorrect methods

Whenever there is doubt as to whether a student has used an incorrect method to obtain an answer, as a general principle, the benefit of doubt must be given to the student. In cases where there is no doubt that the answer has come from incorrect working then the student should be penalised.

#### Questions which ask students to show working

Instructions on marking will be given but usually marks are not awarded to students who show no working.

#### Questions which do not ask students to show working

As a general principle, a correct response is awarded full marks.

#### Misread or miscopy

Students often copy values from a question incorrectly. If the examiner thinks that the student has made a genuine misread, then only the accuracy marks (A or B marks), up to a maximum of 2 marks are penalised. The method marks can still be awarded.

#### **Further work**

Once the correct answer has been seen, further working may be ignored unless it goes on to contradict the correct answer.

#### Choice

When a choice of answers and/or methods is given, mark each attempt. If both methods are valid then M marks can be awarded but any incorrect answer or method would result in marks being lost.

#### Work not replaced

Erased or crossed out work that is still legible should be marked.

#### Work replaced

Erased or crossed out work that has been replaced is not awarded marks.

#### Premature approximation

Rounding off too early can lead to inaccuracy in the final answer. This should be penalised by 1 mark unless instructed otherwise.

Version 1.0 Page 3



		1	<u> </u>
Q	Answer	Mark	Comments
1	10 000	B1	
2	(7 (-5)	B1	
3	0.667	B1	
4	D	B1	
5	Alternative method 1  6.31 – 3.6(0) or 2.71  their 2.71 ÷ 3.6(0) (× 100) or 0.752(7) or 0.753  75.2(7) or 75.28 or 75.3  Alternative method 2  6.31 ÷ 3.6(0) (× 100) or	M1 M1dep A1	Allow 75 with correct method seen
	1.752(7) or 1.753 or 175.2(7) or 175.3 1.752(7) – 1 or 1.753 – 1 or 175.2(7) – 100 or 175.3 – 100 75.2(7) or 75.28 or 75.3	M1 M1dep	Allow 75 with correct method seen

Page 4 Version 1.0

Q	Answer	Mark	Comments
	9 + 3x + x - 5 + 2x or $6x + 4$ or $3x + x - 5 + 2x$	M1	oe
6	or $6x - 5$ their $(6x + 4) = 100$ or their $6x - 5 = 91$ or $6x = 96$	M1	$\frac{9}{\text{their } (6x+4)} = \frac{9}{100}$
	$x = 16$ $\frac{11}{100}$	A1 B1ft	ft their 16
7	One continuous arc, centre <i>A</i> , intersecting <i>AB</i> and <i>AD</i> or  Two arcs, each with same radius and centre <i>A</i> , intersecting <i>AB</i> and <i>AD</i> Intersecting arcs with same radius and centres at the intersections with <i>AB</i> and <i>AD</i> and angle bisector drawn  Arc of radius [5.8, 6.2] cm, centre <i>C</i> , intersecting their angle bisector and <i>P</i> labelled	M1	Allow ± 2 mm for radii  Allow ± 2 mm for radii  The radius of these arcs need not be the same as those used for M1  SC1 Arc of radius [5.8, 6.2] cm, centre C with no angle bisector attempted
	A B		

Version 1.0 Page 5



Q	Answer	Mark	Comments
8(a)	375.112(1656)	B1	Condone if correctly rounded to 7 significant figures or better eg 375.1122
9/h)	$20^2$ or 400 or $\sqrt[3]{1000}$ or 10 or 5	M1	
8(b)	$400 - 10 \div 5 = 398$ or $400 - 2 = 398$	A1	
9	octagon	B1	

Page 6 Version 1.0

Q	Answer	Mark	Comments
	Alternative method 1		
	$\angle PCB = 180 - 90 - 15 \text{ or } 75^{\circ}$ or $\angle PCB = 90 - 15$	M1	oe Angle may be seen on diagram
	$\angle ABC = \angle PCB = $ their 75 and $\angle BCD = 180 - $ their 75 or 105°	M1	oe Angle may be seen on diagram
	x = 105 - 75 = 30°	A1	Full method required
	Alternative method 2	•	
	$\angle PCB = 180 - 90 - 15 \text{ or } 75^{\circ}$ or $\angle PCB = 90 - 15$	M1	oe Angle may be seen on diagram
10	$\angle ABC = \angle PCB = $ their 75 and $\angle ABP = $ their 75 – 15 or 60° and $\angle BAC = 180 - 90 - $ their 60	M1	oe Angles may be seen on diagram
	$x = \angle BAC = 30^{\circ}$	A1	Full method required
	Alternative method 3	1	
	$\angle PCB = 180 - 90 - 15 \text{ or } 75^{\circ}$ or $\angle PCB = 90 - 15$	M1	oe Angle may be seen on diagram
	$\angle ABC = \angle PCB = $ their 75 and $\angle BAC = 180 - $ their 75 – their 75	M1	oe Angle may be seen on diagram
	$x = \angle BAC = 30^{\circ}$	A1	Full method required

Version 1.0 Page 7



Q	Answer	Mark	Comments
	100(%) – 14(%) or 86(%) or 1 – 0.14 or 0.86	M1	Implied by 87 139(.5)
11	101 325 × 0.86 <sup>4</sup>	A1	oe eg 101 325 $\times$ 0.86 or 87 139(.5) and their 87 139(.5) $\times$ 0.86 or 74 939(.97) and their 74 939(.97) $\times$ 0.86 or 64 448(.3742) and their 64 448(.3742) $\times$ 0.86
	55 425()	A1	May be implied by 55 000 or 55 400 or 55 430 or 55 426
	55 000	B1ft	ft their answer rounded to 2sf
12(a)	Ticks 'False' and states that $x$ could be $-4$	B1	ое
12(b)	True and $20n \div 2n = 10$	B1	oe
12(c)	False and y could be between 0 and 1	B1	oe eg False and $y = 0.5$
		I	
13	Cumulative frequency 46 should be 48	B1	oe
13	Points should be plotted at end of class intervals	B1	oe
444.5	4500	<b>.</b>	
14(a)	1536	B1	
14(b)	$2^{n+2}+2^{n+1}$	B1	

Page 8 Version 1.0

Q	Answer	Mark	Comments
	6.5 - 2.3 or 4.2 and 5 or 85 seen	M1	
	$\sin 5 = \frac{6.5 - 2.3}{AD}$ or		oe
	$\cos 85 = \frac{6.5 - 2.3}{AD}$ or	M1	
15	$\left(\frac{6.5-2.3}{\tan 5}\right)^2 + \left(6.5-4.2\right)^2$		
	$\frac{6.5 - 2.3}{\sin 5}$ or $\frac{6.5 - 2.3}{\cos 85}$ or		oe
	$\sqrt{\left(\frac{6.5-2.3}{\tan 5}\right)^2 + \left(6.5-4.2\right)^2}$	M1dep	
	[48, 48.2]	A1	

Version 1.0 Page 9



Q	Answer	Mark	Comments
	Alternative method 1		
	$\frac{5}{6+5+7}$ or $\frac{5}{18}$ or $\frac{7}{9+7+8}$ or $\frac{7}{24}$	M1	oe fraction, decimal or percentage
	Attempt to convert to any common denominator  eg $\frac{20}{72}$ and $\frac{21}{72}$ or to decimals  eg $0.27(7)$ and $0.29$ eg $3$ $0.28$ and $0.29$ )  or to percentages  eg $28\%$ and $29\%$	M1	Attempt to convert both to comparable form with one correct oe
	$\frac{20}{72}$ and $\frac{21}{72}$ and Yes	A1	oe fractions, decimals or percentages
16	Alternative method 2		
	Chooses a number of counters that is a multiple of 18 and 24 eg 72	M1	
	$5 \times \frac{\text{their } 72}{18}$ or 20 or $7 \times \frac{\text{their } 72}{24}$ or 21	M1	
	20 and 21 and Yes	A1	
	Alternative method 3		
	35:42:49 and 35:45:40	M1	
	$ \frac{35}{35 + \text{their } 42 + \text{their } 49}  \text{or}  \frac{35}{126} $ or $ \frac{35}{35 + \text{their } 45 + \text{their } 40}  \text{or}  \frac{35}{120} $	M1	
	$\frac{35}{126}$ and $\frac{35}{120}$ and Yes	A1	
	126 120	/ / /	

Page 10 Version 1.0

	1		
Q	Answer	Mark	Comments
17	(3x + a)(x + b) where $ab = 8$ or $a + 3b = 14$ or 3x(x + 4) + 2(x + 4) or x(3x + 2) + 4(3x + 2) (3x + 2)(x + 4)	M1	oe
	$16 \times 2$ or $32$ or $7 \times x$ or $7x$ or $20 \times 12$ or $240$ or $10 \times 17$ or $170$ or $16 + x + 20 + 10$ or $46 + x$	M1	oe .
	$16 \times 2 + 7 \times x + 20 \times 12 + 10 \times 17$ or $16 \times 2 + 7x + 240 + 170$ or 442 + 7x	M1	oe  Must be the sum of 4 products  Award if correct expression seen, even if in an incorrect equation
18	their $(32 + 7x + 240 + 170) =$ 8.5 × their $(16 + x + 20 + 10)$ or their $(442 + 7x) =$ 8.5 × their $(46 + x)$	M1	oe equation   ft their sum of at least 3 products, one of which must be $7 \times x$ ft sum of at least 3 frequencies, one of which must be $x$
	their $442$ – their $(8.5 \times 46) = 8.5x - 7x$	M1dep	oe equation dep on 3 <sup>rd</sup> M1 Expands and rearranges their equation Allow one sign or expansion error
	34	A1	Answer 34 with no incorrect working gains 5 marks

Version 1.0 Page 11



•	A	20-1	0	
Q	Answer	Mark	Comments	
19	$x^2 + 6$ or $(x-3)^2$	M1		
	$x^2 - 3x - 3x + 9$	M1	4 terms with 3 correct	
	6 <i>x</i> < 3	M1dep	oe linear inequality dep on two quadratic expressions ft their quadratic expressions	
	x < 0.5	A1	oe	
	$\frac{\sin y}{16} = \frac{\sin 34}{10}$	M1	oe	
20	$\frac{\sin 34}{10} \times 16$ or [63.47, 63.5]	M1		
	[116.5, 116.53]	A1		

Page 12 Version 1.0

Q	Answer	Mark	Comments		
	Alternative method 1				
	27.5 or 26.5 or 20.5 or 19.5 or 15.5 or 14.5 or 14.35 or 14.25 or 19.25 or 19.15 or 1.55 or 1.45	B1	Any one seen		
	a bound of 27 ÷ a bound of 1.5	M1	Must see the calculation written down $26.5 \leqslant$ a bound of $27 \leqslant 27.5$ but not $27$ $1.45 \leqslant$ a bound of $1.5 \leqslant 1.55$ but not $1.5 \leqslant 1.27 \leqslant 1.45 \leqslant 1.4$		
	26.5 ÷ 1.55	M1	Must see the calculation written down 26.5 ÷ 1.55 scores B1 M1 M1		
21	[17.0, 17.1]	A1	Must see method		
	Alternative method 2				
	27.5 or 26.5 or 20.5 or 19.5 or 15.5 or 14.5 or 14.35 or 14.25 or 19.25 or 19.15 or 1.55 or 1.45	B1	Any one seen		
	17 × a bound of 1.5	M1	Must see the calculation written down $1.45 \leqslant$ a bound of $1.5 \leqslant 1.55$ but not 1.5 eg 1 $17 \times 1.45$ eg 2 $17 \times 1.54999$		
	17 × 1.55	M1	Must see the calculation written down 17 × 1.55 scores B1 M1 M1		
	26.35 and 26.5	A1	Must see method		

#### Alternative method 3 on next page

Version 1.0 Page 13



Q	Answer	Mark	Comments		
	Alternative method 3				
21	27.5 or 26.5 or 20.5 or 19.5 or 15.5 or 14.5 or 14.35 or 14.25 or 19.25 or 19.15 or 1.55 or 1.45	B1	Any one seen		
	a bound of 27 ÷ 17	M1	Must see the calculation written down $26.5 \leqslant$ a bound of $27 \leqslant 27.5$ but not 27 eg 1 $27.49 \div 17$ eg 2 $26.45 \div 17$		
	26.5 ÷ 17	M1	Must see the calculation written down 26.5 ÷ 17 scores B1 M1 M1		
	[1.558, 1.559] and 1.55	A1			
	$\frac{9}{27}$ or $\frac{18}{27}$ or fraction with denominator 22	M1	oe		
22	$\frac{9}{27} \times \frac{8}{22}$ or $\frac{72}{594}$ or $\frac{18}{27} \times \frac{7}{22}$ or $\frac{126}{594}$	M1	oe		
	their $\frac{72}{594}$ + their $\frac{126}{594}$ or $\frac{198}{594}$	M1dep	oe dep on 2nd M1		
	Clear indication that $\frac{198}{594}$ and $\frac{9}{27}$ are equivalent fractions	A1			
23(a)	С	B1			
	Draws tangent at $t = 3$	M1			
23(b)	[3.6, 4.4]	A1	SC1 correct gradient for their tangent		

Page 14 Version 1.0

Q	Answer	Mark	Comments
	$0.5 \times 20 \times 8$ or 80 or $30 \times 8$ or 240 or $0.5 \times (50 + 30) \times 8$ or 320	M1	oe Attempt at any part of the area below the graph up to 50s
24	$0.5 \times (8+5) \times 14$ or 91	M1	oe Attempt at area below the graph for time between 50s and 64s
	their 80 + their 240 + their 91 or their 320 + their 91 or 411	M1dep	dep on M1 M1  An attempt at total area for 64 seconds
	411 and Amina	A1	
25(a)		M1	oe
	$\mathbf{a} + \frac{3}{5}(-2\mathbf{a} + 3\mathbf{b})$ or $-\mathbf{a} + 3\mathbf{b} + \frac{2}{5}(2\mathbf{a} - 3\mathbf{b})$	M1	oe
	$-\frac{1}{5}\mathbf{a} + \frac{9}{5}\mathbf{b}$	A1	oe eg $-0.2\mathbf{a} + 1.8\mathbf{b}$ or $\frac{1}{5}(9\mathbf{b} - \mathbf{a})$ Must collect terms
25(b)	$\rightarrow$ $\rightarrow$ $MN$ is not a multiple of $AB$	B1ft	oe

Version 1.0 Page 15



Answer	Mark	Comments			
_ 1 or _0.5	D1				
	ы				
$-\frac{25}{64}$ or $-0.390625$	B1ft	ft their $-\frac{1}{2}$			
-0.381966	B1ft	ft their $-\frac{25}{64}$			
$y = -x^2 + 5x - 2$	B1				
	$-\frac{1}{2}$ or $-0.5$ $-\frac{25}{64}$ or $-0.390625$ $-0.381966$	$-\frac{1}{2}$ or $-0.5$ B1 $-\frac{25}{64}$ or $-0.390625$ B1ft $-0.381966$ B1ft			

	Alternative method 1			
	y = 2x  or  (x, 2x)	M1	oe	
	$x^2 + (2x)^2 = 2645$	M1	oe	
	$x^2 = 2645 \div 5$ or $x^2 = 529$ or $x = 23$	M1		
	(23, 46)	A1		
28	Alternative method 2			
	$\frac{1}{2}y = x \text{ or } (\frac{1}{2}y, y)$	M1	oe	
	$\left(\frac{1}{2}y\right)^2 + y^2 = 2645$	M1	oe	
	$y^2 = 2645 \div \frac{5}{4}$ or $y^2 = 2116$ or $y = 46$	M1		
	(23, 46)	A1		

Page 16 Version 1.0



Copyright © 2015 AQA and its licensors. All rights reserved.

AQA retains the copyright on all its publications. However, registered schools/colleges for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to schools/colleges to photocopy any material that is acknowledged to a third party even for internal use within the centre.