Optional PS: Coding Basics

August 14, 2023

1. The sum S_k is given by

$$S_k = \sum_{n=0}^k \frac{(-1)^n}{(2n+1)^7}$$

- (a) Write a function that calculates the value of S_k (as a function of k). Output S_k for k = 10, k = 100, k = 1000 in a for loop.
- (b) Write a new function that calculates the value of S_k (as a function of k) with only vector operations (i.e. vectorize the code from part a). Output S_k for k = 10, k = 100, k = 1000.
- (c) Add a capability to your script to write both, the index k and the value of S_k in a comma-separated file drl.csv.
- (d) One can show that

$$S_{\infty} = \sum_{n=0}^{\infty} \frac{(-1)^n}{(2n+1)^7} = \frac{61\pi^7}{184320}$$

Write a script with a while loop to determine the smallest value of k which fulfills

$$|\mathcal{S}_k - \mathcal{S}_{\infty}| < 10^{-4}$$

2. Write a script that solves the following linear system of equations using matrix operations:

$$2x + y - 4z = -5$$

 $3x - y + 9z = 5$
 $5x + 2y + 2z = -1$.

Give the solution (x, y, z).

3. Consider the 3-D surface

$$z(x,y) = \sin(\pi x + 2\pi y) + e^{-5y^2}$$

- (a) Create a mesh for x and y over the intervals x = [0, 1] and y = [0, 3] with 101 grid points in x and 301 grid points in y.
- (b) Create a new array calculating values of z on this mesh.
- (c) Find every mesh point where 0.5 < z(x, y) < 1 within the domain x = [0, 1] and y = [0, 1] on the mesh created in part (a).
- (d) Calculate the maximum value of a new function w(x,y) within the part of the mesh where 0.5 < z(x,y) < 1, where

1

$$w(x,y) = \cos(\pi x + \pi y) + e^{-2y^2}$$