

# CAAM 336 · DIFFERENTIAL EQUATIONS

## Homework 30

Posted Friday 21 March 2014. Due 1pm Friday 28 March 2014.

30. [25 points]

Let  $N$  be a positive integer, let  $h = \frac{1}{N+1}$  and let  $x_k = kh$  for  $k = 0, 1, \dots, N+1$ . Let the continuous piecewise linear hat functions  $\hat{\phi}_j \in C[0, 1]$  be such that

$$\hat{\phi}_j(x) = \begin{cases} \frac{(x - x_{j-1})}{h} & \text{if } x \in [x_{j-1}, x_j], \\ \frac{(x_{j+1} - x)}{h} & \text{if } x \in [x_j, x_{j+1}], \\ 0 & \text{otherwise,} \end{cases}$$

for  $j = 1, \dots, N$ . Also, let the continuous piecewise quadratic functions  $\phi_j \in C[0, 1]$  be such that

$$\phi_j(x) = \begin{cases} \frac{(x - x_{j-1})(2x - x_{j-1} - x_j)}{h^2} & \text{if } x \in [x_{j-1}, x_j], \\ \frac{(x_j + x_{j+1} - 2x)(x_{j+1} - x)}{h^2} & \text{if } x \in [x_j, x_{j+1}], \\ 0 & \text{otherwise,} \end{cases}$$

for  $j = 1, \dots, N$  and let the continuous piecewise quadratic bubble functions  $\psi_j \in C[0, 1]$  be such that

$$\psi_j(x) = \begin{cases} \frac{4(x - x_{j-1})(x_j - x)}{h^2} & \text{if } x \in [x_{j-1}, x_j], \\ 0 & \text{otherwise,} \end{cases}$$

for  $j = 1, \dots, N+1$ .

(a) What is

- i.  $\phi_j(x_k)$  for  $j = 1, \dots, N$  and  $k = 0, \dots, N+1$ ;
- ii.  $\phi_j\left(\frac{x_{k-1} + x_k}{2}\right)$  for  $j = 1, \dots, N$  and  $k = 1, \dots, N+1$ ;
- iii.  $\psi_j(x_k)$  for  $j = 1, \dots, N+1$  and  $k = 0, \dots, N+1$ ;
- iv.  $\psi_j\left(\frac{x_{k-1} + x_k}{2}\right)$  for  $j, k = 1, \dots, N+1$ .

(b) Show that  $\{\phi_1, \dots, \phi_N, \psi_1, \dots, \psi_{N+1}\}$  is linearly independent by showing that if  $\alpha_j, \beta_j \in \mathbb{R}$  and

$$\sum_{j=1}^N \alpha_j \phi_j(x) + \sum_{j=1}^{N+1} \beta_j \psi_j(x) = 0 \text{ for all } x \in [0, 1] \text{ then } \alpha_k = 0 \text{ for } k = 1, \dots, N \text{ and } \beta_k = 0 \text{ for } k = 1, \dots, N+1.$$

(c) Obtain an expression for

$$\phi_j + \frac{1}{2}(\psi_j + \psi_{j+1})$$

for  $j = 1, \dots, N$ .

- (d) For  $j = 1, \dots, N$ , is  $\widehat{\phi}_j \in \text{span}\{\phi_1, \dots, \phi_N, \psi_1, \dots, \psi_{N+1}\}$ ?
- (e) Is  $\{\phi_1, \dots, \phi_N, \psi_1, \dots, \psi_{N+1}, \widehat{\phi}_1, \dots, \widehat{\phi}_N\}$  linearly independent?