

ICPSR 21600

**National Longitudinal Study of
Adolescent to Adult Health (Add
Health), 1994-2018 [Public Use]**

Kathleen Mullan Harris

University of North Carolina at Chapel Hill

J. Richard Udry

University of North Carolina at Chapel Hill

Wave V: Biomarkers, Medication Use Variable
Description and Frequencies

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/web/ICPSR/studies/21600/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #21600

National Longitudinal Study of Adolescent to Adult Health (Add Health), 1994-2018 [Public Use]

DS40: Wave V: Biomarkers, Medication Use

1. **Variable Metadata:** Wave V data files have been minimally processed by ICPSR. For value labels, missing values, and question text (where applicable), please see the P.I. Codebook/Questionnaire.

ICPSR 21600

National Longitudinal Study of Adolescent to Adult Health (Add Health), 1994-2018 [Public Use]

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Wave V: Biomarkers, Medication Use

AID: RESPONDENT IDENTIFIER

Value	Label	Unweighted Frequency	%
57101310	-	3	0.1 %
57111786	-	1	0.0 %
57118381	-	1	0.0 %
57121404	-	1	0.0 %
57121476	-	1	0.0 %
57133772	-	1	0.0 %
57134970	-	1	0.0 %
57139880	-	6	0.2 %
57141051	-	2	0.1 %
57145151	-	4	0.1 %
57159779	-	1	0.0 %
57159952	-	1	0.0 %
57163657	-	1	0.0 %
57165288	-	1	0.0 %
57166019	-	1	0.0 %
57167951	-	1	0.0 %
57177419	-	3	0.1 %
57178982	-	1	0.0 %
57179591	-	3	0.1 %
57186582	-	3	0.1 %
57188247	-	4	0.1 %
57192841	-	1	0.0 %
57196641	-	2	0.1 %
57199896	-	1	0.0 %
57203993	-	1	0.0 %
57210612	-	1	0.0 %
57214806	-	1	0.0 %
57217613	-	1	0.0 %
57220133	-	1	0.0 %
57220955	-	1	0.0 %
57231320	-	1	0.0 %
57232895	-	3	0.1 %
57241075	-	4	0.1 %
57244606	-	1	0.0 %
57245315	-	1	0.0 %

Value	Label	Unweighted Frequency	%
57245379	-	4	0.1 %
57248884	-	1	0.0 %
57249576	-	1	0.0 %
57251197	-	1	0.0 %
57256290	-	5	0.1 %
57263513	-	1	0.0 %
57275298	-	3	0.1 %
57279640	-	1	0.0 %
88122937	-	1	0.0 %
88149345	-	4	0.1 %
88191219	-	4	0.1 %
88191364	-	1	0.0 %
88249047	-	2	0.1 %
88268811	-	1	0.0 %
90316656	-	1	0.0 %
	Total	3,883	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,883 valid cases out of 3,883 total cases.

Location: 1-8 (width: 8; decimal: 0)

Variable Type: character

H5MEDSRC: EX: MEDICATION SOURCE (1=LAB,2=MEM) -W5

Value	Label	Unweighted Frequency	%
1	-	1627	41.9 %
2	-	952	24.5 %
	Missing Data		
.	-	1304	33.6 %
	Total	3,883	100%

Based upon 2,579 valid cases out of 3,883 total cases.

- Mean: 1.37
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.48

Location: 9-9 (width: 1; decimal: 0)

Variable Type: numeric

H5SET1: EX: THERAPEUTIC CLASS - SET #1 -W5

Value	Label	Unweighted Frequency	%
	-	1274	32.8 %
001-***-***	-	1	0.0 %
001-002-***	-	3	0.1 %
001-003-***	-	2	0.1 %
001-004-235	-	1	0.0 %
001-004-236	-	2	0.1 %
001-005-238	-	4	0.1 %
001-005-239	-	7	0.2 %
001-007-176	-	1	0.0 %
001-007-228	-	2	0.1 %
001-007-229	-	15	0.4 %
001-007-281	-	2	0.1 %
001-007-327	-	5	0.1 %
001-007-364	-	1	0.0 %
001-007-366	-	1	0.0 %
001-009-159	-	4	0.1 %
001-009-161	-	1	0.0 %
001-009-162	-	1	0.0 %
001-011-304	-	6	0.2 %
001-012-***	-	2	0.1 %
001-013-224	-	16	0.4 %
001-013-225	-	6	0.2 %
001-013-226	-	1	0.0 %
001-014-***	-	7	0.2 %
001-015-***	-	7	0.2 %
001-016-***	-	4	0.1 %
001-017-***	-	4	0.1 %
001-240-***	-	5	0.1 %
020-023-***	-	2	0.1 %
020-024-***	-	7	0.2 %
020-398-***	-	1	0.0 %
020-399-***	-	1	0.0 %
040-042-***	-	70	1.8 %
040-043-***	-	9	0.2 %
040-044-***	-	8	0.2 %
040-045-***	-	2	0.1 %
040-046-386	-	10	0.3 %

Value	Label	Unweighted Frequency	%
040-046-387	-	1	0.0 %
040-046-388	-	4	0.1 %
040-047-274	-	38	1.0 %
040-047-275	-	16	0.4 %
040-048-***	-	46	1.2 %
040-049-154	-	12	0.3 %
040-049-155	-	27	0.7 %
040-049-156	-	36	0.9 %
040-049-157	-	1	0.0 %
040-053-***	-	2	0.1 %
040-054-***	-	1	0.0 %
040-055-467	-	6	0.2 %
040-055-470	-	5	0.1 %
	Total	3,883	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,883 valid cases out of 3,883 total cases.

Location: 10-20 (width: 11; decimal: 0)

Variable Type: character

H5SET2: EX: THERAPEUTIC CLASS - SET #2 -W5

Value	Label	Unweighted Frequency	%
	-	3537	91.1 %
001-012-***	-	3	0.1 %
001-016-***	-	7	0.2 %
040-047-275	-	10	0.3 %
040-048-***	-	4	0.1 %
040-053-***	-	1	0.0 %
040-340-***	-	22	0.6 %
040-433-***	-	1	0.0 %
057-064-351	-	1	0.0 %
057-065-198	-	14	0.4 %
057-066-205	-	6	0.2 %
057-066-276	-	2	0.1 %
057-067-069	-	20	0.5 %
057-253-***	-	19	0.5 %
081-083-211	-	7	0.2 %
087-093-***	-	1	0.0 %

Value	Label	Unweighted Frequency	%
087-355-089	-	1	0.0 %
097-101-102	-	5	0.1 %
097-101-185	-	20	0.5 %
097-101-186	-	37	1.0 %
097-101-279	-	1	0.0 %
097-417-***	-	1	0.0 %
105-106-***	-	5	0.1 %
105-192-***	-	6	0.2 %
113-263-***	-	1	0.0 %
113-265-***	-	2	0.1 %
115-117-***	-	3	0.1 %
115-120-***	-	12	0.3 %
122-123-***	-	22	0.6 %
122-124-***	-	13	0.3 %
122-130-296	-	1	0.0 %
133-136-461	-	1	0.0 %
133-146-***	-	1	0.0 %
133-151-268	-	3	0.1 %
133-151-269	-	1	0.0 %
133-247-246	-	1	0.0 %
218-219-***	-	7	0.2 %
218-363-***	-	1	0.0 %
242-249-076	-	64	1.6 %
242-249-209	-	3	0.1 %
242-249-250	-	1	0.0 %
242-251-210	-	2	0.1 %
254-104-442	-	5	0.1 %
358-289-***	-	8	0.2 %
	Total	3,883	100%

Based upon 3,883 valid cases out of 3,883 total cases.

Location: 21-31 (width: 11; decimal: 0)

Variable Type: character

H5SET3: EX: THERAPEUTIC CLASS - SET #3 -W5

Value	Label	Unweighted Frequency	%
	-	3853	99.2 %
057-067-069	-	14	0.4 %
057-067-070	-	6	0.2 %

Value	Label	Unweighted Frequency	%
097-101-185	-	5	0.1 %
105-270-***	-	2	0.1 %
115-117-***	-	2	0.1 %
122-125-180	-	1	0.0 %
	Total	3,883	100%

Based upon 3,883 valid cases out of 3,883 total cases.

Location: 32-42 (width: 11; decimal: 0)

Variable Type: character

H5SET4: EX: THERAPEUTIC CLASS - SET #4 -W5

Value	Label	Unweighted Frequency	%
	-	3875	99.8 %
122-123-***	-	6	0.2 %
254-104-445	-	2	0.1 %
	Total	3,883	100%

Based upon 3,883 valid cases out of 3,883 total cases.

Location: 43-53 (width: 11; decimal: 0)

Variable Type: character

H5OTC24: EX: OTC TAKEN IN PAST 24 HRS (Q69/70)-W5

Value	Label	Unweighted Frequency	%
1	-	272	7.0 %
2	-	308	7.9 %
	Missing Data		
.	-	3303	85.1 %
	Total	3,883	100%

Based upon 580 valid cases out of 3,883 total cases.

- Mean: 1.53
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

Location: 54-54 (width: 1; decimal: 0)

Variable Type: numeric

H5EAHT: EX: FLAG - ANTIHYPERTENSIVE -W5

Value	Label	Unweighted Frequency	%
0	-	2852	73.4 %
1	-	307	7.9 %
99	-	30	0.8 %
	Missing Data		
.	-	694	17.9 %
	Total	3,883	100%

Based upon 3,189 valid cases out of 3,883 total cases.

- Mean: 1.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 9.55

Location: 55-56 (width: 2; decimal: 0)

Variable Type: numeric

H5ECMED2: EX: FLAG - ANTIHYPERLIPIDEMIC -W5

Value	Label	Unweighted Frequency	%
0	-	3081	79.3 %
1	-	78	2.0 %
99	-	30	0.8 %
	Missing Data		
.	-	694	17.9 %
	Total	3,883	100%

Based upon 3,189 valid cases out of 3,883 total cases.

- Mean: 0.96
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 9.56

Location: 57-58 (width: 2; decimal: 0)

Variable Type: numeric

H5ECMED: EX: FLAG - ANTI-DIABETIC -W5

Value	Label	Unweighted Frequency	%
0	-	3023	77.9 %
1	-	136	3.5 %
99	-	30	0.8 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	694	17.9 %
	Total	3,883	100%

Based upon 3,189 valid cases out of 3,883 total cases.

- Mean: 0.97
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 9.56

Location: 59-60 (width: 2; decimal: 0)

Variable Type: numeric

H5ECRP1: EX: FLAG - CRP: NSAID/SALICY (24 HR) -W5

Value	Label	Unweighted Frequency	%
0	-	2579	66.4 %
1	-	580	14.9 %
99	-	30	0.8 %
	Missing Data		
.	-	694	17.9 %
	Total	3,883	100%

Based upon 3,189 valid cases out of 3,883 total cases.

- Mean: 1.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 9.55

Location: 61-62 (width: 2; decimal: 0)

Variable Type: numeric

H5ECRP2: EX: FLAG-CRP: NSAID/SAL(4w)/COX-2 INH-W5

Value	Label	Unweighted Frequency	%
0	-	3054	78.7 %
1	-	105	2.7 %
99	-	30	0.8 %
	Missing Data		
.	-	694	17.9 %
	Total	3,883	100%

Based upon 3,189 valid cases out of 3,883 total cases.

- Mean: 0.96
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 9.56

Location: 63-64 (width: 2; decimal: 0)

Variable Type: numeric

H5ECRP5: EX: FLAG-CRP: CORTI/GLUCOC/INH CORTIC-W5

Value	Label	Unweighted Frequency	%
0	-	3129	80.6 %
1	-	30	0.8 %
99	-	30	0.8 %
	Missing Data		
.	-	694	17.9 %
	Total	3,883	100%

Based upon 3,189 valid cases out of 3,883 total cases.

- Mean: 0.94
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 9.56

Location: 65-66 (width: 2; decimal: 0)

Variable Type: numeric

H5ECRP6: EX: FLAG - CRP: ANTIRHEUMTC/ANTIPSOR -W5

Value	Label	Unweighted Frequency	%
0	-	3146	81.0 %
1	-	13	0.3 %
99	-	30	0.8 %
	Missing Data		
.	-	694	17.9 %
	Total	3,883	100%

Based upon 3,189 valid cases out of 3,883 total cases.

- Mean: 0.94
- Median: 0.00
- Mode: 0.00

- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 9.56

Location: 67-68 (width: 2; decimal: 0)

Variable Type: numeric

H5ECRP7: EX: FLAG - CRP: IMMUNOSUPPRESSIVE -W5

Value	Label	Unweighted Frequency	%
0	-	3142	80.9 %
1	-	17	0.4 %
99	-	30	0.8 %
	Missing Data		
.	-	694	17.9 %
	Total	3,883	100%

Based upon 3,189 valid cases out of 3,883 total cases.

- Mean: 0.94
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 9.56

Location: 69-70 (width: 2; decimal: 0)

Variable Type: numeric

H5ECRP8: EX: FLAG - ANTI-INFLAMMATORY -W5

Value	Label	Unweighted Frequency	%
0	-	2421	62.3 %
1	-	738	19.0 %
99	-	30	0.8 %
	Missing Data		
.	-	694	17.9 %
	Total	3,883	100%

Based upon 3,189 valid cases out of 3,883 total cases.

- Mean: 1.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 9.55

Location: 71-72 (width: 2; decimal: 0)

Variable Type: numeric

H5ENARC: EX: FLAG - NARCOTIC -W5

Value	Label	Unweighted Frequency	%
0	-	3060	78.8 %
1	-	99	2.5 %
99	-	30	0.8 %
	Missing Data		
.	-	694	17.9 %
	Total	3,883	100%

Based upon 3,189 valid cases out of 3,883 total cases.

- Mean: 0.96
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 9.56

Location: 73-74 (width: 2; decimal: 0)

Variable Type: numeric

H5EADCMB: EX: FLAG - AD: PSYCHOTHERAP COMBO -W5

Value	Label	Unweighted Frequency	%
0	-	3159	81.4 %
99	-	30	0.8 %
	Missing Data		
.	-	694	17.9 %
	Total	3,883	100%

Based upon 3,189 valid cases out of 3,883 total cases.

- Mean: 0.93
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 9.56

Location: 75-76 (width: 2; decimal: 0)

Variable Type: numeric

H5EADMSC: EX: FLAG-AD: MISCELLANEOUS/MONOA OXI -W5

Value	Label	Unweighted Frequency	%
0	-	3086	79.5 %
1	-	73	1.9 %

Value	Label	Unweighted Frequency	%
99	-	30	0.8 %
	Missing Data		
.	-	694	17.9 %
	Total	3,883	100%

Based upon 3,189 valid cases out of 3,883 total cases.

- Mean: 0.95
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 9.56

Location: 77-78 (width: 2; decimal: 0)

Variable Type: numeric

H5EADSRI: EX: FLAG - AD: SEL SEROT REUPTAK INH -W5

Value	Label	Unweighted Frequency	%
0	-	3007	77.4 %
1	-	152	3.9 %
99	-	30	0.8 %
	Missing Data		
.	-	694	17.9 %
	Total	3,883	100%

Based upon 3,189 valid cases out of 3,883 total cases.

- Mean: 0.98
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 9.56

Location: 79-80 (width: 2; decimal: 0)

Variable Type: numeric

H5EADTRI: EX: FLAG-AD: TRICYCLIC/TETRACYCLIC -W5

Value	Label	Unweighted Frequency	%
0	-	3135	80.7 %
1	-	24	0.6 %
99	-	30	0.8 %
	Missing Data		
.	-	694	17.9 %

Value	Label	Unweighted Frequency	%
	Total	3,883	100%

Based upon 3,189 valid cases out of 3,883 total cases.

- Mean: 0.94
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 9.56

Location: 81-82 (width: 2; decimal: 0)

Variable Type: numeric

H5EADPHE: EX: FLAG - AD: PHENYLPIPERAZINE -W5

Value	Label	Unweighted Frequency	%
0	-	3138	80.8 %
1	-	21	0.5 %
99	-	30	0.8 %
	Missing Data		
.	-	694	17.9 %
	Total	3,883	100%

Based upon 3,189 valid cases out of 3,883 total cases.

- Mean: 0.94
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 9.56

Location: 83-84 (width: 2; decimal: 0)

Variable Type: numeric

H5EADSNR: EX: FLAG - AD: SEL SERO NOR REUP INH -W5

Value	Label	Unweighted Frequency	%
0	-	3108	80.0 %
1	-	51	1.3 %
99	-	30	0.8 %
	Missing Data		
.	-	694	17.9 %
	Total	3,883	100%

Based upon 3,189 valid cases out of 3,883 total cases.

- Mean: 0.95
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 9.56

Location: 85-86 (width: 2; decimal: 0)

Variable Type: numeric

H5EADANY: EX: FLAG - ANTIDEPRESSANT -W5

Value	Label	Unweighted Frequency	%
0	-	2838	73.1 %
1	-	321	8.3 %
99	-	30	0.8 %
	Missing Data		
.	-	694	17.9 %
	Total	3,883	100%

Based upon 3,189 valid cases out of 3,883 total cases.

- Mean: 1.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 9.55

Location: 87-88 (width: 2; decimal: 0)

Variable Type: numeric

H5EAPS: EX: FLAG - ANTIPSYCHOTIC -W5

Value	Label	Unweighted Frequency	%
0	-	3117	80.3 %
1	-	42	1.1 %
99	-	30	0.8 %
	Missing Data		
.	-	694	17.9 %
	Total	3,883	100%

Based upon 3,189 valid cases out of 3,883 total cases.

- Mean: 0.94
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00

- Standard Deviation: 9.56

Location: 89-90 (width: 2; decimal: 0)

Variable Type: numeric

H5EASH: EX: FLAG - ANXIOLYTC/SEDATIVE/HYPNOT -W5

Value	Label	Unweighted Frequency	%
0	-	3020	77.8 %
1	-	139	3.6 %
99	-	30	0.8 %
	Missing Data		
.	-	694	17.9 %
	Total	3,883	100%

Based upon 3,189 valid cases out of 3,883 total cases.

- Mean: 0.97
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 9.56

Location: 91-92 (width: 2; decimal: 0)

Variable Type: numeric

H5EACO: EX: FLAG - ANTICONVULSANT -W5

Value	Label	Unweighted Frequency	%
0	-	3018	77.7 %
1	-	141	3.6 %
99	-	30	0.8 %
	Missing Data		
.	-	694	17.9 %
	Total	3,883	100%

Based upon 3,189 valid cases out of 3,883 total cases.

- Mean: 0.98
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 9.56

Location: 93-94 (width: 2; decimal: 0)

Variable Type: numeric

H5MEDTOT: EX: # PRESCRIPTION MEDS REPORTED -W5

Value	Label	Unweighted Frequency	%
0	-	932	24.0 %
1	-	428	11.0 %
2	-	447	11.5 %
3	-	509	13.1 %
4	-	377	9.7 %
5	-	287	7.4 %
6	-	236	6.1 %
7	-	161	4.1 %
8	-	91	2.3 %
9	-	87	2.2 %
10	-	50	1.3 %
11	-	81	2.1 %
12	-	27	0.7 %
13	-	13	0.3 %
14	-	30	0.8 %
15	-	16	0.4 %
20	-	21	0.5 %
23	-	25	0.6 %
24	-	24	0.6 %
999	-	35	0.9 %
	Missing Data		
.	-	6	0.2 %
	Total	3,883	100%

Based upon 3,877 valid cases out of 3,883 total cases.

- Mean: 12.62
- Median: 3.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 94.25

Location: 95-97 (width: 3; decimal: 0)

Variable Type: numeric

H5MEDLAB: EX: # PRESCRIPTION MEDS RPT FR LABEL -W5

Value	Label	Unweighted Frequency	%
0	-	951	24.5 %
1	-	327	8.4 %

Value	Label	Unweighted Frequency	%
2	-	326	8.4 %
3	-	361	9.3 %
4	-	191	4.9 %
5	-	197	5.1 %
6	-	188	4.8 %
7	-	65	1.7 %
8	-	25	0.6 %
9	-	88	2.3 %
10	-	30	0.8 %
11	-	46	1.2 %
12	-	27	0.7 %
13	-	29	0.7 %
14	-	14	0.4 %
20	-	21	0.5 %
24	-	24	0.6 %
999	-	35	0.9 %
	Missing Data		
.	-	938	24.2 %
	Total	3,883	100%

Based upon 2,945 valid cases out of 3,883 total cases.

- Mean: 14.96
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 108.01

Location: 98-100 (width: 3; decimal: 0)

Variable Type: numeric

H5MEDMEM: EX: # PRESCRIPTION MEDS RPT FR MEMORY-W5

Value	Label	Unweighted Frequency	%
0	-	1574	40.5 %
1	-	431	11.1 %
2	-	239	6.2 %
3	-	204	5.3 %
4	-	139	3.6 %
5	-	63	1.6 %
6	-	66	1.7 %
7	-	60	1.5 %

Value	Label	Unweighted Frequency	%
8	-	50	1.3 %
10	-	20	0.5 %
11	-	23	0.6 %
15	-	16	0.4 %
23	-	25	0.6 %
999	-	35	0.9 %
	Missing Data		
.	-	938	24.2 %
	Total	3,883	100%

Based upon 2,945 valid cases out of 3,883 total cases.

- Mean: 13.53
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 108.14

Location: 101-103 (width: 3; decimal: 0)

Variable Type: numeric

H5MEDMAN: EX: # PRESCRIPTION MEDS ENT MANUALLY -W5

Value	Label	Unweighted Frequency	%
0	-	2507	64.6 %
1	-	245	6.3 %
2	-	112	2.9 %
3	-	14	0.4 %
4	-	6	0.2 %
5	-	5	0.1 %
6	-	21	0.5 %
99	-	35	0.9 %
	Missing Data		
.	-	938	24.2 %
	Total	3,883	100%

Based upon 2,945 valid cases out of 3,883 total cases.

- Mean: 1.41
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 10.73

Location: 104-105 (width: 2; decimal: 0)

Variable Type: numeric