

ICPSR 21600

**National Longitudinal Study of
Adolescent to Adult Health (Add
Health), 1994-2018 [Public Use]**

Kathleen Mullan Harris

University of North Carolina at Chapel Hill

J. Richard Udry

University of North Carolina at Chapel Hill

Wave V: Mixed-Mode Survey, Public Use
Sample Variable Description and Frequencies

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/web/ICPSR/studies/21600/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #21600

National Longitudinal Study of Adolescent to Adult Health (Add Health), 1994-2018 [Public Use]

DS32: Wave V: Mixed-Mode Survey, Public Use Sample

1. **Variable Metadata:** Wave V data files have been minimally processed by ICPSR. For value labels, missing values, and question text (where applicable), please see the P.I. Codebook/Questionnaire.
2. **Documentation Discrepancies:** Variable **W5REGION** contains additional values in the data than what is shown in the P.I. Codebook/Questionnaire. No further information was provided.

ICPSR 21600

National Longitudinal Study of Adolescent to Adult Health (Add Health), 1994-2018 [Public Use]

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Wave V: Mixed-Mode Survey, Public Use Sample

AID: RESPONDENT IDENTIFIER

Based upon 4,196 valid cases out of 4,196 total cases.

Location: 1-8 (width: 8; decimal: 0)

Variable Type: character

IMONTH5: MONTH OF WAVE V SURVEY

Value	Label	Unweighted Frequency	%
1	-	186	4.4 %
2	-	120	2.9 %
3	-	358	8.5 %
4	-	203	4.8 %
5	-	137	3.3 %
6	-	437	10.4 %
7	-	641	15.3 %
8	-	1131	27.0 %
9	-	371	8.8 %
10	-	285	6.8 %
11	-	181	4.3 %
12	-	146	3.5 %
	Total	4,196	100%

Based upon 4,196 valid cases out of 4,196 total cases.

- Mean: 6.93
- Median: 8.00
- Mode: 8.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.67

Location: 9-10 (width: 2; decimal: 0)

Variable Type: numeric

IYEAR5: YEAR OF WAVE V SURVEY

Value	Label	Unweighted Frequency	%
2016	-	1184	28.2 %
2017	-	2151	51.3 %
2018	-	861	20.5 %
	Total	4,196	100%

Based upon 4,196 valid cases out of 4,196 total cases.

- Mean: 2016.92
- Median: 2017.00
- Mode: 2017.00
- Minimum: 2016.00
- Maximum: 2018.00
- Standard Deviation: 0.69

Location: 11-14 (width: 4; decimal: 0)

Variable Type: numeric

MODULES: MODULES COMPLETED

Value	Label	Unweighted Frequency	%
A	-	107	2.6 %
A/B	-	4089	97.4 %
	Total	4,196	100%

Based upon 4,196 valid cases out of 4,196 total cases.

Location: 15-17 (width: 3; decimal: 0)

Variable Type: character

MODE: SURVEY MODE

Value	Label	Unweighted Frequency	%
I	-	723	17.2 %
M	-	147	3.5 %
S	-	4	0.1 %
T	-	101	2.4 %
W	-	3221	76.8 %
	Total	4,196	100%

Based upon 4,196 valid cases out of 4,196 total cases.

Location: 18-18 (width: 1; decimal: 0)

Variable Type: character

SAMPLE: SAMPLE ASSIGNMENT

Value	Label	Unweighted Frequency	%
1	-	1352	32.2 %
1/ NRFU	-	186	4.4 %
2A	-	479	11.4 %
2A/ NRFU	-	95	2.3 %
2B	-	340	8.1 %
3	-	1316	31.4 %
3/ NRFU	-	383	9.1 %
PILOT	-	34	0.8 %

Value	Label	Unweighted Frequency	%
PILOT/ NRFU	-	11	0.3 %
	Total	4,196	100%

Based upon 4,196 valid cases out of 4,196 total cases.

Location: 19-29 (width: 11; decimal: 0)

Variable Type: character

PLATFORM: PLATFORM/DEVICE USED BY WEB RESP-W5

Value	Label	Unweighted Frequency	%
1	-	2350	56.0 %
2	-	1320	31.5 %
3	-	252	6.0 %
4	-	19	0.5 %
95	-	248	5.9 %
	Missing Data		
.	-	7	0.2 %
	Total	4,196	100%

Based upon 4,189 valid cases out of 4,196 total cases.

- Mean: 7.01
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 95.00
- Standard Deviation: 22.08

Location: 30-31 (width: 2; decimal: 0)

Variable Type: numeric

H5OD1M: S1Q1A BIRTH MONTH-W5

Value	Label	Unweighted Frequency	%
1	-	338	8.1 %
2	-	321	7.7 %
3	-	366	8.7 %
4	-	331	7.9 %
5	-	359	8.6 %
6	-	326	7.8 %
7	-	388	9.2 %
8	-	364	8.7 %
9	-	357	8.5 %
10	-	376	9.0 %

Value	Label	Unweighted Frequency	%
11	-	319	7.6 %
12	-	351	8.4 %
	Total	4,196	100%

Based upon 4,196 valid cases out of 4,196 total cases.

- Mean: 6.55
- Median: 7.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.42

Location: 32-33 (width: 2; decimal: 0)

Variable Type: numeric

H5OD1Y: S1Q1B BIRTH YEAR-W5

Value	Label	Unweighted Frequency	%
1976	-	82	2.0 %
1977	-	491	11.7 %
1978	-	746	17.8 %
1979	-	726	17.3 %
1980	-	712	17.0 %
1981	-	688	16.4 %
1982	-	577	13.8 %
1983	-	174	4.1 %
	Total	4,196	100%

Based upon 4,196 valid cases out of 4,196 total cases.

- Mean: 1979.61
- Median: 1980.00
- Mode: 1978.00
- Minimum: 1976.00
- Maximum: 1983.00
- Standard Deviation: 1.78

Location: 34-37 (width: 4; decimal: 0)

Variable Type: numeric

H5OD2A: S1Q2A SEX ASSIGNED AT BIRTH-W5

Value	Label	Unweighted Frequency	%
1	-	1802	42.9 %
2	-	2394	57.1 %
	Total	4,196	100%

Based upon 4,196 valid cases out of 4,196 total cases.

- Mean: 1.57
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

Location: 38-38 (width: 1; decimal: 0)

Variable Type: numeric

H5OD3: S1Q3 FEMININE/MASCULINE APPEARANCE-W5

Value	Label	Unweighted Frequency	%
1	-	869	20.7 %
2	-	1075	25.6 %
3	-	322	7.7 %
4	-	127	3.0 %
5	-	121	2.9 %
6	-	707	16.8 %
7	-	967	23.0 %
	Missing Data		
.	-	8	0.2 %
	Total	4,196	100%

Based upon 4,188 valid cases out of 4,196 total cases.

- Mean: 3.85
- Median: 3.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 2.39

Location: 39-39 (width: 1; decimal: 0)

Variable Type: numeric

H5OD4A: S1Q4A RACE-WHITE-W5

Value	Label	Unweighted Frequency	%
0	-	1340	31.9 %
1	-	2844	67.8 %
	Missing Data		
.	-	12	0.3 %
	Total	4,196	100%

Based upon 4,184 valid cases out of 4,196 total cases.

- Mean: 0.68
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

Location: 40-40 (width: 1; decimal: 0)

Variable Type: numeric

H5OD4B: S1Q4B RACE-BLACK/AFRICAN AM-W5

Value	Label	Unweighted Frequency	%
0	-	3274	78.0 %
1	-	910	21.7 %
	Missing Data		
.	-	12	0.3 %
	Total	4,196	100%

Based upon 4,184 valid cases out of 4,196 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

Location: 41-41 (width: 1; decimal: 0)

Variable Type: numeric

H5OD4C: S1Q4C RACE-HISPANIC-W5

Value	Label	Unweighted Frequency	%
0	-	3778	90.0 %
1	-	406	9.7 %
	Missing Data		
.	-	12	0.3 %
	Total	4,196	100%

Based upon 4,184 valid cases out of 4,196 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

Location: 42-42 (width: 1; decimal: 0)

Variable Type: numeric

H5OD4D: S1Q4D RACE-ASIAN-W5

Value	Label	Unweighted Frequency	%
0	-	4028	96.0 %
1	-	156	3.7 %
	Missing Data		
.	-	12	0.3 %
	Total	4,196	100%

Based upon 4,184 valid cases out of 4,196 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.19

Location: 43-43 (width: 1; decimal: 0)

Variable Type: numeric

H5OD4E: S1Q4E RACE-PACIFIC ISLANDER-W5

Value	Label	Unweighted Frequency	%
0	-	4146	98.8 %
1	-	38	0.9 %
	Missing Data		
.	-	12	0.3 %
	Total	4,196	100%

Based upon 4,184 valid cases out of 4,196 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.09

Location: 44-44 (width: 1; decimal: 0)

Variable Type: numeric

H5OD4F: S1Q4F RACE-AM INDIAN/ALSK NATIVE-W5

Value	Label	Unweighted Frequency	%
0	-	4063	96.8 %
1	-	121	2.9 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	12	0.3 %
	Total	4,196	100%

Based upon 4,184 valid cases out of 4,196 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

Location: 45-45 (width: 1; decimal: 0)

Variable Type: numeric

H5OD4G: S1Q4G RACE-OTHER-W5

Value	Label	Unweighted Frequency	%
0	-	4158	99.1 %
1	-	26	0.6 %
	Missing Data		
.	-	12	0.3 %
	Total	4,196	100%

Based upon 4,184 valid cases out of 4,196 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.08

Location: 46-46 (width: 1; decimal: 0)

Variable Type: numeric

H5OD5A: S1Q5A HISPANIC-MEXICAN/CHICANO-W5

Value	Label	Unweighted Frequency	%
0	-	174	4.1 %
1	-	232	5.5 %
97	-	3778	90.0 %
	Missing Data		
.	-	12	0.3 %
	Total	4,196	100%

Based upon 4,184 valid cases out of 4,196 total cases.

- Mean: 87.64
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 28.55

Location: 47-48 (width: 2; decimal: 0)

Variable Type: numeric

H5OD5B: S1Q5B HISPANIC-PUERTO RICAN-W5

Value	Label	Unweighted Frequency	%
0	-	346	8.2 %
1	-	60	1.4 %
97	-	3778	90.0 %
	Missing Data		
.	-	12	0.3 %
	Total	4,196	100%

Based upon 4,184 valid cases out of 4,196 total cases.

- Mean: 87.60
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 28.67

Location: 49-50 (width: 2; decimal: 0)

Variable Type: numeric

H5OD5C: S1Q5C HISPANIC-CUBAN-W5

Value	Label	Unweighted Frequency	%
0	-	375	8.9 %
1	-	31	0.7 %
97	-	3778	90.0 %
	Missing Data		
.	-	12	0.3 %
	Total	4,196	100%

Based upon 4,184 valid cases out of 4,196 total cases.

- Mean: 87.59
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00

- Standard Deviation: 28.69

Location: 51-52 (width: 2; decimal: 0)

Variable Type: numeric

H5OD5D: S1Q5D HISPANIC-CENTRAL AMERICAN-W5

Value	Label	Unweighted Frequency	%
0	-	384	9.2 %
1	-	22	0.5 %
97	-	3778	90.0 %
	Missing Data		
.	-	12	0.3 %
	Total	4,196	100%

Based upon 4,184 valid cases out of 4,196 total cases.

- Mean: 87.59
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 28.70

Location: 53-54 (width: 2; decimal: 0)

Variable Type: numeric

H5OD5E: S1Q5E HISPANIC-SOUTH AMERICAN-W5

Value	Label	Unweighted Frequency	%
0	-	392	9.3 %
1	-	14	0.3 %
97	-	3778	90.0 %
	Missing Data		
.	-	12	0.3 %
	Total	4,196	100%

Based upon 4,184 valid cases out of 4,196 total cases.

- Mean: 87.59
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 28.71

Location: 55-56 (width: 2; decimal: 0)

Variable Type: numeric

H5OD5F: S1Q5F HISPANIC-OTHER-W5

Value	Label	Unweighted Frequency	%
0	-	341	8.1 %
1	-	65	1.5 %
97	-	3778	90.0 %
	Missing Data		
.	-	12	0.3 %
	Total	4,196	100%

Based upon 4,184 valid cases out of 4,196 total cases.

- Mean: 87.60
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 28.67

Location: 57-58 (width: 2; decimal: 0)

Variable Type: numeric

H5OD6A: S1Q6A ASIAN-INDIAN-W5

Value	Label	Unweighted Frequency	%
97	-	4028	96.0 %
	Missing Data		
.	-	168	4.0 %
	Total	4,196	100%

Based upon 4,028 valid cases out of 4,196 total cases.

- Mean: 97.00
- Median: 97.00
- Mode: 97.00
- Minimum: 97.00
- Maximum: 97.00
- Standard Deviation: 0.00

Location: 59-60 (width: 2; decimal: 0)

Variable Type: numeric

H5OD6B: S1Q6B ASIAN-CHINESE-W5

Value	Label	Unweighted Frequency	%
0	-	120	2.9 %
1	-	36	0.9 %
97	-	4028	96.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	12	0.3 %
	Total	4,196	100%

Based upon 4,184 valid cases out of 4,196 total cases.

- Mean: 93.39
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 18.34

Location: 61-62 (width: 2; decimal: 0)

Variable Type: numeric

H5OD6C: S1Q6C ASIAN-FILIPINO-W5

Value	Label	Unweighted Frequency	%
0	-	96	2.3 %
1	-	60	1.4 %
97	-	4028	96.0 %
	Missing Data		
.	-	12	0.3 %
	Total	4,196	100%

Based upon 4,184 valid cases out of 4,196 total cases.

- Mean: 93.40
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 18.31

Location: 63-64 (width: 2; decimal: 0)

Variable Type: numeric

H5OD6D: S1Q6D ASIAN-JAPANESE-W5

Value	Label	Unweighted Frequency	%
0	-	134	3.2 %
1	-	22	0.5 %
97	-	4028	96.0 %
	Missing Data		
.	-	12	0.3 %
	Total	4,196	100%

Based upon 4,184 valid cases out of 4,196 total cases.

- Mean: 93.39
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 18.35

Location: 65-66 (width: 2; decimal: 0)

Variable Type: numeric

H5OD6E: S1Q6E ASIAN-KOREAN-W5

Value	Label	Unweighted Frequency	%
0	-	135	3.2 %
1	-	21	0.5 %
97	-	4028	96.0 %
	Missing Data		
.	-	12	0.3 %
	Total	4,196	100%

Based upon 4,184 valid cases out of 4,196 total cases.

- Mean: 93.39
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 18.35

Location: 67-68 (width: 2; decimal: 0)

Variable Type: numeric

H5OD6F: S1Q6F ASIAN-VIETNAMESE-W5

Value	Label	Unweighted Frequency	%
0	-	144	3.4 %
1	-	12	0.3 %
97	-	4028	96.0 %
	Missing Data		
.	-	12	0.3 %
	Total	4,196	100%

Based upon 4,184 valid cases out of 4,196 total cases.

- Mean: 93.39
- Median: 97.00
- Mode: 97.00

- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 18.37

Location: 69-70 (width: 2; decimal: 0)

Variable Type: numeric

H5OD6G: S1Q6G ASIAN-OTHER-W5

Value	Label	Unweighted Frequency	%
0	-	145	3.5 %
1	-	11	0.3 %
97	-	4028	96.0 %
	Missing Data		
.	-	12	0.3 %
	Total	4,196	100%

Based upon 4,184 valid cases out of 4,196 total cases.

- Mean: 93.39
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 18.37

Location: 71-72 (width: 2; decimal: 0)

Variable Type: numeric

H5OD7A: S1Q7A PACIFIC-NATIVE HAWAIIAN-W5

Value	Label	Unweighted Frequency	%
0	-	25	0.6 %
1	-	13	0.3 %
97	-	4146	98.8 %
	Missing Data		
.	-	12	0.3 %
	Total	4,196	100%

Based upon 4,184 valid cases out of 4,196 total cases.

- Mean: 96.12
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 9.17

Location: 73-74 (width: 2; decimal: 0)

Variable Type: numeric

H5OD7B: S1Q7B PACIFIC-SAMOAN-W5

Value	Label	Unweighted Frequency	%
97	-	4146	98.8 %
	Missing Data		
.	-	50	1.2 %
	Total	4,196	100%

Based upon 4,146 valid cases out of 4,196 total cases.

- Mean: 97.00
- Median: 97.00
- Mode: 97.00
- Minimum: 97.00
- Maximum: 97.00
- Standard Deviation: 0.00

Location: 75-76 (width: 2; decimal: 0)

Variable Type: numeric

H5OD7C: S1Q7C PACIFIC-GUAMANIAN/CHAMORRO-W5

Value	Label	Unweighted Frequency	%
97	-	4146	98.8 %
	Missing Data		
.	-	50	1.2 %
	Total	4,196	100%

Based upon 4,146 valid cases out of 4,196 total cases.

- Mean: 97.00
- Median: 97.00
- Mode: 97.00
- Minimum: 97.00
- Maximum: 97.00
- Standard Deviation: 0.00

Location: 77-78 (width: 2; decimal: 0)

Variable Type: numeric

H5OD7D: S1Q7D PACIFIC-OTHER-W5

Value	Label	Unweighted Frequency	%
0	-	22	0.5 %
1	-	16	0.4 %
97	-	4146	98.8 %
	Missing Data		
.	-	12	0.3 %

Value	Label	Unweighted Frequency	%
	Total	4,196	100%

Based upon 4,184 valid cases out of 4,196 total cases.

- Mean: 96.12
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 9.16

Location: 79-80 (width: 2; decimal: 0)

Variable Type: numeric

H5OD8: S1Q8 RACE-SINGLE CATEGORY IDENTIFY-W5

Value	Label	Unweighted Frequency	%
1	-	111	2.6 %
2	-	63	1.5 %
3	-	15	0.4 %
4	-	30	0.7 %
7	-	12	0.3 %
11	-	10	0.2 %
15	-	14	0.3 %
21	-	13	0.3 %
997	-	3905	93.1 %
	Missing Data		
.	-	23	0.5 %
	Total	4,196	100%

Based upon 4,173 valid cases out of 4,196 total cases.

- Mean: 933.23
- Median: 997.00
- Mode: 997.00
- Minimum: 1.00
- Maximum: 997.00
- Standard Deviation: 243.46

Location: 81-83 (width: 3; decimal: 0)

Variable Type: numeric

H5OD9: S1Q9 BORN IN THE UNITED STATES-W5

Value	Label	Unweighted Frequency	%
0	-	225	5.4 %
1	-	3816	90.9 %

Value	Label	Unweighted Frequency	%
95	-	151	3.6 %
	Missing Data		
.	-	4	0.1 %
	Total	4,196	100%

Based upon 4,192 valid cases out of 4,196 total cases.

- Mean: 4.33
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 95.00
- Standard Deviation: 17.53

Location: 84-85 (width: 2; decimal: 0)

Variable Type: numeric

H5OD10: S1Q10 CURR/ATTENDING COL/UNIV/VOC SCH-W5

Value	Label	Unweighted Frequency	%
0	-	3851	91.8 %
1	-	338	8.1 %
	Missing Data		
.	-	7	0.2 %
	Total	4,196	100%

Based upon 4,189 valid cases out of 4,196 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.27

Location: 86-86 (width: 1; decimal: 0)

Variable Type: numeric

H5OD11: S1Q11 HIGHEST EDU ACHIEVED TO DATE-W5

Value	Label	Unweighted Frequency	%
2	-	184	4.4 %
3	-	513	12.2 %
4	-	129	3.1 %
5	-	114	2.7 %
6	-	368	8.8 %
7	-	263	6.3 %

Value	Label	Unweighted Frequency	%
8	-	427	10.2 %
9	-	482	11.5 %
10	-	875	20.9 %
11	-	154	3.7 %
12	-	386	9.2 %
13	-	85	2.0 %
14	-	76	1.8 %
15	-	20	0.5 %
16	-	115	2.7 %
	Missing Data		
.	-	5	0.1 %
	Total	4,196	100%

Based upon 4,191 valid cases out of 4,196 total cases.

- Mean: 8.16
- Median: 9.00
- Mode: 10.00
- Minimum: 2.00
- Maximum: 16.00
- Standard Deviation: 3.42

Location: 87-88 (width: 2; decimal: 0)

Variable Type: numeric

H5HR1: S2Q1 CURRENT MARITAL STATUS-W5

Value	Label	Unweighted Frequency	%
1	-	2430	57.9 %
2	-	16	0.4 %
3	-	464	11.1 %
4	-	124	3.0 %
5	-	1155	27.5 %
	Missing Data		
.	-	7	0.2 %
	Total	4,196	100%

Based upon 4,189 valid cases out of 4,196 total cases.

- Mean: 2.42
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.77

Location: 89-89 (width: 1; decimal: 0)

Variable Type: numeric

H5HR2: S2Q2 CURRENT LIVING ARRANGEMENT-W5

Value	Label	Unweighted Frequency	%
1	-	3651	87.0 %
2	-	317	7.6 %
3	-	154	3.7 %
5	-	13	0.3 %
6	-	49	1.2 %
	Missing Data		
.	-	12	0.3 %
	Total	4,196	100%

Based upon 4,184 valid cases out of 4,196 total cases.

- Mean: 1.22
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 0.72

Location: 90-90 (width: 1; decimal: 0)

Variable Type: numeric

H5HR3: S2Q3 HOW MANY PEOPLE RESP LIVES WITH-W5

Value	Label	Unweighted Frequency	%
0	-	368	8.8 %
1	-	673	16.0 %
2	-	829	19.8 %
3	-	1220	29.1 %
4	-	613	14.6 %
5	-	275	6.6 %
6	-	90	2.1 %
7	-	23	0.5 %
8	-	10	0.2 %
997	-	72	1.7 %
	Missing Data		
.	-	23	0.5 %
	Total	4,196	100%

Based upon 4,173 valid cases out of 4,196 total cases.

- Mean: 19.74
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 997.00
- Standard Deviation: 129.51

Location: 91-93 (width: 3; decimal: 0)

Variable Type: numeric

H5HR4A: S2Q4A HH MEMBER 1 SEX-W5

Value	Label	Unweighted Frequency	%
1	-	2011	47.9 %
2	-	1727	41.2 %
97	-	440	10.5 %
	Missing Data		
.	-	18	0.4 %
	Total	4,196	100%

Based upon 4,178 valid cases out of 4,196 total cases.

- Mean: 11.52
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 29.33

Location: 94-95 (width: 2; decimal: 0)

Variable Type: numeric

H5HR4B: S2Q4B HH MEMBER 2 SEX-W5

Value	Label	Unweighted Frequency	%
1	-	1503	35.8 %
2	-	1554	37.0 %
97	-	1113	26.5 %
	Missing Data		
.	-	26	0.6 %
	Total	4,196	100%

Based upon 4,170 valid cases out of 4,196 total cases.

- Mean: 27.00
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 97.00

- Standard Deviation: 42.25

Location: 96-97 (width: 2; decimal: 0)

Variable Type: numeric

H5HR4C: S2Q4C HH MEMBER 3 SEX-W5

Value	Label	Unweighted Frequency	%
1	-	1100	26.2 %
2	-	1112	26.5 %
97	-	1941	46.3 %
	Missing Data		
.	-	43	1.0 %
	Total	4,196	100%

Based upon 4,153 valid cases out of 4,196 total cases.

- Mean: 46.14
- Median: 2.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 47.65

Location: 98-99 (width: 2; decimal: 0)

Variable Type: numeric

H5HR4D: S2Q4D HH MEMBER 4 SEX-W5

Value	Label	Unweighted Frequency	%
1	-	487	11.6 %
2	-	504	12.0 %
97	-	3164	75.4 %
	Missing Data		
.	-	41	1.0 %
	Total	4,196	100%

Based upon 4,155 valid cases out of 4,196 total cases.

- Mean: 74.22
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 40.70

Location: 100-101 (width: 2; decimal: 0)

Variable Type: numeric

H5HR4E: S2Q4E HH MEMBER 5 SEX-W5

Value	Label	Unweighted Frequency	%
1	-	216	5.1 %
2	-	177	4.2 %
97	-	3777	90.0 %
	Missing Data		
.	-	26	0.6 %
	Total	4,196	100%

Based upon 4,170 valid cases out of 4,196 total cases.

- Mean: 87.99
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 27.92

Location: 102-103 (width: 2; decimal: 0)

Variable Type: numeric

H5HR4F: S2Q4F HH MEMBER 6 SEX-W5

Value	Label	Unweighted Frequency	%
1	-	66	1.6 %
2	-	65	1.5 %
97	-	4050	96.5 %
	Missing Data		
.	-	15	0.4 %
	Total	4,196	100%

Based upon 4,181 valid cases out of 4,196 total cases.

- Mean: 94.01
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 16.64

Location: 104-105 (width: 2; decimal: 0)

Variable Type: numeric

H5HR4G: S2Q4G HH MEMBER 7 SEX-W5

Value	Label	Unweighted Frequency	%
1	-	23	0.5 %

Value	Label	Unweighted Frequency	%
2	-	19	0.5 %
97	-	4143	98.7 %
	Missing Data		
.	-	11	0.3 %
	Total	4,196	100%

Based upon 4,185 valid cases out of 4,196 total cases.

- Mean: 96.04
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 9.52

Location: 106-107 (width: 2; decimal: 0)

Variable Type: numeric

H5HR4H: S2Q4H HH MEMBER 8 SEX-W5

Value	Label	Unweighted Frequency	%
1	-	6	0.1 %
2	-	14	0.3 %
97	-	4167	99.3 %
	Missing Data		
.	-	9	0.2 %
	Total	4,196	100%

Based upon 4,187 valid cases out of 4,196 total cases.

- Mean: 96.54
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 6.57

Location: 108-109 (width: 2; decimal: 0)

Variable Type: numeric

H5HR5A: S2Q5A HH MEMBER 1 AGE-W5

Value	Label	Unweighted Frequency	%
0	-	33	0.8 %
6	-	10	0.2 %
7	-	16	0.4 %
8	-	15	0.4 %

Value	Label	Unweighted Frequency	%
9	-	15	0.4 %
10	-	19	0.5 %
11	-	21	0.5 %
12	-	23	0.5 %
13	-	23	0.5 %
14	-	34	0.8 %
15	-	30	0.7 %
16	-	41	1.0 %
17	-	39	0.9 %
18	-	37	0.9 %
19	-	26	0.6 %
20	-	32	0.8 %
22	-	11	0.3 %
23	-	11	0.3 %
24	-	23	0.5 %
27	-	26	0.6 %
28	-	19	0.5 %
29	-	35	0.8 %
30	-	60	1.4 %
31	-	61	1.5 %
32	-	81	1.9 %
33	-	101	2.4 %
34	-	175	4.2 %
35	-	239	5.7 %
36	-	250	6.0 %
37	-	265	6.3 %
38	-	262	6.2 %
39	-	271	6.5 %
40	-	231	5.5 %
41	-	157	3.7 %
42	-	134	3.2 %
43	-	90	2.1 %
44	-	72	1.7 %
45	-	67	1.6 %
46	-	41	1.0 %
47	-	32	0.8 %
48	-	28	0.7 %
49	-	18	0.4 %
50	-	20	0.5 %

Value	Label	Unweighted Frequency	%
51	-	14	0.3 %
52	-	20	0.5 %
53	-	16	0.4 %
55	-	31	0.7 %
57	-	10	0.2 %
58	-	21	0.5 %
59	-	20	0.5 %
	Missing Data		
.	-	41	1.0 %
	Total	4,196	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,155 valid cases out of 4,196 total cases.

- Mean: 140.44
- Median: 39.00
- Mode: 997.00
- Minimum: 0.00
- Maximum: 997.00
- Standard Deviation: 295.50

Location: 110-112 (width: 3; decimal: 0)

Variable Type: numeric

H5HR5B: S2Q5B HH MEMBER 2 AGE-W5

Value	Label	Unweighted Frequency	%
0	-	56	1.3 %
1	-	64	1.5 %
2	-	74	1.8 %
3	-	80	1.9 %
4	-	106	2.5 %
5	-	131	3.1 %
6	-	136	3.2 %
7	-	118	2.8 %
8	-	167	4.0 %
9	-	144	3.4 %
10	-	161	3.8 %
11	-	150	3.6 %
12	-	158	3.8 %
13	-	158	3.8 %
14	-	159	3.8 %

Value	Label	Unweighted Frequency	%
15	-	165	3.9 %
16	-	139	3.3 %
17	-	127	3.0 %
18	-	109	2.6 %
19	-	87	2.1 %
20	-	48	1.1 %
21	-	40	1.0 %
22	-	12	0.3 %
23	-	13	0.3 %
24	-	31	0.7 %
30	-	17	0.4 %
31	-	15	0.4 %
33	-	12	0.3 %
34	-	13	0.3 %
35	-	17	0.4 %
36	-	19	0.5 %
37	-	10	0.2 %
38	-	23	0.5 %
39	-	20	0.5 %
40	-	61	1.5 %
50	-	21	0.5 %
55	-	15	0.4 %
57	-	18	0.4 %
59	-	11	0.3 %
60	-	11	0.3 %
61	-	14	0.3 %
62	-	20	0.5 %
63	-	12	0.3 %
64	-	11	0.3 %
65	-	20	0.5 %
67	-	23	0.5 %
70	-	20	0.5 %
92	-	1	0.0 %
997	-	1115	26.6 %
	Missing Data		
.	-	44	1.0 %
	Total	4,196	100%

Based upon 4,152 valid cases out of 4,196 total cases.

- Mean: 279.41
- Median: 16.00
- Mode: 997.00
- Minimum: 0.00
- Maximum: 997.00
- Standard Deviation: 435.03

Location: 113-115 (width: 3; decimal: 0)

Variable Type: numeric

H5HR5C: S2Q5C HH MEMBER 3 AGE-W5

Value	Label	Unweighted Frequency	%
0	-	65	1.5 %
1	-	84	2.0 %
2	-	116	2.8 %
3	-	123	2.9 %
4	-	127	3.0 %
5	-	144	3.4 %
6	-	143	3.4 %
7	-	142	3.4 %
8	-	138	3.3 %
9	-	130	3.1 %
10	-	122	2.9 %
11	-	130	3.1 %
12	-	118	2.8 %
13	-	105	2.5 %
14	-	90	2.1 %
15	-	82	2.0 %
16	-	72	1.7 %
17	-	46	1.1 %
18	-	33	0.8 %
19	-	27	0.6 %
20	-	16	0.4 %
21	-	40	1.0 %
30	-	16	0.4 %
33	-	12	0.3 %
35	-	16	0.4 %
37	-	17	0.4 %
39	-	13	0.3 %
40	-	38	0.9 %
997	-	1943	46.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	48	1.1 %
	Total	4,196	100%

Based upon 4,148 valid cases out of 4,196 total cases.

- Mean: 472.38
- Median: 21.00
- Mode: 997.00
- Minimum: 0.00
- Maximum: 997.00
- Standard Deviation: 492.56

Location: 116-118 (width: 3; decimal: 0)

Variable Type: numeric

H5HR5D: S2Q5D HH MEMBER 4 AGE-W5

Value	Label	Unweighted Frequency	%
0	-	41	1.0 %
1	-	57	1.4 %
2	-	67	1.6 %
3	-	55	1.3 %
4	-	63	1.5 %
5	-	73	1.7 %
6	-	75	1.8 %
7	-	71	1.7 %
8	-	72	1.7 %
9	-	65	1.5 %
10	-	60	1.4 %
11	-	38	0.9 %
12	-	42	1.0 %
13	-	41	1.0 %
14	-	26	0.6 %
15	-	25	0.6 %
16	-	23	0.5 %
17	-	27	0.6 %
20	-	16	0.4 %
26	-	12	0.3 %
33	-	23	0.5 %
39	-	15	0.4 %
997	-	3166	75.5 %
	Missing Data		
.	-	43	1.0 %

Value	Label	Unweighted Frequency	%
	Total	4,196	100%

Based upon 4,153 valid cases out of 4,196 total cases.

- Mean: 762.14
- Median: 997.00
- Mode: 997.00
- Minimum: 0.00
- Maximum: 997.00
- Standard Deviation: 420.70

Location: 119-121 (width: 3; decimal: 0)

Variable Type: numeric

H5HR5E: S2Q5E HH MEMBER 5 AGE-W5

Value	Label	Unweighted Frequency	%
0	-	25	0.6 %
1	-	21	0.5 %
2	-	22	0.5 %
3	-	28	0.7 %
4	-	31	0.7 %
5	-	29	0.7 %
6	-	34	0.8 %
7	-	33	0.8 %
8	-	21	0.5 %
9	-	17	0.4 %
10	-	22	0.5 %
11	-	14	0.3 %
12	-	19	0.5 %
13	-	11	0.3 %
14	-	10	0.2 %
15	-	16	0.4 %
20	-	15	0.4 %
31	-	21	0.5 %
997	-	3779	90.1 %
	Missing Data		
.	-	28	0.7 %
	Total	4,196	100%

Based upon 4,168 valid cases out of 4,196 total cases.

- Mean: 904.73
- Median: 997.00

- Mode: 997.00
- Minimum: 0.00
- Maximum: 997.00
- Standard Deviation: 287.63

Location: 122-124 (width: 3; decimal: 0)

Variable Type: numeric

H5HR5F: S2Q5F HH MEMBER 6 AGE-W5

Value	Label	Unweighted Frequency	%
0	-	10	0.2 %
1	-	12	0.3 %
2	-	16	0.4 %
3	-	10	0.2 %
4	-	45	1.1 %
11	-	14	0.3 %
16	-	11	0.3 %
29	-	11	0.3 %
997	-	4051	96.5 %
	Missing Data		
.	-	16	0.4 %
	Total	4,196	100%

Based upon 4,180 valid cases out of 4,196 total cases.

- Mean: 966.45
- Median: 997.00
- Mode: 997.00
- Minimum: 0.00
- Maximum: 997.00
- Standard Deviation: 171.24

Location: 125-127 (width: 3; decimal: 0)

Variable Type: numeric

H5HR5G: S2Q5G HH MEMBER 7 AGE-W5

Value	Label	Unweighted Frequency	%
0	-	5	0.1 %
1	-	3	0.1 %
2	-	1	0.0 %
3	-	1	0.0 %
4	-	2	0.0 %
5	-	5	0.1 %
6	-	4	0.1 %
7	-	3	0.1 %

Value	Label	Unweighted Frequency	%
8	-	1	0.0 %
10	-	2	0.0 %
11	-	2	0.0 %
12	-	2	0.0 %
14	-	1	0.0 %
18	-	2	0.0 %
23	-	1	0.0 %
25	-	1	0.0 %
28	-	1	0.0 %
32	-	1	0.0 %
39	-	1	0.0 %
41	-	1	0.0 %
63	-	1	0.0 %
997	-	4143	98.7 %
	Missing Data		
.	-	12	0.3 %
	Total	4,196	100%

Based upon 4,184 valid cases out of 4,196 total cases.

- Mean: 987.34
- Median: 997.00
- Mode: 997.00
- Minimum: 0.00
- Maximum: 997.00
- Standard Deviation: 97.12

Location: 128-130 (width: 3; decimal: 0)

Variable Type: numeric

H5HR5H: S2Q5H HH MEMBER 8 AGE-W5

Value	Label	Unweighted Frequency	%
0	-	2	0.0 %
1	-	1	0.0 %
2	-	1	0.0 %
3	-	3	0.1 %
5	-	1	0.0 %
7	-	1	0.0 %
9	-	3	0.1 %
10	-	1	0.0 %
12	-	1	0.0 %
13	-	1	0.0 %

Value	Label	Unweighted Frequency	%
16	-	1	0.0 %
18	-	1	0.0 %
24	-	1	0.0 %
39	-	1	0.0 %
997	-	4167	99.3 %
	Missing Data		
.	-	10	0.2 %
	Total	4,196	100%

Based upon 4,186 valid cases out of 4,196 total cases.

- Mean: 992.52
- Median: 997.00
- Mode: 997.00
- Minimum: 0.00
- Maximum: 997.00
- Standard Deviation: 66.38

Location: 131-133 (width: 3; decimal: 0)

Variable Type: numeric

H5HR6A: S2Q6A HH MEMBER 1 RELATION TO RESP-W5

Value	Label	Unweighted Frequency	%
1	-	2240	53.4 %
2	-	465	11.1 %
3	-	376	9.0 %
4	-	45	1.1 %
5	-	18	0.4 %
6	-	96	2.3 %
7	-	291	6.9 %
8	-	49	1.2 %
9	-	22	0.5 %
10	-	8	0.2 %
11	-	8	0.2 %
12	-	5	0.1 %
13	-	44	1.0 %
14	-	68	1.6 %
997	-	441	10.5 %
	Missing Data		
.	-	20	0.5 %
	Total	4,196	100%

Based upon 4,176 valid cases out of 4,196 total cases.

- Mean: 107.57
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 997.00
- Standard Deviation: 305.67

Location: 134-136 (width: 3; decimal: 0)

Variable Type: numeric

H5HR6B: S2Q6B HH MEMBER 2 RELATION TO RESP-W5

Value	Label	Unweighted Frequency	%
1	-	85	2.0 %
2	-	48	1.1 %
3	-	2099	50.0 %
4	-	396	9.4 %
5	-	57	1.4 %
6	-	67	1.6 %
7	-	133	3.2 %
8	-	15	0.4 %
9	-	4	0.1 %
10	-	5	0.1 %
11	-	12	0.3 %
12	-	18	0.4 %
13	-	47	1.1 %
14	-	67	1.6 %
997	-	1114	26.5 %
	Missing Data		
.	-	29	0.7 %
	Total	4,196	100%

Based upon 4,167 valid cases out of 4,196 total cases.

- Mean: 269.36
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 997.00
- Standard Deviation: 439.59

Location: 137-139 (width: 3; decimal: 0)

Variable Type: numeric

H5HR6C: S2Q6C HH MEMBER 3 RELATION TO RESP-W5

Value	Label	Unweighted Frequency	%
1	-	31	0.7 %
2	-	17	0.4 %
3	-	1700	40.5 %
4	-	268	6.4 %
5	-	35	0.8 %
6	-	43	1.0 %
7	-	6	0.1 %
10	-	3	0.1 %
11	-	12	0.3 %
12	-	26	0.6 %
13	-	32	0.8 %
14	-	36	0.9 %
997	-	1944	46.3 %
	Missing Data		
.	-	43	1.0 %
	Total	4,196	100%

Based upon 4,153 valid cases out of 4,196 total cases.

- Mean: 468.64
- Median: 6.00
- Mode: 997.00
- Minimum: 1.00
- Maximum: 997.00
- Standard Deviation: 495.72

Location: 140-142 (width: 3; decimal: 0)

Variable Type: numeric

H5HR6D: S2Q6D HH MEMBER 4 RELATION TO RESP-W5

Value	Label	Unweighted Frequency	%
1	-	9	0.2 %
2	-	11	0.3 %
3	-	743	17.7 %
4	-	126	3.0 %
5	-	15	0.4 %
6	-	11	0.3 %
7	-	1	0.0 %
8	-	2	0.0 %
9	-	1	0.0 %
10	-	2	0.0 %
11	-	9	0.2 %

Value	Label	Unweighted Frequency	%
12	-	22	0.5 %
13	-	19	0.5 %
14	-	23	0.5 %
997	-	3164	75.4 %
	Missing Data		
.	-	38	0.9 %
	Total	4,196	100%

Based upon 4,158 valid cases out of 4,196 total cases.

- Mean: 759.60
- Median: 997.00
- Mode: 997.00
- Minimum: 1.00
- Maximum: 997.00
- Standard Deviation: 423.61

Location: 143-145 (width: 3; decimal: 0)

Variable Type: numeric

H5HR6E: S2Q6E HH MEMBER 5 RELATION TO RESP-W5

Value	Label	Unweighted Frequency	%
1	-	6	0.1 %
2	-	2	0.0 %
3	-	263	6.3 %
4	-	56	1.3 %
5	-	8	0.2 %
6	-	8	0.2 %
7	-	2	0.0 %
8	-	1	0.0 %
11	-	7	0.2 %
12	-	15	0.4 %
13	-	9	0.2 %
14	-	14	0.3 %
997	-	3778	90.0 %
	Missing Data		
.	-	27	0.6 %
	Total	4,196	100%

Based upon 4,169 valid cases out of 4,196 total cases.

- Mean: 903.90
- Median: 997.00

- Mode: 997.00
- Minimum: 1.00
- Maximum: 997.00
- Standard Deviation: 289.42

Location: 146-148 (width: 3; decimal: 0)

Variable Type: numeric

H5HR6F: S2Q6F HH MEMBER 6 RELATION TO RESP-W5

Value	Label	Unweighted Frequency	%
1	-	3	0.1 %
2	-	1	0.0 %
3	-	71	1.7 %
4	-	20	0.5 %
5	-	5	0.1 %
7	-	2	0.0 %
11	-	5	0.1 %
12	-	14	0.3 %
13	-	3	0.1 %
14	-	7	0.2 %
997	-	4050	96.5 %
	Missing Data		
.	-	15	0.4 %
	Total	4,196	100%

Based upon 4,181 valid cases out of 4,196 total cases.

- Mean: 965.93
- Median: 997.00
- Mode: 997.00
- Minimum: 1.00
- Maximum: 997.00
- Standard Deviation: 172.79

Location: 149-151 (width: 3; decimal: 0)

Variable Type: numeric

H5HR6G: S2Q6G HH MEMBER 7 RELATION TO RESP-W5

Value	Label	Unweighted Frequency	%
1	-	3	0.1 %
3	-	18	0.4 %
4	-	8	0.2 %
6	-	4	0.1 %
7	-	1	0.0 %
11	-	1	0.0 %

Value	Label	Unweighted Frequency	%
12	-	5	0.1 %
13	-	1	0.0 %
14	-	2	0.0 %
997	-	4142	98.7 %
	Missing Data		
.	-	11	0.3 %
	Total	4,196	100%

Based upon 4,185 valid cases out of 4,196 total cases.

- Mean: 986.81
- Median: 997.00
- Mode: 997.00
- Minimum: 1.00
- Maximum: 997.00
- Standard Deviation: 100.01

Location: 152-154 (width: 3; decimal: 0)

Variable Type: numeric

H5HR6H: S2Q6H HH MEMBER 8 RELATION TO RESP-W5

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
3	-	13	0.3 %
4	-	1	0.0 %
11	-	3	0.1 %
12	-	1	0.0 %
13	-	1	0.0 %
997	-	4167	99.3 %
	Missing Data		
.	-	9	0.2 %
	Total	4,196	100%

Based upon 4,187 valid cases out of 4,196 total cases.

- Mean: 992.26
- Median: 997.00
- Mode: 997.00
- Minimum: 1.00
- Maximum: 997.00
- Standard Deviation: 68.40

Location: 155-157 (width: 3; decimal: 0)

Variable Type: numeric

H5LM1: S3Q1 EVER BEEN IN MILITARY-W5

Value	Label	Unweighted Frequency	%
0	-	3889	92.7 %
1	-	299	7.1 %
	Missing Data		
.	-	8	0.2 %
	Total	4,196	100%

Based upon 4,188 valid cases out of 4,196 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

Location: 158-158 (width: 1; decimal: 0)

Variable Type: numeric

H5LM2YM: S3Q2YM TOTAL ACTIVE DUTY TIME YEARS-W5

Value	Label	Unweighted Frequency	%
1	-	28	0.7 %
2	-	22	0.5 %
3	-	34	0.8 %
4	-	55	1.3 %
5	-	13	0.3 %
6	-	25	0.6 %
7	-	13	0.3 %
8	-	25	0.6 %
10	-	22	0.5 %
12	-	14	0.3 %
15	-	20	0.5 %
17	-	10	0.2 %
18	-	17	0.4 %
997	-	3897	92.9 %
998	-	1	0.0 %
	Total	4,196	100%

Based upon 4,196 valid cases out of 4,196 total cases.

- Mean: 926.69
- Median: 997.00

- Mode: 997.00
- Minimum: 1.00
- Maximum: 998.00
- Standard Deviation: 254.34

Location: 159-161 (width: 3; decimal: 0)

Variable Type: numeric

H5LM3: S3Q3 MILITARY SERVICE STATUS-W5

Value	Label	Unweighted Frequency	%
1	-	49	1.2 %
2	-	130	3.1 %
3	-	119	2.8 %
97	-	3897	92.9 %
	Missing Data		
.	-	1	0.0 %
	Total	4,196	100%

Based upon 4,195 valid cases out of 4,196 total cases.

- Mean: 90.27
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 24.35

Location: 162-163 (width: 2; decimal: 0)

Variable Type: numeric

H5LM4YM: S3Q4YM YEAR DISCHARGED ACT/MILITARY-W5

Value	Label	Unweighted Frequency	%
1999	-	28	0.7 %
2000	-	22	0.5 %
2001	-	13	0.3 %
2002	-	17	0.4 %
2003	-	28	0.7 %
2004	-	17	0.4 %
2005	-	20	0.5 %
2006	-	21	0.5 %
2007	-	16	0.4 %
2011	-	33	0.8 %
2018	-	28	0.7 %
99997	-	3947	94.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	6	0.1 %
	Total	4,196	100%

Based upon 4,190 valid cases out of 4,196 total cases.

- Mean: 94313.97
- Median: 99997.00
- Mode: 99997.00
- Minimum: 1999.00
- Maximum: 99997.00
- Standard Deviation: 22906.68

Location: 164-168 (width: 5; decimal: 0)

Variable Type: numeric

H5LM5: S3Q5 CURRENTLY WORK-W5

Value	Label	Unweighted Frequency	%
1	-	3479	82.9 %
2	-	667	15.9 %
3	-	40	1.0 %
	Missing Data		
.	-	10	0.2 %
	Total	4,196	100%

Based upon 4,186 valid cases out of 4,196 total cases.

- Mean: 1.18
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.41

Location: 169-169 (width: 1; decimal: 0)

Variable Type: numeric

H5LM6: S3Q6 # JOBS CURRENTLY WORK FOR PAY-W5

Value	Label	Unweighted Frequency	%
1	-	3056	72.8 %
2	-	361	8.6 %
3	-	47	1.1 %
4	-	11	0.3 %
997	-	717	17.1 %
	Missing Data		
.	-	4	0.1 %

Value	Label	Unweighted Frequency	%
	Total	4,196	100%

Based upon 4,192 valid cases out of 4,196 total cases.

- Mean: 171.47
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 997.00
- Standard Deviation: 375.03

Location: 170-172 (width: 3; decimal: 0)

Variable Type: numeric

H5LM7: S3Q7 TOTAL HR/WK CURRENTLY WORKING-W5

Value	Label	Unweighted Frequency	%
5	-	22	0.5 %
10	-	53	1.3 %
15	-	57	1.4 %
20	-	60	1.4 %
25	-	89	2.1 %
30	-	162	3.9 %
35	-	167	4.0 %
40	-	1445	34.4 %
45	-	395	9.4 %
50	-	518	12.3 %
55	-	134	3.2 %
60	-	214	5.1 %
65	-	42	1.0 %
70	-	46	1.1 %
75	-	8	0.2 %
80	-	34	0.8 %
85	-	10	0.2 %
90	-	14	0.3 %
9997	-	717	17.1 %
	Missing Data		
.	-	9	0.2 %
	Total	4,196	100%

Based upon 4,187 valid cases out of 4,196 total cases.

- Mean: 1747.44
- Median: 45.00

- Mode: 40.00
- Minimum: 5.00
- Maximum: 9997.00
- Standard Deviation: 3750.41

Location: 173-176 (width: 4; decimal: 0)

Variable Type: numeric

H5LM8YM: S3Q8YM YEAR CURRENT PAY JOB STARTED-W5

Value	Label	Unweighted Frequency	%
1996	-	24	0.6 %
1997	-	15	0.4 %
1998	-	18	0.4 %
1999	-	44	1.0 %
2000	-	68	1.6 %
2001	-	58	1.4 %
2002	-	64	1.5 %
2003	-	79	1.9 %
2004	-	95	2.3 %
2005	-	118	2.8 %
2006	-	143	3.4 %
2007	-	132	3.1 %
2008	-	150	3.6 %
2009	-	118	2.8 %
2010	-	132	3.1 %
2011	-	154	3.7 %
2012	-	177	4.2 %
2013	-	212	5.1 %
2014	-	248	5.9 %
2015	-	322	7.7 %
2016	-	455	10.8 %
2017	-	405	9.7 %
2018	-	205	4.9 %
2019	-	20	0.5 %
99997	-	717	17.1 %
	Missing Data		
.	-	23	0.5 %
	Total	4,196	100%

Based upon 4,173 valid cases out of 4,196 total cases.

- Mean: 18847.23
- Median: 2015.00

- Mode: 99997.00
- Minimum: 1996.00
- Maximum: 99997.00
- Standard Deviation: 36966.82

Location: 177-181 (width: 5; decimal: 0)

Variable Type: numeric

H5LM9: S3Q9 TYPE OF WORK CURR-W5

Value	Label	Unweighted Frequency	%
1	-	40	1.0 %
2	-	2070	49.3 %
3	-	342	8.2 %
4	-	273	6.5 %
5	-	241	5.7 %
6	-	114	2.7 %
7	-	184	4.4 %
8	-	148	3.5 %
9	-	11	0.3 %
97	-	717	17.1 %
	Missing Data		
.	-	56	1.3 %
	Total	4,196	100%

Based upon 4,140 valid cases out of 4,196 total cases.

- Mean: 19.40
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 35.56

Location: 182-183 (width: 2; decimal: 0)

Variable Type: numeric

H5LM10: S3Q10 TYPE OF INDUSTRY CURR-W5

Value	Label	Unweighted Frequency	%
	-	62	1.5 %
0170-0290	-	30	0.7 %
0370-0490	-	10	0.2 %
0570-0690	-	38	0.9 %
0770	-	184	4.4 %
1070-3990	-	291	6.9 %
4070-4590	-	68	1.6 %

Value	Label	Unweighted Frequency	%
4670-5790	-	269	6.4 %
6070-6390	-	157	3.7 %
6470-6780	-	66	1.6 %
6870-6990	-	217	5.2 %
7070-7190	-	48	1.1 %
7270-7490	-	313	7.5 %
7570, 7580-7790	-	127	3.0 %
7860-7890	-	391	9.3 %
7970-8470	-	627	14.9 %
8560-8590	-	61	1.5 %
8660-8690	-	148	3.5 %
8770-9290	-	125	3.0 %
9370-9590	-	186	4.4 %
9990	-	61	1.5 %
99997	-	717	17.1 %
	Total	4,196	100%

Based upon 4,196 valid cases out of 4,196 total cases.

Location: 184-198 (width: 15; decimal: 0)

Variable Type: character

H5LM11: S3Q11 INDUSTRY MAINLY CURR-W5

Value	Label	Unweighted Frequency	%
1	-	325	7.7 %
2	-	112	2.7 %
3	-	427	10.2 %
4	-	2563	61.1 %
97	-	717	17.1 %
	Missing Data		
.	-	52	1.2 %
	Total	4,196	100%

Based upon 4,144 valid cases out of 4,196 total cases.

- Mean: 19.70
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 35.37

Location: 199-200 (width: 2; decimal: 0)

Variable Type: numeric

H5LM12: S3Q12 KIND OF WORK CURR-W5

Value	Label	Unweighted Frequency	%
	-	62	1.5 %
0010-0430	-	482	11.5 %
0500-0950	-	193	4.6 %
1000-1240	-	140	3.3 %
1300-1560	-	59	1.4 %
1600-1965	-	43	1.0 %
2000-2060	-	88	2.1 %
2100-2160	-	48	1.1 %
2200-2550	-	266	6.3 %
2600-2960	-	77	1.8 %
3000-3540	-	274	6.5 %
3600-3655	-	137	3.3 %
3700-3955	-	95	2.3 %
4000-4160	-	82	2.0 %
4200-4250	-	77	1.8 %
4300-4650	-	98	2.3 %
4700-4965	-	276	6.6 %
5000-5940	-	444	10.6 %
6005-6130	-	12	0.3 %
6200-6940	-	122	2.9 %
7000-7630	-	82	2.0 %
7700-8965	-	153	3.6 %
9000-9420	-	104	2.5 %
9500-9750	-	48	1.1 %
9990	-	17	0.4 %
99997	-	717	17.1 %
	Total	4,196	100%

Based upon 4,196 valid cases out of 4,196 total cases.

Location: 201-209 (width: 9; decimal: 0)

Variable Type: character

H5LM13A: S3Q13A EMPLOYER PROVIDES-HEALTH INS-W5

Value	Label	Unweighted Frequency	%
0	-	700	16.7 %
1	-	2762	65.8 %
97	-	717	17.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	17	0.4 %
	Total	4,196	100%

Based upon 4,179 valid cases out of 4,196 total cases.

- Mean: 17.30
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 36.28

Location: 210-211 (width: 2; decimal: 0)

Variable Type: numeric

H5LM13B: S3Q13B EMPLOYER PROVIDES-RETIRE BEN-W5

Value	Label	Unweighted Frequency	%
0	-	844	20.1 %
1	-	2610	62.2 %
97	-	717	17.1 %
	Missing Data		
.	-	25	0.6 %
	Total	4,196	100%

Based upon 4,171 valid cases out of 4,196 total cases.

- Mean: 17.30
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 36.32

Location: 212-213 (width: 2; decimal: 0)

Variable Type: numeric

H5LM13C: S3Q13C EMPLOYER PROVIDES-PD VAC/SICK-W5

Value	Label	Unweighted Frequency	%
0	-	602	14.3 %
1	-	2857	68.1 %
97	-	717	17.1 %
	Missing Data		
.	-	20	0.5 %
	Total	4,196	100%

Based upon 4,176 valid cases out of 4,196 total cases.

- Mean: 17.34
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 36.27

Location: 214-215 (width: 2; decimal: 0)

Variable Type: numeric

H5LM14: S3Q14 SPEND MST TIME STAND/SEAT WORK-W5

Value	Label	Unweighted Frequency	%
1	-	1677	40.0 %
2	-	670	16.0 %
3	-	805	19.2 %
4	-	313	7.5 %
97	-	717	17.1 %
	Missing Data		
.	-	14	0.3 %
	Total	4,196	100%

Based upon 4,182 valid cases out of 4,196 total cases.

- Mean: 18.23
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 35.85

Location: 216-217 (width: 2; decimal: 0)

Variable Type: numeric

H5LM15: S3Q15 DECISION-MAKING FREEDOM WORK-W5

Value	Label	Unweighted Frequency	%
1	-	180	4.3 %
2	-	925	22.0 %
3	-	1311	31.2 %
4	-	1054	25.1 %
97	-	717	17.1 %
	Missing Data		
.	-	9	0.2 %
	Total	4,196	100%

Based upon 4,187 valid cases out of 4,196 total cases.

- Mean: 19.04
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 35.45

Location: 218-219 (width: 2; decimal: 0)

Variable Type: numeric

H5LM16: S3Q16 GLOBAL JOB SATISFACTION-W5

Value	Label	Unweighted Frequency	%
1	-	943	22.5 %
2	-	1764	42.0 %
3	-	478	11.4 %
4	-	227	5.4 %
5	-	60	1.4 %
97	-	717	17.1 %
	Missing Data		
.	-	7	0.2 %
	Total	4,196	100%

Based upon 4,189 valid cases out of 4,196 total cases.

- Mean: 18.30
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 35.78

Location: 220-221 (width: 2; decimal: 0)

Variable Type: numeric

H5LM17YM: S3Q17YM YEAR PAY JOB ENDED-W5

Value	Label	Unweighted Frequency	%
1999	-	10	0.2 %
2000	-	21	0.5 %
2004	-	11	0.3 %
2005	-	11	0.3 %
2006	-	19	0.5 %
2007	-	15	0.4 %
2008	-	18	0.4 %
2009	-	24	0.6 %

Value	Label	Unweighted Frequency	%
2010	-	16	0.4 %
2011	-	28	0.7 %
2012	-	30	0.7 %
2013	-	32	0.8 %
2014	-	46	1.1 %
2015	-	48	1.1 %
2016	-	92	2.2 %
2017	-	119	2.8 %
2018	-	107	2.6 %
99997	-	3529	84.1 %
	Missing Data		
.	-	20	0.5 %
	Total	4,196	100%

Based upon 4,176 valid cases out of 4,196 total cases.

- Mean: 84816.12
- Median: 99997.00
- Mode: 99997.00
- Minimum: 1999.00
- Maximum: 99997.00
- Standard Deviation: 35458.69

Location: 222-226 (width: 5; decimal: 0)

Variable Type: numeric

H5LM18YM: S3Q18YM YR MOST RECENT PAY JOB START-W5

Value	Label	Unweighted Frequency	%
1998	-	22	0.5 %
2000	-	28	0.7 %
2001	-	12	0.3 %
2002	-	20	0.5 %
2004	-	26	0.6 %
2005	-	16	0.4 %
2006	-	16	0.4 %
2007	-	21	0.5 %
2008	-	30	0.7 %
2009	-	23	0.5 %
2010	-	25	0.6 %
2011	-	19	0.5 %
2012	-	31	0.7 %
2013	-	31	0.7 %

Value	Label	Unweighted Frequency	%
2014	-	40	1.0 %
2015	-	43	1.0 %
2016	-	71	1.7 %
2017	-	68	1.6 %
2018	-	38	0.9 %
99997	-	3529	84.1 %
	Missing Data		
.	-	87	2.1 %
	Total	4,196	100%

Based upon 4,109 valid cases out of 4,196 total cases.

- Mean: 86165.91
- Median: 99997.00
- Mode: 99997.00
- Minimum: 1998.00
- Maximum: 99997.00
- Standard Deviation: 34120.96

Location: 227-231 (width: 5; decimal: 0)

Variable Type: numeric

H5LM19: S3Q19 TYPE OF WORK PREV-W5

Value	Label	Unweighted Frequency	%
2	-	450	10.7 %
3	-	57	1.4 %
4	-	29	0.7 %
5	-	22	0.5 %
6	-	13	0.3 %
7	-	35	0.8 %
8	-	12	0.3 %
9	-	10	0.2 %
97	-	3529	84.1 %
	Missing Data		
.	-	39	0.9 %
	Total	4,196	100%

Based upon 4,157 valid cases out of 4,196 total cases.

- Mean: 82.78
- Median: 97.00
- Mode: 97.00
- Minimum: 2.00
- Maximum: 97.00

- Standard Deviation: 33.72

Location: 232-233 (width: 2; decimal: 0)

Variable Type: numeric

H5LM20: S3Q20 TYPE OF INDUSTRY PREV-W5

Value	Label	Unweighted Frequency	%
	-	21	0.5 %
0170-0690	-	15	0.4 %
0770	-	31	0.7 %
1070-3990	-	42	1.0 %
4070-4590	-	13	0.3 %
4670-5790	-	73	1.7 %
6070-6390	-	43	1.0 %
6470-6780	-	15	0.4 %
6870-6990	-	22	0.5 %
7070-7190	-	10	0.2 %
7270-7490	-	46	1.1 %
7570,7580-7790	-	43	1.0 %
7860-7890	-	45	1.1 %
7970-8470	-	113	2.7 %
8560-8590	-	14	0.3 %
8660-8690	-	61	1.5 %
8770-9290	-	28	0.7 %
9370-9590	-	15	0.4 %
9990	-	17	0.4 %
99997	-	3529	84.1 %
	Total	4,196	100%

Based upon 4,196 valid cases out of 4,196 total cases.

Location: 234-247 (width: 14; decimal: 0)

Variable Type: character

H5LM21: S3Q21 INDUSTRY MAINLY PREV-W5

Value	Label	Unweighted Frequency	%
1	-	63	1.5 %
2	-	24	0.6 %
3	-	134	3.2 %
4	-	422	10.1 %
97	-	3529	84.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	24	0.6 %
	Total	4,196	100%

Based upon 4,172 valid cases out of 4,196 total cases.

- Mean: 82.58
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 33.79

Location: 248-249 (width: 2; decimal: 0)

Variable Type: numeric

H5LM22: S3Q22 KIND OF WORK PREV-W5

Value	Label	Unweighted Frequency	%
	-	51	1.2 %
0010-0430	-	44	1.0 %
0500-0950	-	25	0.6 %
1000-1240	-	13	0.3 %
2000-2060	-	14	0.3 %
2200-2550	-	31	0.7 %
2600-2960	-	18	0.4 %
3000-3540	-	24	0.6 %
3600-3655	-	41	1.0 %
3700-3955	-	11	0.3 %
4000-4160	-	46	1.1 %
4200-4250	-	27	0.6 %
4300-4650	-	30	0.7 %
4700-4965	-	69	1.6 %
5000-5940	-	103	2.5 %
6200-6940	-	29	0.7 %
7700-8965	-	30	0.7 %
9000-9420	-	33	0.8 %
9500-9750	-	28	0.7 %
99997	-	3529	84.1 %
	Total	4,196	100%

Based upon 4,196 valid cases out of 4,196 total cases.

Location: 250-258 (width: 9; decimal: 0)

Variable Type: character

H5LM23A: S3Q23A EMPLOYER PROVIDED-HEALTH INS-W5

Value	Label	Unweighted Frequency	%
0	-	307	7.3 %
1	-	340	8.1 %
97	-	3529	84.1 %
	Missing Data		
.	-	20	0.5 %
	Total	4,196	100%

Based upon 4,176 valid cases out of 4,196 total cases.

- Mean: 82.05
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 34.91

Location: 259-260 (width: 2; decimal: 0)

Variable Type: numeric

H5LM23B: S3Q23B EMPLOYER PROVIDED-RETIRE BEN-W5

Value	Label	Unweighted Frequency	%
0	-	358	8.5 %
1	-	286	6.8 %
97	-	3529	84.1 %
	Missing Data		
.	-	23	0.5 %
	Total	4,196	100%

Based upon 4,173 valid cases out of 4,196 total cases.

- Mean: 82.10
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 34.89

Location: 261-262 (width: 2; decimal: 0)

Variable Type: numeric

H5LM23C: S3Q23C EMPLOYER PROVIDED-PD VAC/SICK-W5

Value	Label	Unweighted Frequency	%
0	-	295	7.0 %

Value	Label	Unweighted Frequency	%
1	-	353	8.4 %
97	-	3529	84.1 %
	Missing Data		
.	-	19	0.5 %
	Total	4,196	100%

Based upon 4,177 valid cases out of 4,196 total cases.

- Mean: 82.04
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 34.92

Location: 263-264 (width: 2; decimal: 0)

Variable Type: numeric

H5LM24: S3Q24 SPENT MST TIME STAND/SEAT WORK-W5

Value	Label	Unweighted Frequency	%
1	-	219	5.2 %
2	-	157	3.7 %
3	-	184	4.4 %
4	-	92	2.2 %
97	-	3529	84.1 %
	Missing Data		
.	-	15	0.4 %
	Total	4,196	100%

Based upon 4,181 valid cases out of 4,196 total cases.

- Mean: 82.22
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 34.39

Location: 265-266 (width: 2; decimal: 0)

Variable Type: numeric

H5LM25: S3Q25 DECISION-MAKING FREEDOM WORK-W5

Value	Label	Unweighted Frequency	%
1	-	133	3.2 %
2	-	224	5.3 %

Value	Label	Unweighted Frequency	%
3	-	202	4.8 %
4	-	99	2.4 %
97	-	3529	84.1 %
	Missing Data		
.	-	9	0.2 %
	Total	4,196	100%

Based upon 4,187 valid cases out of 4,196 total cases.

- Mean: 82.13
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 34.43

Location: 267-268 (width: 2; decimal: 0)

Variable Type: numeric

H5LM26: S3Q26 GLOBAL JOB SATISFACTION-W5

Value	Label	Unweighted Frequency	%
1	-	103	2.5 %
2	-	287	6.8 %
3	-	139	3.3 %
4	-	77	1.8 %
5	-	50	1.2 %
97	-	3529	84.1 %
	Missing Data		
.	-	11	0.3 %
	Total	4,196	100%

Based upon 4,185 valid cases out of 4,196 total cases.

- Mean: 82.19
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 34.36

Location: 269-270 (width: 2; decimal: 0)

Variable Type: numeric

H5LM27: S3Q27 DESCR CURRENT WORK STATUS-W5

Value	Label	Unweighted Frequency	%
1	-	32	0.8 %
2	-	31	0.7 %
3	-	13	0.3 %
4	-	103	2.5 %
5	-	175	4.2 %
6	-	45	1.1 %
7	-	31	0.7 %
8	-	195	4.6 %
10	-	75	1.8 %
997	-	3489	83.2 %
	Missing Data		
.	-	7	0.2 %
	Total	4,196	100%

Based upon 4,189 valid cases out of 4,196 total cases.

- Mean: 831.40
- Median: 997.00
- Mode: 997.00
- Minimum: 1.00
- Maximum: 997.00
- Standard Deviation: 369.75

Location: 271-273 (width: 3; decimal: 0)

Variable Type: numeric

H5EC1: S4Q1 INCOME PERS EARNINGS 16/17-W5

Value	Label	Unweighted Frequency	%
1	-	430	10.2 %
2	-	171	4.1 %
3	-	159	3.8 %
4	-	158	3.8 %
5	-	227	5.4 %
6	-	236	5.6 %
7	-	448	10.7 %
8	-	507	12.1 %
9	-	811	19.3 %
10	-	421	10.0 %
11	-	348	8.3 %
12	-	102	2.4 %
13	-	107	2.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	71	1.7 %
	Total	4,196	100%

Based upon 4,125 valid cases out of 4,196 total cases.

- Mean: 7.17
- Median: 8.00
- Mode: 9.00
- Minimum: 1.00
- Maximum: 13.00
- Standard Deviation: 3.28

Location: 274-275 (width: 2; decimal: 0)

Variable Type: numeric

H5EC2: S4Q2 TOTAL HOUSEHOLD INC 16/17 -W5

Value	Label	Unweighted Frequency	%
1	-	100	2.4 %
2	-	72	1.7 %
3	-	61	1.5 %
4	-	62	1.5 %
5	-	91	2.2 %
6	-	114	2.7 %
7	-	216	5.1 %
8	-	246	5.9 %
9	-	602	14.3 %
10	-	603	14.4 %
11	-	672	16.0 %
12	-	293	7.0 %
13	-	295	7.0 %
997	-	455	10.8 %
998	-	263	6.3 %
	Missing Data		
.	-	51	1.2 %
	Total	4,196	100%

Based upon 4,145 valid cases out of 4,196 total cases.

- Mean: 180.36
- Median: 10.00
- Mode: 11.00
- Minimum: 1.00
- Maximum: 998.00
- Standard Deviation: 374.02

Location: 276-278 (width: 3; decimal: 0)

Variable Type: numeric

H5EC3: S4Q3 SINCE 08 RECEIVE GIFT/INHERIT-W5

Value	Label	Unweighted Frequency	%
0	-	3707	88.3 %
1	-	463	11.0 %
	Missing Data		
.	-	26	0.6 %
	Total	4,196	100%

Based upon 4,170 valid cases out of 4,196 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

Location: 279-279 (width: 1; decimal: 0)

Variable Type: numeric

H5EC4: S4Q4 SINCE 08 HOW MUCH MONEY RECVD-W5

Value	Label	Unweighted Frequency	%
0	-	12	0.3 %
1000	-	11	0.3 %
4500	-	27	0.6 %
7000	-	15	0.4 %
10000	-	48	1.1 %
12500	-	13	0.3 %
15000	-	19	0.5 %
19500	-	43	1.0 %
25000	-	23	0.5 %
29500	-	30	0.7 %
38500	-	24	0.6 %
48500	-	34	0.8 %
58500	-	18	0.4 %
70000	-	12	0.3 %
80500	-	11	0.3 %
89000	-	11	0.3 %
100000	-	21	0.5 %
122500	-	11	0.3 %

Value	Label	Unweighted Frequency	%
154500	-	12	0.3 %
216000	-	14	0.3 %
371500	-	12	0.3 %
600000	-	17	0.4 %
9999997	-	3733	89.0 %
	Missing Data		
.	-	25	0.6 %
	Total	4,196	100%

Based upon 4,171 valid cases out of 4,196 total cases.

- Mean: 8957747.85
- Median: 9999997.00
- Mode: 9999997.00
- Minimum: 0.00
- Maximum: 9999997.00
- Standard Deviation: 3043375.11

Location: 280-286 (width: 7; decimal: 0)

Variable Type: numeric

H5EC5A: S4Q5A EST TOTAL HSHLD DEBT-MORTGAGE-W5

Value	Label	Unweighted Frequency	%
1	-	1409	33.6 %
2	-	227	5.4 %
3	-	189	4.5 %
4	-	200	4.8 %
5	-	421	10.0 %
6	-	1081	25.8 %
7	-	462	11.0 %
8	-	117	2.8 %
9	-	26	0.6 %
	Missing Data		
.	-	64	1.5 %
	Total	4,196	100%

Based upon 4,132 valid cases out of 4,196 total cases.

- Mean: 3.93
- Median: 5.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 9.00

- Standard Deviation: 2.47

Location: 287-287 (width: 1; decimal: 0)

Variable Type: numeric

H5EC5B: S4Q5B EST TOTAL HSHLD DEBT-EDUC-W5

Value	Label	Unweighted Frequency	%
1	-	2068	49.3 %
2	-	520	12.4 %
3	-	506	12.1 %
4	-	438	10.4 %
5	-	347	8.3 %
6	-	193	4.6 %
7	-	44	1.0 %
8	-	10	0.2 %
	Missing Data		
.	-	70	1.7 %
	Total	4,196	100%

Based upon 4,126 valid cases out of 4,196 total cases.

- Mean: 2.34
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 1.67

Location: 288-288 (width: 1; decimal: 0)

Variable Type: numeric

H5EC5C: S4Q5C EST TOTAL HSHLD DEBT-OTHER-W5

Value	Label	Unweighted Frequency	%
1	-	601	14.3 %
2	-	1400	33.4 %
3	-	962	22.9 %
4	-	627	14.9 %
5	-	333	7.9 %
6	-	126	3.0 %
7	-	51	1.2 %
8	-	16	0.4 %
9	-	10	0.2 %
	Missing Data		
.	-	70	1.7 %

Value	Label	Unweighted Frequency	%
	Total	4,196	100%

Based upon 4,126 valid cases out of 4,196 total cases.

- Mean: 2.86
- Median: 3.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 1.43

Location: 289-289 (width: 1; decimal: 0)

Variable Type: numeric

H5EC6: S4Q6 NET STATUS IF ASSESTS LIQUEFIED-W5

Value	Label	Unweighted Frequency	%
1	-	2571	61.3 %
2	-	664	15.8 %
3	-	905	21.6 %
	Missing Data		
.	-	56	1.3 %
	Total	4,196	100%

Based upon 4,140 valid cases out of 4,196 total cases.

- Mean: 1.60
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.82

Location: 290-290 (width: 1; decimal: 0)

Variable Type: numeric

H5EC7: S4Q7 SINCE 08 LATE PAYING BILLS-W5

Value	Label	Unweighted Frequency	%
0	-	2078	49.5 %
1	-	2095	49.9 %
	Missing Data		
.	-	23	0.5 %
	Total	4,196	100%

Based upon 4,173 valid cases out of 4,196 total cases.

- Mean: 0.50
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

Location: 291-291 (width: 1; decimal: 0)

Variable Type: numeric

H5EC8: S4Q8 SINCE 08 EVICTED FROM HOUSE-W5

Value	Label	Unweighted Frequency	%
0	-	3458	82.4 %
1	-	715	17.0 %
	Missing Data		
.	-	23	0.5 %
	Total	4,196	100%

Based upon 4,173 valid cases out of 4,196 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

Location: 292-292 (width: 1; decimal: 0)

Variable Type: numeric

H5EC9: S4Q9 WHERE RESP IS ON LADDER-W5

Value	Label	Unweighted Frequency	%
1	-	118	2.8 %
2	-	163	3.9 %
3	-	379	9.0 %
4	-	505	12.0 %
5	-	903	21.5 %
6	-	747	17.8 %
7	-	780	18.6 %
8	-	369	8.8 %
9	-	114	2.7 %
10	-	93	2.2 %
	Missing Data		
.	-	25	0.6 %
	Total	4,196	100%

Based upon 4,171 valid cases out of 4,196 total cases.

- Mean: 5.51
- Median: 6.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 1.94

Location: 293-294 (width: 2; decimal: 0)

Variable Type: numeric

H5EC10: S4Q10 INCOME MOD FLAG-W5

Value	Label	Unweighted Frequency	%
0	-	4151	98.9 %
1	-	45	1.1 %
	Total	4,196	100%

Based upon 4,196 valid cases out of 4,196 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Location: 295-295 (width: 1; decimal: 0)

Variable Type: numeric

H5ID1: S5Q1 HOW IS GEN PHYSICAL HEALTH-W5

Value	Label	Unweighted Frequency	%
1	-	701	16.7 %
2	-	1503	35.8 %
3	-	1393	33.2 %
4	-	496	11.8 %
5	-	99	2.4 %
	Missing Data		
.	-	4	0.1 %
	Total	4,196	100%

Based upon 4,192 valid cases out of 4,196 total cases.

- Mean: 2.47
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00

- Standard Deviation: 0.98

Location: 296-296 (width: 1; decimal: 0)

Variable Type: numeric

H5ID2F: S5Q2F HEIGHT-FEET-W5

Value	Label	Unweighted Frequency	%
4	-	58	1.4 %
5	-	3409	81.2 %
6	-	717	17.1 %
98	-	10	0.2 %
	Missing Data		
.	-	2	0.0 %
	Total	4,196	100%

Based upon 4,194 valid cases out of 4,196 total cases.

- Mean: 5.38
- Median: 5.00
- Mode: 5.00
- Minimum: 4.00
- Maximum: 98.00
- Standard Deviation: 4.55

Location: 297-298 (width: 2; decimal: 0)

Variable Type: numeric

H5ID2I: S5Q2I HEIGHT-INCHES-W5

Value	Label	Unweighted Frequency	%
0	-	334	8.0 %
1	-	292	7.0 %
2	-	361	8.6 %
3	-	371	8.8 %
4	-	440	10.5 %
5	-	322	7.7 %
6	-	431	10.3 %
7	-	396	9.4 %
8	-	295	7.0 %
9	-	316	7.5 %
10	-	312	7.4 %
11	-	298	7.1 %
998	-	22	0.5 %
	Missing Data		
.	-	6	0.1 %

Value	Label	Unweighted Frequency	%
	Total	4,196	100%

Based upon 4,190 valid cases out of 4,196 total cases.

- Mean: 10.60
- Median: 5.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 998.00
- Standard Deviation: 71.82

Location: 299-301 (width: 3; decimal: 0)

Variable Type: numeric

H5ID3: S5Q3 WEIGHT-LBS-W5

Value	Label	Unweighted Frequency	%
100	-	18	0.4 %
105	-	19	0.5 %
110	-	37	0.9 %
115	-	54	1.3 %
120	-	81	1.9 %
125	-	96	2.3 %
130	-	120	2.9 %
135	-	92	2.2 %
140	-	167	4.0 %
145	-	119	2.8 %
150	-	160	3.8 %
155	-	151	3.6 %
160	-	180	4.3 %
165	-	156	3.7 %
170	-	183	4.4 %
175	-	125	3.0 %
180	-	205	4.9 %
185	-	173	4.1 %
190	-	195	4.6 %
195	-	137	3.3 %
200	-	214	5.1 %
205	-	85	2.0 %
210	-	158	3.8 %
215	-	97	2.3 %
220	-	153	3.6 %
225	-	95	2.3 %

Value	Label	Unweighted Frequency	%
230	-	102	2.4 %
235	-	73	1.7 %
240	-	99	2.4 %
245	-	54	1.3 %
250	-	88	2.1 %
255	-	40	1.0 %
260	-	58	1.4 %
265	-	38	0.9 %
270	-	51	1.2 %
275	-	36	0.9 %
280	-	36	0.9 %
285	-	27	0.6 %
290	-	23	0.5 %
295	-	18	0.4 %
300	-	39	0.9 %
305	-	13	0.3 %
310	-	11	0.3 %
320	-	19	0.5 %
330	-	17	0.4 %
340	-	10	0.2 %
350	-	18	0.4 %
360	-	18	0.4 %
400	-	13	0.3 %
	Missing Data		
.	-	25	0.6 %
	Total	4,196	100%

Based upon 4,171 valid cases out of 4,196 total cases.

- Mean: 192.25
- Median: 185.00
- Mode: 200.00
- Minimum: 100.00
- Maximum: 400.00
- Standard Deviation: 50.69

Location: 302-304 (width: 3; decimal: 0)

Variable Type: numeric

H5ID4: S5Q4 LIMIT CLIMB SEV. FLIGHT STAIRS-W5

Value	Label	Unweighted Frequency	%
1	-	3167	75.5 %

Value	Label	Unweighted Frequency	%
2	-	825	19.7 %
3	-	197	4.7 %
	Missing Data		
.	-	7	0.2 %
	Total	4,196	100%

Based upon 4,189 valid cases out of 4,196 total cases.

- Mean: 1.29
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.55

Location: 305-305 (width: 1; decimal: 0)

Variable Type: numeric

H5ID5: S5Q5 LIMIT CAUSE BY COND>YR/RECENT-W5

Value	Label	Unweighted Frequency	%
1	-	778	18.5 %
2	-	227	5.4 %
97	-	3174	75.6 %
	Missing Data		
.	-	17	0.4 %
	Total	4,196	100%

Based upon 4,179 valid cases out of 4,196 total cases.

- Mean: 73.97
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 40.94

Location: 306-307 (width: 2; decimal: 0)

Variable Type: numeric

H5ID6A: S5Q6A EVER BEEN DX CANCER/LEUKEMIA-W5

Value	Label	Unweighted Frequency	%
0	-	4088	97.4 %
1	-	85	2.0 %
	Missing Data		
.	-	23	0.5 %

Value	Label	Unweighted Frequency	%
	Total	4,196	100%

Based upon 4,173 valid cases out of 4,196 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

Location: 308-308 (width: 1; decimal: 0)

Variable Type: numeric

H5ID6AA: S5Q6AA AGE DX CANCER/LEUKEMIA-W5

Value	Label	Unweighted Frequency	%
20	-	12	0.3 %
30	-	21	0.5 %
40	-	51	1.2 %
997	-	4111	98.0 %
	Missing Data		
.	-	1	0.0 %
	Total	4,196	100%

Based upon 4,195 valid cases out of 4,196 total cases.

- Mean: 977.73
- Median: 997.00
- Mode: 997.00
- Minimum: 20.00
- Maximum: 997.00
- Standard Deviation: 134.83

Location: 309-311 (width: 3; decimal: 0)

Variable Type: numeric

H5ID6AM: S5Q6AM MED FOR CANCER/LEUKEMIA-W5

Value	Label	Unweighted Frequency	%
0	-	75	1.8 %
97	-	4111	98.0 %
	Missing Data		
.	-	10	0.2 %
	Total	4,196	100%

Based upon 4,186 valid cases out of 4,196 total cases.

- Mean: 95.26
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 12.87

Location: 312-313 (width: 2; decimal: 0)

Variable Type: numeric

H5ID6B: S5Q6B HIGH CHOLESTEROL/LIPIDS/TRIG-W5

Value	Label	Unweighted Frequency	%
0	-	3437	81.9 %
1	-	732	17.4 %
	Missing Data		
.	-	27	0.6 %
	Total	4,196	100%

Based upon 4,169 valid cases out of 4,196 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

Location: 314-314 (width: 1; decimal: 0)

Variable Type: numeric

H5ID6BA: S5Q6BA AGE DX HIGH CHOLEST/LIPID/TRIG-W5

Value	Label	Unweighted Frequency	%
17	-	44	1.0 %
19	-	16	0.4 %
21	-	26	0.6 %
23	-	18	0.4 %
24	-	15	0.4 %
26	-	31	0.7 %
27	-	12	0.3 %
28	-	20	0.5 %
29	-	11	0.3 %
30	-	64	1.5 %
31	-	16	0.4 %
32	-	43	1.0 %
33	-	56	1.3 %

Value	Label	Unweighted Frequency	%
34	-	53	1.3 %
35	-	110	2.6 %
36	-	53	1.3 %
37	-	49	1.2 %
38	-	55	1.3 %
41	-	36	0.9 %
997	-	3464	82.6 %
	Missing Data		
.	-	4	0.1 %
	Total	4,196	100%

Based upon 4,192 valid cases out of 4,196 total cases.

- Mean: 829.33
- Median: 997.00
- Mode: 997.00
- Minimum: 17.00
- Maximum: 997.00
- Standard Deviation: 365.79

Location: 315-317 (width: 3; decimal: 0)

Variable Type: numeric

H5ID6BM: S5Q6BM MED 4 HIGH CHOLEST/LIPID/TRIG-W5

Value	Label	Unweighted Frequency	%
0	-	515	12.3 %
1	-	213	5.1 %
97	-	3464	82.6 %
	Missing Data		
.	-	4	0.1 %
	Total	4,196	100%

Based upon 4,192 valid cases out of 4,196 total cases.

- Mean: 80.21
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 36.64

Location: 318-319 (width: 2; decimal: 0)

Variable Type: numeric

H5ID6C: S5Q6C EVER DX W/HIGH BLOOD PRESSUR-W5

Value	Label	Unweighted Frequency	%
0	-	3368	80.3 %
1	-	804	19.2 %
	Missing Data		
.	-	24	0.6 %
	Total	4,196	100%

Based upon 4,172 valid cases out of 4,196 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.39

Location: 320-320 (width: 1; decimal: 0)

Variable Type: numeric

H5ID6CA: S5Q6CA AGE DX HIGH BLOOD PRESSURE-W5

Value	Label	Unweighted Frequency	%
10	-	10	0.2 %
12	-	17	0.4 %
18	-	19	0.5 %
20	-	17	0.4 %
21	-	12	0.3 %
22	-	12	0.3 %
23	-	14	0.3 %
24	-	20	0.5 %
25	-	25	0.6 %
26	-	19	0.5 %
27	-	27	0.6 %
28	-	32	0.8 %
29	-	13	0.3 %
30	-	76	1.8 %
31	-	26	0.6 %
32	-	44	1.0 %
33	-	58	1.4 %
34	-	67	1.6 %
35	-	98	2.3 %
36	-	51	1.2 %
37	-	59	1.4 %
38	-	41	1.0 %

Value	Label	Unweighted Frequency	%
39	-	24	0.6 %
40	-	18	0.4 %
997	-	3392	80.8 %
	Missing Data		
.	-	5	0.1 %
	Total	4,196	100%

Based upon 4,191 valid cases out of 4,196 total cases.

- Mean: 812.84
- Median: 997.00
- Mode: 997.00
- Minimum: 10.00
- Maximum: 997.00
- Standard Deviation: 379.51

Location: 321-323 (width: 3; decimal: 0)

Variable Type: numeric

H5ID6CM: S5Q6CM MED FOR HIGH BLOOD PRESSURE-W5

Value	Label	Unweighted Frequency	%
0	-	378	9.0 %
1	-	420	10.0 %
97	-	3392	80.8 %
	Missing Data		
.	-	6	0.1 %
	Total	4,196	100%

Based upon 4,190 valid cases out of 4,196 total cases.

- Mean: 78.63
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 37.89

Location: 324-325 (width: 2; decimal: 0)

Variable Type: numeric

H5ID6D: S5Q6D EVER BEEN DX WITH DIABETES-W5

Value	Label	Unweighted Frequency	%
0	-	3925	93.5 %
1	-	248	5.9 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	23	0.5 %
	Total	4,196	100%

Based upon 4,173 valid cases out of 4,196 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.24

Location: 326-326 (width: 1; decimal: 0)

Variable Type: numeric

H5ID6DA: S5Q6DA AGE DX WITH DIABETES-W5

Value	Label	Unweighted Frequency	%
20	-	25	0.6 %
24	-	16	0.4 %
29	-	39	0.9 %
31	-	27	0.6 %
32	-	13	0.3 %
33	-	15	0.4 %
34	-	12	0.3 %
35	-	25	0.6 %
36	-	25	0.6 %
37	-	18	0.4 %
38	-	20	0.5 %
42	-	10	0.2 %
997	-	3948	94.1 %
	Missing Data		
.	-	3	0.1 %
	Total	4,196	100%

Based upon 4,193 valid cases out of 4,196 total cases.

- Mean: 940.60
- Median: 997.00
- Mode: 997.00
- Minimum: 20.00
- Maximum: 997.00
- Standard Deviation: 226.42

Location: 327-329 (width: 3; decimal: 0)

Variable Type: numeric

H5ID6DM: S5Q6DM MED FOR WITH DIABETES-W5

Value	Label	Unweighted Frequency	%
0	-	96	2.3 %
1	-	150	3.6 %
97	-	3948	94.1 %
	Missing Data		
.	-	2	0.0 %
	Total	4,196	100%

Based upon 4,194 valid cases out of 4,196 total cases.

- Mean: 91.35
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 22.65

Location: 330-331 (width: 2; decimal: 0)

Variable Type: numeric

H5ID6E: S5Q6E EVER BEEN DX HEART DISEASE-W5

Value	Label	Unweighted Frequency	%
0	-	4149	98.9 %
1	-	28	0.7 %
	Missing Data		
.	-	19	0.5 %
	Total	4,196	100%

Based upon 4,177 valid cases out of 4,196 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.08

Location: 332-332 (width: 1; decimal: 0)

Variable Type: numeric

H5ID6EA: S5Q6EA AGE DX HEART DISEASE-W5

Value	Label	Unweighted Frequency	%
34	-	15	0.4 %
40	-	12	0.3 %

Value	Label	Unweighted Frequency	%
997	-	4168	99.3 %
	Missing Data		
.	-	1	0.0 %
	Total	4,196	100%

Based upon 4,195 valid cases out of 4,196 total cases.

- Mean: 990.82
- Median: 997.00
- Mode: 997.00
- Minimum: 34.00
- Maximum: 997.00
- Standard Deviation: 76.81

Location: 333-335 (width: 3; decimal: 0)

Variable Type: numeric

H5ID6EM: S5Q6EM MED FOR HEART DISEASE-W5

Value	Label	Unweighted Frequency	%
0	-	12	0.3 %
1	-	15	0.4 %
97	-	4168	99.3 %
	Missing Data		
.	-	1	0.0 %
	Total	4,196	100%

Based upon 4,195 valid cases out of 4,196 total cases.

- Mean: 96.38
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 7.71

Location: 336-337 (width: 2; decimal: 0)

Variable Type: numeric

H5ID6F: S5Q6F EVER BEEN DX ASTHM/CR BRN/EMPH-W5

Value	Label	Unweighted Frequency	%
0	-	3512	83.7 %
1	-	665	15.8 %
	Missing Data		
.	-	19	0.5 %
	Total	4,196	100%

Based upon 4,177 valid cases out of 4,196 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

Location: 338-338 (width: 1; decimal: 0)

Variable Type: numeric

H5ID6FA: S5Q6FA AGE DX ASTHMA/CHRN BRONC/EMPHY-W5

Value	Label	Unweighted Frequency	%
0	-	41	1.0 %
1	-	23	0.5 %
2	-	20	0.5 %
3	-	11	0.3 %
4	-	12	0.3 %
5	-	45	1.1 %
6	-	21	0.5 %
7	-	20	0.5 %
8	-	36	0.9 %
9	-	22	0.5 %
10	-	48	1.1 %
11	-	10	0.2 %
12	-	42	1.0 %
13	-	18	0.4 %
14	-	17	0.4 %
15	-	18	0.4 %
17	-	24	0.6 %
19	-	24	0.6 %
21	-	23	0.5 %
23	-	14	0.3 %
24	-	13	0.3 %
27	-	35	0.8 %
29	-	18	0.4 %
31	-	19	0.5 %
32	-	14	0.3 %
34	-	20	0.5 %
35	-	22	0.5 %
36	-	12	0.3 %
40	-	20	0.5 %

Value	Label	Unweighted Frequency	%
997	-	3531	84.2 %
	Missing Data		
.	-	3	0.1 %
	Total	4,196	100%

Based upon 4,193 valid cases out of 4,196 total cases.

- Mean: 842.01
- Median: 997.00
- Mode: 997.00
- Minimum: 0.00
- Maximum: 997.00
- Standard Deviation: 358.03

Location: 339-341 (width: 3; decimal: 0)

Variable Type: numeric

H5ID6FM: S5Q6FM MED 4 ASTHMA/CHRN BRONC/EMPHY-W5

Value	Label	Unweighted Frequency	%
0	-	443	10.6 %
1	-	218	5.2 %
97	-	3531	84.2 %
	Missing Data		
.	-	4	0.1 %
	Total	4,196	100%

Based upon 4,192 valid cases out of 4,196 total cases.

- Mean: 81.76
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 35.24

Location: 342-343 (width: 2; decimal: 0)

Variable Type: numeric

H5ID6G: S5Q6G EVER BEEN DX WITH DEPRESSION-W5

Value	Label	Unweighted Frequency	%
0	-	3130	74.6 %
1	-	1052	25.1 %
	Missing Data		
.	-	14	0.3 %
	Total	4,196	100%

Based upon 4,182 valid cases out of 4,196 total cases.

- Mean: 0.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

Location: 344-344 (width: 1; decimal: 0)

Variable Type: numeric

H5ID6GA: S5Q6GA AGE DX DEPRESSION-W5

Value	Label	Unweighted Frequency	%
11	-	23	0.5 %
12	-	22	0.5 %
13	-	29	0.7 %
14	-	19	0.5 %
15	-	40	1.0 %
16	-	43	1.0 %
17	-	27	0.6 %
18	-	50	1.2 %
19	-	44	1.0 %
20	-	58	1.4 %
21	-	27	0.6 %
22	-	35	0.8 %
23	-	37	0.9 %
24	-	30	0.7 %
25	-	61	1.5 %
26	-	33	0.8 %
27	-	35	0.8 %
28	-	45	1.1 %
29	-	21	0.5 %
30	-	67	1.6 %
31	-	24	0.6 %
32	-	36	0.9 %
33	-	30	0.7 %
34	-	30	0.7 %
35	-	61	1.5 %
36	-	40	1.0 %
37	-	28	0.7 %
38	-	29	0.7 %
41	-	22	0.5 %

Value	Label	Unweighted Frequency	%
997	-	3144	74.9 %
	Missing Data		
.	-	6	0.1 %
	Total	4,196	100%

Based upon 4,190 valid cases out of 4,196 total cases.

- Mean: 754.42
- Median: 997.00
- Mode: 997.00
- Minimum: 11.00
- Maximum: 997.00
- Standard Deviation: 420.64

Location: 345-347 (width: 3; decimal: 0)

Variable Type: numeric

H5ID6GM: S5Q6GM MED FOR DEPRESSION-W5

Value	Label	Unweighted Frequency	%
0	-	578	13.8 %
1	-	469	11.2 %
97	-	3144	74.9 %
	Missing Data		
.	-	5	0.1 %
	Total	4,196	100%

Based upon 4,191 valid cases out of 4,196 total cases.

- Mean: 72.88
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 41.80

Location: 348-349 (width: 2; decimal: 0)

Variable Type: numeric

H5ID6H: S5Q6H EVER BEEN DX PTSD-W5

Value	Label	Unweighted Frequency	%
0	-	3879	92.4 %
1	-	302	7.2 %
	Missing Data		
.	-	15	0.4 %
	Total	4,196	100%

Based upon 4,181 valid cases out of 4,196 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

Location: 350-350 (width: 1; decimal: 0)

Variable Type: numeric

H5ID6HA: S5Q6HA AGE DX PST TRAU STR DIS/PTSD-W5

Value	Label	Unweighted Frequency	%
15	-	17	0.4 %
20	-	22	0.5 %
22	-	15	0.4 %
23	-	10	0.2 %
24	-	12	0.3 %
25	-	12	0.3 %
27	-	21	0.5 %
28	-	14	0.3 %
29	-	13	0.3 %
31	-	35	0.8 %
32	-	19	0.5 %
33	-	18	0.4 %
34	-	15	0.4 %
36	-	37	0.9 %
37	-	13	0.3 %
38	-	15	0.4 %
40	-	11	0.3 %
997	-	3894	92.8 %
	Missing Data		
.	-	3	0.1 %
	Total	4,196	100%

Based upon 4,193 valid cases out of 4,196 total cases.

- Mean: 928.00
- Median: 997.00
- Mode: 997.00
- Minimum: 15.00
- Maximum: 997.00
- Standard Deviation: 249.03

Location: 351-353 (width: 3; decimal: 0)

Variable Type: numeric

H5ID6HM: S5Q6HM MED FOR PST TRAU STR DIS/PTSD-W5

Value	Label	Unweighted Frequency	%
0	-	219	5.2 %
1	-	81	1.9 %
97	-	3894	92.8 %
	Missing Data		
.	-	2	0.0 %
	Total	4,196	100%

Based upon 4,194 valid cases out of 4,196 total cases.

- Mean: 90.08
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 24.93

Location: 354-355 (width: 2; decimal: 0)

Variable Type: numeric

H5ID6I: S5Q6I EVER BEEN DX PANIC/ANXIETY DIS-W5

Value	Label	Unweighted Frequency	%
0	-	3222	76.8 %
1	-	962	22.9 %
	Missing Data		
.	-	12	0.3 %
	Total	4,196	100%

Based upon 4,184 valid cases out of 4,196 total cases.

- Mean: 0.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

Location: 356-356 (width: 1; decimal: 0)

Variable Type: numeric

H5ID6IA: S5Q6IA AGE DX PANIC/ANXIETY DISORDER-W5

Value	Label	Unweighted Frequency	%
13	-	25	0.6 %
14	-	12	0.3 %

Value	Label	Unweighted Frequency	%
15	-	15	0.4 %
16	-	13	0.3 %
17	-	12	0.3 %
18	-	35	0.8 %
19	-	33	0.8 %
20	-	45	1.1 %
21	-	21	0.5 %
22	-	32	0.8 %
23	-	26	0.6 %
24	-	24	0.6 %
25	-	55	1.3 %
26	-	38	0.9 %
27	-	36	0.9 %
28	-	45	1.1 %
29	-	29	0.7 %
30	-	77	1.8 %
31	-	16	0.4 %
32	-	45	1.1 %
33	-	42	1.0 %
34	-	45	1.1 %
35	-	92	2.2 %
36	-	31	0.7 %
37	-	42	1.0 %
38	-	40	1.0 %
39	-	19	0.5 %
41	-	12	0.3 %
997	-	3234	77.1 %
	Missing Data		
.	-	5	0.1 %
	Total	4,196	100%

Based upon 4,191 valid cases out of 4,196 total cases.

- Mean: 775.74
- Median: 997.00
- Mode: 997.00
- Minimum: 13.00
- Maximum: 997.00
- Standard Deviation: 406.79

Location: 357-359 (width: 3; decimal: 0)

Variable Type: numeric

H5ID6IM: S5Q6IM MED FOR PANIC/ANXIETY DISORDER-W5

Value	Label	Unweighted Frequency	%
0	-	487	11.6 %
1	-	468	11.2 %
97	-	3234	77.1 %
	Missing Data		
.	-	7	0.2 %
	Total	4,196	100%

Based upon 4,189 valid cases out of 4,196 total cases.

- Mean: 75.00
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 40.49

Location: 360-361 (width: 2; decimal: 0)

Variable Type: numeric

H5ID6K: S5Q6K EVER BEEN DX HEPATITIS C-W5

Value	Label	Unweighted Frequency	%
0	-	4147	98.8 %
1	-	33	0.8 %
	Missing Data		
.	-	16	0.4 %
	Total	4,196	100%

Based upon 4,180 valid cases out of 4,196 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.09

Location: 362-362 (width: 1; decimal: 0)

Variable Type: numeric

H5ID6KA: S5Q6KA AGE DX HEPATITIS C-W5

Value	Label	Unweighted Frequency	%
40	-	30	0.7 %
997	-	4163	99.2 %

Value	Label	Unweighted Frequency	%
.	-	3	0.1 %
	Missing Data		
	Total	4,196	100%

Based upon 4,193 valid cases out of 4,196 total cases.

- Mean: 990.15
- Median: 997.00
- Mode: 997.00
- Minimum: 40.00
- Maximum: 997.00
- Standard Deviation: 80.67

Location: 363-365 (width: 3; decimal: 0)

Variable Type: numeric

H5ID6KM: S5Q6KM MED FOR HEPATITIS C-W5

Value	Label	Unweighted Frequency	%
0	-	30	0.7 %
97	-	4163	99.2 %
	Missing Data		
.	-	3	0.1 %
	Total	4,196	100%

Based upon 4,193 valid cases out of 4,196 total cases.

- Mean: 96.31
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 8.18

Location: 366-367 (width: 2; decimal: 0)

Variable Type: numeric

H5ID6L: S5Q6L EVER BEEN DX KIDNEY DISEASE-W5

Value	Label	Unweighted Frequency	%
0	-	4154	99.0 %
1	-	28	0.7 %
	Missing Data		
.	-	14	0.3 %
	Total	4,196	100%

Based upon 4,182 valid cases out of 4,196 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.08

Location: 368-368 (width: 1; decimal: 0)

Variable Type: numeric

H5ID6LA: S5Q6LA AGE DX KIDNEY DISEASE-W5

Value	Label	Unweighted Frequency	%
40	-	27	0.6 %
997	-	4168	99.3 %
	Missing Data		
.	-	1	0.0 %
	Total	4,196	100%

Based upon 4,195 valid cases out of 4,196 total cases.

- Mean: 990.84
- Median: 997.00
- Mode: 997.00
- Minimum: 40.00
- Maximum: 997.00
- Standard Deviation: 76.54

Location: 369-371 (width: 3; decimal: 0)

Variable Type: numeric

H5ID6LM: S5Q6LM MED FOR KIDNEY DISEASE-W5

Value	Label	Unweighted Frequency	%
0	-	17	0.4 %
1	-	10	0.2 %
97	-	4168	99.3 %
	Missing Data		
.	-	1	0.0 %
	Total	4,196	100%

Based upon 4,195 valid cases out of 4,196 total cases.

- Mean: 96.38
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 7.73

Location: 372-373 (width: 2; decimal: 0)

Variable Type: numeric

H5ID6M: S5Q6M EVER BEEN DX BLOOD CLOT-W5

Value	Label	Unweighted Frequency	%
0	-	4105	97.8 %
1	-	64	1.5 %
	Missing Data		
.	-	27	0.6 %
	Total	4,196	100%

Based upon 4,169 valid cases out of 4,196 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.12

Location: 374-374 (width: 1; decimal: 0)

Variable Type: numeric

H5ID6MA: S5Q6MA AGE DX BLOOD CLOT-W5

Value	Label	Unweighted Frequency	%
29	-	21	0.5 %
35	-	29	0.7 %
40	-	14	0.3 %
997	-	4132	98.5 %
	Total	4,196	100%

Based upon 4,196 valid cases out of 4,196 total cases.

- Mean: 982.31
- Median: 997.00
- Mode: 997.00
- Minimum: 29.00
- Maximum: 997.00
- Standard Deviation: 118.02

Location: 375-377 (width: 3; decimal: 0)

Variable Type: numeric

H5ID6MM: S5Q6MM MED FOR BLOOD CLOT-W5

Value	Label	Unweighted Frequency	%
0	-	48	1.1 %
1	-	16	0.4 %

Value	Label	Unweighted Frequency	%
97	-	4132	98.5 %
	Total	4,196	100%

Based upon 4,196 valid cases out of 4,196 total cases.

- Mean: 95.52
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 11.86

Location: 378-379 (width: 2; decimal: 0)

Variable Type: numeric

H5ID6N: S5Q6N EVER BEEN DX STROKE-W5

Value	Label	Unweighted Frequency	%
0	-	4140	98.7 %
1	-	41	1.0 %
	Missing Data		
.	-	15	0.4 %
	Total	4,196	100%

Based upon 4,181 valid cases out of 4,196 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Location: 380-380 (width: 1; decimal: 0)

Variable Type: numeric

H5ID6NA: S5Q6NA AGE DX STROKE-W5

Value	Label	Unweighted Frequency	%
40	-	41	1.0 %
997	-	4155	99.0 %
	Total	4,196	100%

Based upon 4,196 valid cases out of 4,196 total cases.

- Mean: 987.65
- Median: 997.00
- Mode: 997.00

- Minimum: 40.00
- Maximum: 997.00
- Standard Deviation: 94.15

Location: 381-383 (width: 3; decimal: 0)

Variable Type: numeric

H5ID6NM: S5Q6NM MED FOR STROKE-W5

Value	Label	Unweighted Frequency	%
0	-	31	0.7 %
97	-	4155	99.0 %
	Missing Data		
.	-	10	0.2 %
	Total	4,196	100%

Based upon 4,186 valid cases out of 4,196 total cases.

- Mean: 96.28
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 8.32

Location: 384-385 (width: 2; decimal: 0)

Variable Type: numeric

H5ID6O: S5Q6O EVER BEEN DX HEART FAILURE-W5

Value	Label	Unweighted Frequency	%
0	-	4158	99.1 %
1	-	22	0.5 %
	Missing Data		
.	-	16	0.4 %
	Total	4,196	100%

Based upon 4,180 valid cases out of 4,196 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.07

Location: 386-386 (width: 1; decimal: 0)

Variable Type: numeric

H5ID6OA: S5Q6OA AGE DX HEART FAILURE-W5

Value	Label	Unweighted Frequency	%
40	-	22	0.5 %
997	-	4174	99.5 %
	Total	4,196	100%

Based upon 4,196 valid cases out of 4,196 total cases.

- Mean: 991.98
- Median: 997.00
- Mode: 997.00
- Minimum: 40.00
- Maximum: 997.00
- Standard Deviation: 69.12

Location: 387-389 (width: 3; decimal: 0)

Variable Type: numeric

H5ID6OM: S5Q6OM MED FOR HEART FAILURE-W5

Value	Label	Unweighted Frequency	%
97	-	4174	99.5 %
	Missing Data		
.	-	22	0.5 %
	Total	4,196	100%

Based upon 4,174 valid cases out of 4,196 total cases.

- Mean: 97.00
- Median: 97.00
- Mode: 97.00
- Minimum: 97.00
- Maximum: 97.00
- Standard Deviation: 0.00

Location: 390-391 (width: 2; decimal: 0)

Variable Type: numeric

H5ID6Q: S5Q6Q EVER BEEN DX AORTIC ANEURYSM-W5

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	4196	100.0 %
	Total	4,196	100%

Based upon 0 valid cases out of 4,196 total cases.

Location: 392-392 (width: 1; decimal: 0)

Variable Type: numeric

H5ID6QA: S5Q6QA AGE DX AORTIC ANEURYSM-W5

Value	Label	Unweighted Frequency	%
997	-	4194	100.0 %
	Missing Data		
.	-	2	0.0 %
	Total	4,196	100%

Based upon 4,194 valid cases out of 4,196 total cases.

- Mean: 997.00
- Median: 997.00
- Mode: 997.00
- Minimum: 997.00
- Maximum: 997.00
- Standard Deviation: 0.00

Location: 393-395 (width: 3; decimal: 0)

Variable Type: numeric

H5ID6QM: S5Q6QM MED FOR AORTIC ANEURYSM-W5

Value	Label	Unweighted Frequency	%
97	-	4194	100.0 %
	Missing Data		
.	-	2	0.0 %
	Total	4,196	100%

Based upon 4,194 valid cases out of 4,196 total cases.

- Mean: 97.00
- Median: 97.00
- Mode: 97.00
- Minimum: 97.00
- Maximum: 97.00
- Standard Deviation: 0.00

Location: 396-397 (width: 2; decimal: 0)

Variable Type: numeric

H5ID6S: S5Q6S EVER BEEN DX SLEEP APNEA-W5

Value	Label	Unweighted Frequency	%
0	-	3862	92.0 %
1	-	322	7.7 %
	Missing Data		
.	-	12	0.3 %
	Total	4,196	100%

Based upon 4,184 valid cases out of 4,196 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.27

Location: 398-398 (width: 1; decimal: 0)

Variable Type: numeric

H5ID6SA: S5Q6SA AGE DX SLEEP APNEA-W5

Value	Label	Unweighted Frequency	%
15	-	10	0.2 %
24	-	23	0.5 %
25	-	11	0.3 %
26	-	10	0.2 %
27	-	12	0.3 %
29	-	15	0.4 %
30	-	31	0.7 %
31	-	12	0.3 %
32	-	20	0.5 %
33	-	16	0.4 %
34	-	20	0.5 %
35	-	43	1.0 %
36	-	25	0.6 %
37	-	27	0.6 %
38	-	14	0.3 %
39	-	17	0.4 %
43	-	16	0.4 %
997	-	3874	92.3 %
	Total	4,196	100%

Based upon 4,196 valid cases out of 4,196 total cases.

- Mean: 922.98
- Median: 997.00
- Mode: 997.00
- Minimum: 15.00
- Maximum: 997.00
- Standard Deviation: 256.79

Location: 399-401 (width: 3; decimal: 0)

Variable Type: numeric

H5ID6SM: S5Q6SM MED FOR SLEEP APNEA-W5

Value	Label	Unweighted Frequency	%
0	-	289	6.9 %
1	-	32	0.8 %
97	-	3874	92.3 %
	Missing Data		
.	-	1	0.0 %
	Total	4,196	100%

Based upon 4,195 valid cases out of 4,196 total cases.

- Mean: 89.59
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 25.76

Location: 402-403 (width: 2; decimal: 0)

Variable Type: numeric

H5ID6T: S5Q6T EVER BEEN DX EATING DISORDR-W5

Value	Label	Unweighted Frequency	%
0	-	4110	98.0 %
1	-	71	1.7 %
	Missing Data		
.	-	15	0.4 %
	Total	4,196	100%

Based upon 4,181 valid cases out of 4,196 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.13

Location: 404-404 (width: 1; decimal: 0)

Variable Type: numeric

H5ID6TA: S5Q6TA AGE DX EATING DISORDR-W5

Value	Label	Unweighted Frequency	%
15	-	13	0.3 %
16	-	13	0.3 %
19	-	13	0.3 %
25	-	15	0.4 %

Value	Label	Unweighted Frequency	%
39	-	16	0.4 %
997	-	4125	98.3 %
	Missing Data		
.	-	1	0.0 %
	Total	4,196	100%

Based upon 4,195 valid cases out of 4,196 total cases.

- Mean: 980.76
- Median: 997.00
- Mode: 997.00
- Minimum: 15.00
- Maximum: 997.00
- Standard Deviation: 124.71

Location: 405-407 (width: 3; decimal: 0)

Variable Type: numeric

H5ID6TM: S5Q6TM MED FOR EATING DISORDR-W5

Value	Label	Unweighted Frequency	%
0	-	67	1.6 %
97	-	4125	98.3 %
	Missing Data		
.	-	4	0.1 %
	Total	4,196	100%

Based upon 4,192 valid cases out of 4,196 total cases.

- Mean: 95.45
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 12.17

Location: 408-409 (width: 2; decimal: 0)

Variable Type: numeric

H5ID7A: S5Q7A MOST DAYS COUGH-W5

Value	Label	Unweighted Frequency	%
0	-	3442	82.0 %
1	-	724	17.3 %
	Missing Data		
.	-	30	0.7 %
	Total	4,196	100%

Based upon 4,166 valid cases out of 4,196 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

Location: 410-410 (width: 1; decimal: 0)

Variable Type: numeric

H5ID7B: S5Q7B MOST DAYS PRODUCE PHLEGM-W5

Value	Label	Unweighted Frequency	%
0	-	3715	88.5 %
1	-	446	10.6 %
	Missing Data		
.	-	35	0.8 %
	Total	4,196	100%

Based upon 4,161 valid cases out of 4,196 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

Location: 411-411 (width: 1; decimal: 0)

Variable Type: numeric

H5ID7C: S5Q7C MOST DAYS WHEEZE-W5

Value	Label	Unweighted Frequency	%
0	-	3896	92.9 %
1	-	248	5.9 %
	Missing Data		
.	-	52	1.2 %
	Total	4,196	100%

Based upon 4,144 valid cases out of 4,196 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.24

Location: 412-412 (width: 1; decimal: 0)

Variable Type: numeric

H5ID8A: S5Q8A CHEST PAIN WALK UPHILL/STAIRS-W5

Value	Label	Unweighted Frequency	%
0	-	3859	92.0 %
1	-	313	7.5 %
	Missing Data		
.	-	24	0.6 %
	Total	4,196	100%

Based upon 4,172 valid cases out of 4,196 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

Location: 413-413 (width: 1; decimal: 0)

Variable Type: numeric

H5ID8B: S5Q8B CALF PAIN WALK UPHILL/STAIRS-W5

Value	Label	Unweighted Frequency	%
0	-	3417	81.4 %
1	-	755	18.0 %
	Missing Data		
.	-	24	0.6 %
	Total	4,196	100%

Based upon 4,172 valid cases out of 4,196 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.39

Location: 414-414 (width: 1; decimal: 0)

Variable Type: numeric

H5ID8C: S5Q8C SHORT BREATH WALK UPHILL/STAIRS-W5

Value	Label	Unweighted Frequency	%
0	-	2646	63.1 %

Value	Label	Unweighted Frequency	%
1	-	1525	36.3 %
	Missing Data		
.	-	25	0.6 %
	Total	4,196	100%

Based upon 4,171 valid cases out of 4,196 total cases.

- Mean: 0.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

Location: 415-415 (width: 1; decimal: 0)

Variable Type: numeric

H5ID8D: S5Q8D SLEEP ON PILLOWS TO BREATHE-W5

Value	Label	Unweighted Frequency	%
0	-	3735	89.0 %
1	-	432	10.3 %
	Missing Data		
.	-	29	0.7 %
	Total	4,196	100%

Based upon 4,167 valid cases out of 4,196 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

Location: 416-416 (width: 1; decimal: 0)

Variable Type: numeric

H5ID8E: S5Q8E AWAKEN BY TROUBLE BREATHING-W5

Value	Label	Unweighted Frequency	%
0	-	3726	88.8 %
1	-	438	10.4 %
	Missing Data		
.	-	32	0.8 %
	Total	4,196	100%

Based upon 4,164 valid cases out of 4,196 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

Location: 417-417 (width: 1; decimal: 0)

Variable Type: numeric

H5ID8F: S5Q8F SWELLING IN FEET/ANKLES-W5

Value	Label	Unweighted Frequency	%
0	-	3460	82.5 %
1	-	707	16.8 %
	Missing Data		
.	-	29	0.7 %
	Total	4,196	100%

Based upon 4,167 valid cases out of 4,196 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

Location: 418-418 (width: 1; decimal: 0)

Variable Type: numeric

H5ID8G: S5Q8G FELT HEART RACE/FLUTTER/SKIP-W5

Value	Label	Unweighted Frequency	%
0	-	2978	71.0 %
1	-	1193	28.4 %
	Missing Data		
.	-	25	0.6 %
	Total	4,196	100%

Based upon 4,171 valid cases out of 4,196 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

Location: 419-419 (width: 1; decimal: 0)

Variable Type: numeric

H5ID8H: S5Q8H 5/MORE MIGRAINE HEADACHES-W5

Value	Label	Unweighted Frequency	%
0	-	3252	77.5 %
1	-	922	22.0 %
	Missing Data		
.	-	22	0.5 %
	Total	4,196	100%

Based upon 4,174 valid cases out of 4,196 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

Location: 420-420 (width: 1; decimal: 0)

Variable Type: numeric

H5ID9: S5Q9 BEST DESCRIBE CURR/HEALTH INS-W5

Value	Label	Unweighted Frequency	%
1	-	2138	51.0 %
2	-	48	1.1 %
4	-	717	17.1 %
6	-	10	0.2 %
7	-	121	2.9 %
8	-	138	3.3 %
9	-	386	9.2 %
10	-	106	2.5 %
11	-	33	0.8 %
12	-	62	1.5 %
13	-	11	0.3 %
14	-	32	0.8 %
15	-	359	8.6 %
	Missing Data		
.	-	35	0.8 %
	Total	4,196	100%

Based upon 4,161 valid cases out of 4,196 total cases.

- Mean: 4.50
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 15.00
- Standard Deviation: 4.61

Location: 421-422 (width: 2; decimal: 0)

Variable Type: numeric

H5ID10A: S5Q10A WHY NO HEALTH INS-NO OFFER-W5

Value	Label	Unweighted Frequency	%
0	-	194	4.6 %
1	-	125	3.0 %
97	-	3837	91.4 %
	Missing Data		
.	-	40	1.0 %
	Total	4,196	100%

Based upon 4,156 valid cases out of 4,196 total cases.

- Mean: 89.58
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 25.72

Location: 423-424 (width: 2; decimal: 0)

Variable Type: numeric

H5ID10B: S5Q10B WHY NO HLTH INS-TOO EXPENSIVE-W5

Value	Label	Unweighted Frequency	%
0	-	57	1.4 %
1	-	287	6.8 %
97	-	3837	91.4 %
	Missing Data		
.	-	15	0.4 %
	Total	4,196	100%

Based upon 4,181 valid cases out of 4,196 total cases.

- Mean: 89.09
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00

- Standard Deviation: 26.43

Location: 425-426 (width: 2; decimal: 0)

Variable Type: numeric

H5ID10C: S5Q10C WHY NO HLTH INS-NOT NEED/WANT-W5

Value	Label	Unweighted Frequency	%
0	-	252	6.0 %
1	-	56	1.3 %
97	-	3837	91.4 %
	Missing Data		
.	-	51	1.2 %
	Total	4,196	100%

Based upon 4,145 valid cases out of 4,196 total cases.

- Mean: 89.81
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 25.40

Location: 427-428 (width: 2; decimal: 0)

Variable Type: numeric

H5ID10D: S5Q10D WHY NO HLTH INS-DENIED INSUR-W5

Value	Label	Unweighted Frequency	%
0	-	275	6.6 %
1	-	30	0.7 %
97	-	3837	91.4 %
	Missing Data		
.	-	54	1.3 %
	Total	4,196	100%

Based upon 4,142 valid cases out of 4,196 total cases.

- Mean: 89.86
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 25.31

Location: 429-430 (width: 2; decimal: 0)

Variable Type: numeric

H5ID11: S5Q11 PAST 12/MON NEEDED MED CARE-W5

Value	Label	Unweighted Frequency	%
0	-	3239	77.2 %
1	-	948	22.6 %
	Missing Data		
.	-	9	0.2 %
	Total	4,196	100%

Based upon 4,187 valid cases out of 4,196 total cases.

- Mean: 0.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

Location: 431-431 (width: 1; decimal: 0)

Variable Type: numeric

H5ID12: S5Q12 PAST 12 MON DENTAL EXAM-W5

Value	Label	Unweighted Frequency	%
0	-	1537	36.6 %
1	-	2629	62.7 %
	Missing Data		
.	-	30	0.7 %
	Total	4,196	100%

Based upon 4,166 valid cases out of 4,196 total cases.

- Mean: 0.63
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

Location: 432-432 (width: 1; decimal: 0)

Variable Type: numeric

H5ID13: S5Q13 PAST12 MON PSYCHO/COUNSELING-W5

Value	Label	Unweighted Frequency	%
0	-	3531	84.2 %
1	-	638	15.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	27	0.6 %
	Total	4,196	100%

Based upon 4,169 valid cases out of 4,196 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

Location: 433-433 (width: 1; decimal: 0)

Variable Type: numeric

H5ID14: S5Q14 LOCATION HEALTH CARE FACILITY-W5

Value	Label	Unweighted Frequency	%
1	-	479	11.4 %
2	-	315	7.5 %
3	-	223	5.3 %
4	-	114	2.7 %
5	-	2009	47.9 %
6	-	11	0.3 %
7	-	85	2.0 %
8	-	44	1.0 %
9	-	620	14.8 %
10	-	60	1.4 %
11	-	214	5.1 %
	Missing Data		
.	-	22	0.5 %
	Total	4,196	100%

Based upon 4,174 valid cases out of 4,196 total cases.

- Mean: 5.23
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 11.00
- Standard Deviation: 2.73

Location: 434-435 (width: 2; decimal: 0)

Variable Type: numeric

H5ID15: S5Q15 TYPICAL HOURS OF SLEEP-W5

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
2	-	2	0.0 %
3	-	18	0.4 %
4	-	137	3.3 %
5	-	386	9.2 %
6	-	1191	28.4 %
7	-	1326	31.6 %
8	-	951	22.7 %
9	-	111	2.6 %
10	-	53	1.3 %
11	-	3	0.1 %
12	-	9	0.2 %
	Missing Data		
.	-	8	0.2 %
	Total	4,196	100%

Based upon 4,188 valid cases out of 4,196 total cases.

- Mean: 6.74
- Median: 7.00
- Mode: 7.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 1.22

Location: 436-437 (width: 2; decimal: 0)

Variable Type: numeric

H5ID16: S5Q16 HOW OFTEN TROUBLE SLEEPING-W5

Value	Label	Unweighted Frequency	%
0	-	992	23.6 %
1	-	960	22.9 %
2	-	1032	24.6 %
3	-	611	14.6 %
4	-	595	14.2 %
	Missing Data		
.	-	6	0.1 %
	Total	4,196	100%

Based upon 4,190 valid cases out of 4,196 total cases.

- Mean: 1.73
- Median: 2.00

- Mode: 2.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.35

Location: 438-438 (width: 1; decimal: 0)

Variable Type: numeric

H5ID17: S5Q17 SNORE IN SLEEP-W5

Value	Label	Unweighted Frequency	%
0	-	1152	27.5 %
1	-	1460	34.8 %
2	-	919	21.9 %
3	-	647	15.4 %
	Missing Data		
.	-	18	0.4 %
	Total	4,196	100%

Based upon 4,178 valid cases out of 4,196 total cases.

- Mean: 1.25
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 1.03

Location: 439-439 (width: 1; decimal: 0)

Variable Type: numeric

H5ID18: S5Q18 STOP BREATHING IN SLEEP-W5

Value	Label	Unweighted Frequency	%
0	-	3545	84.5 %
1	-	364	8.7 %
2	-	173	4.1 %
3	-	77	1.8 %
	Missing Data		
.	-	37	0.9 %
	Total	4,196	100%

Based upon 4,159 valid cases out of 4,196 total cases.

- Mean: 0.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00

- Standard Deviation: 0.61

Location: 440-440 (width: 1; decimal: 0)

Variable Type: numeric

H5ID19: S5Q19 PST 4 WKS TAKEN PRESCRIP MED-W5

Value	Label	Unweighted Frequency	%
0	-	2147	51.2 %
1	-	1803	43.0 %
95	-	147	3.5 %
	Missing Data		
.	-	99	2.4 %
	Total	4,196	100%

Based upon 4,097 valid cases out of 4,196 total cases.

- Mean: 3.85
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 95.00
- Standard Deviation: 17.59

Location: 441-442 (width: 2; decimal: 0)

Variable Type: numeric

H5ID20: S5Q20 PRESCRIP MED BOTTLES PRESENT-W5

Value	Label	Unweighted Frequency	%
0	-	261	6.2 %
1	-	1333	31.8 %
2	-	203	4.8 %
95	-	147	3.5 %
97	-	2246	53.5 %
	Missing Data		
.	-	6	0.1 %
	Total	4,196	100%

Based upon 4,190 valid cases out of 4,196 total cases.

- Mean: 55.74
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 47.48

Location: 443-444 (width: 2; decimal: 0)

Variable Type: numeric

H5ID21: S5Q21 NUM TIMES FAST FOOD LAST 7 DAYS-W5

Value	Label	Unweighted Frequency	%
0	-	1149	27.4 %
1	-	1021	24.3 %
2	-	782	18.6 %
3	-	459	10.9 %
4	-	238	5.7 %
5	-	203	4.8 %
6	-	43	1.0 %
7	-	103	2.5 %
8	-	8	0.2 %
9	-	2	0.0 %
10	-	24	0.6 %
11	-	1	0.0 %
12	-	5	0.1 %
14	-	11	0.3 %
15	-	15	0.4 %
	Missing Data		
.	-	132	3.1 %
	Total	4,196	100%

Based upon 4,064 valid cases out of 4,196 total cases.

- Mean: 1.89
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 2.14

Location: 445-446 (width: 2; decimal: 0)

Variable Type: numeric

H5ID22: S5Q22 NUM NON-DIET SWEET DRINKS-W5

Value	Label	Unweighted Frequency	%
0	-	805	19.2 %
1	-	371	8.8 %
2	-	369	8.8 %
3	-	316	7.5 %
4	-	200	4.8 %
5	-	307	7.3 %
6	-	73	1.7 %

Value	Label	Unweighted Frequency	%
7	-	658	15.7 %
8	-	52	1.2 %
9	-	25	0.6 %
10	-	219	5.2 %
11	-	5	0.1 %
12	-	65	1.5 %
13	-	5	0.1 %
14	-	167	4.0 %
15	-	65	1.5 %
16	-	13	0.3 %
17	-	2	0.0 %
18	-	10	0.2 %
20	-	99	2.4 %
21	-	68	1.6 %
22	-	3	0.1 %
23	-	1	0.0 %
24	-	8	0.2 %
25	-	21	0.5 %
27	-	1	0.0 %
28	-	21	0.5 %
30	-	41	1.0 %
32	-	1	0.0 %
35	-	14	0.3 %
36	-	1	0.0 %
40	-	8	0.2 %
42	-	2	0.0 %
45	-	3	0.1 %
48	-	2	0.0 %
49	-	1	0.0 %
50	-	9	0.2 %
55	-	1	0.0 %
56	-	2	0.0 %
60	-	12	0.3 %
	Missing Data		
.	-	150	3.6 %
	Total	4,196	100%

Based upon 4,046 valid cases out of 4,196 total cases.

- Mean: 6.31

- Median: 4.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 7.85

Location: 447-448 (width: 2; decimal: 0)

Variable Type: numeric

H5ID23: S5Q23 HRS/WK WATCH TV/VIDEOS-W5

Value	Label	Unweighted Frequency	%
0	-	152	3.6 %
1	-	98	2.3 %
2	-	248	5.9 %
3	-	238	5.7 %
4	-	261	6.2 %
5	-	269	6.4 %
6	-	147	3.5 %
7	-	291	6.9 %
8	-	149	3.6 %
9	-	37	0.9 %
10	-	445	10.6 %
11	-	4	0.1 %
12	-	139	3.3 %
13	-	6	0.1 %
14	-	297	7.1 %
15	-	157	3.7 %
16	-	34	0.8 %
17	-	6	0.1 %
18	-	28	0.7 %
19	-	5	0.1 %
20	-	293	7.0 %
21	-	130	3.1 %
22	-	4	0.1 %
23	-	1	0.0 %
24	-	61	1.5 %
25	-	72	1.7 %
26	-	1	0.0 %
27	-	3	0.1 %
28	-	67	1.6 %
29	-	1	0.0 %
30	-	128	3.1 %

Value	Label	Unweighted Frequency	%
31	-	1	0.0 %
32	-	4	0.1 %
34	-	2	0.0 %
35	-	47	1.1 %
36	-	7	0.2 %
40	-	60	1.4 %
42	-	14	0.3 %
45	-	1	0.0 %
48	-	5	0.1 %
49	-	4	0.1 %
50	-	34	0.8 %
52	-	1	0.0 %
55	-	3	0.1 %
56	-	11	0.3 %
60	-	13	0.3 %
62	-	1	0.0 %
63	-	1	0.0 %
64	-	1	0.0 %
66	-	1	0.0 %
	Missing Data		
.	-	157	3.7 %
	Total	4,196	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,039 valid cases out of 4,196 total cases.

- Mean: 13.45
- Median: 10.00
- Mode: 10.00
- Minimum: 0.00
- Maximum: 200.00
- Standard Deviation: 14.59

Location: 449-451 (width: 3; decimal: 0)

Variable Type: numeric

H5ID24: S5Q24 BIKE/SKATEBRD/DANCE/HIKE/HUNT-W5

Value	Label	Unweighted Frequency	%
0	-	1468	35.0 %
1	-	635	15.1 %
2	-	660	15.7 %

Value	Label	Unweighted Frequency	%
3	-	510	12.2 %
4	-	272	6.5 %
5	-	183	4.4 %
6	-	55	1.3 %
7	-	295	7.0 %
	Missing Data		
.	-	118	2.8 %
	Total	4,196	100%

Based upon 4,078 valid cases out of 4,196 total cases.

- Mean: 1.93
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 2.10

Location: 452-452 (width: 1; decimal: 0)

Variable Type: numeric

H5ID25: S5Q25 ROLR BLADE/SKATE/SKI/AEROBICS-W5

Value	Label	Unweighted Frequency	%
0	-	3137	74.8 %
1	-	240	5.7 %
2	-	219	5.2 %
3	-	187	4.5 %
4	-	95	2.3 %
5	-	84	2.0 %
6	-	25	0.6 %
7	-	66	1.6 %
	Missing Data		
.	-	143	3.4 %
	Total	4,196	100%

Based upon 4,053 valid cases out of 4,196 total cases.

- Mean: 0.65
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.48

Location: 453-453 (width: 1; decimal: 0)

Variable Type: numeric

H5ID26: S5Q26 GYMNSTC/WT LIFT/STRENGTH-W5

Value	Label	Unweighted Frequency	%
0	-	2751	65.6 %
1	-	279	6.6 %
2	-	331	7.9 %
3	-	284	6.8 %
4	-	157	3.7 %
5	-	133	3.2 %
6	-	53	1.3 %
7	-	70	1.7 %
	Missing Data		
.	-	138	3.3 %
	Total	4,196	100%

Based upon 4,058 valid cases out of 4,196 total cases.

- Mean: 0.96
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.69

Location: 454-454 (width: 1; decimal: 0)

Variable Type: numeric

H5ID27: S5Q27 PLAY INDIVIDUAL SPORT-W5

Value	Label	Unweighted Frequency	%
0	-	3080	73.4 %
1	-	307	7.3 %
2	-	248	5.9 %
3	-	195	4.6 %
4	-	87	2.1 %
5	-	64	1.5 %
6	-	24	0.6 %
7	-	66	1.6 %
	Missing Data		
.	-	125	3.0 %
	Total	4,196	100%

Based upon 4,071 valid cases out of 4,196 total cases.

- Mean: 0.65
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.44

Location: 455-455 (width: 1; decimal: 0)

Variable Type: numeric

H5ID28: S5Q28 PLAY GOLF/FISH/BOWL/BASEBALL-W5

Value	Label	Unweighted Frequency	%
0	-	3460	82.5 %
1	-	353	8.4 %
2	-	133	3.2 %
3	-	58	1.4 %
4	-	23	0.5 %
5	-	16	0.4 %
6	-	3	0.1 %
7	-	16	0.4 %
	Missing Data		
.	-	134	3.2 %
	Total	4,196	100%

Based upon 4,062 valid cases out of 4,196 total cases.

- Mean: 0.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.83

Location: 456-456 (width: 1; decimal: 0)

Variable Type: numeric

H5ID29: S5Q29 WALK FOR EXERCISE-W5

Value	Label	Unweighted Frequency	%
0	-	1431	34.1 %
1	-	451	10.7 %
2	-	579	13.8 %
3	-	482	11.5 %
4	-	254	6.1 %
5	-	267	6.4 %
6	-	106	2.5 %

Value	Label	Unweighted Frequency	%
7	-	496	11.8 %
	Missing Data		
.	-	130	3.1 %
	Total	4,196	100%

Based upon 4,066 valid cases out of 4,196 total cases.

- Mean: 2.34
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 2.41

Location: 457-457 (width: 1; decimal: 0)

Variable Type: numeric

H5ID30: S5Q30 LAST 7 DAYS-TYP PHYS ACTIV-W5

Value	Label	Unweighted Frequency	%
0	-	820	19.5 %
1	-	3246	77.4 %
	Missing Data		
.	-	130	3.1 %
	Total	4,196	100%

Based upon 4,066 valid cases out of 4,196 total cases.

- Mean: 0.80
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

Location: 458-458 (width: 1; decimal: 0)

Variable Type: numeric

H5ID31: S5Q31 GEN MORE/LESS ACTIVE LAST WEEK-W5

Value	Label	Unweighted Frequency	%
1	-	164	3.9 %
2	-	648	15.4 %
97	-	3376	80.5 %
	Missing Data		
.	-	8	0.2 %
	Total	4,196	100%

Based upon 4,188 valid cases out of 4,196 total cases.

- Mean: 78.54
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 37.64

Location: 459-460 (width: 2; decimal: 0)

Variable Type: numeric

H5SE1: S6Q1 EVER HAVE VAGINAL SEX-W5

Value	Label	Unweighted Frequency	%
0	-	181	4.3 %
1	-	3982	94.9 %
	Missing Data		
.	-	33	0.8 %
	Total	4,196	100%

Based upon 4,163 valid cases out of 4,196 total cases.

- Mean: 0.96
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.20

Location: 461-461 (width: 1; decimal: 0)

Variable Type: numeric

H5SE2: S6Q2 AGE FIRST TIME VAGINAL SEX-W5

Value	Label	Unweighted Frequency	%
10	-	31	0.7 %
11	-	16	0.4 %
12	-	86	2.0 %
13	-	197	4.7 %
14	-	357	8.5 %
15	-	570	13.6 %
16	-	688	16.4 %
17	-	533	12.7 %
18	-	537	12.8 %
19	-	257	6.1 %
20	-	176	4.2 %
21	-	146	3.5 %

Value	Label	Unweighted Frequency	%
22	-	81	1.9 %
23	-	38	0.9 %
24	-	53	1.3 %
25	-	49	1.2 %
26	-	24	0.6 %
27	-	19	0.5 %
28	-	23	0.5 %
29	-	10	0.2 %
30	-	10	0.2 %
31	-	27	0.6 %
997	-	212	5.1 %
	Missing Data		
.	-	56	1.3 %
	Total	4,196	100%

Based upon 4,140 valid cases out of 4,196 total cases.

- Mean: 67.28
- Median: 17.00
- Mode: 16.00
- Minimum: 10.00
- Maximum: 997.00
- Standard Deviation: 216.04

Location: 462-464 (width: 3; decimal: 0)

Variable Type: numeric

H5SE3: S6Q3 EVER HAD ORAL SEX-W5

Value	Label	Unweighted Frequency	%
0	-	239	5.7 %
1	-	3903	93.0 %
	Missing Data		
.	-	54	1.3 %
	Total	4,196	100%

Based upon 4,142 valid cases out of 4,196 total cases.

- Mean: 0.94
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.23

Location: 465-465 (width: 1; decimal: 0)

Variable Type: numeric

H5SE4: S6Q4 AGE 1ST TIME HAD ORAL SEX-W5

Value	Label	Unweighted Frequency	%
10	-	41	1.0 %
11	-	10	0.2 %
12	-	57	1.4 %
13	-	124	3.0 %
14	-	243	5.8 %
15	-	420	10.0 %
16	-	636	15.2 %
17	-	507	12.1 %
18	-	572	13.6 %
19	-	289	6.9 %
20	-	257	6.1 %
21	-	206	4.9 %
22	-	103	2.5 %
23	-	63	1.5 %
24	-	65	1.5 %
25	-	96	2.3 %
26	-	26	0.6 %
27	-	27	0.6 %
28	-	32	0.8 %
30	-	35	0.8 %
33	-	17	0.4 %
35	-	19	0.5 %
997	-	292	7.0 %
	Missing Data		
.	-	59	1.4 %
	Total	4,196	100%

Based upon 4,137 valid cases out of 4,196 total cases.

- Mean: 87.01
- Median: 18.00
- Mode: 16.00
- Minimum: 10.00
- Maximum: 997.00
- Standard Deviation: 250.83

Location: 466-468 (width: 3; decimal: 0)

Variable Type: numeric

H5SE5: S6Q5 EVER HAD ANAL INTERCOURSE-W5

Value	Label	Unweighted Frequency	%
0	-	2169	51.7 %
1	-	1969	46.9 %
	Missing Data		
.	-	58	1.4 %
	Total	4,196	100%

Based upon 4,138 valid cases out of 4,196 total cases.

- Mean: 0.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

Location: 469-469 (width: 1; decimal: 0)

Variable Type: numeric

H5SE6: S6Q6 AGE 1ST ANAL INTERCOURSE-W5

Value	Label	Unweighted Frequency	%
14	-	32	0.8 %
15	-	33	0.8 %
16	-	85	2.0 %
17	-	99	2.4 %
18	-	167	4.0 %
19	-	127	3.0 %
20	-	190	4.5 %
21	-	132	3.1 %
22	-	139	3.3 %
23	-	94	2.2 %
24	-	91	2.2 %
25	-	171	4.1 %
26	-	76	1.8 %
27	-	52	1.2 %
28	-	73	1.7 %
29	-	32	0.8 %
30	-	134	3.2 %
31	-	19	0.5 %
32	-	43	1.0 %
33	-	25	0.6 %
34	-	25	0.6 %
35	-	45	1.1 %

Value	Label	Unweighted Frequency	%
36	-	25	0.6 %
37	-	16	0.4 %
38	-	19	0.5 %
39	-	12	0.3 %
997	-	2166	51.6 %
	Missing Data		
.	-	74	1.8 %
	Total	4,196	100%

Based upon 4,122 valid cases out of 4,196 total cases.

- Mean: 535.04
- Median: 997.00
- Mode: 997.00
- Minimum: 14.00
- Maximum: 997.00
- Standard Deviation: 486.20

Location: 470-472 (width: 3; decimal: 0)

Variable Type: numeric

H5SE7: S6Q7 # MALE SEX PTNRS EVER HAD-W5

Value	Label	Unweighted Frequency	%
0	-	1671	39.8 %
1	-	296	7.1 %
2	-	168	4.0 %
3	-	195	4.6 %
4	-	176	4.2 %
5	-	219	5.2 %
6	-	139	3.3 %
7	-	99	2.4 %
8	-	110	2.6 %
9	-	49	1.2 %
10	-	162	3.9 %
11	-	38	0.9 %
12	-	58	1.4 %
13	-	22	0.5 %
14	-	15	0.4 %
15	-	87	2.1 %
16	-	10	0.2 %
17	-	13	0.3 %
18	-	23	0.5 %

Value	Label	Unweighted Frequency	%
20	-	81	1.9 %
23	-	10	0.2 %
25	-	28	0.7 %
26	-	11	0.3 %
30	-	31	0.7 %
35	-	16	0.4 %
40	-	62	1.5 %
9998	-	323	7.7 %
	Missing Data		
.	-	84	2.0 %
	Total	4,196	100%

Based upon 4,112 valid cases out of 4,196 total cases.

- Mean: 789.73
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 9998.00
- Standard Deviation: 2688.88

Location: 473-476 (width: 4; decimal: 0)

Variable Type: numeric

H5SE8: S6Q8 BEST EST # MALE SEX PTNRS-W5

Value	Label	Unweighted Frequency	%
1	-	12	0.3 %
2	-	21	0.5 %
3	-	63	1.5 %
4	-	83	2.0 %
5	-	67	1.6 %
6	-	61	1.5 %
97	-	3873	92.3 %
	Missing Data		
.	-	16	0.4 %
	Total	4,196	100%

Based upon 4,180 valid cases out of 4,196 total cases.

- Mean: 90.18
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00

- Standard Deviation: 24.23

Location: 477-478 (width: 2; decimal: 0)

Variable Type: numeric

H5SE9: S6Q9 # MALE SEX PTNRS PAST 12 MON-W5

Value	Label	Unweighted Frequency	%
0	-	260	6.2 %
1	-	1877	44.7 %
2	-	141	3.4 %
3	-	71	1.7 %
4	-	25	0.6 %
5	-	16	0.4 %
6	-	27	0.6 %
9997	-	1775	42.3 %
	Missing Data		
.	-	4	0.1 %
	Total	4,196	100%

Based upon 4,192 valid cases out of 4,196 total cases.

- Mean: 4233.63
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 9997.00
- Standard Deviation: 4939.57

Location: 479-482 (width: 4; decimal: 0)

Variable Type: numeric

H5SE10: S6Q10 # FEMALE SEX PTNRS EVER HAD-W5

Value	Label	Unweighted Frequency	%
0	-	1975	47.1 %
1	-	296	7.1 %
2	-	157	3.7 %
3	-	140	3.3 %
4	-	107	2.6 %
5	-	127	3.0 %
6	-	96	2.3 %
7	-	83	2.0 %
8	-	82	2.0 %
9	-	38	0.9 %
10	-	118	2.8 %

Value	Label	Unweighted Frequency	%
11	-	15	0.4 %
12	-	58	1.4 %
13	-	15	0.4 %
14	-	20	0.5 %
15	-	75	1.8 %
17	-	12	0.3 %
18	-	15	0.4 %
20	-	94	2.2 %
21	-	12	0.3 %
23	-	15	0.4 %
25	-	46	1.1 %
27	-	15	0.4 %
30	-	57	1.4 %
35	-	25	0.6 %
40	-	22	0.5 %
50	-	43	1.0 %
60	-	24	0.6 %
80	-	15	0.4 %
100	-	18	0.4 %
113	-	27	0.6 %
9998	-	240	5.7 %
	Missing Data		
.	-	114	2.7 %
	Total	4,196	100%

Based upon 4,082 valid cases out of 4,196 total cases.

- Mean: 594.08
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 9998.00
- Standard Deviation: 2350.71

Location: 483-486 (width: 4; decimal: 0)

Variable Type: numeric

H5SE11: S6Q11 BEST EST # FEMALE SEX PTNRS-W5

Value	Label	Unweighted Frequency	%
2	-	23	0.5 %
3	-	34	0.8 %
4	-	58	1.4 %

Value	Label	Unweighted Frequency	%
5	-	37	0.9 %
6	-	78	1.9 %
97	-	3940	93.9 %
	Missing Data		
.	-	26	0.6 %
	Total	4,196	100%

Based upon 4,170 valid cases out of 4,196 total cases.

- Mean: 91.90
- Median: 97.00
- Mode: 97.00
- Minimum: 2.00
- Maximum: 97.00
- Standard Deviation: 21.12

Location: 487-488 (width: 2; decimal: 0)

Variable Type: numeric

H5SE12: S6Q12 # FEMALE SEX PTNRS PAST 12 MON-W5

Value	Label	Unweighted Frequency	%
0	-	420	10.0 %
1	-	1329	31.7 %
2	-	127	3.0 %
3	-	77	1.8 %
4	-	38	0.9 %
5	-	35	0.8 %
8	-	30	0.7 %
10	-	24	0.6 %
15	-	12	0.3 %
9997	-	2097	50.0 %
	Missing Data		
.	-	7	0.2 %
	Total	4,196	100%

Based upon 4,189 valid cases out of 4,196 total cases.

- Mean: 5005.13
- Median: 9997.00
- Mode: 9997.00
- Minimum: 0.00
- Maximum: 9997.00
- Standard Deviation: 4998.42

Location: 489-492 (width: 4; decimal: 0)

Variable Type: numeric

H5SE13: S6Q13 ROMANTIC ATTRACT TO FEMALES-W5

Value	Label	Unweighted Frequency	%
0	-	2230	53.1 %
1	-	1946	46.4 %
	Missing Data		
.	-	20	0.5 %
	Total	4,196	100%

Based upon 4,176 valid cases out of 4,196 total cases.

- Mean: 0.47
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

Location: 493-493 (width: 1; decimal: 0)

Variable Type: numeric

H5SE14: S6Q14 ROMANTIC ATTRACT TO MALE-W5

Value	Label	Unweighted Frequency	%
0	-	1757	41.9 %
1	-	2398	57.1 %
	Missing Data		
.	-	41	1.0 %
	Total	4,196	100%

Based upon 4,155 valid cases out of 4,196 total cases.

- Mean: 0.58
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

Location: 494-494 (width: 1; decimal: 0)

Variable Type: numeric

H5SE15: S6Q15 SEXUAL SELF DEFINITION-W5

Value	Label	Unweighted Frequency	%
1	-	3592	85.6 %
2	-	420	10.0 %

Value	Label	Unweighted Frequency	%
3	-	60	1.4 %
4	-	37	0.9 %
5	-	57	1.4 %
6	-	11	0.3 %
	Missing Data		
.	-	19	0.5 %
	Total	4,196	100%

Based upon 4,177 valid cases out of 4,196 total cases.

- Mean: 1.22
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 0.69

Location: 495-495 (width: 1; decimal: 0)

Variable Type: numeric

H5SE16: S6Q16 EVER NON-PHYS FORCED SEX-W5

Value	Label	Unweighted Frequency	%
0	-	3570	85.1 %
1	-	604	14.4 %
	Missing Data		
.	-	22	0.5 %
	Total	4,196	100%

Based upon 4,174 valid cases out of 4,196 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

Location: 496-496 (width: 1; decimal: 0)

Variable Type: numeric

H5SE17: S6Q17 AGE 1ST NON-PHYS FORCED SEX-W5

Value	Label	Unweighted Frequency	%
4	-	17	0.4 %
5	-	24	0.6 %
6	-	13	0.3 %

Value	Label	Unweighted Frequency	%
7	-	12	0.3 %
8	-	11	0.3 %
9	-	10	0.2 %
10	-	20	0.5 %
12	-	15	0.4 %
13	-	25	0.6 %
14	-	25	0.6 %
15	-	39	0.9 %
16	-	49	1.2 %
17	-	58	1.4 %
18	-	55	1.3 %
19	-	37	0.9 %
20	-	39	0.9 %
21	-	21	0.5 %
22	-	26	0.6 %
24	-	12	0.3 %
25	-	24	0.6 %
30	-	35	0.8 %
35	-	17	0.4 %
36	-	12	0.3 %
997	-	3570	85.1 %
	Missing Data		
.	-	30	0.7 %
	Total	4,196	100%

Based upon 4,166 valid cases out of 4,196 total cases.

- Mean: 856.86
- Median: 997.00
- Mode: 997.00
- Minimum: 4.00
- Maximum: 997.00
- Standard Deviation: 343.04

Location: 497-499 (width: 3; decimal: 0)

Variable Type: numeric

H5SE18: S6Q18 EVER PHYS FORCED TO HAVE SEX-W5

Value	Label	Unweighted Frequency	%
0	-	3743	89.2 %
1	-	413	9.8 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	40	1.0 %
	Total	4,196	100%

Based upon 4,156 valid cases out of 4,196 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

Location: 500-500 (width: 1; decimal: 0)

Variable Type: numeric

H5SE19: S6Q19 AGE 1ST PHYS FORCED SEX-W5

Value	Label	Unweighted Frequency	%
4	-	10	0.2 %
5	-	23	0.5 %
6	-	12	0.3 %
7	-	15	0.4 %
8	-	17	0.4 %
10	-	24	0.6 %
12	-	16	0.4 %
13	-	20	0.5 %
14	-	24	0.6 %
15	-	30	0.7 %
16	-	22	0.5 %
17	-	35	0.8 %
18	-	27	0.6 %
19	-	19	0.5 %
20	-	17	0.4 %
21	-	17	0.4 %
22	-	10	0.2 %
24	-	10	0.2 %
26	-	15	0.4 %
28	-	11	0.3 %
30	-	12	0.3 %
31	-	23	0.5 %
997	-	3782	90.1 %
	Missing Data		
.	-	5	0.1 %

Value	Label	Unweighted Frequency	%
	Total	4,196	100%

Based upon 4,191 valid cases out of 4,196 total cases.

- Mean: 901.29
- Median: 997.00
- Mode: 997.00
- Minimum: 4.00
- Maximum: 997.00
- Standard Deviation: 291.07

Location: 501-503 (width: 3; decimal: 0)

Variable Type: numeric

H5SE20: S6Q20 R/PTNR EVER PREG W/YR CHILD-W5

Value	Label	Unweighted Frequency	%
0	-	1017	24.2 %
1	-	3147	75.0 %
	Missing Data		
.	-	32	0.8 %
	Total	4,196	100%

Based upon 4,164 valid cases out of 4,196 total cases.

- Mean: 0.76
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

Location: 504-504 (width: 1; decimal: 0)

Variable Type: numeric

H5SE21: S6Q21 TIMES R/PARTNER PREGNANT-W5

Value	Label	Unweighted Frequency	%
1	-	583	13.9 %
2	-	1004	23.9 %
3	-	722	17.2 %
4	-	431	10.3 %
5	-	212	5.1 %
6	-	101	2.4 %
7	-	36	0.9 %
8	-	16	0.4 %
9	-	13	0.3 %

Value	Label	Unweighted Frequency	%
10	-	24	0.6 %
997	-	1044	24.9 %
	Missing Data		
.	-	10	0.2 %
	Total	4,196	100%

Based upon 4,186 valid cases out of 4,196 total cases.

- Mean: 250.78
- Median: 3.00
- Mode: 997.00
- Minimum: 1.00
- Maximum: 997.00
- Standard Deviation: 430.20

Location: 505-507 (width: 3; decimal: 0)

Variable Type: numeric

H5SE22: S6Q22 TOTAL # LIVE BIRTHS-W5

Value	Label	Unweighted Frequency	%
0	-	223	5.3 %
1	-	761	18.1 %
2	-	1226	29.2 %
3	-	617	14.7 %
4	-	231	5.5 %
5	-	48	1.1 %
6	-	13	0.3 %
7	-	12	0.3 %
997	-	1053	25.1 %
	Missing Data		
.	-	12	0.3 %
	Total	4,196	100%

Based upon 4,184 valid cases out of 4,196 total cases.

- Mean: 252.45
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 997.00
- Standard Deviation: 431.84

Location: 508-510 (width: 3; decimal: 0)

Variable Type: numeric

H5SE23: S6Q23 TOTAL # CHILDREN STILL LIVING-W5

Value	Label	Unweighted Frequency	%
0	-	32	0.8 %
1	-	770	18.4 %
2	-	1219	29.1 %
3	-	602	14.3 %
4	-	223	5.3 %
5	-	43	1.0 %
6	-	13	0.3 %
7	-	12	0.3 %
997	-	1273	30.3 %
998	-	1	0.0 %
	Missing Data		
.	-	8	0.2 %
	Total	4,196	100%

Based upon 4,188 valid cases out of 4,196 total cases.

- Mean: 304.79
- Median: 3.00
- Mode: 997.00
- Minimum: 0.00
- Maximum: 998.00
- Standard Deviation: 457.75

Location: 511-513 (width: 3; decimal: 0)

Variable Type: numeric

H5TO1: S7Q1 EVER SMOKED CIGS REGULARLY-W5

Value	Label	Unweighted Frequency	%
0	-	2388	56.9 %
1	-	1797	42.8 %
	Missing Data		
.	-	11	0.3 %
	Total	4,196	100%

Based upon 4,185 valid cases out of 4,196 total cases.

- Mean: 0.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

Location: 514-514 (width: 1; decimal: 0)

Variable Type: numeric

H5TO2: S7Q2 NUM DAYS SMOKD CIGS LST 30 DAYS-W5

Value	Label	Unweighted Frequency	%
0	-	3139	74.8 %
1	-	37	0.9 %
2	-	28	0.7 %
3	-	22	0.5 %
4	-	15	0.4 %
5	-	28	0.7 %
7	-	24	0.6 %
10	-	38	0.9 %
15	-	34	0.8 %
20	-	58	1.4 %
25	-	31	0.7 %
30	-	708	16.9 %
	Missing Data		
.	-	34	0.8 %
	Total	4,196	100%

Based upon 4,162 valid cases out of 4,196 total cases.

- Mean: 5.91
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 11.48

Location: 515-516 (width: 2; decimal: 0)

Variable Type: numeric

H5TO3: S7Q3 NUM CIG SMOKE PR DAY LST 30 DYS-W5

Value	Label	Unweighted Frequency	%
0	-	16	0.4 %
1	-	64	1.5 %
2	-	64	1.5 %
3	-	63	1.5 %
4	-	57	1.4 %
5	-	85	2.0 %
6	-	36	0.9 %
7	-	37	0.9 %
8	-	30	0.7 %

Value	Label	Unweighted Frequency	%
10	-	173	4.1 %
12	-	33	0.8 %
15	-	123	2.9 %
20	-	173	4.1 %
25	-	17	0.4 %
30	-	29	0.7 %
35	-	21	0.5 %
9997	-	3170	75.5 %
	Missing Data		
.	-	5	0.1 %
	Total	4,196	100%

Based upon 4,191 valid cases out of 4,196 total cases.

- Mean: 7564.23
- Median: 9997.00
- Mode: 9997.00
- Minimum: 0.00
- Maximum: 9997.00
- Standard Deviation: 4287.16

Location: 517-520 (width: 4; decimal: 0)

Variable Type: numeric

H5TO4: S7Q4 PAST 30 DAYS CIGAR/CHEW/SNUFF-W5

Value	Label	Unweighted Frequency	%
0	-	3790	90.3 %
1	-	45	1.1 %
2	-	29	0.7 %
3	-	19	0.5 %
5	-	32	0.8 %
7	-	16	0.4 %
10	-	16	0.4 %
15	-	25	0.6 %
20	-	12	0.3 %
25	-	11	0.3 %
30	-	163	3.9 %
	Missing Data		
.	-	38	0.9 %
	Total	4,196	100%

Based upon 4,158 valid cases out of 4,196 total cases.

- Mean: 1.53
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 6.16

Location: 521-522 (width: 2; decimal: 0)

Variable Type: numeric

H5TO5: S7Q5 EVER SMOKED/USED TOBACCO-W5

Value	Label	Unweighted Frequency	%
0	-	1426	34.0 %
1	-	716	17.1 %
95	-	151	3.6 %
97	-	1897	45.2 %
	Missing Data		
.	-	6	0.1 %
	Total	4,196	100%

Based upon 4,190 valid cases out of 4,196 total cases.

- Mean: 47.51
- Median: 1.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 48.26

Location: 523-524 (width: 2; decimal: 0)

Variable Type: numeric

H5TO6: S7Q6 EVER TRIED TO QUIT SMOKING-W5

Value	Label	Unweighted Frequency	%
0	-	670	16.0 %
1	-	2035	48.5 %
97	-	1432	34.1 %
	Missing Data		
.	-	59	1.4 %
	Total	4,196	100%

Based upon 4,137 valid cases out of 4,196 total cases.

- Mean: 34.07
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00

- Maximum: 97.00
- Standard Deviation: 45.80

Location: 525-526 (width: 2; decimal: 0)

Variable Type: numeric

H5TO7: S7Q7 EVER PERIOD WANT QUIT SMOKE-W5

Value	Label	Unweighted Frequency	%
0	-	572	13.6 %
1	-	86	2.0 %
97	-	3526	84.0 %
	Missing Data		
.	-	12	0.3 %
	Total	4,196	100%

Based upon 4,184 valid cases out of 4,196 total cases.

- Mean: 81.77
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 35.27

Location: 527-528 (width: 2; decimal: 0)

Variable Type: numeric

H5TO8: S7Q8 ABLE QUIT SMOKING FOR 1 MTH-W5

Value	Label	Unweighted Frequency	%
0	-	314	7.5 %
1	-	1715	40.9 %
97	-	2161	51.5 %
	Missing Data		
.	-	6	0.1 %
	Total	4,196	100%

Based upon 4,190 valid cases out of 4,196 total cases.

- Mean: 50.44
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 48.06

Location: 529-530 (width: 2; decimal: 0)

Variable Type: numeric

H5TO9: S7Q9 NUM TIMES UNABLE QUIT SMOKE-W5

Value	Label	Unweighted Frequency	%
0	-	914	21.8 %
1	-	236	5.6 %
2	-	261	6.2 %
3	-	194	4.6 %
4	-	90	2.1 %
5	-	129	3.1 %
6	-	40	1.0 %
7	-	11	0.3 %
8	-	12	0.3 %
10	-	63	1.5 %
12	-	14	0.3 %
20	-	29	0.7 %
997	-	2161	51.5 %
	Missing Data		
.	-	42	1.0 %
	Total	4,196	100%

Based upon 4,154 valid cases out of 4,196 total cases.

- Mean: 519.66
- Median: 997.00
- Mode: 997.00
- Minimum: 0.00
- Maximum: 997.00
- Standard Deviation: 497.12

Location: 531-533 (width: 3; decimal: 0)

Variable Type: numeric

H5TO10: S7Q10 DAYS SMOKD E-CIGS LST 30 DAYS-W5

Value	Label	Unweighted Frequency	%
0	-	3921	93.4 %
1	-	26	0.6 %
2	-	18	0.4 %
3	-	10	0.2 %
4	-	10	0.2 %
5	-	24	0.6 %
15	-	19	0.5 %
20	-	14	0.3 %
25	-	10	0.2 %

Value	Label	Unweighted Frequency	%
30	-	100	2.4 %
	Missing Data		
.	-	44	1.0 %
	Total	4,196	100%

Based upon 4,152 valid cases out of 4,196 total cases.

- Mean: 0.98
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 4.98

Location: 534-535 (width: 2; decimal: 0)

Variable Type: numeric

H5TO11: S7Q11 EVER DRINK ALCOHOL-W5

Value	Label	Unweighted Frequency	%
0	-	283	6.7 %
1	-	3895	92.8 %
	Missing Data		
.	-	18	0.4 %
	Total	4,196	100%

Based upon 4,178 valid cases out of 4,196 total cases.

- Mean: 0.93
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

Location: 536-536 (width: 1; decimal: 0)

Variable Type: numeric

H5TO12: S7Q12 PST 12 MON # DAYS DRINK ALCOH-W5

Value	Label	Unweighted Frequency	%
0	-	350	8.3 %
1	-	533	12.7 %
2	-	820	19.5 %
3	-	668	15.9 %
4	-	839	20.0 %
5	-	491	11.7 %

Value	Label	Unweighted Frequency	%
6	-	194	4.6 %
97	-	301	7.2 %
	Total	4,196	100%

Based upon 4,196 valid cases out of 4,196 total cases.

- Mean: 9.62
- Median: 3.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 24.35

Location: 537-538 (width: 2; decimal: 0)

Variable Type: numeric

H5TO13: S7Q13 NUM DAYS HAD DRINK PST 30 DAYS-W5

Value	Label	Unweighted Frequency	%
0	-	503	12.0 %
1	-	557	13.3 %
2	-	840	20.0 %
3	-	355	8.5 %
4	-	594	14.2 %
5	-	473	11.3 %
6	-	208	5.0 %
97	-	651	15.5 %
	Missing Data		
.	-	15	0.4 %
	Total	4,196	100%

Based upon 4,181 valid cases out of 4,196 total cases.

- Mean: 17.33
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 34.26

Location: 539-540 (width: 2; decimal: 0)

Variable Type: numeric

H5TO14: S7Q14 NUM USUAL DRINKS PST 30 DAYS-W5

Value	Label	Unweighted Frequency	%
0	-	18	0.4 %

Value	Label	Unweighted Frequency	%
1	-	745	17.8 %
2	-	969	23.1 %
3	-	501	11.9 %
4	-	268	6.4 %
5	-	158	3.8 %
6	-	147	3.5 %
7	-	33	0.8 %
8	-	49	1.2 %
10	-	58	1.4 %
12	-	30	0.7 %
15	-	12	0.3 %
20	-	19	0.5 %
25	-	12	0.3 %
997	-	1169	27.9 %
	Missing Data		
.	-	8	0.2 %
	Total	4,196	100%

Based upon 4,188 valid cases out of 4,196 total cases.

- Mean: 280.53
- Median: 3.00
- Mode: 997.00
- Minimum: 0.00
- Maximum: 997.00
- Standard Deviation: 445.90

Location: 541-543 (width: 3; decimal: 0)

Variable Type: numeric

H5TO15: S7Q15 PST 12MO NUM DAYS 4+/5+ DRINKS-W5

Value	Label	Unweighted Frequency	%
0	-	1696	40.4 %
1	-	667	15.9 %
2	-	452	10.8 %
3	-	288	6.9 %
4	-	236	5.6 %
5	-	126	3.0 %
6	-	68	1.6 %
97	-	651	15.5 %
	Missing Data		
.	-	12	0.3 %

Value	Label	Unweighted Frequency	%
	Total	4,196	100%

Based upon 4,184 valid cases out of 4,196 total cases.

- Mean: 16.15
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 34.74

Location: 544-545 (width: 2; decimal: 0)

Variable Type: numeric

H5TO16: S7Q16 EVER TRIED TO QUIT DRINKING-W5

Value	Label	Unweighted Frequency	%
0	-	2670	63.6 %
1	-	1200	28.6 %
97	-	301	7.2 %
	Missing Data		
.	-	25	0.6 %
	Total	4,196	100%

Based upon 4,171 valid cases out of 4,196 total cases.

- Mean: 7.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 25.03

Location: 546-547 (width: 2; decimal: 0)

Variable Type: numeric

H5TO17: S7Q17 EVER TIME WANT QUIT DRINKING-W5

Value	Label	Unweighted Frequency	%
0	-	2499	59.6 %
1	-	160	3.8 %
97	-	1526	36.4 %
	Missing Data		
.	-	11	0.3 %
	Total	4,196	100%

Based upon 4,185 valid cases out of 4,196 total cases.

- Mean: 35.41
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 46.67

Location: 548-549 (width: 2; decimal: 0)

Variable Type: numeric

H5TO18: S7Q18 ABLE CUT DOWN/QUIT FOR 1 MTH-W5

Value	Label	Unweighted Frequency	%
0	-	100	2.4 %
1	-	1099	26.2 %
97	-	2971	70.8 %
	Missing Data		
.	-	26	0.6 %
	Total	4,196	100%

Based upon 4,170 valid cases out of 4,196 total cases.

- Mean: 69.37
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 43.49

Location: 550-551 (width: 2; decimal: 0)

Variable Type: numeric

H5TO19: S7Q19 NUM TIMES UNABLE TO QUIT 1 MTH-W5

Value	Label	Unweighted Frequency	%
0	-	796	19.0 %
1	-	125	3.0 %
2	-	90	2.1 %
3	-	47	1.1 %
4	-	27	0.6 %
5	-	41	1.0 %
10	-	31	0.7 %
15	-	16	0.4 %
997	-	2971	70.8 %
	Missing Data		
.	-	52	1.2 %
	Total	4,196	100%

Based upon 4,144 valid cases out of 4,196 total cases.

- Mean: 715.11
- Median: 997.00
- Mode: 997.00
- Minimum: 0.00
- Maximum: 997.00
- Standard Deviation: 448.69

Location: 552-554 (width: 3; decimal: 0)

Variable Type: numeric

H5TO20: S7Q20 EVER USED MARIJUANA-W5

Value	Label	Unweighted Frequency	%
0	-	1597	38.1 %
1	-	2578	61.4 %
	Missing Data		
.	-	21	0.5 %
	Total	4,196	100%

Based upon 4,175 valid cases out of 4,196 total cases.

- Mean: 0.62
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

Location: 555-555 (width: 1; decimal: 0)

Variable Type: numeric

H5TO21: S7Q21 NUM DAYS USE MARIJ PST 30 DYS-W5

Value	Label	Unweighted Frequency	%
0	-	1804	43.0 %
1	-	133	3.2 %
2	-	132	3.1 %
3	-	36	0.9 %
4	-	75	1.8 %
5	-	108	2.6 %
6	-	287	6.8 %
97	-	1618	38.6 %
	Missing Data		
.	-	3	0.1 %
	Total	4,196	100%

Based upon 4,193 valid cases out of 4,196 total cases.

- Mean: 38.16
- Median: 3.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 46.68

Location: 556-557 (width: 2; decimal: 0)

Variable Type: numeric

H5TO22: S7Q22 EVER TRIED QUIT MARIJUANA-W5

Value	Label	Unweighted Frequency	%
0	-	1573	37.5 %
1	-	978	23.3 %
97	-	1618	38.6 %
	Missing Data		
.	-	27	0.6 %
	Total	4,196	100%

Based upon 4,169 valid cases out of 4,196 total cases.

- Mean: 37.88
- Median: 1.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 47.09

Location: 558-559 (width: 2; decimal: 0)

Variable Type: numeric

H5TO23: S7Q23 EVER TIME WANT QUIT MARIJ-W5

Value	Label	Unweighted Frequency	%
0	-	1478	35.2 %
1	-	84	2.0 %
97	-	2623	62.5 %
	Missing Data		
.	-	11	0.3 %
	Total	4,196	100%

Based upon 4,185 valid cases out of 4,196 total cases.

- Mean: 60.82
- Median: 97.00
- Mode: 97.00

- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 46.90

Location: 560-561 (width: 2; decimal: 0)

Variable Type: numeric

H5TO24: S7Q24 ABLE CUT DOWN/QUIT 1 MTH MARIJ-W5

Value	Label	Unweighted Frequency	%
0	-	34	0.8 %
1	-	940	22.4 %
97	-	3218	76.7 %
	Missing Data		
.	-	4	0.1 %
	Total	4,196	100%

Based upon 4,192 valid cases out of 4,196 total cases.

- Mean: 74.69
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 40.56

Location: 562-563 (width: 2; decimal: 0)

Variable Type: numeric

H5TO25: S7Q25 NUM TIMES UNABLE TO QUIT MARIJ-W5

Value	Label	Unweighted Frequency	%
0	-	731	17.4 %
1	-	96	2.3 %
2	-	48	1.1 %
3	-	30	0.7 %
4	-	11	0.3 %
5	-	20	0.5 %
10	-	18	0.4 %
997	-	3218	76.7 %
	Missing Data		
.	-	24	0.6 %
	Total	4,196	100%

Based upon 4,172 valid cases out of 4,196 total cases.

- Mean: 769.16

- Median: 997.00
- Mode: 997.00
- Minimum: 0.00
- Maximum: 997.00
- Standard Deviation: 418.50

Location: 564-566 (width: 3; decimal: 0)

Variable Type: numeric

H5TO26A: S7Q26A TOOK NOT PRESCRBD-SEDATIVES-W5

Value	Label	Unweighted Frequency	%
0	-	4068	96.9 %
1	-	104	2.5 %
	Missing Data		
.	-	24	0.6 %
	Total	4,196	100%

Based upon 4,172 valid cases out of 4,196 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.16

Location: 567-567 (width: 1; decimal: 0)

Variable Type: numeric

H5TO26B: S7Q26B TOOK NOT PRESCRBD-TRANQS-W5

Value	Label	Unweighted Frequency	%
0	-	4045	96.4 %
1	-	124	3.0 %
	Missing Data		
.	-	27	0.6 %
	Total	4,196	100%

Based upon 4,169 valid cases out of 4,196 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

Location: 568-568 (width: 1; decimal: 0)

Variable Type: numeric

H5TO26C: S7Q26C TOOK NOT PRESCRBD-STIMULNTS-W5

Value	Label	Unweighted Frequency	%
0	-	4063	96.8 %
1	-	109	2.6 %
	Missing Data		
.	-	24	0.6 %
	Total	4,196	100%

Based upon 4,172 valid cases out of 4,196 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.16

Location: 569-569 (width: 1; decimal: 0)

Variable Type: numeric

H5TO26D: S7Q26D TOOK NOT PRESCRBD-PAIN KILLRS-W5

Value	Label	Unweighted Frequency	%
0	-	3891	92.7 %
1	-	285	6.8 %
	Missing Data		
.	-	20	0.5 %
	Total	4,196	100%

Based upon 4,176 valid cases out of 4,196 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

Location: 570-570 (width: 1; decimal: 0)

Variable Type: numeric

H5TO27A: S7Q27A PAST 30 DAYS USED COCAINE-W5

Value	Label	Unweighted Frequency	%
0	-	4091	97.5 %
1	-	86	2.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	19	0.5 %
	Total	4,196	100%

Based upon 4,177 valid cases out of 4,196 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

Location: 571-571 (width: 1; decimal: 0)

Variable Type: numeric

H5TO27B: S7Q27B PAST 30 DAYS USED CRYSTAL METH-W5

Value	Label	Unweighted Frequency	%
0	-	4132	98.5 %
1	-	38	0.9 %
	Missing Data		
.	-	26	0.6 %
	Total	4,196	100%

Based upon 4,170 valid cases out of 4,196 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Location: 572-572 (width: 1; decimal: 0)

Variable Type: numeric

H5TO27C: S7Q27C PAST 30 DAYS USED HEROIN-W5

Value	Label	Unweighted Frequency	%
0	-	4156	99.0 %
1	-	10	0.2 %
	Missing Data		
.	-	30	0.7 %
	Total	4,196	100%

Based upon 4,166 valid cases out of 4,196 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.05

Location: 573-573 (width: 1; decimal: 0)

Variable Type: numeric

H5TO27D: S7Q27D PAST 30 DAY USE OTH ILLEG DRUG-W5

Value	Label	Unweighted Frequency	%
0	-	4125	98.3 %
1	-	41	1.0 %
	Missing Data		
.	-	30	0.7 %
	Total	4,196	100%

Based upon 4,166 valid cases out of 4,196 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Location: 574-574 (width: 1; decimal: 0)

Variable Type: numeric

H5EL1PO: S8Q1_LB R BIRTH WEIGHT LBS-W5

Value	Label	Unweighted Frequency	%
2	-	24	0.6 %
3	-	28	0.7 %
4	-	79	1.9 %
5	-	192	4.6 %
6	-	523	12.5 %
7	-	906	21.6 %
8	-	601	14.3 %
9	-	264	6.3 %
10	-	101	2.4 %
11	-	20	0.5 %
998	-	1426	34.0 %
	Missing Data		
.	-	32	0.8 %

Value	Label	Unweighted Frequency	%
	Total	4,196	100%

Based upon 4,164 valid cases out of 4,196 total cases.

- Mean: 346.41
- Median: 8.00
- Mode: 998.00
- Minimum: 2.00
- Maximum: 998.00
- Standard Deviation: 470.30

Location: 575-577 (width: 3; decimal: 0)

Variable Type: numeric

H5EL2: S8Q2 R BIRTH WEIGHT < 5.5 LBS-W5

Value	Label	Unweighted Frequency	%
0	-	1333	31.8 %
1	-	85	2.0 %
97	-	2764	65.9 %
	Missing Data		
.	-	14	0.3 %
	Total	4,196	100%

Based upon 4,182 valid cases out of 4,196 total cases.

- Mean: 64.13
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 45.90

Location: 578-579 (width: 2; decimal: 0)

Variable Type: numeric

H5EL3: S8Q3 R PRETERM DELIVERY-W5

Value	Label	Unweighted Frequency	%
0	-	3827	91.2 %
1	-	330	7.9 %
	Missing Data		
.	-	39	0.9 %
	Total	4,196	100%

Based upon 4,157 valid cases out of 4,196 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.27

Location: 580-580 (width: 1; decimal: 0)

Variable Type: numeric

H5EL4: S8Q4 R STAY IN HOSPITAL/NICU AT BIRTH-W5

Value	Label	Unweighted Frequency	%
0	-	3843	91.6 %
1	-	305	7.3 %
	Missing Data		
.	-	48	1.1 %
	Total	4,196	100%

Based upon 4,148 valid cases out of 4,196 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

Location: 581-581 (width: 1; decimal: 0)

Variable Type: numeric

H5EL5: S8Q5 HOW WAS HEALTH B/F AGE 16-W5

Value	Label	Unweighted Frequency	%
1	-	2265	54.0 %
2	-	1186	28.3 %
3	-	559	13.3 %
4	-	141	3.4 %
5	-	30	0.7 %
	Missing Data		
.	-	15	0.4 %
	Total	4,196	100%

Based upon 4,181 valid cases out of 4,196 total cases.

- Mean: 1.68
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00

- Maximum: 5.00
- Standard Deviation: 0.88

Location: 582-582 (width: 1; decimal: 0)

Variable Type: numeric

H5EL6A: S8Q6A TOLD OF ASTHMA B/F 16-W5

Value	Label	Unweighted Frequency	%
0	-	3589	85.5 %
1	-	582	13.9 %
	Missing Data		
.	-	25	0.6 %
	Total	4,196	100%

Based upon 4,171 valid cases out of 4,196 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

Location: 583-583 (width: 1; decimal: 0)

Variable Type: numeric

H5EL6B: S8Q6B TOLD OF ALLERGY B/F 16-W5

Value	Label	Unweighted Frequency	%
0	-	3035	72.3 %
1	-	1133	27.0 %
	Missing Data		
.	-	28	0.7 %
	Total	4,196	100%

Based upon 4,168 valid cases out of 4,196 total cases.

- Mean: 0.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

Location: 584-584 (width: 1; decimal: 0)

Variable Type: numeric

H5EL6C: S8Q6C TOLD OF RHEUMAT DISEASE B/F 16-W5

Value	Label	Unweighted Frequency	%
0	-	4133	98.5 %
1	-	22	0.5 %
	Missing Data		
.	-	41	1.0 %
	Total	4,196	100%

Based upon 4,155 valid cases out of 4,196 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.07

Location: 585-585 (width: 1; decimal: 0)

Variable Type: numeric

H5EL6D: S8Q6D TOLD OF SIGHT PBM B/F 16-W5

Value	Label	Unweighted Frequency	%
0	-	3579	85.3 %
1	-	589	14.0 %
	Missing Data		
.	-	28	0.7 %
	Total	4,196	100%

Based upon 4,168 valid cases out of 4,196 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

Location: 586-586 (width: 1; decimal: 0)

Variable Type: numeric

H5EL6E: S8Q6E TOLD OF EPILEP/SEIZURE B/F 16-W5

Value	Label	Unweighted Frequency	%
0	-	4112	98.0 %
1	-	52	1.2 %
	Missing Data		
.	-	32	0.8 %
	Total	4,196	100%

Based upon 4,164 valid cases out of 4,196 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

Location: 587-587 (width: 1; decimal: 0)

Variable Type: numeric

H5EL6F: S8Q6F TOLD OF HEAR PBMS/DEAF B/F 16_W5

Value	Label	Unweighted Frequency	%
0	-	4056	96.7 %
1	-	110	2.6 %
	Missing Data		
.	-	30	0.7 %
	Total	4,196	100%

Based upon 4,166 valid cases out of 4,196 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.16

Location: 588-588 (width: 1; decimal: 0)

Variable Type: numeric

H5EL6G: S8Q6G TOLD OF DELAYED SPEECH B/F 16-W5

Value	Label	Unweighted Frequency	%
0	-	4001	95.4 %
1	-	160	3.8 %
	Missing Data		
.	-	35	0.8 %
	Total	4,196	100%

Based upon 4,161 valid cases out of 4,196 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.19

Location: 589-589 (width: 1; decimal: 0)

Variable Type: numeric

H5EL6H: S8Q6H TOLD OF DEVELOP DELAY B/F 16-W5

Value	Label	Unweighted Frequency	%
0	-	3973	94.7 %
1	-	197	4.7 %
	Missing Data		
.	-	26	0.6 %
	Total	4,196	100%

Based upon 4,170 valid cases out of 4,196 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.21

Location: 590-590 (width: 1; decimal: 0)

Variable Type: numeric

H5EL6I: S8Q6I TOLD OF SICKL CELL ANEM B/F 16-W5

Value	Label	Unweighted Frequency	%
0	-	4149	98.9 %
1	-	10	0.2 %
	Missing Data		
.	-	37	0.9 %
	Total	4,196	100%

Based upon 4,159 valid cases out of 4,196 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.05

Location: 591-591 (width: 1; decimal: 0)

Variable Type: numeric

H5EL6J: S8Q6J TOLD OF CHRON HRT COND B/F 16-W5

Value	Label	Unweighted Frequency	%
0	-	4131	98.5 %

Value	Label	Unweighted Frequency	%
1	-	32	0.8 %
	Missing Data		
.	-	33	0.8 %
	Total	4,196	100%

Based upon 4,163 valid cases out of 4,196 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.09

Location: 592-592 (width: 1; decimal: 0)

Variable Type: numeric

H5EL6K: S8Q6K TOLD OF CHRONIC RESPRY B/F 16-W5

Value	Label	Unweighted Frequency	%
0	-	4086	97.4 %
1	-	70	1.7 %
	Missing Data		
.	-	40	1.0 %
	Total	4,196	100%

Based upon 4,156 valid cases out of 4,196 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.13

Location: 593-593 (width: 1; decimal: 0)

Variable Type: numeric

H5EL6L: S8Q6L TOLD OF CHRON ORTH PBM B/F 16-W5

Value	Label	Unweighted Frequency	%
0	-	4087	97.4 %
1	-	76	1.8 %
	Missing Data		
.	-	33	0.8 %
	Total	4,196	100%

Based upon 4,163 valid cases out of 4,196 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.13

Location: 594-594 (width: 1; decimal: 0)

Variable Type: numeric

H5EL6P: S8Q6P TOLD OF OBESITY B/F 16-W5

Value	Label	Unweighted Frequency	%
0	-	3900	92.9 %
1	-	256	6.1 %
	Missing Data		
.	-	40	1.0 %
	Total	4,196	100%

Based upon 4,156 valid cases out of 4,196 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.24

Location: 595-595 (width: 1; decimal: 0)

Variable Type: numeric

H5EL6Q: S8Q6Q TOLD OF OTHER COND B/F 16-W5

Value	Label	Unweighted Frequency	%
0	-	3869	92.2 %
1	-	285	6.8 %
	Missing Data		
.	-	42	1.0 %
	Total	4,196	100%

Based upon 4,154 valid cases out of 4,196 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

Location: 596-596 (width: 1; decimal: 0)

Variable Type: numeric

H5EL7: S8Q7 MISS SCHOOL 1+ MON B/C HLTH COND-W5

Value	Label	Unweighted Frequency	%
0	-	3968	94.6 %
1	-	213	5.1 %
	Missing Data		
.	-	15	0.4 %
	Total	4,196	100%

Based upon 4,181 valid cases out of 4,196 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.22

Location: 597-597 (width: 1; decimal: 0)

Variable Type: numeric

H5EL8: S8Q8 FAMILY BETTER/WORSE OFF B/F 16-W5

Value	Label	Unweighted Frequency	%
1	-	313	7.5 %
2	-	814	19.4 %
3	-	2005	47.8 %
4	-	823	19.6 %
5	-	206	4.9 %
	Missing Data		
.	-	35	0.8 %
	Total	4,196	100%

Based upon 4,161 valid cases out of 4,196 total cases.

- Mean: 2.95
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.94

Location: 598-598 (width: 1; decimal: 0)

Variable Type: numeric

H5PE1: S9Q1 ALWAYS OPTIM ABOUT FUT-W5

Value	Label	Unweighted Frequency	%
1	-	1214	28.9 %
2	-	2003	47.7 %
3	-	665	15.8 %
4	-	207	4.9 %
5	-	24	0.6 %
	Missing Data		
.	-	83	2.0 %
	Total	4,196	100%

Based upon 4,113 valid cases out of 4,196 total cases.

- Mean: 1.98
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.84

Location: 599-599 (width: 1; decimal: 0)

Variable Type: numeric

H5PE2: S9Q2 NOT EXPECT THINGS MY WAY-W5

Value	Label	Unweighted Frequency	%
1	-	134	3.2 %
2	-	574	13.7 %
3	-	1284	30.6 %
4	-	1675	39.9 %
5	-	438	10.4 %
	Missing Data		
.	-	91	2.2 %
	Total	4,196	100%

Based upon 4,105 valid cases out of 4,196 total cases.

- Mean: 3.42
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.97

Location: 600-600 (width: 1; decimal: 0)

Variable Type: numeric

H5PE3: S9Q3 EXPECT MORE GOOD-W5

Value	Label	Unweighted Frequency	%
1	-	1084	25.8 %
2	-	2080	49.6 %
3	-	707	16.8 %
4	-	205	4.9 %
5	-	33	0.8 %
	Missing Data		
.	-	87	2.1 %
	Total	4,196	100%

Based upon 4,109 valid cases out of 4,196 total cases.

- Mean: 2.03
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.84

Location: 601-601 (width: 1; decimal: 0)

Variable Type: numeric

H5PE4: S9Q4 AVOID CONFRONT PBM-W5

Value	Label	Unweighted Frequency	%
1	-	209	5.0 %
2	-	766	18.3 %
3	-	1134	27.0 %
4	-	1678	40.0 %
5	-	315	7.5 %
	Missing Data		
.	-	94	2.2 %
	Total	4,196	100%

Based upon 4,102 valid cases out of 4,196 total cases.

- Mean: 3.27
- Median: 3.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.02

Location: 602-602 (width: 1; decimal: 0)

Variable Type: numeric

H5PE5: S9Q5 RELY GUT FEEL DECISIONS-W5

Value	Label	Unweighted Frequency	%
1	-	180	4.3 %
2	-	670	16.0 %
3	-	790	18.8 %
4	-	1900	45.3 %
5	-	566	13.5 %
	Missing Data		
.	-	90	2.1 %
	Total	4,196	100%

Based upon 4,106 valid cases out of 4,196 total cases.

- Mean: 3.49
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.06

Location: 603-603 (width: 1; decimal: 0)

Variable Type: numeric

H5PE6: S9Q6 LIKE TO TAKE RISKS-W5

Value	Label	Unweighted Frequency	%
1	-	150	3.6 %
2	-	973	23.2 %
3	-	1348	32.1 %
4	-	1294	30.8 %
5	-	341	8.1 %
	Missing Data		
.	-	90	2.1 %
	Total	4,196	100%

Based upon 4,106 valid cases out of 4,196 total cases.

- Mean: 3.17
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.00

Location: 604-604 (width: 1; decimal: 0)

Variable Type: numeric

H5PE7: S9Q7 FINISH WHAT I BEGIN-W5

Value	Label	Unweighted Frequency	%
1	-	761	18.1 %
2	-	2258	53.8 %
3	-	689	16.4 %
4	-	360	8.6 %
5	-	28	0.7 %
	Missing Data		
.	-	100	2.4 %
	Total	4,196	100%

Based upon 4,096 valid cases out of 4,196 total cases.

- Mean: 2.18
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.86

Location: 605-605 (width: 1; decimal: 0)

Variable Type: numeric

H5PE8: S9Q8 I AM A HARD WORKER-W5

Value	Label	Unweighted Frequency	%
1	-	1467	35.0 %
2	-	1994	47.5 %
3	-	481	11.5 %
4	-	141	3.4 %
5	-	16	0.4 %
	Missing Data		
.	-	97	2.3 %
	Total	4,196	100%

Based upon 4,099 valid cases out of 4,196 total cases.

- Mean: 1.84
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.79

Location: 606-606 (width: 1; decimal: 0)

Variable Type: numeric

H5PE9: S9Q9 I AM DILIGENT-W5

Value	Label	Unweighted Frequency	%
1	-	1156	27.6 %
2	-	2179	51.9 %
3	-	578	13.8 %
4	-	183	4.4 %
5	-	7	0.2 %
	Missing Data		
.	-	93	2.2 %
	Total	4,196	100%

Based upon 4,103 valid cases out of 4,196 total cases.

- Mean: 1.95
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.78

Location: 607-607 (width: 1; decimal: 0)

Variable Type: numeric

H5SS0A: S10Q0A PAST 7 DAY SHAKE BLUE-W5

Value	Label	Unweighted Frequency	%
1	-	3081	73.4 %
2	-	773	18.4 %
3	-	216	5.1 %
4	-	107	2.6 %
	Missing Data		
.	-	19	0.5 %
	Total	4,196	100%

Based upon 4,177 valid cases out of 4,196 total cases.

- Mean: 1.37
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.70

Location: 608-608 (width: 1; decimal: 0)

Variable Type: numeric

H5SS0B: S10Q0B PAST 7 DAY DEPRESSED-W5

Value	Label	Unweighted Frequency	%
1	-	2882	68.7 %
2	-	1008	24.0 %
3	-	187	4.5 %
4	-	98	2.3 %
	Missing Data		
.	-	21	0.5 %
	Total	4,196	100%

Based upon 4,175 valid cases out of 4,196 total cases.

- Mean: 1.40
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.69

Location: 609-609 (width: 1; decimal: 0)

Variable Type: numeric

H5SS0C: S10Q0C PAST 7 DAY HAPPY-W5

Value	Label	Unweighted Frequency	%
1	-	131	3.1 %
2	-	905	21.6 %
3	-	1760	41.9 %
4	-	1374	32.7 %
	Missing Data		
.	-	26	0.6 %
	Total	4,196	100%

Based upon 4,170 valid cases out of 4,196 total cases.

- Mean: 3.05
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.82

Location: 610-610 (width: 1; decimal: 0)

Variable Type: numeric

H5SS0D: S10Q0D PAST 7 DAY SAD-W5

Value	Label	Unweighted Frequency	%
1	-	2109	50.3 %

Value	Label	Unweighted Frequency	%
2	-	1786	42.6 %
3	-	195	4.6 %
4	-	81	1.9 %
	Missing Data		
.	-	25	0.6 %
	Total	4,196	100%

Based upon 4,171 valid cases out of 4,196 total cases.

- Mean: 1.58
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.67

Location: 611-611 (width: 1; decimal: 0)

Variable Type: numeric

H5SS0E: S10Q0E PAST 7 DAY NOT WORTH-W5

Value	Label	Unweighted Frequency	%
1	-	3885	92.6 %
2	-	220	5.2 %
3	-	43	1.0 %
4	-	33	0.8 %
	Missing Data		
.	-	15	0.4 %
	Total	4,196	100%

Based upon 4,181 valid cases out of 4,196 total cases.

- Mean: 1.10
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.39

Location: 612-612 (width: 1; decimal: 0)

Variable Type: numeric

H5SS1: S10Q1 PAST 12 MO SOCIAL GATHER-W5

Value	Label	Unweighted Frequency	%
1	-	76	1.8 %
2	-	105	2.5 %

Value	Label	Unweighted Frequency	%
3	-	273	6.5 %
4	-	855	20.4 %
5	-	1056	25.2 %
6	-	1278	30.5 %
7	-	467	11.1 %
	Missing Data		
.	-	86	2.0 %
	Total	4,196	100%

Based upon 4,110 valid cases out of 4,196 total cases.

- Mean: 5.05
- Median: 5.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.33

Location: 613-613 (width: 1; decimal: 0)

Variable Type: numeric

H5SS2: S10Q2 PAST 12 MO SOCIAL NEIGH-W5

Value	Label	Unweighted Frequency	%
1	-	1955	46.6 %
2	-	870	20.7 %
3	-	753	17.9 %
4	-	355	8.5 %
5	-	166	4.0 %
	Missing Data		
.	-	97	2.3 %
	Total	4,196	100%

Based upon 4,099 valid cases out of 4,196 total cases.

- Mean: 2.00
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.17

Location: 614-614 (width: 1; decimal: 0)

Variable Type: numeric

H5SS3A: S10Q3A OPEN UP: SPOUSE, PART-W5

Value	Label	Unweighted Frequency	%
0	-	287	6.8 %
1	-	3129	74.6 %
3	-	683	16.3 %
	Missing Data		
.	-	97	2.3 %
	Total	4,196	100%

Based upon 4,099 valid cases out of 4,196 total cases.

- Mean: 1.26
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.82

Location: 615-615 (width: 1; decimal: 0)

Variable Type: numeric

H5SS3B: S10Q3B OPEN UP: YOUR CHILDREN-W5

Value	Label	Unweighted Frequency	%
0	-	856	20.4 %
1	-	1902	45.3 %
3	-	1329	31.7 %
	Missing Data		
.	-	109	2.6 %
	Total	4,196	100%

Based upon 4,087 valid cases out of 4,196 total cases.

- Mean: 1.44
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 1.15

Location: 616-616 (width: 1; decimal: 0)

Variable Type: numeric

H5SS3C: S10Q3C OPEN UP: OTH FAM MEMS-W5

Value	Label	Unweighted Frequency	%
0	-	717	17.1 %
1	-	3264	77.8 %
3	-	120	2.9 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	95	2.3 %
	Total	4,196	100%

Based upon 4,101 valid cases out of 4,196 total cases.

- Mean: 0.88
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.53

Location: 617-617 (width: 1; decimal: 0)

Variable Type: numeric

H5SS3D: S10Q3D OPEN UP: YOUR FRIENDS-W5

Value	Label	Unweighted Frequency	%
0	-	500	11.9 %
1	-	3457	82.4 %
3	-	137	3.3 %
	Missing Data		
.	-	102	2.4 %
	Total	4,196	100%

Based upon 4,094 valid cases out of 4,196 total cases.

- Mean: 0.94
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.50

Location: 618-618 (width: 1; decimal: 0)

Variable Type: numeric

H5SS4A: S10Q4A RELY SPOUSE, PARTNER-W5

Value	Label	Unweighted Frequency	%
0	-	239	5.7 %
1	-	3154	75.2 %
3	-	679	16.2 %
	Missing Data		
.	-	124	3.0 %
	Total	4,196	100%

Based upon 4,072 valid cases out of 4,196 total cases.

- Mean: 1.27
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.81

Location: 619-619 (width: 1; decimal: 0)

Variable Type: numeric

H5SS4B: S10Q4B RELY YOUR CHILDREN-W5

Value	Label	Unweighted Frequency	%
0	-	802	19.1 %
1	-	1822	43.4 %
3	-	1428	34.0 %
	Missing Data		
.	-	144	3.4 %
	Total	4,196	100%

Based upon 4,052 valid cases out of 4,196 total cases.

- Mean: 1.51
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 1.16

Location: 620-620 (width: 1; decimal: 0)

Variable Type: numeric

H5SS4C: S10Q4C RELY OTH FAMILY MEMS-W5

Value	Label	Unweighted Frequency	%
0	-	505	12.0 %
1	-	3489	83.2 %
3	-	84	2.0 %
	Missing Data		
.	-	118	2.8 %
	Total	4,196	100%

Based upon 4,078 valid cases out of 4,196 total cases.

- Mean: 0.92
- Median: 1.00
- Mode: 1.00

- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.45

Location: 621-621 (width: 1; decimal: 0)

Variable Type: numeric

H5SS4D: S10Q4D RELY YOUR FRIENDS-W5

Value	Label	Unweighted Frequency	%
0	-	592	14.1 %
1	-	3327	79.3 %
3	-	150	3.6 %
	Missing Data		
.	-	127	3.0 %
	Total	4,196	100%

Based upon 4,069 valid cases out of 4,196 total cases.

- Mean: 0.93
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.54

Location: 622-622 (width: 1; decimal: 0)

Variable Type: numeric

H5SS5A: S10Q5A PBM: SPOUSE, PARTNER-W5

Value	Label	Unweighted Frequency	%
0	-	2404	57.3 %
1	-	969	23.1 %
3	-	697	16.6 %
	Missing Data		
.	-	126	3.0 %
	Total	4,196	100%

Based upon 4,070 valid cases out of 4,196 total cases.

- Mean: 0.75
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 1.10

Location: 623-623 (width: 1; decimal: 0)

Variable Type: numeric

H5SS5B: S10Q5B PBM: YOUR CHILDREN-W5

Value	Label	Unweighted Frequency	%
0	-	2249	53.6 %
1	-	539	12.8 %
3	-	1269	30.2 %
	Missing Data		
.	-	139	3.3 %
	Total	4,196	100%

Based upon 4,057 valid cases out of 4,196 total cases.

- Mean: 1.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 1.34

Location: 624-624 (width: 1; decimal: 0)

Variable Type: numeric

H5SS5C: S10Q5C PBM: OTH FAM MEMS-W5

Value	Label	Unweighted Frequency	%
0	-	2840	67.7 %
1	-	1115	26.6 %
3	-	110	2.6 %
	Missing Data		
.	-	131	3.1 %
	Total	4,196	100%

Based upon 4,065 valid cases out of 4,196 total cases.

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.63

Location: 625-625 (width: 1; decimal: 0)

Variable Type: numeric

H5SS5D: S10Q5D PBM: YOUR FRIENDS-W5

Value	Label	Unweighted Frequency	%
0	-	3467	82.6 %

Value	Label	Unweighted Frequency	%
1	-	424	10.1 %
3	-	174	4.1 %
	Missing Data		
.	-	131	3.1 %
	Total	4,196	100%

Based upon 4,065 valid cases out of 4,196 total cases.

- Mean: 0.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.66

Location: 626-626 (width: 1; decimal: 0)

Variable Type: numeric

H5SS6: S10Q6 NUM CLOSE FRIENDS-W5

Value	Label	Unweighted Frequency	%
1	-	216	5.1 %
2	-	1582	37.7 %
3	-	1715	40.9 %
4	-	389	9.3 %
5	-	202	4.8 %
	Missing Data		
.	-	92	2.2 %
	Total	4,196	100%

Based upon 4,104 valid cases out of 4,196 total cases.

- Mean: 2.70
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.89

Location: 627-627 (width: 1; decimal: 0)

Variable Type: numeric

H5SS7: S10Q7 PAST 12 MO HRS VOL SVS-W5

Value	Label	Unweighted Frequency	%
1	-	2431	57.9 %
2	-	1092	26.0 %

Value	Label	Unweighted Frequency	%
3	-	228	5.4 %
4	-	141	3.4 %
5	-	96	2.3 %
6	-	87	2.1 %
	Missing Data		
.	-	121	2.9 %
	Total	4,196	100%

Based upon 4,075 valid cases out of 4,196 total cases.

- Mean: 1.68
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.12

Location: 628-628 (width: 1; decimal: 0)

Variable Type: numeric

H5SS8: S10Q8 HOW OFTEN USUALLY VOTE-W5

Value	Label	Unweighted Frequency	%
1	-	985	23.5 %
2	-	1067	25.4 %
3	-	847	20.2 %
4	-	1176	28.0 %
	Missing Data		
.	-	121	2.9 %
	Total	4,196	100%

Based upon 4,075 valid cases out of 4,196 total cases.

- Mean: 2.54
- Median: 2.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.14

Location: 629-629 (width: 1; decimal: 0)

Variable Type: numeric

H5SS9: S10Q9 POLITICAL LEANINGS-W5

Value	Label	Unweighted Frequency	%
1	-	239	5.7 %

Value	Label	Unweighted Frequency	%
2	-	873	20.8 %
3	-	1791	42.7 %
4	-	757	18.0 %
5	-	245	5.8 %
	Missing Data		
.	-	291	6.9 %
	Total	4,196	100%

Based upon 3,905 valid cases out of 4,196 total cases.

- Mean: 2.97
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.96

Location: 630-630 (width: 1; decimal: 0)

Variable Type: numeric

H5WP1: S11Q1 BIO MOM TIME JAIL-W5

Value	Label	Unweighted Frequency	%
0	-	3816	90.9 %
1	-	148	3.5 %
98	-	138	3.3 %
	Missing Data		
.	-	94	2.2 %
	Total	4,196	100%

Based upon 4,102 valid cases out of 4,196 total cases.

- Mean: 3.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 98.00
- Standard Deviation: 17.67

Location: 631-632 (width: 2; decimal: 0)

Variable Type: numeric

H5WP2: S11Q2 KID AGE BIO MOM JAILED-W5

Value	Label	Unweighted Frequency	%
0	-	11	0.3 %
5	-	28	0.7 %

Value	Label	Unweighted Frequency	%
10	-	26	0.6 %
15	-	17	0.4 %
20	-	15	0.4 %
25	-	11	0.3 %
30	-	17	0.4 %
990	-	17	0.4 %
997	-	3954	94.2 %
	Missing Data		
.	-	100	2.4 %
	Total	4,196	100%

Based upon 4,096 valid cases out of 4,196 total cases.

- Mean: 966.97
- Median: 997.00
- Mode: 997.00
- Minimum: 0.00
- Maximum: 997.00
- Standard Deviation: 169.12

Location: 633-635 (width: 3; decimal: 0)

Variable Type: numeric

H5WP3: S11Q3 KID AGE BIO MOM OUT JAIL-W5

Value	Label	Unweighted Frequency	%
5	-	20	0.5 %
10	-	22	0.5 %
15	-	21	0.5 %
20	-	21	0.5 %
25	-	18	0.4 %
30	-	21	0.5 %
990	-	15	0.4 %
997	-	3954	94.2 %
	Missing Data		
.	-	104	2.5 %
	Total	4,196	100%

Based upon 4,092 valid cases out of 4,196 total cases.

- Mean: 967.53
- Median: 997.00
- Mode: 997.00
- Minimum: 5.00
- Maximum: 997.00

- Standard Deviation: 167.30

Location: 636-638 (width: 3; decimal: 0)

Variable Type: numeric

H5WP4: S11Q4 BIO MOM STILL ALIVE-W5

Value	Label	Unweighted Frequency	%
0	-	429	10.2 %
1	-	3637	86.7 %
98	-	36	0.9 %
	Missing Data		
.	-	94	2.2 %
	Total	4,196	100%

Based upon 4,102 valid cases out of 4,196 total cases.

- Mean: 1.75
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 98.00
- Standard Deviation: 9.06

Location: 639-640 (width: 2; decimal: 0)

Variable Type: numeric

H5WP5YM: S11Q5YM BIO MOM DEATH-YEAR-W5

Value	Label	Unweighted Frequency	%
1985	-	26	0.6 %
1990	-	13	0.3 %
1995	-	19	0.5 %
2000	-	43	1.0 %
2005	-	42	1.0 %
2006	-	13	0.3 %
2007	-	8	0.2 %
2008	-	13	0.3 %
2009	-	17	0.4 %
2010	-	16	0.4 %
2011	-	26	0.6 %
2012	-	13	0.3 %
2013	-	22	0.5 %
2014	-	29	0.7 %
2015	-	39	0.9 %
2016	-	34	0.8 %

Value	Label	Unweighted Frequency	%
2017	-	34	0.8 %
99997	-	3673	87.5 %
99998	-	17	0.4 %
	Missing Data		
.	-	99	2.4 %
	Total	4,196	100%

Based upon 4,097 valid cases out of 4,196 total cases.

- Mean: 90262.62
- Median: 99997.00
- Mode: 99997.00
- Minimum: 1985.00
- Maximum: 99998.00
- Standard Deviation: 29314.18

Location: 641-645 (width: 5; decimal: 0)

Variable Type: numeric

H5WP6: S11Q6 MOM FIG BIO OR OTHER-W5

Value	Label	Unweighted Frequency	%
1	-	3753	89.4 %
2	-	301	7.2 %
3	-	46	1.1 %
	Missing Data		
.	-	96	2.3 %
	Total	4,196	100%

Based upon 4,100 valid cases out of 4,196 total cases.

- Mean: 1.10
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.33

Location: 646-646 (width: 1; decimal: 0)

Variable Type: numeric

H5WP7: S11Q7 MOM FIG RELATIONSHIP-W5

Value	Label	Unweighted Frequency	%
1	-	49	1.2 %
3	-	47	1.1 %
5	-	144	3.4 %

Value	Label	Unweighted Frequency	%
6	-	30	0.7 %
8	-	12	0.3 %
9	-	14	0.3 %
97	-	3795	90.4 %
	Missing Data		
.	-	105	2.5 %
	Total	4,196	100%

Based upon 4,091 valid cases out of 4,196 total cases.

- Mean: 90.30
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 23.99

Location: 647-648 (width: 2; decimal: 0)

Variable Type: numeric

H5WP8: S11Q8 MOM FIG TIME JAIL-W5

Value	Label	Unweighted Frequency	%
0	-	287	6.8 %
97	-	3795	90.4 %
98	-	11	0.3 %
	Missing Data		
.	-	103	2.5 %
	Total	4,196	100%

Based upon 4,093 valid cases out of 4,196 total cases.

- Mean: 90.20
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 98.00
- Standard Deviation: 24.77

Location: 649-650 (width: 2; decimal: 0)

Variable Type: numeric

H5WP9: S11Q9 KID AGE MOM FIG JAILED-W5

Value	Label	Unweighted Frequency	%
997	-	4093	97.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	103	2.5 %
	Total	4,196	100%

Based upon 4,093 valid cases out of 4,196 total cases.

- Mean: 997.00
- Median: 997.00
- Mode: 997.00
- Minimum: 997.00
- Maximum: 997.00
- Standard Deviation: 0.00

Location: 651-653 (width: 3; decimal: 0)

Variable Type: numeric

H5WP10: S11Q10 KID AGE MOM FIG OUT JAIL-W5

Value	Label	Unweighted Frequency	%
997	-	4093	97.5 %
	Missing Data		
.	-	103	2.5 %
	Total	4,196	100%

Based upon 4,093 valid cases out of 4,196 total cases.

- Mean: 997.00
- Median: 997.00
- Mode: 997.00
- Minimum: 997.00
- Maximum: 997.00
- Standard Deviation: 0.00

Location: 654-656 (width: 3; decimal: 0)

Variable Type: numeric

H5WP11: S11Q11 MOM FIG STILL ALIVE-W5

Value	Label	Unweighted Frequency	%
0	-	129	3.1 %
1	-	173	4.1 %
97	-	3795	90.4 %
98	-	4	0.1 %
	Missing Data		
.	-	95	2.3 %
	Total	4,196	100%

Based upon 4,101 valid cases out of 4,196 total cases.

- Mean: 89.90
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 98.00
- Standard Deviation: 25.19

Location: 657-658 (width: 2; decimal: 0)

Variable Type: numeric

H5WP12YM: S11Q12YM MOM FIG DEATH-YEAR-W5

Value	Label	Unweighted Frequency	%
1995	-	11	0.3 %
2000	-	22	0.5 %
2005	-	17	0.4 %
2010	-	27	0.6 %
2015	-	12	0.3 %
2016	-	13	0.3 %
2017	-	14	0.3 %
99997	-	3972	94.7 %
99998	-	10	0.2 %
	Missing Data		
.	-	98	2.3 %
	Total	4,196	100%

Based upon 4,098 valid cases out of 4,196 total cases.

- Mean: 97223.28
- Median: 99997.00
- Mode: 99997.00
- Minimum: 1995.00
- Maximum: 99998.00
- Standard Deviation: 16253.17

Location: 659-663 (width: 5; decimal: 0)

Variable Type: numeric

H5WP13: S11Q13 MOM FIG FREQ COMMUN-W5

Value	Label	Unweighted Frequency	%
1	-	56	1.3 %
2	-	47	1.1 %
3	-	156	3.7 %
4	-	507	12.1 %
5	-	1193	28.4 %
6	-	1610	38.4 %

Value	Label	Unweighted Frequency	%
97	-	528	12.6 %
	Missing Data		
.	-	99	2.4 %
	Total	4,196	100%

Based upon 4,097 valid cases out of 4,196 total cases.

- Mean: 16.96
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 30.81

Location: 664-665 (width: 2; decimal: 0)

Variable Type: numeric

H5WP14: S11Q14 HOW CLOSE TO MOM FIG-W5

Value	Label	Unweighted Frequency	%
1	-	107	2.6 %
2	-	196	4.7 %
3	-	582	13.9 %
4	-	905	21.6 %
5	-	1778	42.4 %
97	-	528	12.6 %
	Missing Data		
.	-	100	2.4 %
	Total	4,196	100%

Based upon 4,096 valid cases out of 4,196 total cases.

- Mean: 16.11
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 31.14

Location: 666-667 (width: 2; decimal: 0)

Variable Type: numeric

H5WP15: S11Q15 BIO DAD TIME JAIL-W5

Value	Label	Unweighted Frequency	%
0	-	3099	73.9 %
1	-	526	12.5 %

Value	Label	Unweighted Frequency	%
98	-	480	11.4 %
	Missing Data		
.	-	91	2.2 %
	Total	4,196	100%

Based upon 4,105 valid cases out of 4,196 total cases.

- Mean: 11.59
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 98.00
- Standard Deviation: 31.45

Location: 668-669 (width: 2; decimal: 0)

Variable Type: numeric

H5WP16: S11Q16 KID AGE BIO DAD JAILED-W5

Value	Label	Unweighted Frequency	%
0	-	46	1.1 %
1	-	14	0.3 %
2	-	21	0.5 %
3	-	19	0.5 %
4	-	10	0.2 %
5	-	38	0.9 %
6	-	12	0.3 %
7	-	18	0.4 %
8	-	16	0.4 %
9	-	14	0.3 %
10	-	59	1.4 %
15	-	51	1.2 %
20	-	30	0.7 %
25	-	15	0.4 %
30	-	10	0.2 %
35	-	12	0.3 %
990	-	108	2.6 %
997	-	3579	85.3 %
	Missing Data		
.	-	124	3.0 %
	Total	4,196	100%

Based upon 4,072 valid cases out of 4,196 total cases.

- Mean: 903.49
- Median: 997.00
- Mode: 997.00
- Minimum: 0.00
- Maximum: 997.00
- Standard Deviation: 288.78

Location: 670-672 (width: 3; decimal: 0)

Variable Type: numeric

H5WP17: S11Q17 KID AGE BIO DAD OUT JAIL-W5

Value	Label	Unweighted Frequency	%
0	-	29	0.7 %
5	-	67	1.6 %
10	-	62	1.5 %
12	-	21	0.5 %
13	-	14	0.3 %
14	-	14	0.3 %
15	-	17	0.4 %
16	-	15	0.4 %
17	-	15	0.4 %
18	-	10	0.2 %
20	-	32	0.8 %
25	-	29	0.7 %
30	-	30	0.7 %
35	-	27	0.6 %
990	-	91	2.2 %
997	-	3579	85.3 %
	Missing Data		
.	-	144	3.4 %
	Total	4,196	100%

Based upon 4,052 valid cases out of 4,196 total cases.

- Mean: 904.26
- Median: 997.00
- Mode: 997.00
- Minimum: 0.00
- Maximum: 997.00
- Standard Deviation: 286.96

Location: 673-675 (width: 3; decimal: 0)

Variable Type: numeric

H5WP18: S11Q18 BIO DAD STILL ALIVE-W5

Value	Label	Unweighted Frequency	%
0	-	848	20.2 %
1	-	3058	72.9 %
98	-	193	4.6 %
	Missing Data		
.	-	97	2.3 %
	Total	4,196	100%

Based upon 4,099 valid cases out of 4,196 total cases.

- Mean: 5.36
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 98.00
- Standard Deviation: 20.60

Location: 676-677 (width: 2; decimal: 0)

Variable Type: numeric

H5WP19YM: S11Q19YM BIO DAD DEATH YEAR-W5

Value	Label	Unweighted Frequency	%
1980	-	14	0.3 %
1985	-	25	0.6 %
1990	-	52	1.2 %
1995	-	58	1.4 %
1998	-	13	0.3 %
1999	-	12	0.3 %
2000	-	19	0.5 %
2001	-	20	0.5 %
2002	-	12	0.3 %
2003	-	22	0.5 %
2004	-	30	0.7 %
2005	-	13	0.3 %
2006	-	23	0.5 %
2008	-	49	1.2 %
2009	-	23	0.5 %
2010	-	36	0.9 %
2011	-	37	0.9 %
2012	-	45	1.1 %
2013	-	55	1.3 %
2014	-	41	1.0 %
2015	-	33	0.8 %

Value	Label	Unweighted Frequency	%
2016	-	50	1.2 %
2017	-	47	1.1 %
2018	-	16	0.4 %
99997	-	3251	77.5 %
99998	-	93	2.2 %
	Missing Data		
.	-	107	2.6 %
	Total	4,196	100%

Based upon 4,089 valid cases out of 4,196 total cases.

- Mean: 82143.45
- Median: 99997.00
- Mode: 99997.00
- Minimum: 1980.00
- Maximum: 99998.00
- Standard Deviation: 37829.74

Location: 678-682 (width: 5; decimal: 0)

Variable Type: numeric

H5WP20: S11Q20 DAD FIG BIO OR OTHER-W5

Value	Label	Unweighted Frequency	%
1	-	3134	74.7 %
2	-	608	14.5 %
3	-	357	8.5 %
	Missing Data		
.	-	97	2.3 %
	Total	4,196	100%

Based upon 4,099 valid cases out of 4,196 total cases.

- Mean: 1.32
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.63

Location: 683-683 (width: 1; decimal: 0)

Variable Type: numeric

H5WP21: S11Q21 DAD FIG RELATIONSHIP-W5

Value	Label	Unweighted Frequency	%
1	-	60	1.4 %

Value	Label	Unweighted Frequency	%
2	-	60	1.4 %
3	-	292	7.0 %
5	-	118	2.8 %
6	-	34	0.8 %
7	-	10	0.2 %
9	-	35	0.8 %
97	-	3484	83.0 %
	Missing Data		
.	-	103	2.5 %
	Total	4,196	100%

Based upon 4,093 valid cases out of 4,196 total cases.

- Mean: 83.11
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 33.23

Location: 684-685 (width: 2; decimal: 0)

Variable Type: numeric

H5WP22: S11Q22 DAD FIG TIME JAIL-W5

Value	Label	Unweighted Frequency	%
0	-	480	11.4 %
1	-	63	1.5 %
97	-	3484	83.0 %
98	-	69	1.6 %
	Missing Data		
.	-	100	2.4 %
	Total	4,196	100%

Based upon 4,096 valid cases out of 4,196 total cases.

- Mean: 84.17
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 98.00
- Standard Deviation: 32.87

Location: 686-687 (width: 2; decimal: 0)

Variable Type: numeric

H5WP23: S11Q23 KID AGE DAD FIG JAILED-W5

Value	Label	Unweighted Frequency	%
6	-	10	0.2 %
7	-	11	0.3 %
15	-	12	0.3 %
17	-	12	0.3 %
990	-	13	0.3 %
997	-	4033	96.1 %
	Missing Data		
.	-	105	2.5 %
	Total	4,196	100%

Based upon 4,091 valid cases out of 4,196 total cases.

- Mean: 986.14
- Median: 997.00
- Mode: 997.00
- Minimum: 6.00
- Maximum: 997.00
- Standard Deviation: 102.79

Location: 688-690 (width: 3; decimal: 0)

Variable Type: numeric

H5WP24: S11Q24 KID AGE DAD FIG OUT JAIL-W5

Value	Label	Unweighted Frequency	%
8	-	10	0.2 %
15	-	13	0.3 %
23	-	11	0.3 %
38	-	10	0.2 %
997	-	4033	96.1 %
	Missing Data		
.	-	119	2.8 %
	Total	4,196	100%

Based upon 4,077 valid cases out of 4,196 total cases.

- Mean: 986.46
- Median: 997.00
- Mode: 997.00
- Minimum: 8.00
- Maximum: 997.00
- Standard Deviation: 100.90

Location: 691-693 (width: 3; decimal: 0)

Variable Type: numeric

H5WP25: S11Q25 DAD FIG STILL ALIVE-W5

Value	Label	Unweighted Frequency	%
0	-	182	4.3 %
1	-	418	10.0 %
97	-	3484	83.0 %
98	-	11	0.3 %
	Missing Data		
.	-	101	2.4 %
	Total	4,196	100%

Based upon 4,095 valid cases out of 4,196 total cases.

- Mean: 82.89
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 98.00
- Standard Deviation: 34.06

Location: 694-695 (width: 2; decimal: 0)

Variable Type: numeric

H5WP26YM: S11Q26YM DAD FIG DEATH-YEAR-W5

Value	Label	Unweighted Frequency	%
1993	-	11	0.3 %
1995	-	21	0.5 %
2000	-	20	0.5 %
2005	-	21	0.5 %
2010	-	33	0.8 %
2015	-	30	0.7 %
2016	-	26	0.6 %
99997	-	3913	93.3 %
99998	-	18	0.4 %
	Missing Data		
.	-	103	2.5 %
	Total	4,196	100%

Based upon 4,093 valid cases out of 4,196 total cases.

- Mean: 96118.58
- Median: 99997.00
- Mode: 99997.00
- Minimum: 1993.00
- Maximum: 99998.00

- Standard Deviation: 19107.44

Location: 696-700 (width: 5; decimal: 0)

Variable Type: numeric

H5WP27: S11Q27 DAD FIG FREQ COMMUN-W5

Value	Label	Unweighted Frequency	%
1	-	115	2.7 %
2	-	75	1.8 %
3	-	237	5.6 %
4	-	722	17.2 %
5	-	1041	24.8 %
6	-	770	18.4 %
97	-	1133	27.0 %
	Missing Data		
.	-	103	2.5 %
	Total	4,196	100%

Based upon 4,093 valid cases out of 4,196 total cases.

- Mean: 30.20
- Median: 5.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 41.35

Location: 701-702 (width: 2; decimal: 0)

Variable Type: numeric

H5WP28: S11Q28 HOW CLOSE TO DAD FIG-W5

Value	Label	Unweighted Frequency	%
1	-	168	4.0 %
2	-	225	5.4 %
3	-	696	16.6 %
4	-	821	19.6 %
5	-	1053	25.1 %
97	-	1133	27.0 %
	Missing Data		
.	-	100	2.4 %
	Total	4,196	100%

Based upon 4,096 valid cases out of 4,196 total cases.

- Mean: 29.58

- Median: 5.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 41.71

Location: 703-704 (width: 2; decimal: 0)

Variable Type: numeric

H5WP29: S11Q29 PARENT PAID LVG EXP-W5

Value	Label	Unweighted Frequency	%
1	-	3078	73.4 %
2	-	518	12.3 %
3	-	204	4.9 %
4	-	301	7.2 %
	Missing Data		
.	-	95	2.3 %
	Total	4,196	100%

Based upon 4,101 valid cases out of 4,196 total cases.

- Mean: 1.45
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.89

Location: 705-705 (width: 1; decimal: 0)

Variable Type: numeric

H5WP30: S11Q30 PAID PARENT LVG EXP-W5

Value	Label	Unweighted Frequency	%
1	-	3105	74.0 %
2	-	510	12.2 %
3	-	177	4.2 %
4	-	292	7.0 %
	Missing Data		
.	-	112	2.7 %
	Total	4,196	100%

Based upon 4,084 valid cases out of 4,196 total cases.

- Mean: 1.43
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00

- Maximum: 4.00
- Standard Deviation: 0.87

Location: 706-706 (width: 1; decimal: 0)

Variable Type: numeric

H5WP31: S11Q31 NO SIBS ALIVE/DEAD-W5

Value	Label	Unweighted Frequency	%
0	-	267	6.4 %
1	-	3794	90.4 %
98	-	33	0.8 %
	Missing Data		
.	-	102	2.4 %
	Total	4,196	100%

Based upon 4,094 valid cases out of 4,196 total cases.

- Mean: 1.72
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 98.00
- Standard Deviation: 8.68

Location: 707-708 (width: 2; decimal: 0)

Variable Type: numeric

H5WP32: S11Q32 HAVE SIBS, LVG/DEAD-W5

Value	Label	Unweighted Frequency	%
1	-	1176	28.0 %
2	-	1067	25.4 %
3	-	634	15.1 %
4	-	371	8.8 %
5	-	220	5.2 %
6	-	135	3.2 %
7	-	67	1.6 %
8	-	47	1.1 %
9	-	27	0.6 %
10	-	48	1.1 %
997	-	300	7.1 %
	Missing Data		
.	-	104	2.5 %
	Total	4,196	100%

Based upon 4,092 valid cases out of 4,196 total cases.

- Mean: 75.58
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 997.00
- Standard Deviation: 259.21

Location: 709-711 (width: 3; decimal: 0)

Variable Type: numeric

H5WP33: S11Q33 # DECEASED SIBS-W5

Value	Label	Unweighted Frequency	%
0	-	3345	79.7 %
1	-	330	7.9 %
2	-	66	1.6 %
3	-	14	0.3 %
997	-	300	7.1 %
998	-	18	0.4 %
	Missing Data		
.	-	123	2.9 %
	Total	4,196	100%

Based upon 4,073 valid cases out of 4,196 total cases.

- Mean: 77.97
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 998.00
- Standard Deviation: 267.50

Location: 712-714 (width: 3; decimal: 0)

Variable Type: numeric

H5WP34: S11Q34 SIBS DIED PAST 12 MO-W5

Value	Label	Unweighted Frequency	%
0	-	376	9.0 %
1	-	35	0.8 %
97	-	3663	87.3 %
	Missing Data		
.	-	122	2.9 %
	Total	4,196	100%

Based upon 4,074 valid cases out of 4,196 total cases.

- Mean: 87.22
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 29.19

Location: 715-716 (width: 2; decimal: 0)

Variable Type: numeric

H5RE1: S12Q1 WHAT IS YOUR PRESENT RELIGION-W5

Value	Label	Unweighted Frequency	%
1	-	867	20.7 %
2	-	1254	29.9 %
3	-	628	15.0 %
4	-	931	22.2 %
5	-	33	0.8 %
6	-	25	0.6 %
9	-	350	8.3 %
	Missing Data		
.	-	108	2.6 %
	Total	4,196	100%

Based upon 4,088 valid cases out of 4,196 total cases.

- Mean: 3.05
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 2.13

Location: 717-717 (width: 1; decimal: 0)

Variable Type: numeric

H5RE2: S12Q2 FREQ ATTEND RELIG SVS-W5

Value	Label	Unweighted Frequency	%
1	-	1543	36.8 %
2	-	1228	29.3 %
3	-	236	5.6 %
4	-	387	9.2 %
5	-	468	11.2 %
6	-	234	5.6 %
	Missing Data		
.	-	100	2.4 %

Value	Label	Unweighted Frequency	%
	Total	4,196	100%

Based upon 4,096 valid cases out of 4,196 total cases.

- Mean: 2.44
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.60

Location: 718-718 (width: 1; decimal: 0)

Variable Type: numeric

H5RE3: S12Q3 HOW IMPORT RELIG FAITH-W5

Value	Label	Unweighted Frequency	%
1	-	897	21.4 %
2	-	1124	26.8 %
3	-	1486	35.4 %
4	-	586	14.0 %
	Missing Data		
.	-	103	2.5 %
	Total	4,196	100%

Based upon 4,093 valid cases out of 4,196 total cases.

- Mean: 2.43
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.98

Location: 719-719 (width: 1; decimal: 0)

Variable Type: numeric

H5RE4: S12Q4 HOW OFTEN PRIVATE PRAY-W5

Value	Label	Unweighted Frequency	%
1	-	833	19.9 %
2	-	431	10.3 %
3	-	173	4.1 %
4	-	404	9.6 %
5	-	126	3.0 %
6	-	589	14.0 %
7	-	679	16.2 %

Value	Label	Unweighted Frequency	%
8	-	858	20.4 %
	Missing Data		
.	-	103	2.5 %
	Total	4,196	100%

Based upon 4,093 valid cases out of 4,196 total cases.

- Mean: 4.79
- Median: 6.00
- Mode: 8.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 2.67

Location: 720-720 (width: 1; decimal: 0)

Variable Type: numeric

H5MN1: S13Q1 LAST MO NO CNTRL IMPORT THINGS-W5

Value	Label	Unweighted Frequency	%
1	-	887	21.1 %
2	-	1210	28.8 %
3	-	1455	34.7 %
4	-	375	8.9 %
5	-	172	4.1 %
	Missing Data		
.	-	97	2.3 %
	Total	4,196	100%

Based upon 4,099 valid cases out of 4,196 total cases.

- Mean: 2.45
- Median: 2.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.06

Location: 721-721 (width: 1; decimal: 0)

Variable Type: numeric

H5MN2: S13Q2 LAST MO CONFID HANDLE PERS PBMS-W5

Value	Label	Unweighted Frequency	%
1	-	84	2.0 %
2	-	133	3.2 %
3	-	822	19.6 %

Value	Label	Unweighted Frequency	%
4	-	1448	34.5 %
5	-	1605	38.3 %
	Missing Data		
.	-	104	2.5 %
	Total	4,196	100%

Based upon 4,092 valid cases out of 4,196 total cases.

- Mean: 4.06
- Median: 4.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.95

Location: 722-722 (width: 1; decimal: 0)

Variable Type: numeric

H5MN3: S13Q3 LAST MO FELT THINGS GO YOUR WAY-W5

Value	Label	Unweighted Frequency	%
1	-	75	1.8 %
2	-	270	6.4 %
3	-	1438	34.3 %
4	-	1635	39.0 %
5	-	673	16.0 %
	Missing Data		
.	-	105	2.5 %
	Total	4,196	100%

Based upon 4,091 valid cases out of 4,196 total cases.

- Mean: 3.63
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.90

Location: 723-723 (width: 1; decimal: 0)

Variable Type: numeric

H5MN4: S13Q4 LAST MO DIFFS OVERWHELM-W5

Value	Label	Unweighted Frequency	%
1	-	1051	25.0 %
2	-	1435	34.2 %

Value	Label	Unweighted Frequency	%
3	-	1189	28.3 %
4	-	284	6.8 %
5	-	127	3.0 %
	Missing Data		
.	-	110	2.6 %
	Total	4,196	100%

Based upon 4,086 valid cases out of 4,196 total cases.

- Mean: 2.27
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.02

Location: 724-724 (width: 1; decimal: 0)

Variable Type: numeric

H5MN5A: S13Q5A TREATED LESS COURTSY RESPECT-W5

Value	Label	Unweighted Frequency	%
1	-	1171	27.9 %
2	-	1810	43.1 %
3	-	893	21.3 %
4	-	216	5.1 %
	Missing Data		
.	-	106	2.5 %
	Total	4,196	100%

Based upon 4,090 valid cases out of 4,196 total cases.

- Mean: 2.04
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.85

Location: 725-725 (width: 1; decimal: 0)

Variable Type: numeric

H5MN5B: S13Q5B GET POORER SVS THAN OTHERS-W5

Value	Label	Unweighted Frequency	%
1	-	1879	44.8 %
2	-	1656	39.5 %

Value	Label	Unweighted Frequency	%
3	-	506	12.1 %
4	-	49	1.2 %
	Missing Data		
.	-	106	2.5 %
	Total	4,196	100%

Based upon 4,090 valid cases out of 4,196 total cases.

- Mean: 1.69
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.73

Location: 726-726 (width: 1; decimal: 0)

Variable Type: numeric

H5MN5C: S13Q5C THINK YOU NOT SMART-W5

Value	Label	Unweighted Frequency	%
1	-	1856	44.2 %
2	-	1462	34.8 %
3	-	648	15.4 %
4	-	123	2.9 %
	Missing Data		
.	-	107	2.6 %
	Total	4,196	100%

Based upon 4,089 valid cases out of 4,196 total cases.

- Mean: 1.76
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.82

Location: 727-727 (width: 1; decimal: 0)

Variable Type: numeric

H5MN5D: S13Q5D ACT AFRAID OF YOU-W5

Value	Label	Unweighted Frequency	%
1	-	2338	55.7 %
2	-	1118	26.6 %
3	-	543	12.9 %

Value	Label	Unweighted Frequency	%
4	-	84	2.0 %
	Missing Data		
.	-	113	2.7 %
	Total	4,196	100%

Based upon 4,083 valid cases out of 4,196 total cases.

- Mean: 1.60
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.79

Location: 728-728 (width: 1; decimal: 0)

Variable Type: numeric

H5MN5E: S13Q5E ARE THREATENED HARRASSED-W5

Value	Label	Unweighted Frequency	%
1	-	3002	71.5 %
2	-	880	21.0 %
3	-	178	4.2 %
4	-	31	0.7 %
	Missing Data		
.	-	105	2.5 %
	Total	4,196	100%

Based upon 4,091 valid cases out of 4,196 total cases.

- Mean: 1.32
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.59

Location: 729-729 (width: 1; decimal: 0)

Variable Type: numeric

H5MN6A: S13Q6A REASON: ANCEST-NAT ORIG-W5

Value	Label	Unweighted Frequency	%
0	-	2757	65.7 %
1	-	551	13.1 %
97	-	664	15.8 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	224	5.3 %
	Total	4,196	100%

Based upon 3,972 valid cases out of 4,196 total cases.

- Mean: 16.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 36.14

Location: 730-731 (width: 2; decimal: 0)

Variable Type: numeric

H5MN6B: S13Q6B REASON: BIOLOGICAL SEX-W5

Value	Label	Unweighted Frequency	%
0	-	2552	60.8 %
1	-	771	18.4 %
97	-	664	15.8 %
	Missing Data		
.	-	209	5.0 %
	Total	4,196	100%

Based upon 3,987 valid cases out of 4,196 total cases.

- Mean: 16.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 36.06

Location: 732-733 (width: 2; decimal: 0)

Variable Type: numeric

H5MN6C: S13Q6C REASON: GENDER IDENT-W5

Value	Label	Unweighted Frequency	%
0	-	3020	72.0 %
1	-	280	6.7 %
97	-	664	15.8 %
	Missing Data		
.	-	232	5.5 %
	Total	4,196	100%

Based upon 3,964 valid cases out of 4,196 total cases.

- Mean: 16.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 36.20

Location: 734-735 (width: 2; decimal: 0)

Variable Type: numeric

H5MN6D: S13Q6D REASON: RACE-W5

Value	Label	Unweighted Frequency	%
0	-	2443	58.2 %
1	-	875	20.9 %
97	-	664	15.8 %
	Missing Data		
.	-	214	5.1 %
	Total	4,196	100%

Based upon 3,982 valid cases out of 4,196 total cases.

- Mean: 16.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 36.07

Location: 736-737 (width: 2; decimal: 0)

Variable Type: numeric

H5MN6E: S13Q6E REASON: AGE-W5

Value	Label	Unweighted Frequency	%
0	-	2720	64.8 %
1	-	593	14.1 %
97	-	664	15.8 %
	Missing Data		
.	-	219	5.2 %
	Total	4,196	100%

Based upon 3,977 valid cases out of 4,196 total cases.

- Mean: 16.34
- Median: 0.00
- Mode: 0.00

- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 36.11

Location: 738-739 (width: 2; decimal: 0)

Variable Type: numeric

H5MN6F: S13Q6F REASON: RELIGION-W5

Value	Label	Unweighted Frequency	%
0	-	3130	74.6 %
1	-	172	4.1 %
97	-	664	15.8 %
	Missing Data		
.	-	230	5.5 %
	Total	4,196	100%

Based upon 3,966 valid cases out of 4,196 total cases.

- Mean: 16.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 36.20

Location: 740-741 (width: 2; decimal: 0)

Variable Type: numeric

H5MN6G: S13Q6G REASON: WEIGHT-W5

Value	Label	Unweighted Frequency	%
0	-	2792	66.5 %
1	-	514	12.2 %
97	-	664	15.8 %
	Missing Data		
.	-	226	5.4 %
	Total	4,196	100%

Based upon 3,970 valid cases out of 4,196 total cases.

- Mean: 16.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 36.15

Location: 742-743 (width: 2; decimal: 0)

Variable Type: numeric

H5MN6H: S13Q6H REASON: PHYS DISABILITY-W5

Value	Label	Unweighted Frequency	%
0	-	3183	75.9 %
1	-	109	2.6 %
97	-	664	15.8 %
	Missing Data		
.	-	240	5.7 %
	Total	4,196	100%

Based upon 3,956 valid cases out of 4,196 total cases.

- Mean: 16.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 36.24

Location: 744-745 (width: 2; decimal: 0)

Variable Type: numeric

H5MN6I: S13Q6I REASON: PHYS APPEARANCE-W5

Value	Label	Unweighted Frequency	%
0	-	2600	62.0 %
1	-	710	16.9 %
97	-	664	15.8 %
	Missing Data		
.	-	222	5.3 %
	Total	4,196	100%

Based upon 3,974 valid cases out of 4,196 total cases.

- Mean: 16.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 36.11

Location: 746-747 (width: 2; decimal: 0)

Variable Type: numeric

H5MN6J: S13Q6J REASON: SEXUAL ORIENT-W5

Value	Label	Unweighted Frequency	%
0	-	3171	75.6 %

Value	Label	Unweighted Frequency	%
1	-	121	2.9 %
97	-	664	15.8 %
	Missing Data		
.	-	240	5.7 %
	Total	4,196	100%

Based upon 3,956 valid cases out of 4,196 total cases.

- Mean: 16.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 36.24

Location: 748-749 (width: 2; decimal: 0)

Variable Type: numeric

H5MN6K: S13Q6K REASON: FIN STATUS-W5

Value	Label	Unweighted Frequency	%
0	-	2702	64.4 %
1	-	605	14.4 %
97	-	664	15.8 %
	Missing Data		
.	-	225	5.4 %
	Total	4,196	100%

Based upon 3,971 valid cases out of 4,196 total cases.

- Mean: 16.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 36.14

Location: 750-751 (width: 2; decimal: 0)

Variable Type: numeric

H5MN6L: S13Q6L REASON: OTHS ATT/PERSONALITY-W5

Value	Label	Unweighted Frequency	%
0	-	2420	57.7 %
1	-	114	2.7 %
97	-	664	15.8 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	998	23.8 %
	Total	4,196	100%

Based upon 3,198 valid cases out of 4,196 total cases.

- Mean: 20.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 39.33

Location: 752-753 (width: 2; decimal: 0)

Variable Type: numeric

H5MN6M: S13Q6M REASON: YOUR OCCUPATION-W5

Value	Label	Unweighted Frequency	%
0	-	2420	57.7 %
1	-	110	2.6 %
97	-	664	15.8 %
	Missing Data		
.	-	1002	23.9 %
	Total	4,196	100%

Based upon 3,194 valid cases out of 4,196 total cases.

- Mean: 20.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 39.35

Location: 754-755 (width: 2; decimal: 0)

Variable Type: numeric

H5MN6N: S13Q6N REASON: YOUR ATT/PERSONALITY-W5

Value	Label	Unweighted Frequency	%
0	-	2420	57.7 %
1	-	72	1.7 %
97	-	664	15.8 %
	Missing Data		
.	-	1040	24.8 %
	Total	4,196	100%

Based upon 3,156 valid cases out of 4,196 total cases.

- Mean: 20.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 39.53

Location: 756-757 (width: 2; decimal: 0)

Variable Type: numeric

H5MN6O: S13Q6O SPECIFY OTHER REASON-W5

Value	Label	Unweighted Frequency	%
0	-	2432	58.0 %
1	-	120	2.9 %
97	-	664	15.8 %
	Missing Data		
.	-	980	23.4 %
	Total	4,196	100%

Based upon 3,216 valid cases out of 4,196 total cases.

- Mean: 20.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 39.25

Location: 758-759 (width: 2; decimal: 0)

Variable Type: numeric

H5MN7: S13Q7 UNFAIR COP STOP SRCH-W5

Value	Label	Unweighted Frequency	%
0	-	3268	77.9 %
1	-	825	19.7 %
	Missing Data		
.	-	103	2.5 %
	Total	4,196	100%

Based upon 4,093 valid cases out of 4,196 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00

- Standard Deviation: 0.40

Location: 760-760 (width: 1; decimal: 0)

Variable Type: numeric

H5MN8: S13Q8 SERIOUSLY THINK SUICIDE PAST YR-W5

Value	Label	Unweighted Frequency	%
0	-	3813	90.9 %
1	-	285	6.8 %
	Missing Data		
.	-	98	2.3 %
	Total	4,196	100%

Based upon 4,098 valid cases out of 4,196 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

Location: 761-761 (width: 1; decimal: 0)

Variable Type: numeric

H5MN9: S13Q9 PAST YEAR TRY SUICIDE-W5

Value	Label	Unweighted Frequency	%
1	-	4032	96.1 %
2	-	36	0.9 %
3	-	14	0.3 %
4	-	13	0.3 %
	Missing Data		
.	-	101	2.4 %
	Total	4,196	100%

Based upon 4,095 valid cases out of 4,196 total cases.

- Mean: 1.03
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.22

Location: 762-762 (width: 1; decimal: 0)

Variable Type: numeric

H5MN10: S13Q10 SUICIDE ATTEMPT DOCTOR TREAT-W5

Value	Label	Unweighted Frequency	%
0	-	46	1.1 %
1	-	17	0.4 %
97	-	4032	96.1 %
	Missing Data		
.	-	101	2.4 %
	Total	4,196	100%

Based upon 4,095 valid cases out of 4,196 total cases.

- Mean: 95.51
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 11.91

Location: 763-764 (width: 2; decimal: 0)

Variable Type: numeric

H5MN11: S13Q11 FAM/FRIEND TRY SUICIDE-W5

Value	Label	Unweighted Frequency	%
0	-	3801	90.6 %
1	-	296	7.1 %
	Missing Data		
.	-	99	2.4 %
	Total	4,196	100%

Based upon 4,097 valid cases out of 4,196 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

Location: 765-765 (width: 1; decimal: 0)

Variable Type: numeric

H5MN12: S13Q12 FAM/FRIEND SUICIDE DEATH-W5;

Value	Label	Unweighted Frequency	%
0	-	151	3.6 %
1	-	145	3.5 %

Value	Label	Unweighted Frequency	%
97	-	3801	90.6 %
	Missing Data		
.	-	99	2.4 %
	Total	4,196	100%

Based upon 4,097 valid cases out of 4,196 total cases.

- Mean: 90.03
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 24.99

Location: 766-767 (width: 2; decimal: 0)

Variable Type: numeric

H5CJ1A: S14Q1A 12 MO DAMAGE PROP/NOT YOUR-W5

Value	Label	Unweighted Frequency	%
0	-	4025	95.9 %
1	-	65	1.5 %
	Missing Data		
.	-	106	2.5 %
	Total	4,196	100%

Based upon 4,090 valid cases out of 4,196 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.13

Location: 768-768 (width: 1; decimal: 0)

Variable Type: numeric

H5CJ1B: S14Q1B 12 MO STEAL SOMETHING/>\$50-W5

Value	Label	Unweighted Frequency	%
0	-	4057	96.7 %
1	-	40	1.0 %
	Missing Data		
.	-	99	2.4 %
	Total	4,196	100%

Based upon 4,097 valid cases out of 4,196 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Location: 769-769 (width: 1; decimal: 0)

Variable Type: numeric

H5CJ1C: S14Q1C 12 MO SELL DRUGS-W5

Value	Label	Unweighted Frequency	%
0	-	4026	95.9 %
1	-	66	1.6 %
	Missing Data		
.	-	104	2.5 %
	Total	4,196	100%

Based upon 4,092 valid cases out of 4,196 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.13

Location: 770-770 (width: 1; decimal: 0)

Variable Type: numeric

H5CJ1D: S14Q1D 12 MO GET IN PHYS FIGHT-W5

Value	Label	Unweighted Frequency	%
0	-	4000	95.3 %
1	-	95	2.3 %
	Missing Data		
.	-	101	2.4 %
	Total	4,196	100%

Based upon 4,095 valid cases out of 4,196 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.15

Location: 771-771 (width: 1; decimal: 0)

Variable Type: numeric

H5CJ1E: S14Q1E 12 MO PULL KNIFE/GUN SOMEONE-W5

Value	Label	Unweighted Frequency	%
0	-	4065	96.9 %
1	-	25	0.6 %
	Missing Data		
.	-	106	2.5 %
	Total	4,196	100%

Based upon 4,090 valid cases out of 4,196 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.08

Location: 772-772 (width: 1; decimal: 0)

Variable Type: numeric

H5CJ2A: S14Q2A 12 MO YOUR PROP STOLEN >\$50-W5

Value	Label	Unweighted Frequency	%
0	-	3671	87.5 %
1	-	399	9.5 %
	Missing Data		
.	-	126	3.0 %
	Total	4,196	100%

Based upon 4,070 valid cases out of 4,196 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

Location: 773-773 (width: 1; decimal: 0)

Variable Type: numeric

H5CJ2B: S14Q2B 12 MO SAW ONE SHOOT/STAB PERS-W5

Value	Label	Unweighted Frequency	%
0	-	4026	95.9 %

Value	Label	Unweighted Frequency	%
1	-	38	0.9 %
	Missing Data		
.	-	132	3.1 %
	Total	4,196	100%

Based upon 4,064 valid cases out of 4,196 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Location: 774-774 (width: 1; decimal: 0)

Variable Type: numeric

H5CJ2C: S14Q2C 12 MO PULLED GUN/KNIFE ON YOU-W5

Value	Label	Unweighted Frequency	%
0	-	4013	95.6 %
1	-	52	1.2 %
	Missing Data		
.	-	131	3.1 %
	Total	4,196	100%

Based upon 4,065 valid cases out of 4,196 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

Location: 775-775 (width: 1; decimal: 0)

Variable Type: numeric

H5CJ2E: S14Q2E 12 MO ONE SLAP/HIT/CHOKE YOU-W5

Value	Label	Unweighted Frequency	%
0	-	3880	92.5 %
1	-	188	4.5 %
	Missing Data		
.	-	128	3.1 %
	Total	4,196	100%

Based upon 4,068 valid cases out of 4,196 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.21

Location: 776-776 (width: 1; decimal: 0)

Variable Type: numeric

H5CJ2F: S14Q2F 12 MO YOU WERE BEATEN UP-W5

Value	Label	Unweighted Frequency	%
0	-	4028	96.0 %
1	-	36	0.9 %
	Missing Data		
.	-	132	3.1 %
	Total	4,196	100%

Based upon 4,064 valid cases out of 4,196 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.09

Location: 777-777 (width: 1; decimal: 0)

Variable Type: numeric

H5CJ3: S14Q3 EVER BEEN ARRESTED BY POLICE-W5

Value	Label	Unweighted Frequency	%
0	-	2853	68.0 %
1	-	1240	29.6 %
	Missing Data		
.	-	103	2.5 %
	Total	4,196	100%

Based upon 4,093 valid cases out of 4,196 total cases.

- Mean: 0.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

Location: 778-778 (width: 1; decimal: 0)

Variable Type: numeric

H5CJ4A: S14Q4A TYPE ARREST CHARGE-DUI/DWI-W5

Value	Label	Unweighted Frequency	%
0	-	828	19.7 %
1	-	406	9.7 %
97	-	2956	70.4 %
	Missing Data		
.	-	6	0.1 %
	Total	4,196	100%

Based upon 4,190 valid cases out of 4,196 total cases.

- Mean: 68.53
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 44.07

Location: 779-780 (width: 2; decimal: 0)

Variable Type: numeric

H5CJ4AC: S14Q4AC TIMES CHARGED-DUI/DWI-W5

Value	Label	Unweighted Frequency	%
1	-	268	6.4 %
2	-	85	2.0 %
3	-	40	1.0 %
4	-	10	0.2 %
97	-	3790	90.3 %
	Missing Data		
.	-	3	0.1 %
	Total	4,196	100%

Based upon 4,193 valid cases out of 4,196 total cases.

- Mean: 87.82
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 28.16

Location: 781-782 (width: 2; decimal: 0)

Variable Type: numeric

H5CJ4AG: S14Q4AG TIMES CONVICT/PLED-DUI/DWI-W5

Value	Label	Unweighted Frequency	%
0	-	60	1.4 %
1	-	239	5.7 %
2	-	68	1.6 %
3	-	33	0.8 %
97	-	3790	90.3 %
	Missing Data		
.	-	6	0.1 %
	Total	4,196	100%

Based upon 4,190 valid cases out of 4,196 total cases.

- Mean: 87.85
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 28.16

Location: 783-784 (width: 2; decimal: 0)

Variable Type: numeric

H5CJ4B: S14Q4B TYPE ARREST CHARGE-OTH ETOH-W5

Value	Label	Unweighted Frequency	%
0	-	981	23.4 %
1	-	245	5.8 %
97	-	2956	70.4 %
	Missing Data		
.	-	14	0.3 %
	Total	4,196	100%

Based upon 4,182 valid cases out of 4,196 total cases.

- Mean: 68.62
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 44.07

Location: 785-786 (width: 2; decimal: 0)

Variable Type: numeric

H5CJ4BC: S14Q4BC TIMES CHARGED-OTH ETOH-W5

Value	Label	Unweighted Frequency	%
1	-	152	3.6 %
2	-	44	1.0 %
3	-	19	0.5 %
4	-	12	0.3 %
5	-	12	0.3 %
997	-	3951	94.2 %
	Missing Data		
.	-	6	0.1 %
	Total	4,196	100%

Based upon 4,190 valid cases out of 4,196 total cases.

- Mean: 940.23
- Median: 997.00
- Mode: 997.00
- Minimum: 1.00
- Maximum: 997.00
- Standard Deviation: 230.86

Location: 787-789 (width: 3; decimal: 0)

Variable Type: numeric

H5CJ4BG: S14Q4BG TIMES CONVICT/PLED-OTH ETOH-W5

Value	Label	Unweighted Frequency	%
0	-	83	2.0 %
1	-	90	2.1 %
2	-	34	0.8 %
3	-	11	0.3 %
4	-	18	0.4 %
997	-	3951	94.2 %
	Missing Data		
.	-	9	0.2 %
	Total	4,196	100%

Based upon 4,187 valid cases out of 4,196 total cases.

- Mean: 940.87
- Median: 997.00
- Mode: 997.00
- Minimum: 0.00
- Maximum: 997.00
- Standard Deviation: 229.70

Location: 790-792 (width: 3; decimal: 0)

Variable Type: numeric

H5CJ4C: S14Q4C TYPE ARREST CHARGE-MARIJ-W5

Value	Label	Unweighted Frequency	%
0	-	1003	23.9 %
1	-	224	5.3 %
97	-	2956	70.4 %
	Missing Data		
.	-	13	0.3 %
	Total	4,196	100%

Based upon 4,183 valid cases out of 4,196 total cases.

- Mean: 68.60
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 44.09

Location: 793-794 (width: 2; decimal: 0)

Variable Type: numeric

H5CJ4CC: S14Q4CC TIMES CHARGED-MARIJ-W5

Value	Label	Unweighted Frequency	%
1	-	147	3.5 %
2	-	38	0.9 %
3	-	20	0.5 %
4	-	13	0.3 %
97	-	3972	94.7 %
	Missing Data		
.	-	6	0.1 %
	Total	4,196	100%

Based upon 4,190 valid cases out of 4,196 total cases.

- Mean: 92.03
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 21.20

Location: 795-796 (width: 2; decimal: 0)

Variable Type: numeric

H5CJ4CG: S14Q4CG TIMES CONVICT/PLED-MARIJ-W5

Value	Label	Unweighted Frequency	%
0	-	65	1.5 %
1	-	103	2.5 %
2	-	33	0.8 %
3	-	16	0.4 %
97	-	3972	94.7 %
	Missing Data		
.	-	7	0.2 %
	Total	4,196	100%

Based upon 4,189 valid cases out of 4,196 total cases.

- Mean: 92.03
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 21.28

Location: 797-798 (width: 2; decimal: 0)

Variable Type: numeric

H5CJ4D: S14Q4D TYPE ARREST CHARGE-OTH DRUG-W5

Value	Label	Unweighted Frequency	%
0	-	1119	26.7 %
1	-	107	2.6 %
97	-	2956	70.4 %
	Missing Data		
.	-	14	0.3 %
	Total	4,196	100%

Based upon 4,182 valid cases out of 4,196 total cases.

- Mean: 68.59
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 44.12

Location: 799-800 (width: 2; decimal: 0)

Variable Type: numeric

H5CJ4DC: S14Q4DC TIMES CHARGED-OTH DRUG-W5

Value	Label	Unweighted Frequency	%
1	-	66	1.6 %

Value	Label	Unweighted Frequency	%
2	-	25	0.6 %
3	-	12	0.3 %
97	-	4089	97.4 %
	Missing Data		
.	-	4	0.1 %
	Total	4,196	100%

Based upon 4,192 valid cases out of 4,196 total cases.

- Mean: 94.65
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 14.79

Location: 801-802 (width: 2; decimal: 0)

Variable Type: numeric

H5CJ4DG: S14Q4DG TIMES CONVICT/PLED-OTH DRUG-W5

Value	Label	Unweighted Frequency	%
0	-	22	0.5 %
1	-	51	1.2 %
2	-	29	0.7 %
97	-	4089	97.4 %
	Missing Data		
.	-	5	0.1 %
	Total	4,196	100%

Based upon 4,191 valid cases out of 4,196 total cases.

- Mean: 94.67
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 14.78

Location: 803-804 (width: 2; decimal: 0)

Variable Type: numeric

H5CJ4E: S14Q4E TYPE ARREST CHARGE-ROBBERY-W5

Value	Label	Unweighted Frequency	%
0	-	1203	28.7 %
1	-	27	0.6 %

Value	Label	Unweighted Frequency	%
97	-	2956	70.4 %
	Missing Data		
.	-	10	0.2 %
	Total	4,196	100%

Based upon 4,186 valid cases out of 4,196 total cases.

- Mean: 68.50
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 44.18

Location: 805-806 (width: 2; decimal: 0)

Variable Type: numeric

H5CJ4EC: S14Q4EC TIMES CHARGED-ROBBERY-W5

Value	Label	Unweighted Frequency	%
1	-	21	0.5 %
97	-	4169	99.4 %
	Missing Data		
.	-	6	0.1 %
	Total	4,196	100%

Based upon 4,190 valid cases out of 4,196 total cases.

- Mean: 96.52
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 6.78

Location: 807-808 (width: 2; decimal: 0)

Variable Type: numeric

H5CJ4EG: S14Q4EG TIMES CONVICT/PLED-ROBBERY-W5

Value	Label	Unweighted Frequency	%
1	-	16	0.4 %
97	-	4169	99.4 %
	Missing Data		
.	-	11	0.3 %
	Total	4,196	100%

Based upon 4,185 valid cases out of 4,196 total cases.

- Mean: 96.63
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 5.93

Location: 809-810 (width: 2; decimal: 0)

Variable Type: numeric

H5CJ4F: S14Q4F TYPE ARREST CHARGE-THEFT-W5

Value	Label	Unweighted Frequency	%
0	-	1022	24.4 %
1	-	200	4.8 %
97	-	2956	70.4 %
	Missing Data		
.	-	18	0.4 %
	Total	4,196	100%

Based upon 4,178 valid cases out of 4,196 total cases.

- Mean: 68.68
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 44.06

Location: 811-812 (width: 2; decimal: 0)

Variable Type: numeric

H5CJ4FC: S14Q4FC TIMES CHARGED-THEFT-W5

Value	Label	Unweighted Frequency	%
1	-	153	3.6 %
2	-	29	0.7 %
3	-	16	0.4 %
97	-	3996	95.2 %
	Missing Data		
.	-	2	0.0 %
	Total	4,196	100%

Based upon 4,194 valid cases out of 4,196 total cases.

- Mean: 92.48
- Median: 97.00

- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 20.30

Location: 813-814 (width: 2; decimal: 0)

Variable Type: numeric

H5CJ4FG: S14Q4FG TIMES CONVICT/PLED-THEFT-W5

Value	Label	Unweighted Frequency	%
0	-	46	1.1 %
1	-	120	2.9 %
2	-	20	0.5 %
3	-	12	0.3 %
97	-	3996	95.2 %
	Missing Data		
.	-	2	0.0 %
	Total	4,196	100%

Based upon 4,194 valid cases out of 4,196 total cases.

- Mean: 92.47
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 20.37

Location: 815-816 (width: 2; decimal: 0)

Variable Type: numeric

H5CJ4H: S14Q4H TYPE ARREST CHARGE-AGR ASSLT-W5

Value	Label	Unweighted Frequency	%
0	-	1185	28.2 %
1	-	42	1.0 %
97	-	2956	70.4 %
	Missing Data		
.	-	13	0.3 %
	Total	4,196	100%

Based upon 4,183 valid cases out of 4,196 total cases.

- Mean: 68.56
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00

- Standard Deviation: 44.15

Location: 817-818 (width: 2; decimal: 0)

Variable Type: numeric

H5CJ4HC: S14Q4HC TIMES CHARGED-AGR ASSLT--W5

Value	Label	Unweighted Frequency	%
1	-	40	1.0 %
97	-	4154	99.0 %
	Missing Data		
.	-	2	0.0 %
	Total	4,196	100%

Based upon 4,194 valid cases out of 4,196 total cases.

- Mean: 96.08
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 9.33

Location: 819-820 (width: 2; decimal: 0)

Variable Type: numeric

H5CJ4HG: S14Q4HG TIMES CONVICT/PLED-AGR ASSLT--W5

Value	Label	Unweighted Frequency	%
0	-	11	0.3 %
1	-	28	0.7 %
97	-	4154	99.0 %
	Missing Data		
.	-	3	0.1 %
	Total	4,196	100%

Based upon 4,193 valid cases out of 4,196 total cases.

- Mean: 96.10
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 9.24

Location: 821-822 (width: 2; decimal: 0)

Variable Type: numeric

H5CJ4I: S14Q4I TYPE ARREST CHARGE-SIMP ASSLT-W5

Value	Label	Unweighted Frequency	%
0	-	1090	26.0 %
1	-	135	3.2 %
97	-	2956	70.4 %
	Missing Data		
.	-	15	0.4 %
	Total	4,196	100%

Based upon 4,181 valid cases out of 4,196 total cases.

- Mean: 68.61
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 44.10

Location: 823-824 (width: 2; decimal: 0)

Variable Type: numeric

H5CJ4IC: S14Q4IC TIMES CHARGED-SIMP ASSLT-W5

Value	Label	Unweighted Frequency	%
1	-	94	2.2 %
2	-	22	0.5 %
3	-	17	0.4 %
97	-	4061	96.8 %
	Missing Data		
.	-	2	0.0 %
	Total	4,196	100%

Based upon 4,194 valid cases out of 4,196 total cases.

- Mean: 93.97
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 16.75

Location: 825-826 (width: 2; decimal: 0)

Variable Type: numeric

H5CJ4IG: S14Q4IG TIMES CONVICT/PLED-SIMP ASSLT-W5

Value	Label	Unweighted Frequency	%
0	-	48	1.1 %
1	-	61	1.5 %

Value	Label	Unweighted Frequency	%
2	-	20	0.5 %
97	-	4061	96.8 %
	Missing Data		
.	-	6	0.1 %
	Total	4,196	100%

Based upon 4,190 valid cases out of 4,196 total cases.

- Mean: 94.04
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 16.62

Location: 827-828 (width: 2; decimal: 0)

Variable Type: numeric

H5CJ4J: S14Q4J TYPE ARREST CHARGE-FRAUD-W5

Value	Label	Unweighted Frequency	%
0	-	1189	28.3 %
1	-	40	1.0 %
97	-	2956	70.4 %
	Missing Data		
.	-	11	0.3 %
	Total	4,196	100%

Based upon 4,185 valid cases out of 4,196 total cases.

- Mean: 68.52
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 44.17

Location: 829-830 (width: 2; decimal: 0)

Variable Type: numeric

H5CJ4JC: S14Q4JC TIMES CHARGED-FRAUD-W5

Value	Label	Unweighted Frequency	%
1	-	40	1.0 %
97	-	4156	99.0 %
	Total	4,196	100%

Based upon 4,196 valid cases out of 4,196 total cases.

- Mean: 96.08
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 9.33

Location: 831-832 (width: 2; decimal: 0)

Variable Type: numeric

H5CJ4JG: S14Q4JG TIMES CONVICT/PLED-FRAUD-W5

Value	Label	Unweighted Frequency	%
0	-	9	0.2 %
1	-	31	0.7 %
97	-	4156	99.0 %
	Total	4,196	100%

Based upon 4,196 valid cases out of 4,196 total cases.

- Mean: 96.08
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 9.35

Location: 833-834 (width: 2; decimal: 0)

Variable Type: numeric

H5CJ4K: S14Q4K TYPE ARREST CHARGE-CIV DISOBEY-W5

Value	Label	Unweighted Frequency	%
0	-	1209	28.8 %
1	-	21	0.5 %
97	-	2956	70.4 %
	Missing Data		
.	-	10	0.2 %
	Total	4,196	100%

Based upon 4,186 valid cases out of 4,196 total cases.

- Mean: 68.50
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 44.18

Location: 835-836 (width: 2; decimal: 0)

Variable Type: numeric

H5CJ4KC: S14Q4KC TIMES CHARGED-CIV DISOBEY-W5

Value	Label	Unweighted Frequency	%
1	-	21	0.5 %
97	-	4175	99.5 %
	Total	4,196	100%

Based upon 4,196 valid cases out of 4,196 total cases.

- Mean: 96.52
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 6.78

Location: 837-838 (width: 2; decimal: 0)

Variable Type: numeric

H5CJ4KG: S14Q4KG TIMES CONVICT/PLE-CIV DISOBEY-W5

Value	Label	Unweighted Frequency	%
0	-	7	0.2 %
1	-	13	0.3 %
97	-	4175	99.5 %
	Missing Data		
.	-	1	0.0 %
	Total	4,196	100%

Based upon 4,195 valid cases out of 4,196 total cases.

- Mean: 96.54
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 6.64

Location: 839-840 (width: 2; decimal: 0)

Variable Type: numeric

H5CJ4L: S14Q4L TYPE ARREST CHARGE-OTH OFFNS-W5

Value	Label	Unweighted Frequency	%
0	-	997	23.8 %
1	-	229	5.5 %

Value	Label	Unweighted Frequency	%
97	-	2956	70.4 %
	Missing Data		
.	-	14	0.3 %
	Total	4,196	100%

Based upon 4,182 valid cases out of 4,196 total cases.

- Mean: 68.62
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 44.08

Location: 841-842 (width: 2; decimal: 0)

Variable Type: numeric

H5CJ4LC: S14Q4LC TIMES CHARGED-OTH OFFNS-W5

Value	Label	Unweighted Frequency	%
1	-	143	3.4 %
2	-	36	0.9 %
3	-	23	0.5 %
4	-	23	0.5 %
997	-	3967	94.5 %
	Missing Data		
.	-	4	0.1 %
	Total	4,196	100%

Based upon 4,192 valid cases out of 4,196 total cases.

- Mean: 943.58
- Median: 997.00
- Mode: 997.00
- Minimum: 1.00
- Maximum: 997.00
- Standard Deviation: 224.35

Location: 843-845 (width: 3; decimal: 0)

Variable Type: numeric

H5CJ4LG: S14Q4LG TIMES CONVICT/PLED-OTH OFFNS-W5

Value	Label	Unweighted Frequency	%
0	-	82	2.0 %
1	-	92	2.2 %
2	-	25	0.6 %

Value	Label	Unweighted Frequency	%
3	-	13	0.3 %
4	-	12	0.3 %
997	-	3967	94.5 %
	Missing Data		
.	-	5	0.1 %
	Total	4,196	100%

Based upon 4,191 valid cases out of 4,196 total cases.

- Mean: 943.77
- Median: 997.00
- Mode: 997.00
- Minimum: 0.00
- Maximum: 997.00
- Standard Deviation: 224.05

Location: 846-848 (width: 3; decimal: 0)

Variable Type: numeric

H5CJ5: S14Q5 EVER INCARCERATED-W5

Value	Label	Unweighted Frequency	%
0	-	700	16.7 %
1	-	535	12.8 %
97	-	2956	70.4 %
	Missing Data		
.	-	5	0.1 %
	Total	4,196	100%

Based upon 4,191 valid cases out of 4,196 total cases.

- Mean: 68.54
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 44.03

Location: 849-850 (width: 2; decimal: 0)

Variable Type: numeric

H5CJ6: S14Q6 NUM OF TIMES INCARCERATED-W5

Value	Label	Unweighted Frequency	%
1	-	256	6.1 %
2	-	278	6.6 %
97	-	3661	87.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	1	0.0 %
	Total	4,196	100%

Based upon 4,195 valid cases out of 4,196 total cases.

- Mean: 84.85
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 31.83

Location: 851-852 (width: 2; decimal: 0)

Variable Type: numeric

H5CJ7: S14Q7 AGE LST INCARCERATED-W5

Value	Label	Unweighted Frequency	%
12	-	23	0.5 %
17	-	13	0.3 %
18	-	29	0.7 %
19	-	18	0.4 %
20	-	20	0.5 %
21	-	28	0.7 %
22	-	29	0.7 %
23	-	25	0.6 %
24	-	25	0.6 %
25	-	32	0.8 %
26	-	22	0.5 %
27	-	18	0.4 %
28	-	28	0.7 %
30	-	25	0.6 %
31	-	20	0.5 %
32	-	22	0.5 %
33	-	25	0.6 %
34	-	20	0.5 %
35	-	23	0.5 %
36	-	26	0.6 %
37	-	22	0.5 %
38	-	21	0.5 %
39	-	15	0.4 %
997	-	3661	87.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	6	0.1 %
	Total	4,196	100%

Based upon 4,190 valid cases out of 4,196 total cases.

- Mean: 874.54
- Median: 997.00
- Mode: 997.00
- Minimum: 12.00
- Maximum: 997.00
- Standard Deviation: 322.19

Location: 853-855 (width: 3; decimal: 0)

Variable Type: numeric

H5CJ8YM: S14Q8YM TOTAL YEARS INCARCERATED-W5

Value	Label	Unweighted Frequency	%
0	-	360	8.6 %
1	-	59	1.4 %
2	-	22	0.5 %
3	-	14	0.3 %
4	-	10	0.2 %
5	-	21	0.5 %
997	-	3661	87.2 %
998	-	37	0.9 %
	Missing Data		
.	-	12	0.3 %
	Total	4,196	100%

Based upon 4,184 valid cases out of 4,196 total cases.

- Mean: 881.27
- Median: 997.00
- Mode: 997.00
- Minimum: 0.00
- Maximum: 998.00
- Standard Deviation: 319.30

Location: 856-858 (width: 3; decimal: 0)

Variable Type: numeric

H5TR1: S15Q1 # PARTNER EVER MARRIED-W5

Value	Label	Unweighted Frequency	%
0	-	1112	26.5 %

Value	Label	Unweighted Frequency	%
1	-	2450	58.4 %
2	-	407	9.7 %
3	-	74	1.8 %
	Missing Data		
.	-	153	3.6 %
	Total	4,196	100%

Based upon 4,043 valid cases out of 4,196 total cases.

- Mean: 0.86
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.66

Location: 859-859 (width: 1; decimal: 0)

Variable Type: numeric

H5TR2: S15Q2 # OTHR PARTNER EVR LIVED WITH-W5

Value	Label	Unweighted Frequency	%
0	-	1807	43.1 %
1	-	1109	26.4 %
2	-	592	14.1 %
3	-	281	6.7 %
4	-	121	2.9 %
5	-	64	1.5 %
6	-	18	0.4 %
7	-	26	0.6 %
	Missing Data		
.	-	178	4.2 %
	Total	4,196	100%

Based upon 4,018 valid cases out of 4,196 total cases.

- Mean: 1.05
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.32

Location: 860-860 (width: 1; decimal: 0)

Variable Type: numeric

H5TR3: S15Q3 # CURRENT ROMATIC/SEXUAL RELTN-W5

Value	Label	Unweighted Frequency	%
0	-	606	14.4 %
1	-	3280	78.2 %
2	-	100	2.4 %
3	-	33	0.8 %
4	-	24	0.6 %
	Missing Data		
.	-	153	3.6 %
	Total	4,196	100%

Based upon 4,043 valid cases out of 4,196 total cases.

- Mean: 0.91
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.50

Location: 861-861 (width: 1; decimal: 0)

Variable Type: numeric

H5TR4: S15Q4 R CURRENT MARRY-W5

Value	Label	Unweighted Frequency	%
0	-	1640	39.1 %
1	-	2450	58.4 %
	Missing Data		
.	-	106	2.5 %
	Total	4,196	100%

Based upon 4,090 valid cases out of 4,196 total cases.

- Mean: 0.60
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

Location: 862-862 (width: 1; decimal: 0)

Variable Type: numeric

H5TR4YM: S15Q4YM # YRS W/ CURRENT SPOUSE-W5

Value	Label	Unweighted Frequency	%
2	-	48	1.1 %
3	-	64	1.5 %
4	-	74	1.8 %
5	-	89	2.1 %
6	-	96	2.3 %
7	-	95	2.3 %
8	-	108	2.6 %
9	-	119	2.8 %
10	-	164	3.9 %
11	-	160	3.8 %
12	-	162	3.9 %
13	-	151	3.6 %
14	-	146	3.5 %
15	-	144	3.4 %
16	-	161	3.8 %
17	-	138	3.3 %
18	-	125	3.0 %
19	-	86	2.0 %
20	-	128	3.1 %
21	-	55	1.3 %
22	-	50	1.2 %
23	-	35	0.8 %
24	-	24	0.6 %
25	-	18	0.4 %
997	-	1648	39.3 %
	Missing Data		
.	-	108	2.6 %
	Total	4,196	100%

Based upon 4,088 valid cases out of 4,196 total cases.

- Mean: 409.55
- Median: 18.50
- Mode: 997.00
- Minimum: 2.00
- Maximum: 997.00
- Standard Deviation: 482.87

Location: 863-865 (width: 3; decimal: 0)

Variable Type: numeric

H5TR5: S15Q5 R CURRENT LIVE WITH PTNR-W5

Value	Label	Unweighted Frequency	%
0	-	1065	25.4 %
1	-	591	14.1 %
97	-	2445	58.3 %
	Missing Data		
.	-	95	2.3 %
	Total	4,196	100%

Based upon 4,101 valid cases out of 4,196 total cases.

- Mean: 57.98
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 47.43

Location: 866-867 (width: 2; decimal: 0)

Variable Type: numeric

H5TR5YM: S15Q5YM # YRS W/ CURRENT COHAB PTNR-W5

Value	Label	Unweighted Frequency	%
0	-	10	0.2 %
1	-	58	1.4 %
2	-	56	1.3 %
3	-	53	1.3 %
4	-	50	1.2 %
5	-	47	1.1 %
6	-	40	1.0 %
7	-	32	0.8 %
8	-	29	0.7 %
9	-	32	0.8 %
10	-	25	0.6 %
11	-	21	0.5 %
12	-	15	0.4 %
13	-	20	0.5 %
14	-	47	1.1 %
20	-	12	0.3 %
21	-	14	0.3 %
	Missing Data		
.	-	3635	86.6 %
	Total	4,196	100%

Based upon 561 valid cases out of 4,196 total cases.

- Mean: 6.88
- Median: 6.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 21.00
- Standard Deviation: 5.07

Location: 868-869 (width: 2; decimal: 0)

Variable Type: numeric

H5TR6: S15Q6 CURRENT DATING PTNR-W5

Value	Label	Unweighted Frequency	%
0	-	640	15.3 %
1	-	426	10.2 %
97	-	3035	72.3 %
	Missing Data		
.	-	95	2.3 %
	Total	4,196	100%

Based upon 4,101 valid cases out of 4,196 total cases.

- Mean: 71.89
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 42.37

Location: 870-871 (width: 2; decimal: 0)

Variable Type: numeric

H5TR6YM: S15Q6YM # YRS W/ CURRENT DATING PTNR-W5

Value	Label	Unweighted Frequency	%
0	-	32	0.8 %
1	-	76	1.8 %
2	-	56	1.3 %
3	-	31	0.7 %
4	-	19	0.5 %
5	-	39	0.9 %
7	-	15	0.4 %
8	-	21	0.5 %
10	-	10	0.2 %
11	-	32	0.8 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	3865	92.1 %
	Total	4,196	100%

Based upon 331 valid cases out of 4,196 total cases.

- Mean: 3.86
- Median: 3.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 3.43

Location: 872-873 (width: 2; decimal: 0)

Variable Type: numeric

H5TR7: S15Q7 EVER IN RELAT ROMANTIC/SEX PTNR-W5

Value	Label	Unweighted Frequency	%
0	-	113	2.7 %
1	-	532	12.7 %
97	-	3446	82.1 %
	Missing Data		
.	-	105	2.5 %
	Total	4,196	100%

Based upon 4,091 valid cases out of 4,196 total cases.

- Mean: 81.84
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 35.05

Location: 874-875 (width: 2; decimal: 0)

Variable Type: numeric

H5TR7YM: S15Q7YM # YRS W/ MOST RECENT PTNR-W5

Value	Label	Unweighted Frequency	%
0	-	44	1.0 %
1	-	90	2.1 %
2	-	70	1.7 %
3	-	40	1.0 %
4	-	33	0.8 %
5	-	57	1.4 %
6	-	14	0.3 %

Value	Label	Unweighted Frequency	%
7	-	19	0.5 %
8	-	21	0.5 %
10	-	15	0.4 %
11	-	21	0.5 %
997	-	3567	85.0 %
	Missing Data		
.	-	205	4.9 %
	Total	4,196	100%

Based upon 3,991 valid cases out of 4,196 total cases.

- Mean: 891.46
- Median: 997.00
- Mode: 997.00
- Minimum: 0.00
- Maximum: 997.00
- Standard Deviation: 306.14

Location: 876-878 (width: 3; decimal: 0)

Variable Type: numeric

H5TR8YM: S15Q8YM MOST RECENT RELAT END YR-W5

Value	Label	Unweighted Frequency	%
2000	-	21	0.5 %
2005	-	26	0.6 %
2009	-	12	0.3 %
2010	-	14	0.3 %
2011	-	19	0.5 %
2012	-	28	0.7 %
2013	-	25	0.6 %
2014	-	29	0.7 %
2015	-	56	1.3 %
2016	-	76	1.8 %
2017	-	105	2.5 %
2018	-	76	1.8 %
	Missing Data		
.	-	3709	88.4 %
	Total	4,196	100%

Based upon 487 valid cases out of 4,196 total cases.

- Mean: 2014.09
- Median: 2016.00

- Mode: 2017.00
- Minimum: 2000.00
- Maximum: 2018.00
- Standard Deviation: 4.44

Location: 879-882 (width: 4; decimal: 0)

Variable Type: numeric

H5TR9: S15Q9 RELAT TYPE W/ MOST RECENT PTNR-W5

Value	Label	Unweighted Frequency	%
1	-	49	1.2 %
2	-	137	3.3 %
3	-	346	8.2 %
97	-	3566	85.0 %
	Missing Data		
.	-	98	2.3 %
	Total	4,196	100%

Based upon 4,098 valid cases out of 4,196 total cases.

- Mean: 84.74
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 31.75

Location: 883-884 (width: 2; decimal: 0)

Variable Type: numeric

H5TR10: S15Q10 HOW MOST RECENT RELAT END-W5

Value	Label	Unweighted Frequency	%
1	-	36	0.9 %
3	-	10	0.2 %
4	-	77	1.8 %
5	-	85	2.0 %
6	-	232	5.5 %
8	-	16	0.4 %
9	-	19	0.5 %
11	-	32	0.8 %
997	-	3575	85.2 %
	Missing Data		
.	-	114	2.7 %
	Total	4,196	100%

Based upon 4,082 valid cases out of 4,196 total cases.

- Mean: 873.87
- Median: 997.00
- Mode: 997.00
- Minimum: 1.00
- Maximum: 997.00
- Standard Deviation: 327.02

Location: 885-887 (width: 3; decimal: 0)

Variable Type: numeric

H5TR11: S15Q11 GENDER OF PARTNER-W5

Value	Label	Unweighted Frequency	%
1	-	2241	53.4 %
2	-	1707	40.7 %
92	-	117	2.8 %
97	-	131	3.1 %
	Total	4,196	100%

Based upon 4,196 valid cases out of 4,196 total cases.

- Mean: 6.94
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 22.00

Location: 888-889 (width: 2; decimal: 0)

Variable Type: numeric

H5TR12: S15Q12 PARTNERS CURRENT AGE-W5

Value	Label	Unweighted Frequency	%
21	-	11	0.3 %
22	-	10	0.2 %
24	-	18	0.4 %
25	-	13	0.3 %
26	-	24	0.6 %
27	-	47	1.1 %
28	-	37	0.9 %
29	-	53	1.3 %
30	-	85	2.0 %
31	-	100	2.4 %
32	-	135	3.2 %
33	-	158	3.8 %

Value	Label	Unweighted Frequency	%
34	-	236	5.6 %
35	-	331	7.9 %
36	-	328	7.8 %
37	-	338	8.1 %
38	-	344	8.2 %
39	-	354	8.4 %
40	-	304	7.2 %
41	-	201	4.8 %
42	-	189	4.5 %
43	-	126	3.0 %
44	-	93	2.2 %
45	-	96	2.3 %
46	-	56	1.3 %
47	-	57	1.4 %
48	-	43	1.0 %
49	-	28	0.7 %
50	-	26	0.6 %
51	-	16	0.4 %
52	-	24	0.6 %
54	-	18	0.4 %
55	-	10	0.2 %
58	-	14	0.3 %
60	-	11	0.3 %
70	-	12	0.3 %
997	-	154	3.7 %
	Missing Data		
.	-	96	2.3 %
	Total	4,196	100%

Based upon 4,100 valid cases out of 4,196 total cases.

- Mean: 73.96
- Median: 38.00
- Mode: 39.00
- Minimum: 21.00
- Maximum: 997.00
- Standard Deviation: 182.46

Location: 890-892 (width: 3; decimal: 0)

Variable Type: numeric

H5TR13A: S15Q13_1 PTNR RACE-WHITE-W5

Value	Label	Unweighted Frequency	%
0	-	1363	32.5 %
1	-	2624	62.5 %
97	-	116	2.8 %
	Missing Data		
.	-	93	2.2 %
	Total	4,196	100%

Based upon 4,103 valid cases out of 4,196 total cases.

- Mean: 3.38
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 15.98

Location: 893-894 (width: 2; decimal: 0)

Variable Type: numeric

H5TR13B: S15Q13_2 PTNR RACE-BLACK-W5

Value	Label	Unweighted Frequency	%
0	-	3157	75.2 %
1	-	830	19.8 %
97	-	116	2.8 %
	Missing Data		
.	-	93	2.2 %
	Total	4,196	100%

Based upon 4,103 valid cases out of 4,196 total cases.

- Mean: 2.94
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 16.05

Location: 895-896 (width: 2; decimal: 0)

Variable Type: numeric

H5TR13C: S15Q13_3 PTNR RACE-HISPANIC-W5

Value	Label	Unweighted Frequency	%
0	-	3574	85.2 %
1	-	413	9.8 %
97	-	116	2.8 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	93	2.2 %
	Total	4,196	100%

Based upon 4,103 valid cases out of 4,196 total cases.

- Mean: 2.84
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 16.07

Location: 897-898 (width: 2; decimal: 0)

Variable Type: numeric

H5TR13D: S15Q13_4 PTNR RACE-ASIAN-W5

Value	Label	Unweighted Frequency	%
0	-	3823	91.1 %
1	-	164	3.9 %
97	-	116	2.8 %
	Missing Data		
.	-	93	2.2 %
	Total	4,196	100%

Based upon 4,103 valid cases out of 4,196 total cases.

- Mean: 2.78
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 16.07

Location: 899-900 (width: 2; decimal: 0)

Variable Type: numeric

H5TR13E: S15Q13_5 PTNR RACE-PACIFIC_ISLANDER-W5

Value	Label	Unweighted Frequency	%
0	-	3946	94.0 %
1	-	41	1.0 %
97	-	116	2.8 %
	Missing Data		
.	-	93	2.2 %
	Total	4,196	100%

Based upon 4,103 valid cases out of 4,196 total cases.

- Mean: 2.75
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 16.08

Location: 901-902 (width: 2; decimal: 0)

Variable Type: numeric

H5TR13F: S15Q13_6 PTNR RACE-AMER IND/ALASK NTV-W5

Value	Label	Unweighted Frequency	%
0	-	3931	93.7 %
1	-	56	1.3 %
97	-	116	2.8 %
	Missing Data		
.	-	93	2.2 %
	Total	4,196	100%

Based upon 4,103 valid cases out of 4,196 total cases.

- Mean: 2.76
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 16.08

Location: 903-904 (width: 2; decimal: 0)

Variable Type: numeric

H5TR13G: S15Q13_7 PTNR RACE-OTHER-W5

Value	Label	Unweighted Frequency	%
0	-	3925	93.5 %
1	-	62	1.5 %
97	-	116	2.8 %
	Missing Data		
.	-	93	2.2 %
	Total	4,196	100%

Based upon 4,103 valid cases out of 4,196 total cases.

- Mean: 2.76
- Median: 0.00
- Mode: 0.00

- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 16.08

Location: 905-906 (width: 2; decimal: 0)

Variable Type: numeric

H5TR13H1: S15Q13_H1 PTNR HISP-MEXICAN-W5

Value	Label	Unweighted Frequency	%
0	-	279	6.6 %
1	-	245	5.8 %
97	-	3579	85.3 %
	Missing Data		
.	-	93	2.2 %
	Total	4,196	100%

Based upon 4,103 valid cases out of 4,196 total cases.

- Mean: 84.67
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 32.22

Location: 907-908 (width: 2; decimal: 0)

Variable Type: numeric

H5TR13H2: S15Q13_H2 PTNR HISP-PUERTO RICN-W5

Value	Label	Unweighted Frequency	%
0	-	462	11.0 %
1	-	62	1.5 %
97	-	3579	85.3 %
	Missing Data		
.	-	93	2.2 %
	Total	4,196	100%

Based upon 4,103 valid cases out of 4,196 total cases.

- Mean: 84.63
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 32.34

Location: 909-910 (width: 2; decimal: 0)

Variable Type: numeric

H5TR13H3: S15Q13_H3 PTNR HISP-CUBAN-W5

Value	Label	Unweighted Frequency	%
0	-	502	12.0 %
1	-	22	0.5 %
97	-	3579	85.3 %
	Missing Data		
.	-	93	2.2 %
	Total	4,196	100%

Based upon 4,103 valid cases out of 4,196 total cases.

- Mean: 84.62
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 32.37

Location: 911-912 (width: 2; decimal: 0)

Variable Type: numeric

H5TR13H4: S15Q13_H4 PTNR HISP-OTHER-W5

Value	Label	Unweighted Frequency	%
0	-	453	10.8 %
1	-	71	1.7 %
97	-	3579	85.3 %
	Missing Data		
.	-	93	2.2 %
	Total	4,196	100%

Based upon 4,103 valid cases out of 4,196 total cases.

- Mean: 84.63
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 32.33

Location: 913-914 (width: 2; decimal: 0)

Variable Type: numeric

H5TR13S1: S15Q13_S1 PTNR ASIAN-INDIAN-W5

Value	Label	Unweighted Frequency	%
0	-	264	6.3 %

Value	Label	Unweighted Frequency	%
1	-	13	0.3 %
97	-	3826	91.2 %
	Missing Data		
.	-	93	2.2 %
	Total	4,196	100%

Based upon 4,103 valid cases out of 4,196 total cases.

- Mean: 90.45
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 24.33

Location: 915-916 (width: 2; decimal: 0)

Variable Type: numeric

H5TR13S2: S15Q13_S2 PTNR ASIAN-CHINESE-W5

Value	Label	Unweighted Frequency	%
0	-	246	5.9 %
1	-	31	0.7 %
97	-	3826	91.2 %
	Missing Data		
.	-	93	2.2 %
	Total	4,196	100%

Based upon 4,103 valid cases out of 4,196 total cases.

- Mean: 90.46
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 24.31

Location: 917-918 (width: 2; decimal: 0)

Variable Type: numeric

H5TR13S3: S15Q13_S3 PTNR ASIAN-FILIPINO-W5

Value	Label	Unweighted Frequency	%
0	-	232	5.5 %
1	-	45	1.1 %
97	-	3826	91.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	93	2.2 %
	Total	4,196	100%

Based upon 4,103 valid cases out of 4,196 total cases.

- Mean: 90.46
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 24.30

Location: 919-920 (width: 2; decimal: 0)

Variable Type: numeric

H5TR13S4: S15Q13_S4 PTNR ASIAN-JAPAN-W5

Value	Label	Unweighted Frequency	%
0	-	254	6.1 %
1	-	23	0.5 %
97	-	3826	91.2 %
	Missing Data		
.	-	93	2.2 %
	Total	4,196	100%

Based upon 4,103 valid cases out of 4,196 total cases.

- Mean: 90.46
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 24.32

Location: 921-922 (width: 2; decimal: 0)

Variable Type: numeric

H5TR13S5: S15Q13_S5 PTNR ASIAN-KOREA-W5

Value	Label	Unweighted Frequency	%
0	-	248	5.9 %
1	-	29	0.7 %
97	-	3826	91.2 %
	Missing Data		
.	-	93	2.2 %
	Total	4,196	100%

Based upon 4,103 valid cases out of 4,196 total cases.

- Mean: 90.46
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 24.31

Location: 923-924 (width: 2; decimal: 0)

Variable Type: numeric

H5TR13S6: S15Q13_S6 PTNR ASIAN-VIETNAMESE-W5

Value	Label	Unweighted Frequency	%
0	-	257	6.1 %
1	-	20	0.5 %
97	-	3826	91.2 %
	Missing Data		
.	-	93	2.2 %
	Total	4,196	100%

Based upon 4,103 valid cases out of 4,196 total cases.

- Mean: 90.46
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 24.32

Location: 925-926 (width: 2; decimal: 0)

Variable Type: numeric

H5TR13S7: S15Q13_S7 PTNR ASIAN-OTHER-W5

Value	Label	Unweighted Frequency	%
0	-	267	6.4 %
1	-	10	0.2 %
97	-	3826	91.2 %
	Missing Data		
.	-	93	2.2 %
	Total	4,196	100%

Based upon 4,103 valid cases out of 4,196 total cases.

- Mean: 90.45
- Median: 97.00
- Mode: 97.00

- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 24.33

Location: 927-928 (width: 2; decimal: 0)

Variable Type: numeric

H5TR13P1: S15Q13_P1 PTNR PACIFIC-NTV HAWAIIAN-W5

Value	Label	Unweighted Frequency	%
0	-	152	3.6 %
1	-	12	0.3 %
97	-	3939	93.9 %
	Missing Data		
.	-	93	2.2 %
	Total	4,196	100%

Based upon 4,103 valid cases out of 4,196 total cases.

- Mean: 93.13
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 18.99

Location: 929-930 (width: 2; decimal: 0)

Variable Type: numeric

H5TR13P2: S15Q13_P2 PTNR PACIFIC-SAMOAN-W5

Value	Label	Unweighted Frequency	%
0	-	161	3.8 %
97	-	3939	93.9 %
	Missing Data		
.	-	96	2.3 %
	Total	4,196	100%

Based upon 4,100 valid cases out of 4,196 total cases.

- Mean: 93.19
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 18.84

Location: 931-932 (width: 2; decimal: 0)

Variable Type: numeric

H5TR13P3: S15Q13_P3 PTNR PACIFIC-GUAM/CHAMR-W5

Value	Label	Unweighted Frequency	%
0	-	162	3.9 %
97	-	3939	93.9 %
	Missing Data		
.	-	95	2.3 %
	Total	4,196	100%

Based upon 4,101 valid cases out of 4,196 total cases.

- Mean: 93.17
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 18.90

Location: 933-934 (width: 2; decimal: 0)

Variable Type: numeric

H5TR13P4: S15Q13_P4 PTNR PACIFIC-OTHER-W5

Value	Label	Unweighted Frequency	%
0	-	164	3.9 %
97	-	3939	93.9 %
	Missing Data		
.	-	93	2.2 %
	Total	4,196	100%

Based upon 4,103 valid cases out of 4,196 total cases.

- Mean: 93.12
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 19.00

Location: 935-936 (width: 2; decimal: 0)

Variable Type: numeric

H5TR14: S15Q14 R SATISFIED W/ SEX LIFE-W5

Value	Label	Unweighted Frequency	%
1	-	1134	27.0 %
2	-	1317	31.4 %
3	-	461	11.0 %

Value	Label	Unweighted Frequency	%
4	-	384	9.2 %
5	-	133	3.2 %
97	-	644	15.3 %
	Missing Data		
.	-	123	2.9 %
	Total	4,196	100%

Based upon 4,073 valid cases out of 4,196 total cases.

- Mean: 17.14
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 34.63

Location: 937-938 (width: 2; decimal: 0)

Variable Type: numeric

H5TR15: S15Q15 R HOW HAPPY IN RELATIONSHIP-W5

Value	Label	Unweighted Frequency	%
1	-	2010	47.9 %
2	-	1186	28.3 %
3	-	245	5.8 %
97	-	644	15.3 %
	Missing Data		
.	-	111	2.6 %
	Total	4,196	100%

Based upon 4,085 valid cases out of 4,196 total cases.

- Mean: 16.54
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 34.82

Location: 939-940 (width: 2; decimal: 0)

Variable Type: numeric

H5TR16: S15Q16 SEX W/ PTNR # TIMES PER MTH-W5

Value	Label	Unweighted Frequency	%
0	-	171	4.1 %
1	-	290	6.9 %

Value	Label	Unweighted Frequency	%
2	-	297	7.1 %
3	-	287	6.8 %
4	-	402	9.6 %
5	-	316	7.5 %
6	-	269	6.4 %
7	-	79	1.9 %
8	-	264	6.3 %
9	-	23	0.5 %
10	-	272	6.5 %
12	-	145	3.5 %
14	-	16	0.4 %
15	-	144	3.4 %
16	-	25	0.6 %
18	-	18	0.4 %
20	-	184	4.4 %
25	-	64	1.5 %
30	-	85	2.0 %
997	-	750	17.9 %
	Missing Data		
.	-	95	2.3 %
	Total	4,196	100%

Based upon 4,101 valid cases out of 4,196 total cases.

- Mean: 188.39
- Median: 7.00
- Mode: 997.00
- Minimum: 0.00
- Maximum: 997.00
- Standard Deviation: 382.64

Location: 941-943 (width: 3; decimal: 0)

Variable Type: numeric

H5TR17: S15Q17 FREQ R/PTNR CONTRACEPTIVE USE-W5

Value	Label	Unweighted Frequency	%
1	-	2042	48.7 %
2	-	154	3.7 %
3	-	22	0.5 %
4	-	138	3.3 %
5	-	1055	25.1 %
97	-	644	15.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	141	3.4 %
	Total	4,196	100%

Based upon 4,055 valid cases out of 4,196 total cases.

- Mean: 17.44
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 34.62

Location: 944-945 (width: 2; decimal: 0)

Variable Type: numeric

H5TR18: S15Q18 CURRENT PLAN FOR CHILD W/PTNR-W5

Value	Label	Unweighted Frequency	%
1	-	2209	52.6 %
2	-	387	9.2 %
3	-	308	7.3 %
4	-	67	1.6 %
5	-	247	5.9 %
6	-	130	3.1 %
97	-	645	15.4 %
	Missing Data		
.	-	203	4.8 %
	Total	4,196	100%

Based upon 3,993 valid cases out of 4,196 total cases.

- Mean: 17.22
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 35.05

Location: 946-947 (width: 2; decimal: 0)

Variable Type: numeric

H5TR19: S15Q19 PTNR HAS CONCURRENT PARTNERS-W5

Value	Label	Unweighted Frequency	%
0	-	3180	75.8 %
1	-	767	18.3 %

Value	Label	Unweighted Frequency	%
97	-	155	3.7 %
	Missing Data		
.	-	94	2.2 %
	Total	4,196	100%

Based upon 4,102 valid cases out of 4,196 total cases.

- Mean: 3.85
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 18.47

Location: 948-949 (width: 2; decimal: 0)

Variable Type: numeric

H5TR20: S15Q20 R HAS CONCURRENT PARTNERS-W5

Value	Label	Unweighted Frequency	%
0	-	3282	78.2 %
1	-	660	15.7 %
97	-	159	3.8 %
	Missing Data		
.	-	95	2.3 %
	Total	4,196	100%

Based upon 4,101 valid cases out of 4,196 total cases.

- Mean: 3.92
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 18.70

Location: 950-951 (width: 2; decimal: 0)

Variable Type: numeric

H5TR21: S15Q21 FREQ PTNR PUSH/SHOVE/THROW R-W5

Value	Label	Unweighted Frequency	%
1	-	3417	81.4 %
2	-	182	4.3 %
3	-	137	3.3 %
4	-	101	2.4 %
5	-	82	2.0 %

Value	Label	Unweighted Frequency	%
6	-	25	0.6 %
7	-	19	0.5 %
97	-	139	3.3 %
	Missing Data		
.	-	94	2.2 %
	Total	4,196	100%

Based upon 4,102 valid cases out of 4,196 total cases.

- Mean: 4.58
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 17.34

Location: 952-953 (width: 2; decimal: 0)

Variable Type: numeric

H5TR22: S15Q22 FREQ PTNR SLAP/HIT/KICK R-W5

Value	Label	Unweighted Frequency	%
1	-	3617	86.2 %
2	-	125	3.0 %
3	-	89	2.1 %
4	-	42	1.0 %
5	-	59	1.4 %
6	-	12	0.3 %
7	-	17	0.4 %
97	-	141	3.4 %
	Missing Data		
.	-	94	2.2 %
	Total	4,196	100%

Based upon 4,102 valid cases out of 4,196 total cases.

- Mean: 4.50
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 17.47

Location: 954-955 (width: 2; decimal: 0)

Variable Type: numeric

H5TR23: S15Q23 FREQ R INJURED BY PARTNER-W5

Value	Label	Unweighted Frequency	%
1	-	3759	89.6 %
2	-	72	1.7 %
3	-	61	1.5 %
4	-	30	0.7 %
5	-	27	0.6 %
97	-	153	3.6 %
	Missing Data		
.	-	94	2.2 %
	Total	4,196	100%

Based upon 4,102 valid cases out of 4,196 total cases.

- Mean: 4.68
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 18.18

Location: 956-957 (width: 2; decimal: 0)

Variable Type: numeric

H5TR24: S15Q24 FREQ PTNR FORCED SEX ON R-W5

Value	Label	Unweighted Frequency	%
1	-	3761	89.6 %
2	-	46	1.1 %
3	-	33	0.8 %
4	-	25	0.6 %
5	-	44	1.0 %
6	-	21	0.5 %
7	-	14	0.3 %
97	-	157	3.7 %
	Missing Data		
.	-	95	2.3 %
	Total	4,196	100%

Based upon 4,101 valid cases out of 4,196 total cases.

- Mean: 4.81
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00

- Maximum: 97.00
- Standard Deviation: 18.41

Location: 958-959 (width: 2; decimal: 0)

Variable Type: numeric

H5TR25: S15Q25 FREQ R PUSH/SHOVE/THROW PTNR-W5

Value	Label	Unweighted Frequency	%
1	-	3638	86.7 %
2	-	119	2.8 %
3	-	83	2.0 %
4	-	55	1.3 %
5	-	41	1.0 %
6	-	16	0.4 %
97	-	150	3.6 %
	Missing Data		
.	-	94	2.2 %
	Total	4,196	100%

Based upon 4,102 valid cases out of 4,196 total cases.

- Mean: 4.68
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 18.00

Location: 960-961 (width: 2; decimal: 0)

Variable Type: numeric

H5TR26: S15Q26 FREQ R SLAP/HIT/KICK PTNR-W5

Value	Label	Unweighted Frequency	%
1	-	3725	88.8 %
2	-	97	2.3 %
3	-	59	1.4 %
4	-	30	0.7 %
5	-	22	0.5 %
6	-	13	0.3 %
97	-	156	3.7 %
	Missing Data		
.	-	94	2.2 %
	Total	4,196	100%

Based upon 4,102 valid cases out of 4,196 total cases.

- Mean: 4.76
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 18.35

Location: 962-963 (width: 2; decimal: 0)

Variable Type: numeric

H5TR27: S15Q27 FREQ PTNR INJURED BY R-W5

Value	Label	Unweighted Frequency	%
1	-	3857	91.9 %
2	-	36	0.9 %
3	-	37	0.9 %
4	-	26	0.6 %
97	-	146	3.5 %
	Missing Data		
.	-	94	2.2 %
	Total	4,196	100%

Based upon 4,102 valid cases out of 4,196 total cases.

- Mean: 4.46
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 17.78

Location: 964-965 (width: 2; decimal: 0)

Variable Type: numeric

H5TR28: S15Q28 FREQ R FORCED SEX ON PTNR-W5

Value	Label	Unweighted Frequency	%
1	-	3862	92.0 %
2	-	18	0.4 %
3	-	30	0.7 %
4	-	13	0.3 %
5	-	15	0.4 %
6	-	16	0.4 %
97	-	148	3.5 %
	Missing Data		
.	-	94	2.2 %

Value	Label	Unweighted Frequency	%
	Total	4,196	100%

Based upon 4,102 valid cases out of 4,196 total cases.

- Mean: 4.53
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 17.90

Location: 966-967 (width: 2; decimal: 0)

Variable Type: numeric

H5PG1: S16Q1 R/PTNR EVR TROUBLE GET PREG-W5

Value	Label	Unweighted Frequency	%
1	-	712	17.0 %
2	-	2321	55.3 %
3	-	1041	24.8 %
	Missing Data		
.	-	122	2.9 %
	Total	4,196	100%

Based upon 4,074 valid cases out of 4,196 total cases.

- Mean: 2.08
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.65

Location: 968-968 (width: 1; decimal: 0)

Variable Type: numeric

H5PG2: S16Q2 R/PTNR EVER PREGNANT-W5

Value	Label	Unweighted Frequency	%
1	-	1827	43.5 %
2	-	1198	28.6 %
3	-	1046	24.9 %
	Missing Data		
.	-	125	3.0 %
	Total	4,196	100%

Based upon 4,071 valid cases out of 4,196 total cases.

- Mean: 1.81
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.82

Location: 969-969 (width: 1; decimal: 0)

Variable Type: numeric

H5PG3A: S16Q3A R ILL IN PREG-HYPERTNSN-W5

Value	Label	Unweighted Frequency	%
0	-	1482	35.3 %
1	-	339	8.1 %
97	-	2260	53.9 %
	Missing Data		
.	-	115	2.7 %
	Total	4,196	100%

Based upon 4,081 valid cases out of 4,196 total cases.

- Mean: 53.80
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 48.13

Location: 970-971 (width: 2; decimal: 0)

Variable Type: numeric

H5PG3B: S16Q3B R ILL IN PREG-PRCLMPSIA/TXMIA-W5

Value	Label	Unweighted Frequency	%
0	-	1612	38.4 %
1	-	208	5.0 %
97	-	2261	53.9 %
	Missing Data		
.	-	115	2.7 %
	Total	4,196	100%

Based upon 4,081 valid cases out of 4,196 total cases.

- Mean: 53.79
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00

- Standard Deviation: 48.17

Location: 972-973 (width: 2; decimal: 0)

Variable Type: numeric

H5PG3C: S16Q3C R ILL IN PREG-PROT IN URINE-W5

Value	Label	Unweighted Frequency	%
0	-	1627	38.8 %
1	-	191	4.6 %
97	-	2261	53.9 %
	Missing Data		
.	-	117	2.8 %
	Total	4,196	100%

Based upon 4,079 valid cases out of 4,196 total cases.

- Mean: 53.81
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 48.17

Location: 974-975 (width: 2; decimal: 0)

Variable Type: numeric

H5PG3D: S16Q3D R ILL IN PREG-SEIZURE-W5

Value	Label	Unweighted Frequency	%
0	-	1791	42.7 %
1	-	21	0.5 %
97	-	2262	53.9 %
	Missing Data		
.	-	122	2.9 %
	Total	4,196	100%

Based upon 4,074 valid cases out of 4,196 total cases.

- Mean: 53.86
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 48.20

Location: 976-977 (width: 2; decimal: 0)

Variable Type: numeric

H5PG3E: S16Q3E R ILL IN PREG-DIABETES-W5

Value	Label	Unweighted Frequency	%
0	-	1627	38.8 %
1	-	187	4.5 %
97	-	2261	53.9 %
	Missing Data		
.	-	121	2.9 %
	Total	4,196	100%

Based upon 4,075 valid cases out of 4,196 total cases.

- Mean: 53.87
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 48.16

Location: 978-979 (width: 2; decimal: 0)

Variable Type: numeric

H5PG4: S16Q4 # PREGNCIES IN ILLNESS-W5

Value	Label	Unweighted Frequency	%
1	-	346	8.2 %
2	-	155	3.7 %
3	-	35	0.8 %
4	-	19	0.5 %
997	-	3532	84.2 %
	Missing Data		
.	-	109	2.6 %
	Total	4,196	100%

Based upon 4,087 valid cases out of 4,196 total cases.

- Mean: 861.82
- Median: 997.00
- Mode: 997.00
- Minimum: 1.00
- Maximum: 997.00
- Standard Deviation: 341.07

Location: 980-982 (width: 3; decimal: 0)

Variable Type: numeric

H5PG5: S16Q5 R CURRENT PREGNANT-W5

Value	Label	Unweighted Frequency	%
0	-	2888	68.8 %
1	-	112	2.7 %
97	-	1066	25.4 %
98	-	28	0.7 %
	Missing Data		
.	-	102	2.4 %
	Total	4,196	100%

Based upon 4,094 valid cases out of 4,196 total cases.

- Mean: 25.95
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 98.00
- Standard Deviation: 42.92

Location: 983-984 (width: 2; decimal: 0)

Variable Type: numeric

H5PG6M: S16Q6_M CURRENT PREGNANCY DUE-MTH-W5

Value	Label	Unweighted Frequency	%
1	-	18	0.4 %
4	-	19	0.5 %
7	-	26	0.6 %
10	-	46	1.1 %
997	-	3980	94.9 %
	Missing Data		
.	-	107	2.6 %
	Total	4,196	100%

Based upon 4,089 valid cases out of 4,196 total cases.

- Mean: 970.60
- Median: 997.00
- Mode: 997.00
- Minimum: 1.00
- Maximum: 997.00
- Standard Deviation: 159.53

Location: 985-987 (width: 3; decimal: 0)

Variable Type: numeric

H5PG6Y: S16Q6_Y CURRENT PREGNANCY DUE-YEAR-W5

Value	Label	Unweighted Frequency	%
2016	-	30	0.7 %
2017	-	47	1.1 %
2018	-	33	0.8 %
99997	-	3980	94.9 %
	Missing Data		
.	-	106	2.5 %
	Total	4,196	100%

Based upon 4,090 valid cases out of 4,196 total cases.

- Mean: 97361.84
- Median: 99997.00
- Mode: 99997.00
- Minimum: 2016.00
- Maximum: 99997.00
- Standard Deviation: 15852.76

Location: 988-992 (width: 5; decimal: 0)

Variable Type: numeric

H5PG7: S16Q7 # LIVE BIRTH FRM PREGNANCY-W5

Value	Label	Unweighted Frequency	%
0	-	210	5.0 %
1	-	711	16.9 %
2	-	1148	27.4 %
3	-	579	13.8 %
4	-	212	5.1 %
5	-	51	1.2 %
6	-	26	0.6 %
995	-	147	3.5 %
997	-	1035	24.7 %
	Missing Data		
.	-	77	1.8 %
	Total	4,196	100%

Based upon 4,119 valid cases out of 4,196 total cases.

- Mean: 287.49
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 997.00
- Standard Deviation: 450.01

Location: 993-995 (width: 3; decimal: 0)

Variable Type: numeric

H5PG81: S16Q81 SINGLE/TWIN/OTHR BTH-KID1-W5

Value	Label	Unweighted Frequency	%
1	-	2762	65.8 %
2	-	41	1.0 %
3	-	2	0.0 %
97	-	1284	30.6 %
	Missing Data		
.	-	107	2.6 %
	Total	4,196	100%

Based upon 4,089 valid cases out of 4,196 total cases.

- Mean: 31.16
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 44.55

Location: 996-997 (width: 2; decimal: 0)

Variable Type: numeric

H5PG91: S16Q91 C-SECTION/VAGINAL-KID1-W5

Value	Label	Unweighted Frequency	%
1	-	799	19.0 %
2	-	1997	47.6 %
97	-	1284	30.6 %
	Missing Data		
.	-	116	2.8 %
	Total	4,196	100%

Based upon 4,080 valid cases out of 4,196 total cases.

- Mean: 31.70
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 44.26

Location: 998-999 (width: 2; decimal: 0)

Variable Type: numeric

H5PG10Y1: S16Q10Y1 BIRTHDAY-YEAR-KID1-W5

Value	Label	Unweighted Frequency	%
1994	-	23	0.5 %
1995	-	25	0.6 %
1996	-	72	1.7 %
1997	-	82	2.0 %
1998	-	119	2.8 %
1999	-	140	3.3 %
2000	-	145	3.5 %
2001	-	139	3.3 %
2002	-	128	3.1 %
2003	-	153	3.6 %
2004	-	137	3.3 %
2005	-	156	3.7 %
2006	-	147	3.5 %
2007	-	144	3.4 %
2008	-	143	3.4 %
2009	-	131	3.1 %
2010	-	135	3.2 %
2011	-	108	2.6 %
2012	-	143	3.4 %
2013	-	95	2.3 %
2014	-	90	2.1 %
2015	-	65	1.5 %
2016	-	60	1.4 %
2017	-	33	0.8 %
2018	-	14	0.3 %
	Missing Data		
.	-	1569	37.4 %
	Total	4,196	100%

Based upon 2,627 valid cases out of 4,196 total cases.

- Mean: 2005.60
- Median: 2005.00
- Mode: 2005.00
- Minimum: 1994.00
- Maximum: 2018.00
- Standard Deviation: 5.74

Location: 1000-1003 (width: 4; decimal: 0)

Variable Type: numeric

H5PG111: S16Q111 BORN IN US-KID1-W5

Value	Label	Unweighted Frequency	%
0	-	17	0.4 %
1	-	2786	66.4 %
97	-	1283	30.6 %
	Missing Data		
.	-	110	2.6 %
	Total	4,196	100%

Based upon 4,086 valid cases out of 4,196 total cases.

- Mean: 31.14
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 44.56

Location: 1004-1005 (width: 2; decimal: 0)

Variable Type: numeric

H5PG121: S16Q121 BABY BOY OR GIRL-KID1-W5

Value	Label	Unweighted Frequency	%
1	-	1393	33.2 %
2	-	1401	33.4 %
97	-	1284	30.6 %
	Missing Data		
.	-	118	2.8 %
	Total	4,196	100%

Based upon 4,078 valid cases out of 4,196 total cases.

- Mean: 31.57
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 44.36

Location: 1006-1007 (width: 2; decimal: 0)

Variable Type: numeric

H5PG13L1: S16Q13L1 BABY BIRTH WEIGHT-LBS-KID1-W5

Value	Label	Unweighted Frequency	%
2	-	27	0.6 %
3	-	26	0.6 %
4	-	43	1.0 %

Value	Label	Unweighted Frequency	%
5	-	129	3.1 %
6	-	373	8.9 %
7	-	703	16.8 %
8	-	735	17.5 %
9	-	273	6.5 %
10	-	84	2.0 %
11	-	8	0.2 %
997	-	1284	30.6 %
998	-	344	8.2 %
	Missing Data		
.	-	167	4.0 %
	Total	4,196	100%

Based upon 4,029 valid cases out of 4,196 total cases.

- Mean: 407.26
- Median: 8.00
- Mode: 997.00
- Minimum: 2.00
- Maximum: 998.00
- Standard Deviation: 485.85

Location: 1008-1010 (width: 3; decimal: 0)

Variable Type: numeric

H5PG141: S16Q141 BABY BIRTH WGT<5.5 LBS-KID1-W5

Value	Label	Unweighted Frequency	%
0	-	386	9.2 %
1	-	32	0.8 %
97	-	3669	87.4 %
	Missing Data		
.	-	109	2.6 %
	Total	4,196	100%

Based upon 4,087 valid cases out of 4,196 total cases.

- Mean: 87.09
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 29.37

Location: 1011-1012 (width: 2; decimal: 0)

Variable Type: numeric

H5PG151: S16Q151 PRETERM BIRTH-KID1-W5

Value	Label	Unweighted Frequency	%
0	-	2388	56.9 %
1	-	371	8.8 %
97	-	1283	30.6 %
98	-	33	0.8 %
	Missing Data		
.	-	121	2.9 %
	Total	4,196	100%

Based upon 4,075 valid cases out of 4,196 total cases.

- Mean: 31.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 98.00
- Standard Deviation: 45.31

Location: 1013-1014 (width: 2; decimal: 0)

Variable Type: numeric

H5PG161: S16Q161 BABY STAY HOSP/NICU-KID1-W5

Value	Label	Unweighted Frequency	%
1	-	298	7.1 %
2	-	2467	58.8 %
3	-	22	0.5 %
97	-	1283	30.6 %
	Missing Data		
.	-	126	3.0 %
	Total	4,196	100%

Based upon 4,070 valid cases out of 4,196 total cases.

- Mean: 31.88
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 44.19

Location: 1015-1016 (width: 2; decimal: 0)

Variable Type: numeric

H5PG171: S16Q171 BABY WENT HOME W/ R-KID1-W5

Value	Label	Unweighted Frequency	%
0	-	45	1.1 %
1	-	2743	65.4 %
97	-	1283	30.6 %
	Missing Data		
.	-	125	3.0 %
	Total	4,196	100%

Based upon 4,071 valid cases out of 4,196 total cases.

- Mean: 31.24
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 44.61

Location: 1017-1018 (width: 2; decimal: 0)

Variable Type: numeric

H5PG181: S16Q181 WHY BABY NOT GO HOME-KID1-W5

Value	Label	Unweighted Frequency	%
1	-	5	0.1 %
2	-	10	0.2 %
3	-	25	0.6 %
4	-	2	0.0 %
5	-	1	0.0 %
97	-	4030	96.0 %
	Missing Data		
.	-	123	2.9 %
	Total	4,196	100%

Based upon 4,073 valid cases out of 4,196 total cases.

- Mean: 96.00
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 9.65

Location: 1019-1020 (width: 2; decimal: 0)

Variable Type: numeric

H5PG191: S16Q191 R WANT A BABY B/F PREG-KID1-W5

Value	Label	Unweighted Frequency	%
0	-	792	18.9 %
1	-	1997	47.6 %
97	-	1284	30.6 %
	Missing Data		
.	-	123	2.9 %
	Total	4,196	100%

Based upon 4,073 valid cases out of 4,196 total cases.

- Mean: 31.07
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 44.74

Location: 1021-1022 (width: 2; decimal: 0)

Variable Type: numeric

H5PG201: S16Q201 BIRTH CONTROL B/F PREG-KID1-W5

Value	Label	Unweighted Frequency	%
0	-	2135	50.9 %
1	-	646	15.4 %
97	-	1283	30.6 %
	Missing Data		
.	-	132	3.1 %
	Total	4,196	100%

Based upon 4,064 valid cases out of 4,196 total cases.

- Mean: 30.78
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 44.98

Location: 1023-1024 (width: 2; decimal: 0)

Variable Type: numeric

H5PG211: S16Q211 PREG PTNR REL AT BIRTH-KID1-W5

Value	Label	Unweighted Frequency	%
1	-	1469	35.0 %
2	-	605	14.4 %
3	-	442	10.5 %

Value	Label	Unweighted Frequency	%
4	-	143	3.4 %
5	-	84	2.0 %
6	-	24	0.6 %
7	-	29	0.7 %
97	-	1284	30.6 %
	Missing Data		
.	-	116	2.8 %
	Total	4,196	100%

Based upon 4,080 valid cases out of 4,196 total cases.

- Mean: 31.84
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 44.18

Location: 1025-1026 (width: 2; decimal: 0)

Variable Type: numeric

H5PG221: S16Q221 PREG PTNR MOST RECENT-KID1-W5

Value	Label	Unweighted Frequency	%
0	-	1092	26.0 %
1	-	1705	40.6 %
97	-	1283	30.6 %
	Missing Data		
.	-	116	2.8 %
	Total	4,196	100%

Based upon 4,080 valid cases out of 4,196 total cases.

- Mean: 30.92
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 44.76

Location: 1027-1028 (width: 2; decimal: 0)

Variable Type: numeric

H5PG231: S16Q231 # CIGARETTE DUR PREG-KID1-W5

Value	Label	Unweighted Frequency	%
1	-	2439	58.1 %

Value	Label	Unweighted Frequency	%
2	-	111	2.6 %
3	-	69	1.6 %
4	-	111	2.6 %
5	-	53	1.3 %
6	-	10	0.2 %
7	-	5	0.1 %
97	-	1283	30.6 %
	Missing Data		
.	-	115	2.7 %
	Total	4,196	100%

Based upon 4,081 valid cases out of 4,196 total cases.

- Mean: 31.40
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 44.44

Location: 1029-1030 (width: 2; decimal: 0)

Variable Type: numeric

H5PG241: S16Q241 PRENATAL VISIT DUR PREG-KID1-W5

Value	Label	Unweighted Frequency	%
0	-	71	1.7 %
1	-	2720	64.8 %
97	-	1283	30.6 %
	Missing Data		
.	-	122	2.9 %
	Total	4,196	100%

Based upon 4,074 valid cases out of 4,196 total cases.

- Mean: 31.22
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 44.61

Location: 1031-1032 (width: 2; decimal: 0)

Variable Type: numeric

H5PG251: S16Q251 WKS 1ST PRENATAL VISIT-KID1-W5

Value	Label	Unweighted Frequency	%
1	-	12	0.3 %
2	-	36	0.9 %
3	-	34	0.8 %
4	-	485	11.6 %
5	-	184	4.4 %
6	-	606	14.4 %
7	-	88	2.1 %
8	-	548	13.1 %
9	-	72	1.7 %
10	-	115	2.7 %
11	-	14	0.3 %
12	-	178	4.2 %
13	-	11	0.3 %
14	-	13	0.3 %
15	-	10	0.2 %
16	-	25	0.6 %
20	-	40	1.0 %
25	-	12	0.3 %
30	-	9	0.2 %
35	-	8	0.2 %
40	-	7	0.2 %
997	-	1375	32.8 %
	Missing Data		
.	-	314	7.5 %
	Total	4,196	100%

Based upon 3,882 valid cases out of 4,196 total cases.

- Mean: 357.92
- Median: 8.00
- Mode: 997.00
- Minimum: 1.00
- Maximum: 997.00
- Standard Deviation: 473.37

Location: 1033-1035 (width: 3; decimal: 0)

Variable Type: numeric

H5PG261: S16Q261 STILL LIVING-KID1-W5

Value	Label	Unweighted Frequency	%
0	-	15	0.4 %
1	-	2772	66.1 %

Value	Label	Unweighted Frequency	%
97	-	1283	30.6 %
98	-	3	0.1 %
	Missing Data		
.	-	123	2.9 %
	Total	4,196	100%

Based upon 4,073 valid cases out of 4,196 total cases.

- Mean: 31.31
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 98.00
- Standard Deviation: 44.63

Location: 1036-1037 (width: 2; decimal: 0)

Variable Type: numeric

H5PG27Y1: S16Q27Y1 YEAR DIED-KID1-W5

Value	Label	Unweighted Frequency	%
2000	-	4	0.1 %
2005	-	9	0.2 %
2010	-	5	0.1 %
2015	-	2	0.0 %
99997	-	4070	97.0 %
	Missing Data		
.	-	106	2.5 %
	Total	4,196	100%

Based upon 4,090 valid cases out of 4,196 total cases.

- Mean: 99517.83
- Median: 99997.00
- Mode: 99997.00
- Minimum: 2000.00
- Maximum: 99997.00
- Standard Deviation: 6836.39

Location: 1038-1042 (width: 5; decimal: 0)

Variable Type: numeric

H5PG281: S16Q281 HOW GOOD HEALTH-KID1-W5

Value	Label	Unweighted Frequency	%
1	-	1834	43.7 %
2	-	735	17.5 %

Value	Label	Unweighted Frequency	%
3	-	171	4.1 %
4	-	24	0.6 %
5	-	1	0.0 %
97	-	1313	31.3 %
	Missing Data		
.	-	118	2.8 %
	Total	4,196	100%

Based upon 4,078 valid cases out of 4,196 total cases.

- Mean: 32.19
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 44.67

Location: 1043-1044 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29A1: S16Q29A1 HEAR PROB/DEAF-KID1-W5

Value	Label	Unweighted Frequency	%
0	-	2757	65.7 %
1	-	41	1.0 %
97	-	1283	30.6 %
	Missing Data		
.	-	115	2.7 %
	Total	4,196	100%

Based upon 4,081 valid cases out of 4,196 total cases.

- Mean: 30.51
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 45.03

Location: 1045-1046 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29B1: S16Q29B1 HAS SPEECH PROB-KID1-W5

Value	Label	Unweighted Frequency	%
0	-	2653	63.2 %
1	-	145	3.5 %

Value	Label	Unweighted Frequency	%
97	-	1283	30.6 %
	Missing Data		
.	-	115	2.7 %
	Total	4,196	100%

Based upon 4,081 valid cases out of 4,196 total cases.

- Mean: 30.53
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 45.02

Location: 1047-1048 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29C1: S16Q29C1 HAS SIGHT PROB-KID1-W5

Value	Label	Unweighted Frequency	%
0	-	2683	63.9 %
1	-	115	2.7 %
97	-	1283	30.6 %
	Missing Data		
.	-	115	2.7 %
	Total	4,196	100%

Based upon 4,081 valid cases out of 4,196 total cases.

- Mean: 30.52
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 45.02

Location: 1049-1050 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29D1: S16Q29D1 LEARN DELAY/SLOW-KID1-W5

Value	Label	Unweighted Frequency	%
0	-	2689	64.1 %
1	-	109	2.6 %
97	-	1283	30.6 %
	Missing Data		
.	-	115	2.7 %

Value	Label	Unweighted Frequency	%
	Total	4,196	100%

Based upon 4,081 valid cases out of 4,196 total cases.

- Mean: 30.52
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 45.02

Location: 1051-1052 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29E1: S16Q29E1 ALLRGY/HAY FEVER-KID1-W5

Value	Label	Unweighted Frequency	%
0	-	2352	56.1 %
1	-	446	10.6 %
97	-	1283	30.6 %
	Missing Data		
.	-	115	2.7 %
	Total	4,196	100%

Based upon 4,081 valid cases out of 4,196 total cases.

- Mean: 30.60
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 44.97

Location: 1053-1054 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29F1: S16Q29F1 HAS ASTHMA-KID1-W5

Value	Label	Unweighted Frequency	%
0	-	2478	59.1 %
1	-	320	7.6 %
97	-	1283	30.6 %
	Missing Data		
.	-	115	2.7 %
	Total	4,196	100%

Based upon 4,081 valid cases out of 4,196 total cases.

- Mean: 30.57
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 44.99

Location: 1055-1056 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29G1: S16Q29G1 OTHR RESP CON-KID1-W5

Value	Label	Unweighted Frequency	%
0	-	2778	66.2 %
1	-	20	0.5 %
97	-	1283	30.6 %
	Missing Data		
.	-	115	2.7 %
	Total	4,196	100%

Based upon 4,081 valid cases out of 4,196 total cases.

- Mean: 30.50
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 45.04

Location: 1057-1058 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29H1: S16Q29H1 CHRONC HEART CON-KID1-W5

Value	Label	Unweighted Frequency	%
0	-	2773	66.1 %
1	-	25	0.6 %
97	-	1283	30.6 %
	Missing Data		
.	-	115	2.7 %
	Total	4,196	100%

Based upon 4,081 valid cases out of 4,196 total cases.

- Mean: 30.50
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00

- Standard Deviation: 45.04

Location: 1059-1060 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29J1: S16Q29J1 CONVULS/SEIZURE-KID1-W5

Value	Label	Unweighted Frequency	%
0	-	2779	66.2 %
1	-	19	0.5 %
97	-	1283	30.6 %
	Missing Data		
.	-	115	2.7 %
	Total	4,196	100%

Based upon 4,081 valid cases out of 4,196 total cases.

- Mean: 30.50
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 45.04

Location: 1061-1062 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29K1: S16Q29K1 BONE/JOINT PROB-KID1-W5

Value	Label	Unweighted Frequency	%
0	-	2795	66.6 %
1	-	3	0.1 %
97	-	1283	30.6 %
	Missing Data		
.	-	115	2.7 %
	Total	4,196	100%

Based upon 4,081 valid cases out of 4,196 total cases.

- Mean: 30.50
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 45.04

Location: 1063-1064 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29Q1: S16Q29Q1 HAS OBESITY-KID1-W5

Value	Label	Unweighted Frequency	%
0	-	2757	65.7 %
1	-	41	1.0 %
97	-	1283	30.6 %
	Missing Data		
.	-	115	2.7 %
	Total	4,196	100%

Based upon 4,081 valid cases out of 4,196 total cases.

- Mean: 30.51
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 45.03

Location: 1065-1066 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29R1: S16Q29R1 HAS DIABETES-KID1-W5

Value	Label	Unweighted Frequency	%
0	-	2792	66.5 %
1	-	6	0.1 %
97	-	1283	30.6 %
	Missing Data		
.	-	115	2.7 %
	Total	4,196	100%

Based upon 4,081 valid cases out of 4,196 total cases.

- Mean: 30.50
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 45.04

Location: 1067-1068 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29S1: S16Q29S1 HAS ADHD-KID1-W5

Value	Label	Unweighted Frequency	%
0	-	2590	61.7 %

Value	Label	Unweighted Frequency	%
1	-	208	5.0 %
97	-	1283	30.6 %
	Missing Data		
.	-	115	2.7 %
	Total	4,196	100%

Based upon 4,081 valid cases out of 4,196 total cases.

- Mean: 30.55
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 45.01

Location: 1069-1070 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29T1: S16Q29T1 OTHER CONDITIONS-KID1-W5

Value	Label	Unweighted Frequency	%
0	-	2558	61.0 %
1	-	240	5.7 %
97	-	1283	30.6 %
	Missing Data		
.	-	115	2.7 %
	Total	4,196	100%

Based upon 4,081 valid cases out of 4,196 total cases.

- Mean: 30.55
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 45.00

Location: 1071-1072 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29U1: S16Q29U1 HAS NONE ABOVE-KID1-W5

Value	Label	Unweighted Frequency	%
0	-	1159	27.6 %
1	-	1639	39.1 %
97	-	1283	30.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	115	2.7 %
	Total	4,196	100%

Based upon 4,081 valid cases out of 4,196 total cases.

- Mean: 30.90
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 44.77

Location: 1073-1074 (width: 2; decimal: 0)

Variable Type: numeric

H5PG82: S16Q82 SINGLE/TWIN/OTHR BTH-KID2-W5

Value	Label	Unweighted Frequency	%
1	-	1985	47.3 %
2	-	77	1.8 %
3	-	3	0.1 %
97	-	2022	48.2 %
	Missing Data		
.	-	109	2.6 %
	Total	4,196	100%

Based upon 4,087 valid cases out of 4,196 total cases.

- Mean: 48.52
- Median: 2.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 47.98

Location: 1075-1076 (width: 2; decimal: 0)

Variable Type: numeric

H5PG92: S16Q92 C-SECTION/VAGINAL-KID2-W5

Value	Label	Unweighted Frequency	%
1	-	652	15.5 %
2	-	1409	33.6 %
97	-	2024	48.2 %
	Missing Data		
.	-	111	2.6 %
	Total	4,196	100%

Based upon 4,085 valid cases out of 4,196 total cases.

- Mean: 48.91
- Median: 2.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 47.66

Location: 1077-1078 (width: 2; decimal: 0)

Variable Type: numeric

H5PG10Y2: S16Q10Y1 BIRTHDAY-YEAR-KID2-W5

Value	Label	Unweighted Frequency	%
1997	-	27	0.6 %
1998	-	23	0.5 %
1999	-	38	0.9 %
2000	-	53	1.3 %
2001	-	70	1.7 %
2002	-	87	2.1 %
2003	-	102	2.4 %
2004	-	95	2.3 %
2005	-	100	2.4 %
2006	-	132	3.1 %
2007	-	119	2.8 %
2008	-	111	2.6 %
2009	-	119	2.8 %
2010	-	136	3.2 %
2011	-	128	3.1 %
2012	-	122	2.9 %
2013	-	109	2.6 %
2014	-	119	2.8 %
2015	-	87	2.1 %
2016	-	103	2.5 %
2017	-	34	0.8 %
2018	-	13	0.3 %
	Missing Data		
.	-	2269	54.1 %
	Total	4,196	100%

Based upon 1,927 valid cases out of 4,196 total cases.

- Mean: 2008.27
- Median: 2009.00

- Mode: 2010.00
- Minimum: 1997.00
- Maximum: 2018.00
- Standard Deviation: 5.08

Location: 1079-1082 (width: 4; decimal: 0)

Variable Type: numeric

H5PG112: S16Q112 BORN IN US-KID2-W5

Value	Label	Unweighted Frequency	%
0	-	8	0.2 %
1	-	2054	49.0 %
97	-	2022	48.2 %
	Missing Data		
.	-	112	2.7 %
	Total	4,196	100%

Based upon 4,084 valid cases out of 4,196 total cases.

- Mean: 48.53
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 48.01

Location: 1083-1084 (width: 2; decimal: 0)

Variable Type: numeric

H5PG122: S16Q122 BABY BOY OR GIRL-KID2-W5

Value	Label	Unweighted Frequency	%
1	-	1012	24.1 %
2	-	1049	25.0 %
97	-	2022	48.2 %
	Missing Data		
.	-	113	2.7 %
	Total	4,196	100%

Based upon 4,083 valid cases out of 4,196 total cases.

- Mean: 48.80
- Median: 2.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 47.75

Location: 1085-1086 (width: 2; decimal: 0)

Variable Type: numeric

H5PG13L2: S16Q13L2 BABY BIRTH WEIGHT-LBS-KID2-W5

Value	Label	Unweighted Frequency	%
2	-	16	0.4 %
3	-	22	0.5 %
4	-	34	0.8 %
5	-	82	2.0 %
6	-	240	5.7 %
7	-	502	12.0 %
8	-	530	12.6 %
9	-	221	5.3 %
10	-	78	1.9 %
997	-	2022	48.2 %
998	-	293	7.0 %
	Missing Data		
.	-	156	3.7 %
	Total	4,196	100%

Based upon 4,040 valid cases out of 4,196 total cases.

- Mean: 574.49
- Median: 997.00
- Mode: 997.00
- Minimum: 2.00
- Maximum: 998.00
- Standard Deviation: 489.66

Location: 1087-1089 (width: 3; decimal: 0)

Variable Type: numeric

H5PG142: S16Q142 BABY BIRTH WGT<5.5 LBS-KID2-W5

Value	Label	Unweighted Frequency	%
0	-	315	7.5 %
1	-	35	0.8 %
97	-	3740	89.1 %
	Missing Data		
.	-	106	2.5 %
	Total	4,196	100%

Based upon 4,090 valid cases out of 4,196 total cases.

- Mean: 88.71
- Median: 97.00

- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 27.11

Location: 1090-1091 (width: 2; decimal: 0)

Variable Type: numeric

H5PG152: S16Q152 PRETERM BIRTH-KID2-W5

Value	Label	Unweighted Frequency	%
0	-	1764	42.0 %
1	-	279	6.6 %
97	-	2021	48.2 %
98	-	19	0.5 %
	Missing Data		
.	-	113	2.7 %
	Total	4,196	100%

Based upon 4,083 valid cases out of 4,196 total cases.

- Mean: 48.54
- Median: 1.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 98.00
- Standard Deviation: 48.44

Location: 1092-1093 (width: 2; decimal: 0)

Variable Type: numeric

H5PG162: S16Q162 BABY STAY HOSP/NICU-KID2-W5

Value	Label	Unweighted Frequency	%
1	-	186	4.4 %
2	-	1842	43.9 %
3	-	27	0.6 %
97	-	2021	48.2 %
	Missing Data		
.	-	120	2.9 %
	Total	4,196	100%

Based upon 4,076 valid cases out of 4,196 total cases.

- Mean: 49.06
- Median: 3.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00

- Standard Deviation: 47.54

Location: 1094-1095 (width: 2; decimal: 0)

Variable Type: numeric

H5PG172: S16Q172 BABY WENT HOME W/ R-KID2-W5

Value	Label	Unweighted Frequency	%
0	-	29	0.7 %
1	-	2034	48.5 %
97	-	2021	48.2 %
	Missing Data		
.	-	112	2.7 %
	Total	4,196	100%

Based upon 4,084 valid cases out of 4,196 total cases.

- Mean: 48.50
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 48.01

Location: 1096-1097 (width: 2; decimal: 0)

Variable Type: numeric

H5PG182: S16Q182 WHY BABY NOT GO HOME-KID2-W5

Value	Label	Unweighted Frequency	%
1	-	2	0.0 %
2	-	13	0.3 %
3	-	8	0.2 %
4	-	1	0.0 %
5	-	3	0.1 %
97	-	4056	96.7 %
	Missing Data		
.	-	113	2.7 %
	Total	4,196	100%

Based upon 4,083 valid cases out of 4,196 total cases.

- Mean: 96.38
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 7.65

Location: 1098-1099 (width: 2; decimal: 0)

Variable Type: numeric

H5PG192: S16Q192 R WANT A BABY B/F PREG-KID2-W5

Value	Label	Unweighted Frequency	%
0	-	421	10.0 %
1	-	1635	39.0 %
97	-	2026	48.3 %
	Missing Data		
.	-	114	2.7 %
	Total	4,196	100%

Based upon 4,082 valid cases out of 4,196 total cases.

- Mean: 48.54
- Median: 1.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 48.11

Location: 1100-1101 (width: 2; decimal: 0)

Variable Type: numeric

H5PG202: S16Q202 BIRTH CONTROL B/F PREG-KID2-W5

Value	Label	Unweighted Frequency	%
0	-	1653	39.4 %
1	-	401	9.6 %
97	-	2021	48.2 %
	Missing Data		
.	-	121	2.9 %
	Total	4,196	100%

Based upon 4,075 valid cases out of 4,196 total cases.

- Mean: 48.21
- Median: 1.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 48.41

Location: 1102-1103 (width: 2; decimal: 0)

Variable Type: numeric

H5PG212: S16Q212 PREG PTNR REL AT BIRTH-KID2-W5

Value	Label	Unweighted Frequency	%
1	-	1430	34.1 %
2	-	391	9.3 %
3	-	134	3.2 %
4	-	56	1.3 %
5	-	27	0.6 %
6	-	11	0.3 %
7	-	14	0.3 %
97	-	2022	48.2 %
	Missing Data		
.	-	111	2.6 %
	Total	4,196	100%

Based upon 4,085 valid cases out of 4,196 total cases.

- Mean: 48.78
- Median: 6.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 47.75

Location: 1104-1105 (width: 2; decimal: 0)

Variable Type: numeric

H5PG222: S16Q222 PREG PTNR MOST RECENT-KID2-W5

Value	Label	Unweighted Frequency	%
0	-	598	14.3 %
1	-	1469	35.0 %
97	-	2021	48.2 %
	Missing Data		
.	-	108	2.6 %
	Total	4,196	100%

Based upon 4,088 valid cases out of 4,196 total cases.

- Mean: 48.31
- Median: 1.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 48.15

Location: 1106-1107 (width: 2; decimal: 0)

Variable Type: numeric

H5PG232: S16Q232 # CIGARETTE DUR PREG-KID2-W5

Value	Label	Unweighted Frequency	%
1	-	1804	43.0 %
2	-	70	1.7 %
3	-	57	1.4 %
4	-	88	2.1 %
5	-	35	0.8 %
6	-	4	0.1 %
7	-	5	0.1 %
97	-	2022	48.2 %
	Missing Data		
.	-	111	2.6 %
	Total	4,196	100%

Based upon 4,085 valid cases out of 4,196 total cases.

- Mean: 48.67
- Median: 5.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 47.85

Location: 1108-1109 (width: 2; decimal: 0)

Variable Type: numeric

H5PG242: S16Q242 PRENATAL VISIT DUR PREG-KID2-W5

Value	Label	Unweighted Frequency	%
0	-	47	1.1 %
1	-	2014	48.0 %
97	-	2021	48.2 %
	Missing Data		
.	-	114	2.7 %
	Total	4,196	100%

Based upon 4,082 valid cases out of 4,196 total cases.

- Mean: 48.52
- Median: 1.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 48.02

Location: 1110-1111 (width: 2; decimal: 0)

Variable Type: numeric

H5PG252: S16Q252 WKS 1ST PRENATAL VISIT-KID2-W5

Value	Label	Unweighted Frequency	%
1	-	8	0.2 %
2	-	21	0.5 %
3	-	32	0.8 %
4	-	401	9.6 %
5	-	147	3.5 %
6	-	447	10.7 %
7	-	70	1.7 %
8	-	399	9.5 %
9	-	51	1.2 %
10	-	99	2.4 %
11	-	12	0.3 %
12	-	115	2.7 %
13	-	3	0.1 %
14	-	9	0.2 %
15	-	3	0.1 %
16	-	15	0.4 %
20	-	22	0.5 %
25	-	5	0.1 %
30	-	4	0.1 %
35	-	1	0.0 %
40	-	6	0.1 %
997	-	2082	49.6 %
	Missing Data		
.	-	244	5.8 %
	Total	4,196	100%

Based upon 3,952 valid cases out of 4,196 total cases.

- Mean: 528.59
- Median: 997.00
- Mode: 997.00
- Minimum: 1.00
- Maximum: 997.00
- Standard Deviation: 494.32

Location: 1112-1114 (width: 3; decimal: 0)

Variable Type: numeric

H5PG262: S16Q262 STILL LIVING-KID2-W5

Value	Label	Unweighted Frequency	%
0	-	8	0.2 %
1	-	2039	48.6 %
97	-	2021	48.2 %
98	-	4	0.1 %
	Missing Data		
.	-	124	3.0 %
	Total	4,196	100%

Based upon 4,072 valid cases out of 4,196 total cases.

- Mean: 48.74
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 98.00
- Standard Deviation: 48.01

Location: 1115-1116 (width: 2; decimal: 0)

Variable Type: numeric

H5PG27Y2: S16Q27Y1 YEAR DIED-KID2-W5

Value	Label	Unweighted Frequency	%
2000	-	5	0.1 %
2005	-	5	0.1 %
2010	-	4	0.1 %
2015	-	4	0.1 %
	Missing Data		
.	-	4178	99.6 %
	Total	4,196	100%

Based upon 18 valid cases out of 4,196 total cases.

- Mean: 2006.94
- Median: 2005.00
- Minimum: 2000.00
- Maximum: 2015.00
- Standard Deviation: 5.72

Location: 1117-1120 (width: 4; decimal: 0)

Variable Type: numeric

H5PG282: S16Q282 HOW GOOD HEALTH-KID2-W5

Value	Label	Unweighted Frequency	%
1	-	1354	32.3 %

Value	Label	Unweighted Frequency	%
2	-	539	12.8 %
3	-	120	2.9 %
4	-	19	0.5 %
5	-	4	0.1 %
97	-	2046	48.8 %
	Missing Data		
.	-	114	2.7 %
	Total	4,196	100%

Based upon 4,082 valid cases out of 4,196 total cases.

- Mean: 49.33
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 47.80

Location: 1121-1122 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29A2: S16Q29A2 HEAR PROB/DEAF-KID2-W5

Value	Label	Unweighted Frequency	%
0	-	2027	48.3 %
1	-	34	0.8 %
97	-	2020	48.1 %
	Missing Data		
.	-	115	2.7 %
	Total	4,196	100%

Based upon 4,081 valid cases out of 4,196 total cases.

- Mean: 48.02
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 48.50

Location: 1123-1124 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29B2: S16Q29B2 HAS SPEECH PROB-KID2-W5

Value	Label	Unweighted Frequency	%
0	-	1945	46.4 %

Value	Label	Unweighted Frequency	%
1	-	116	2.8 %
97	-	2020	48.1 %
	Missing Data		
.	-	115	2.7 %
	Total	4,196	100%

Based upon 4,081 valid cases out of 4,196 total cases.

- Mean: 48.04
- Median: 1.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 48.48

Location: 1125-1126 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29C2: S16Q29C2 HAS SIGHT PROB-KID2-W5

Value	Label	Unweighted Frequency	%
0	-	1995	47.5 %
1	-	66	1.6 %
97	-	2020	48.1 %
	Missing Data		
.	-	115	2.7 %
	Total	4,196	100%

Based upon 4,081 valid cases out of 4,196 total cases.

- Mean: 48.03
- Median: 1.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 48.49

Location: 1127-1128 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29D2: S16Q29D2 LEARN DELAY/SLOW-KID2-W5

Value	Label	Unweighted Frequency	%
0	-	1998	47.6 %
1	-	63	1.5 %
97	-	2020	48.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	115	2.7 %
	Total	4,196	100%

Based upon 4,081 valid cases out of 4,196 total cases.

- Mean: 48.03
- Median: 1.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 48.49

Location: 1129-1130 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29E2: S16Q29E2 ALLRGY/HAY FEVER-KID2-W5

Value	Label	Unweighted Frequency	%
0	-	1788	42.6 %
1	-	273	6.5 %
97	-	2020	48.1 %
	Missing Data		
.	-	115	2.7 %
	Total	4,196	100%

Based upon 4,081 valid cases out of 4,196 total cases.

- Mean: 48.08
- Median: 1.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 48.44

Location: 1131-1132 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29F2: S16Q29F2 HAS ASTHMA-KID2-W5

Value	Label	Unweighted Frequency	%
0	-	1872	44.6 %
1	-	189	4.5 %
97	-	2020	48.1 %
	Missing Data		
.	-	115	2.7 %
	Total	4,196	100%

Based upon 4,081 valid cases out of 4,196 total cases.

- Mean: 48.06
- Median: 1.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 48.46

Location: 1133-1134 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29G2: S16Q29G2 OTHR RESP CON-KID2-W5

Value	Label	Unweighted Frequency	%
0	-	2038	48.6 %
1	-	23	0.5 %
97	-	2020	48.1 %
	Missing Data		
.	-	115	2.7 %
	Total	4,196	100%

Based upon 4,081 valid cases out of 4,196 total cases.

- Mean: 48.02
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 48.50

Location: 1135-1136 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29H2: S16Q29H2 CHRONC HEART CON-KID2-W5

Value	Label	Unweighted Frequency	%
0	-	2048	48.8 %
1	-	13	0.3 %
97	-	2020	48.1 %
	Missing Data		
.	-	115	2.7 %
	Total	4,196	100%

Based upon 4,081 valid cases out of 4,196 total cases.

- Mean: 48.02
- Median: 0.00
- Mode: 0.00

- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 48.50

Location: 1137-1138 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29J2: S16Q29J2 CONVULS/SEIZURE-KID2-W5

Value	Label	Unweighted Frequency	%
0	-	2056	49.0 %
1	-	5	0.1 %
97	-	2020	48.1 %
	Missing Data		
.	-	115	2.7 %
	Total	4,196	100%

Based upon 4,081 valid cases out of 4,196 total cases.

- Mean: 48.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 48.50

Location: 1139-1140 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29K2: S16Q29K2 BONE/JOINT PROB-KID2-W5

Value	Label	Unweighted Frequency	%
0	-	2049	48.8 %
1	-	12	0.3 %
97	-	2020	48.1 %
	Missing Data		
.	-	115	2.7 %
	Total	4,196	100%

Based upon 4,081 valid cases out of 4,196 total cases.

- Mean: 48.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 48.50

Location: 1141-1142 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29Q2: S16Q29Q2 HAS OBESITY-KID2-W5

Value	Label	Unweighted Frequency	%
0	-	2039	48.6 %
1	-	22	0.5 %
97	-	2020	48.1 %
	Missing Data		
.	-	115	2.7 %
	Total	4,196	100%

Based upon 4,081 valid cases out of 4,196 total cases.

- Mean: 48.02
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 48.50

Location: 1143-1144 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29R2: S16Q29R2 HAS DIABETES-KID2-W5

Value	Label	Unweighted Frequency	%
0	-	2052	48.9 %
1	-	9	0.2 %
97	-	2020	48.1 %
	Missing Data		
.	-	115	2.7 %
	Total	4,196	100%

Based upon 4,081 valid cases out of 4,196 total cases.

- Mean: 48.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 48.50

Location: 1145-1146 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29S2: S16Q29S2 HAS ADHD-KID2-W5

Value	Label	Unweighted Frequency	%
0	-	1933	46.1 %

Value	Label	Unweighted Frequency	%
1	-	128	3.1 %
97	-	2020	48.1 %
	Missing Data		
.	-	115	2.7 %
	Total	4,196	100%

Based upon 4,081 valid cases out of 4,196 total cases.

- Mean: 48.04
- Median: 1.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 48.47

Location: 1147-1148 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29T2: S16Q29T2 OTHER CONDITIONS-KID2-W5

Value	Label	Unweighted Frequency	%
0	-	1948	46.4 %
1	-	113	2.7 %
97	-	2020	48.1 %
	Missing Data		
.	-	115	2.7 %
	Total	4,196	100%

Based upon 4,081 valid cases out of 4,196 total cases.

- Mean: 48.04
- Median: 1.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 48.48

Location: 1149-1150 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29U2: S16Q29U2 HAS NONE ABOVE-KID2-W5

Value	Label	Unweighted Frequency	%
0	-	802	19.1 %
1	-	1259	30.0 %
97	-	2020	48.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	115	2.7 %
	Total	4,196	100%

Based upon 4,081 valid cases out of 4,196 total cases.

- Mean: 48.32
- Median: 1.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 48.20

Location: 1151-1152 (width: 2; decimal: 0)

Variable Type: numeric

H5PG83: S16Q83 SINGLE/TWIN/OTHR BTH-KID3-W5

Value	Label	Unweighted Frequency	%
1	-	832	19.8 %
2	-	52	1.2 %
3	-	3	0.1 %
97	-	3205	76.4 %
	Missing Data		
.	-	104	2.5 %
	Total	4,196	100%

Based upon 4,092 valid cases out of 4,196 total cases.

- Mean: 76.20
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 39.53

Location: 1153-1154 (width: 2; decimal: 0)

Variable Type: numeric

H5PG93: S16Q93 C-SECTION/VAGINAL-KID3-W5

Value	Label	Unweighted Frequency	%
1	-	276	6.6 %
2	-	607	14.5 %
97	-	3207	76.4 %
	Missing Data		
.	-	106	2.5 %
	Total	4,196	100%

Based upon 4,090 valid cases out of 4,196 total cases.

- Mean: 76.42
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 39.22

Location: 1155-1156 (width: 2; decimal: 0)

Variable Type: numeric

H5PG10Y3: S16Q10Y1 BIRTHDAY-YEAR-KID3-W5

Value	Label	Unweighted Frequency	%
1999	-	15	0.4 %
2000	-	11	0.3 %
2001	-	25	0.6 %
2002	-	25	0.6 %
2003	-	24	0.6 %
2004	-	33	0.8 %
2005	-	37	0.9 %
2006	-	39	0.9 %
2007	-	52	1.2 %
2008	-	61	1.5 %
2009	-	67	1.6 %
2010	-	60	1.4 %
2011	-	66	1.6 %
2012	-	56	1.3 %
2013	-	60	1.4 %
2014	-	49	1.2 %
2015	-	47	1.1 %
2016	-	50	1.2 %
2017	-	29	0.7 %
2018	-	16	0.4 %
	Missing Data		
.	-	3374	80.4 %
	Total	4,196	100%

Based upon 822 valid cases out of 4,196 total cases.

- Mean: 2009.60
- Median: 2010.00
- Mode: 2009.00
- Minimum: 1999.00
- Maximum: 2018.00

- Standard Deviation: 4.70

Location: 1157-1160 (width: 4; decimal: 0)

Variable Type: numeric

H5PG113: S16Q113 BORN IN US-KID3-W5

Value	Label	Unweighted Frequency	%
0	-	4	0.1 %
1	-	877	20.9 %
97	-	3205	76.4 %
	Missing Data		
.	-	110	2.6 %
	Total	4,196	100%

Based upon 4,086 valid cases out of 4,196 total cases.

- Mean: 76.30
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 39.49

Location: 1161-1162 (width: 2; decimal: 0)

Variable Type: numeric

H5PG123: S16Q123 BABY BOY OR GIRL-KID3-W5

Value	Label	Unweighted Frequency	%
1	-	441	10.5 %
2	-	441	10.5 %
97	-	3205	76.4 %
	Missing Data		
.	-	109	2.6 %
	Total	4,196	100%

Based upon 4,087 valid cases out of 4,196 total cases.

- Mean: 76.39
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 39.29

Location: 1163-1164 (width: 2; decimal: 0)

Variable Type: numeric

H5PG13L3: S16Q13L3 BABY BIRTH WEIGHT-LBS-KID3-W5

Value	Label	Unweighted Frequency	%
3	-	16	0.4 %
4	-	17	0.4 %
5	-	47	1.1 %
6	-	99	2.4 %
7	-	193	4.6 %
8	-	213	5.1 %
9	-	104	2.5 %
10	-	20	0.5 %
11	-	10	0.2 %
997	-	3205	76.4 %
998	-	139	3.3 %
	Missing Data		
.	-	133	3.2 %
	Total	4,196	100%

Based upon 4,063 valid cases out of 4,196 total cases.

- Mean: 821.89
- Median: 997.00
- Mode: 997.00
- Minimum: 3.00
- Maximum: 998.00
- Standard Deviation: 377.77

Location: 1165-1167 (width: 3; decimal: 0)

Variable Type: numeric

H5PG143: S16Q143 BABY BIRTH WGT<5.5 LBS-KID3-W5

Value	Label	Unweighted Frequency	%
0	-	153	3.6 %
1	-	17	0.4 %
97	-	3921	93.4 %
	Missing Data		
.	-	105	2.5 %
	Total	4,196	100%

Based upon 4,091 valid cases out of 4,196 total cases.

- Mean: 92.97
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00

- Maximum: 97.00
- Standard Deviation: 19.34

Location: 1168-1169 (width: 2; decimal: 0)

Variable Type: numeric

H5PG153: S16Q153 PRETERM BIRTH-KID3-W5

Value	Label	Unweighted Frequency	%
0	-	722	17.2 %
1	-	151	3.6 %
97	-	3204	76.4 %
98	-	9	0.2 %
	Missing Data		
.	-	110	2.6 %
	Total	4,196	100%

Based upon 4,086 valid cases out of 4,196 total cases.

- Mean: 76.31
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 98.00
- Standard Deviation: 39.69

Location: 1170-1171 (width: 2; decimal: 0)

Variable Type: numeric

H5PG163: S16Q163 BABY STAY HOSP/NICU-KID3-W5

Value	Label	Unweighted Frequency	%
1	-	106	2.5 %
2	-	756	18.0 %
3	-	18	0.4 %
97	-	3204	76.4 %
	Missing Data		
.	-	112	2.7 %
	Total	4,196	100%

Based upon 4,084 valid cases out of 4,196 total cases.

- Mean: 76.51
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 39.11

Location: 1172-1173 (width: 2; decimal: 0)

Variable Type: numeric

H5PG173: S16Q173 BABY WENT HOME W/ R-KID3-W5

Value	Label	Unweighted Frequency	%
0	-	19	0.5 %
1	-	862	20.5 %
97	-	3204	76.4 %
	Missing Data		
.	-	111	2.6 %
	Total	4,196	100%

Based upon 4,085 valid cases out of 4,196 total cases.

- Mean: 76.29
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 39.50

Location: 1174-1175 (width: 2; decimal: 0)

Variable Type: numeric

H5PG183: S16Q183 WHY BABY NOT GO HOME-KID3-W5

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
2	-	7	0.2 %
3	-	3	0.1 %
4	-	3	0.1 %
5	-	4	0.1 %
97	-	4068	96.9 %
	Missing Data		
.	-	110	2.6 %
	Total	4,196	100%

Based upon 4,086 valid cases out of 4,196 total cases.

- Mean: 96.59
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 6.22

Location: 1176-1177 (width: 2; decimal: 0)

Variable Type: numeric

H5PG193: S16Q193 R WANT A BABY B/F PREG-KID3-W5

Value	Label	Unweighted Frequency	%
0	-	239	5.7 %
1	-	643	15.3 %
97	-	3208	76.5 %
	Missing Data		
.	-	106	2.5 %
	Total	4,196	100%

Based upon 4,090 valid cases out of 4,196 total cases.

- Mean: 76.24
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 39.60

Location: 1178-1179 (width: 2; decimal: 0)

Variable Type: numeric

H5PG203: S16Q203 BIRTH CONTROL B/F PREG-KID3-W5

Value	Label	Unweighted Frequency	%
0	-	702	16.7 %
1	-	180	4.3 %
97	-	3204	76.4 %
	Missing Data		
.	-	110	2.6 %
	Total	4,196	100%

Based upon 4,086 valid cases out of 4,196 total cases.

- Mean: 76.11
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 39.83

Location: 1180-1181 (width: 2; decimal: 0)

Variable Type: numeric

H5PG213: S16Q213 PREG PTNR REL AT BIRTH-KID3-W5

Value	Label	Unweighted Frequency	%
1	-	593	14.1 %

Value	Label	Unweighted Frequency	%
2	-	188	4.5 %
3	-	57	1.4 %
4	-	28	0.7 %
5	-	14	0.3 %
6	-	5	0.1 %
7	-	1	0.0 %
97	-	3204	76.4 %
	Missing Data		
.	-	106	2.5 %
	Total	4,196	100%

Based upon 4,090 valid cases out of 4,196 total cases.

- Mean: 76.32
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 39.33

Location: 1182-1183 (width: 2; decimal: 0)

Variable Type: numeric

H5PG223: S16Q223 PREG PTNR MOST RECENT-KID3-W5

Value	Label	Unweighted Frequency	%
0	-	234	5.6 %
1	-	651	15.5 %
97	-	3204	76.4 %
	Missing Data		
.	-	107	2.6 %
	Total	4,196	100%

Based upon 4,089 valid cases out of 4,196 total cases.

- Mean: 76.17
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 39.65

Location: 1184-1185 (width: 2; decimal: 0)

Variable Type: numeric

H5PG233: S16Q233 # CIGARETTE DUR PREG-KID3-W5

Value	Label	Unweighted Frequency	%
1	-	760	18.1 %
2	-	36	0.9 %
3	-	22	0.5 %
4	-	39	0.9 %
5	-	25	0.6 %
6	-	4	0.1 %
97	-	3204	76.4 %
	Missing Data		
.	-	106	2.5 %
	Total	4,196	100%

Based upon 4,090 valid cases out of 4,196 total cases.

- Mean: 76.28
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 39.41

Location: 1186-1187 (width: 2; decimal: 0)

Variable Type: numeric

H5PG243: S16Q243 PRENATAL VISIT DUR PREG-KID3-W5

Value	Label	Unweighted Frequency	%
0	-	26	0.6 %
1	-	855	20.4 %
97	-	3204	76.4 %
	Missing Data		
.	-	111	2.6 %
	Total	4,196	100%

Based upon 4,085 valid cases out of 4,196 total cases.

- Mean: 76.29
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 39.50

Location: 1188-1189 (width: 2; decimal: 0)

Variable Type: numeric

H5PG253: S16Q253 WKS 1ST PRENATAL VISIT-KID3-W5

Value	Label	Unweighted Frequency	%
1	-	3	0.1 %
2	-	9	0.2 %
3	-	10	0.2 %
4	-	150	3.6 %
5	-	44	1.0 %
6	-	193	4.6 %
7	-	25	0.6 %
8	-	183	4.4 %
9	-	20	0.5 %
10	-	45	1.1 %
11	-	3	0.1 %
12	-	66	1.6 %
13	-	5	0.1 %
14	-	9	0.2 %
15	-	3	0.1 %
16	-	11	0.3 %
20	-	8	0.2 %
25	-	1	0.0 %
30	-	2	0.0 %
35	-	2	0.0 %
40	-	1	0.0 %
997	-	3240	77.2 %
	Missing Data		
.	-	163	3.9 %
	Total	4,196	100%

Based upon 4,033 valid cases out of 4,196 total cases.

- Mean: 802.42
- Median: 997.00
- Mode: 997.00
- Minimum: 1.00
- Maximum: 997.00
- Standard Deviation: 393.36

Location: 1190-1192 (width: 3; decimal: 0)
Variable Type: numeric

H5PG263: S16Q263 STILL LIVING-KID3-W5

Value	Label	Unweighted Frequency	%
0	-	6	0.1 %
1	-	871	20.8 %

Value	Label	Unweighted Frequency	%
97	-	3204	76.4 %
	Missing Data		
.	-	115	2.7 %
	Total	4,196	100%

Based upon 4,081 valid cases out of 4,196 total cases.

- Mean: 76.37
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 39.44

Location: 1193-1194 (width: 2; decimal: 0)

Variable Type: numeric

H5PG27Y3: S16Q27Y1 YEAR DIED-KID3-W5

Value	Label	Unweighted Frequency	%
2000	-	1	0.0 %
2005	-	4	0.1 %
2010	-	2	0.0 %
2015	-	3	0.1 %
	Missing Data		
.	-	4186	99.8 %
	Total	4,196	100%

Based upon 10 valid cases out of 4,196 total cases.

- Mean: 2008.50
- Median: 2007.50
- Mode: 2005.00
- Minimum: 2000.00
- Maximum: 2015.00
- Standard Deviation: 5.30

Location: 1195-1198 (width: 4; decimal: 0)

Variable Type: numeric

H5PG283: S16Q283 HOW GOOD HEALTH-KID3-W5

Value	Label	Unweighted Frequency	%
1	-	581	13.8 %
2	-	224	5.3 %
3	-	60	1.4 %
4	-	6	0.1 %

Value	Label	Unweighted Frequency	%
97	-	3218	76.7 %
	Missing Data		
.	-	107	2.6 %
	Total	4,196	100%

Based upon 4,089 valid cases out of 4,196 total cases.

- Mean: 76.64
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 39.14

Location: 1199-1200 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29A3: S16Q29A3 HEAR PROB/DEAF-KID3-W5

Value	Label	Unweighted Frequency	%
0	-	870	20.7 %
1	-	15	0.4 %
97	-	3204	76.4 %
	Missing Data		
.	-	107	2.6 %
	Total	4,196	100%

Based upon 4,089 valid cases out of 4,196 total cases.

- Mean: 76.01
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 39.94

Location: 1201-1202 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29B3: S16Q29B3 HAS SPEECH PROB-KID3-W5

Value	Label	Unweighted Frequency	%
0	-	847	20.2 %
1	-	38	0.9 %
97	-	3204	76.4 %
	Missing Data		
.	-	107	2.6 %

Value	Label	Unweighted Frequency	%
	Total	4,196	100%

Based upon 4,089 valid cases out of 4,196 total cases.

- Mean: 76.02
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 39.93

Location: 1203-1204 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29C3: S16Q29C3 HAS SIGHT PROB-KID3-W5

Value	Label	Unweighted Frequency	%
0	-	855	20.4 %
1	-	30	0.7 %
97	-	3204	76.4 %
	Missing Data		
.	-	107	2.6 %
	Total	4,196	100%

Based upon 4,089 valid cases out of 4,196 total cases.

- Mean: 76.01
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 39.94

Location: 1205-1206 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29D3: S16Q29D3 LEARN DELAY/SLOW-KID3-W5

Value	Label	Unweighted Frequency	%
0	-	853	20.3 %
1	-	32	0.8 %
97	-	3204	76.4 %
	Missing Data		
.	-	107	2.6 %
	Total	4,196	100%

Based upon 4,089 valid cases out of 4,196 total cases.

- Mean: 76.01
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 39.94

Location: 1207-1208 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29E3: S16Q29E3 ALLRGY/HAY FEVER-KID3-W5

Value	Label	Unweighted Frequency	%
0	-	799	19.0 %
1	-	86	2.0 %
97	-	3204	76.4 %
	Missing Data		
.	-	107	2.6 %
	Total	4,196	100%

Based upon 4,089 valid cases out of 4,196 total cases.

- Mean: 76.03
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 39.91

Location: 1209-1210 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29F3: S16Q29F3 HAS ASTHMA-KID3-W5

Value	Label	Unweighted Frequency	%
0	-	804	19.2 %
1	-	81	1.9 %
97	-	3204	76.4 %
	Missing Data		
.	-	107	2.6 %
	Total	4,196	100%

Based upon 4,089 valid cases out of 4,196 total cases.

- Mean: 76.03
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00

- Standard Deviation: 39.91

Location: 1211-1212 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29G3: S16Q29G3 OTHR RESP CON-KID3-W5

Value	Label	Unweighted Frequency	%
0	-	873	20.8 %
1	-	12	0.3 %
97	-	3204	76.4 %
	Missing Data		
.	-	107	2.6 %
	Total	4,196	100%

Based upon 4,089 valid cases out of 4,196 total cases.

- Mean: 76.01
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 39.95

Location: 1213-1214 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29H3: S16Q29H3 CHRON3 HEART CON-KID3-W5

Value	Label	Unweighted Frequency	%
0	-	881	21.0 %
1	-	4	0.1 %
97	-	3204	76.4 %
	Missing Data		
.	-	107	2.6 %
	Total	4,196	100%

Based upon 4,089 valid cases out of 4,196 total cases.

- Mean: 76.01
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 39.95

Location: 1215-1216 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29J3: S16Q29J3 CONVULS/SEIZURE-KID3-W5

Value	Label	Unweighted Frequency	%
0	-	882	21.0 %
1	-	3	0.1 %
97	-	3204	76.4 %
	Missing Data		
.	-	107	2.6 %
	Total	4,196	100%

Based upon 4,089 valid cases out of 4,196 total cases.

- Mean: 76.01
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 39.95

Location: 1217-1218 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29K3: S16Q29K3 BONE/JOINT PROB-KID3-W5

Value	Label	Unweighted Frequency	%
0	-	883	21.0 %
1	-	2	0.0 %
97	-	3204	76.4 %
	Missing Data		
.	-	107	2.6 %
	Total	4,196	100%

Based upon 4,089 valid cases out of 4,196 total cases.

- Mean: 76.01
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 39.95

Location: 1219-1220 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29Q3: S16Q29Q3 HAS OBESITY-KID3-W5

Value	Label	Unweighted Frequency	%
0	-	875	20.9 %

Value	Label	Unweighted Frequency	%
1	-	10	0.2 %
97	-	3204	76.4 %
	Missing Data		
.	-	107	2.6 %
	Total	4,196	100%

Based upon 4,089 valid cases out of 4,196 total cases.

- Mean: 76.01
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 39.95

Location: 1221-1222 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29R3: S16Q29R3 HAS DIABETES-KID3-W5

Value	Label	Unweighted Frequency	%
0	-	883	21.0 %
1	-	2	0.0 %
97	-	3204	76.4 %
	Missing Data		
.	-	107	2.6 %
	Total	4,196	100%

Based upon 4,089 valid cases out of 4,196 total cases.

- Mean: 76.01
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 39.95

Location: 1223-1224 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29S3: S16Q29S3 HAS ADHD-KID3-W5

Value	Label	Unweighted Frequency	%
0	-	839	20.0 %
1	-	46	1.1 %
97	-	3204	76.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	107	2.6 %
	Total	4,196	100%

Based upon 4,089 valid cases out of 4,196 total cases.

- Mean: 76.02
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 39.93

Location: 1225-1226 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29T3: S16Q29T3 OTHER CONDITIONS-KID3-W5

Value	Label	Unweighted Frequency	%
0	-	840	20.0 %
1	-	45	1.1 %
97	-	3204	76.4 %
	Missing Data		
.	-	107	2.6 %
	Total	4,196	100%

Based upon 4,089 valid cases out of 4,196 total cases.

- Mean: 76.02
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 39.93

Location: 1227-1228 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29U3: S16Q29U3 HAS NONE ABOVE-KID3-W5

Value	Label	Unweighted Frequency	%
0	-	297	7.1 %
1	-	588	14.0 %
97	-	3204	76.4 %
	Missing Data		
.	-	107	2.6 %
	Total	4,196	100%

Based upon 4,089 valid cases out of 4,196 total cases.

- Mean: 76.15
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 39.68

Location: 1229-1230 (width: 2; decimal: 0)

Variable Type: numeric

H5PG84: S16Q84 SINGLE/TWIN/OTHR BTH-KID4-W5

Value	Label	Unweighted Frequency	%
1	-	270	6.4 %
2	-	22	0.5 %
3	-	2	0.0 %
97	-	3798	90.5 %
	Missing Data		
.	-	104	2.5 %
	Total	4,196	100%

Based upon 4,092 valid cases out of 4,196 total cases.

- Mean: 90.11
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 24.77

Location: 1231-1232 (width: 2; decimal: 0)

Variable Type: numeric

H5PG94: S16Q94 C-SECTION/VAGINAL-KID4-W5

Value	Label	Unweighted Frequency	%
1	-	82	2.0 %
2	-	212	5.1 %
97	-	3799	90.5 %
	Missing Data		
.	-	103	2.5 %
	Total	4,196	100%

Based upon 4,093 valid cases out of 4,196 total cases.

- Mean: 90.16
- Median: 97.00

- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 24.60

Location: 1233-1234 (width: 2; decimal: 0)

Variable Type: numeric

H5PG10Y4: S16Q10Y1 BIRTHDAY-YEAR-KID4-W5

Value	Label	Unweighted Frequency	%
2002	-	14	0.3 %
2003	-	10	0.2 %
2004	-	18	0.4 %
2006	-	13	0.3 %
2008	-	16	0.4 %
2009	-	25	0.6 %
2010	-	21	0.5 %
2011	-	35	0.8 %
2012	-	19	0.5 %
2013	-	24	0.6 %
2014	-	18	0.4 %
2015	-	21	0.5 %
2016	-	15	0.4 %
2017	-	26	0.6 %
	Missing Data		
.	-	3921	93.4 %
	Total	4,196	100%

Based upon 275 valid cases out of 4,196 total cases.

- Mean: 2010.71
- Median: 2011.00
- Mode: 2011.00
- Minimum: 2002.00
- Maximum: 2017.00
- Standard Deviation: 4.33

Location: 1235-1238 (width: 4; decimal: 0)

Variable Type: numeric

H5PG114: S16Q114 BORN IN US-KID4-W5

Value	Label	Unweighted Frequency	%
0	-	2	0.0 %
1	-	292	7.0 %
97	-	3797	90.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	105	2.5 %
	Total	4,196	100%

Based upon 4,091 valid cases out of 4,196 total cases.

- Mean: 90.10
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 24.80

Location: 1239-1240 (width: 2; decimal: 0)

Variable Type: numeric

H5PG124: S16Q124 BABY BOY OR GIRL-KID4-W5

Value	Label	Unweighted Frequency	%
1	-	145	3.5 %
2	-	148	3.5 %
97	-	3798	90.5 %
	Missing Data		
.	-	105	2.5 %
	Total	4,196	100%

Based upon 4,091 valid cases out of 4,196 total cases.

- Mean: 90.16
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 24.63

Location: 1241-1242 (width: 2; decimal: 0)

Variable Type: numeric

H5PG13L4: S16Q13L4 BABY BIRTH WEIGHT-LBS-KID4-W5

Value	Label	Unweighted Frequency	%
4	-	12	0.3 %
5	-	21	0.5 %
6	-	31	0.7 %
7	-	69	1.6 %
8	-	55	1.3 %
9	-	24	0.6 %

Value	Label	Unweighted Frequency	%
10	-	11	0.3 %
997	-	3798	90.5 %
998	-	60	1.4 %
	Missing Data		
.	-	115	2.7 %
	Total	4,196	100%

Based upon 4,081 valid cases out of 4,196 total cases.

- Mean: 942.92
- Median: 997.00
- Mode: 997.00
- Minimum: 4.00
- Maximum: 998.00
- Standard Deviation: 225.01

Location: 1243-1245 (width: 3; decimal: 0)

Variable Type: numeric

H5PG144: S16Q144 BABY BIRTH WGT<5.5 LBS-KID4-W5

Value	Label	Unweighted Frequency	%
0	-	63	1.5 %
1	-	5	0.1 %
97	-	4024	95.9 %
	Missing Data		
.	-	104	2.5 %
	Total	4,196	100%

Based upon 4,092 valid cases out of 4,196 total cases.

- Mean: 95.39
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 12.39

Location: 1246-1247 (width: 2; decimal: 0)

Variable Type: numeric

H5PG154: S16Q154 PRETERM BIRTH-KID4-W5

Value	Label	Unweighted Frequency	%
0	-	241	5.7 %
1	-	46	1.1 %
97	-	3797	90.5 %

Value	Label	Unweighted Frequency	%
98	-	4	0.1 %
	Missing Data		
.	-	108	2.6 %
	Total	4,196	100%

Based upon 4,088 valid cases out of 4,196 total cases.

- Mean: 90.20
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 98.00
- Standard Deviation: 24.75

Location: 1248-1249 (width: 2; decimal: 0)

Variable Type: numeric

H5PG164: S16Q164 BABY STAY HOSP/NICU-KID4-W5

Value	Label	Unweighted Frequency	%
1	-	35	0.8 %
2	-	247	5.9 %
3	-	9	0.2 %
97	-	3797	90.5 %
	Missing Data		
.	-	108	2.6 %
	Total	4,196	100%

Based upon 4,088 valid cases out of 4,196 total cases.

- Mean: 90.23
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 24.45

Location: 1250-1251 (width: 2; decimal: 0)

Variable Type: numeric

H5PG174: S16Q174 BABY WENT HOME W/ R-KID4-W5

Value	Label	Unweighted Frequency	%
0	-	9	0.2 %
1	-	286	6.8 %
97	-	3797	90.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	104	2.5 %
	Total	4,196	100%

Based upon 4,092 valid cases out of 4,196 total cases.

- Mean: 90.08
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 24.84

Location: 1252-1253 (width: 2; decimal: 0)

Variable Type: numeric

H5PG184: S16Q184 WHY BABY NOT GO HOME-KID4-W5

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
2	-	3	0.1 %
3	-	1	0.0 %
4	-	1	0.0 %
5	-	1	0.0 %
97	-	4083	97.3 %
	Missing Data		
.	-	106	2.5 %
	Total	4,196	100%

Based upon 4,090 valid cases out of 4,196 total cases.

- Mean: 96.84
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 3.90

Location: 1254-1255 (width: 2; decimal: 0)

Variable Type: numeric

H5PG194: S16Q194 R WANT A BABY B/F PREG-KID4-W5

Value	Label	Unweighted Frequency	%
0	-	78	1.9 %
1	-	213	5.1 %
97	-	3800	90.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	105	2.5 %
	Total	4,196	100%

Based upon 4,091 valid cases out of 4,196 total cases.

- Mean: 90.15
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 24.75

Location: 1256-1257 (width: 2; decimal: 0)

Variable Type: numeric

H5PG204: S16Q204 BIRTH CONTROL B/F PREG-KID4-W5

Value	Label	Unweighted Frequency	%
0	-	232	5.5 %
1	-	57	1.4 %
97	-	3797	90.5 %
	Missing Data		
.	-	110	2.6 %
	Total	4,196	100%

Based upon 4,086 valid cases out of 4,196 total cases.

- Mean: 90.15
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 24.82

Location: 1258-1259 (width: 2; decimal: 0)

Variable Type: numeric

H5PG214: S16Q214 PREG PTNR REL AT BIRTH-KID4-W5

Value	Label	Unweighted Frequency	%
1	-	181	4.3 %
2	-	65	1.5 %
3	-	19	0.5 %
4	-	16	0.4 %
5	-	6	0.1 %
6	-	5	0.1 %
7	-	1	0.0 %

Value	Label	Unweighted Frequency	%
97	-	3797	90.5 %
	Missing Data		
.	-	106	2.5 %
	Total	4,196	100%

Based upon 4,090 valid cases out of 4,196 total cases.

- Mean: 90.17
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 24.58

Location: 1260-1261 (width: 2; decimal: 0)

Variable Type: numeric

H5PG224: S16Q224 PREG PTNR MOST RECENT-KID4-W5

Value	Label	Unweighted Frequency	%
0	-	80	1.9 %
1	-	216	5.1 %
97	-	3796	90.5 %
	Missing Data		
.	-	104	2.5 %
	Total	4,196	100%

Based upon 4,092 valid cases out of 4,196 total cases.

- Mean: 90.04
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 24.94

Location: 1262-1263 (width: 2; decimal: 0)

Variable Type: numeric

H5PG234: S16Q234 # CIGARETTE DUR PREG-KID4-W5

Value	Label	Unweighted Frequency	%
1	-	252	6.0 %
2	-	8	0.2 %
3	-	8	0.2 %
4	-	12	0.3 %
5	-	13	0.3 %

Value	Label	Unweighted Frequency	%
6	-	3	0.1 %
7	-	1	0.0 %
97	-	3797	90.5 %
	Missing Data		
.	-	102	2.4 %
	Total	4,196	100%

Based upon 4,094 valid cases out of 4,196 total cases.

- Mean: 90.07
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 24.79

Location: 1264-1265 (width: 2; decimal: 0)

Variable Type: numeric

H5PG244: S16Q244 PRENATAL VISIT DUR PREG-KID4-W5

Value	Label	Unweighted Frequency	%
0	-	13	0.3 %
1	-	281	6.7 %
97	-	3797	90.5 %
	Missing Data		
.	-	105	2.5 %
	Total	4,196	100%

Based upon 4,091 valid cases out of 4,196 total cases.

- Mean: 90.10
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 24.81

Location: 1266-1267 (width: 2; decimal: 0)

Variable Type: numeric

H5PG254: S16Q254 WKS 1ST PRENATAL VISIT-KID4-W5

Value	Label	Unweighted Frequency	%
1	-	3	0.1 %
2	-	4	0.1 %
3	-	2	0.0 %

Value	Label	Unweighted Frequency	%
4	-	43	1.0 %
5	-	26	0.6 %
6	-	53	1.3 %
7	-	10	0.2 %
8	-	56	1.3 %
9	-	9	0.2 %
10	-	11	0.3 %
12	-	21	0.5 %
13	-	5	0.1 %
14	-	4	0.1 %
15	-	2	0.0 %
16	-	4	0.1 %
20	-	6	0.1 %
25	-	1	0.0 %
35	-	1	0.0 %
997	-	3815	90.9 %
	Missing Data		
.	-	120	2.9 %
	Total	4,196	100%

Based upon 4,076 valid cases out of 4,196 total cases.

- Mean: 933.65
- Median: 997.00
- Mode: 997.00
- Minimum: 1.00
- Maximum: 997.00
- Standard Deviation: 242.24

Location: 1268-1270 (width: 3; decimal: 0)

Variable Type: numeric

H5PG264: S16Q264 STILL LIVING-KID4-W5

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
1	-	291	6.9 %
97	-	3798	90.5 %
98	-	2	0.0 %
	Missing Data		
.	-	104	2.5 %
	Total	4,196	100%

Based upon 4,092 valid cases out of 4,196 total cases.

- Mean: 90.15
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 98.00
- Standard Deviation: 24.72

Location: 1271-1272 (width: 2; decimal: 0)

Variable Type: numeric

H5PG27Y4: S16Q27Y1 YEAR DIED-KID4-W5

Value	Label	Unweighted Frequency	%
2005	-	2	0.0 %
2015	-	1	0.0 %
	Missing Data		
.	-	4193	99.9 %
	Total	4,196	100%

Based upon 3 valid cases out of 4,196 total cases.

- Mean: 2008.33
- Median: 2005.00
- Mode: 2005.00
- Minimum: 2005.00
- Maximum: 2015.00
- Standard Deviation: 5.77

Location: 1273-1276 (width: 4; decimal: 0)

Variable Type: numeric

H5PG284: S16Q284 HOW GOOD HEALTH-KID4-W5

Value	Label	Unweighted Frequency	%
1	-	197	4.7 %
2	-	73	1.7 %
3	-	18	0.4 %
4	-	3	0.1 %
97	-	3803	90.6 %
	Missing Data		
.	-	102	2.4 %
	Total	4,196	100%

Based upon 4,094 valid cases out of 4,196 total cases.

- Mean: 90.21
- Median: 97.00

- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 24.57

Location: 1277-1278 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29A4: S16Q29A4 HEAR PROB/DEAF-KID4-W5

Value	Label	Unweighted Frequency	%
0	-	291	6.9 %
1	-	5	0.1 %
97	-	3796	90.5 %
	Missing Data		
.	-	104	2.5 %
	Total	4,196	100%

Based upon 4,092 valid cases out of 4,196 total cases.

- Mean: 89.98
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 25.13

Location: 1279-1280 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29B4: S16Q29B4 HAS SPEECH PROB-KID4-W5

Value	Label	Unweighted Frequency	%
0	-	280	6.7 %
1	-	16	0.4 %
97	-	3796	90.5 %
	Missing Data		
.	-	104	2.5 %
	Total	4,196	100%

Based upon 4,092 valid cases out of 4,196 total cases.

- Mean: 89.99
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 25.12

Location: 1281-1282 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29C4: S16Q29C4 HAS SIGHT PROB-KID4-W5

Value	Label	Unweighted Frequency	%
0	-	286	6.8 %
1	-	10	0.2 %
97	-	3796	90.5 %
	Missing Data		
.	-	104	2.5 %
	Total	4,196	100%

Based upon 4,092 valid cases out of 4,196 total cases.

- Mean: 89.99
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 25.12

Location: 1283-1284 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29D4: S16Q29D4 LEARN DELAY/SLOW-KID4-W5

Value	Label	Unweighted Frequency	%
0	-	283	6.7 %
1	-	13	0.3 %
97	-	3796	90.5 %
	Missing Data		
.	-	104	2.5 %
	Total	4,196	100%

Based upon 4,092 valid cases out of 4,196 total cases.

- Mean: 89.99
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 25.12

Location: 1285-1286 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29E4: S16Q29E4 ALLRGY/HAY FEVER-KID4-W5

Value	Label	Unweighted Frequency	%
0	-	276	6.6 %
1	-	20	0.5 %
97	-	3796	90.5 %
	Missing Data		
.	-	104	2.5 %
	Total	4,196	100%

Based upon 4,092 valid cases out of 4,196 total cases.

- Mean: 89.99
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 25.11

Location: 1287-1288 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29F4: S16Q29F4 HAS ASTHMA-KID4-W5

Value	Label	Unweighted Frequency	%
0	-	271	6.5 %
1	-	25	0.6 %
97	-	3796	90.5 %
	Missing Data		
.	-	104	2.5 %
	Total	4,196	100%

Based upon 4,092 valid cases out of 4,196 total cases.

- Mean: 89.99
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 25.11

Location: 1289-1290 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29G4: S16Q29G4 OTHR RESP CON-KID4-W5

Value	Label	Unweighted Frequency	%
0	-	293	7.0 %
1	-	3	0.1 %
97	-	3796	90.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	104	2.5 %
	Total	4,196	100%

Based upon 4,092 valid cases out of 4,196 total cases.

- Mean: 89.98
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 25.13

Location: 1291-1292 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29H4: S16Q29H4 CHRONC HEART CON-KID4-W5

Value	Label	Unweighted Frequency	%
0	-	293	7.0 %
1	-	3	0.1 %
97	-	3796	90.5 %
	Missing Data		
.	-	104	2.5 %
	Total	4,196	100%

Based upon 4,092 valid cases out of 4,196 total cases.

- Mean: 89.98
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 25.13

Location: 1293-1294 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29J4: S16Q29J4 CONVULS/SEIZURE-KID4-W5

Value	Label	Unweighted Frequency	%
0	-	295	7.0 %
1	-	1	0.0 %
97	-	3796	90.5 %
	Missing Data		
.	-	104	2.5 %
	Total	4,196	100%

Based upon 4,092 valid cases out of 4,196 total cases.

- Mean: 89.98
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 25.13

Location: 1295-1296 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29K4: S16Q29K4 BONE/JOINT PROB-KID4-W5

Value	Label	Unweighted Frequency	%
0	-	295	7.0 %
1	-	1	0.0 %
97	-	3796	90.5 %
	Missing Data		
.	-	104	2.5 %
	Total	4,196	100%

Based upon 4,092 valid cases out of 4,196 total cases.

- Mean: 89.98
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 25.13

Location: 1297-1298 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29Q4: S16Q29Q4 HAS OBESITY-KID4-W5

Value	Label	Unweighted Frequency	%
0	-	293	7.0 %
1	-	3	0.1 %
97	-	3796	90.5 %
	Missing Data		
.	-	104	2.5 %
	Total	4,196	100%

Based upon 4,092 valid cases out of 4,196 total cases.

- Mean: 89.98
- Median: 97.00
- Mode: 97.00

- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 25.13

Location: 1299-1300 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29R4: S16Q29R4 HAS DIABETES-KID4-W5

Value	Label	Unweighted Frequency	%
0	-	296	7.1 %
97	-	3796	90.5 %
	Missing Data		
.	-	104	2.5 %
	Total	4,196	100%

Based upon 4,092 valid cases out of 4,196 total cases.

- Mean: 89.98
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 25.13

Location: 1301-1302 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29S4: S16Q29S4 HAS ADHD-KID4-W5

Value	Label	Unweighted Frequency	%
0	-	283	6.7 %
1	-	13	0.3 %
97	-	3796	90.5 %
	Missing Data		
.	-	104	2.5 %
	Total	4,196	100%

Based upon 4,092 valid cases out of 4,196 total cases.

- Mean: 89.99
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 25.12

Location: 1303-1304 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29T4: S16Q29T4 OTHER CONDITIONS-KID4-W5

Value	Label	Unweighted Frequency	%
0	-	280	6.7 %
1	-	16	0.4 %
97	-	3796	90.5 %
	Missing Data		
.	-	104	2.5 %
	Total	4,196	100%

Based upon 4,092 valid cases out of 4,196 total cases.

- Mean: 89.99
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 25.12

Location: 1305-1306 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29U4: S16Q29U4 HAS NONE ABOVE-KID4-W5

Value	Label	Unweighted Frequency	%
0	-	103	2.5 %
1	-	193	4.6 %
97	-	3796	90.5 %
	Missing Data		
.	-	104	2.5 %
	Total	4,196	100%

Based upon 4,092 valid cases out of 4,196 total cases.

- Mean: 90.03
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 24.96

Location: 1307-1308 (width: 2; decimal: 0)

Variable Type: numeric

H5PG85: S16Q85 SINGLE/TWIN/OTHR BTH-KID5-W5

Value	Label	Unweighted Frequency	%
1	-	64	1.5 %

Value	Label	Unweighted Frequency	%
2	-	10	0.2 %
97	-	4019	95.8 %
	Missing Data		
.	-	103	2.5 %
	Total	4,196	100%

Based upon 4,093 valid cases out of 4,196 total cases.

- Mean: 95.27
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 12.77

Location: 1309-1310 (width: 2; decimal: 0)

Variable Type: numeric

H5PG95: S16Q95 C-SECTION/VAGINAL-KID5-W5

Value	Label	Unweighted Frequency	%
1	-	18	0.4 %
2	-	56	1.3 %
97	-	4019	95.8 %
	Missing Data		
.	-	103	2.5 %
	Total	4,196	100%

Based upon 4,093 valid cases out of 4,196 total cases.

- Mean: 95.28
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 12.69

Location: 1311-1312 (width: 2; decimal: 0)

Variable Type: numeric

H5PG10Y5: S16Q10Y1 BIRTHDAY-YEAR-KID5-W5

Value	Label	Unweighted Frequency	%
2005	-	11	0.3 %
2007	-	11	0.3 %
2010	-	15	0.4 %
2014	-	10	0.2 %

Value	Label	Unweighted Frequency	%
2015	-	23	0.5 %
	Missing Data		
.	-	4126	98.3 %
	Total	4,196	100%

Based upon 70 valid cases out of 4,196 total cases.

- Mean: 2010.96
- Median: 2010.00
- Mode: 2015.00
- Minimum: 2005.00
- Maximum: 2015.00
- Standard Deviation: 3.89

Location: 1313-1316 (width: 4; decimal: 0)

Variable Type: numeric

H5PG115: S16Q115 BORN IN US-KID5-W5

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
1	-	74	1.8 %
97	-	4018	95.8 %
	Missing Data		
.	-	103	2.5 %
	Total	4,196	100%

Based upon 4,093 valid cases out of 4,196 total cases.

- Mean: 95.24
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 12.88

Location: 1317-1318 (width: 2; decimal: 0)

Variable Type: numeric

H5PG125: S16Q125 BABY BOY OR GIRL-KID5-W5

Value	Label	Unweighted Frequency	%
1	-	33	0.8 %
2	-	42	1.0 %
97	-	4019	95.8 %
	Missing Data		
.	-	102	2.4 %

Value	Label	Unweighted Frequency	%
	Total	4,196	100%

Based upon 4,094 valid cases out of 4,196 total cases.

- Mean: 95.25
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 12.80

Location: 1319-1320 (width: 2; decimal: 0)

Variable Type: numeric

H5PG13L5: S16Q13L5 BABY BIRTH WEIGHT-LBS-KID5-W5

Value	Label	Unweighted Frequency	%
5	-	10	0.2 %
6	-	10	0.2 %
7	-	10	0.2 %
8	-	28	0.7 %
997	-	4019	95.8 %
998	-	14	0.3 %
	Missing Data		
.	-	105	2.5 %
	Total	4,196	100%

Based upon 4,091 valid cases out of 4,196 total cases.

- Mean: 982.97
- Median: 997.00
- Mode: 997.00
- Minimum: 5.00
- Maximum: 998.00
- Standard Deviation: 117.06

Location: 1321-1323 (width: 3; decimal: 0)

Variable Type: numeric

H5PG145: S16Q145 BABY BIRTH WGT<5.5 LBS-KID5-W5

Value	Label	Unweighted Frequency	%
0	-	11	0.3 %
1	-	4	0.1 %
97	-	4079	97.2 %
	Missing Data		
.	-	102	2.4 %

Value	Label	Unweighted Frequency	%
	Total	4,196	100%

Based upon 4,094 valid cases out of 4,196 total cases.

- Mean: 96.65
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 5.85

Location: 1324-1325 (width: 2; decimal: 0)

Variable Type: numeric

H5PG155: S16Q155 PRETERM BIRTH-KID5-W5

Value	Label	Unweighted Frequency	%
0	-	57	1.4 %
1	-	16	0.4 %
97	-	4018	95.8 %
98	-	1	0.0 %
	Missing Data		
.	-	104	2.5 %
	Total	4,196	100%

Based upon 4,092 valid cases out of 4,196 total cases.

- Mean: 95.27
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 98.00
- Standard Deviation: 12.81

Location: 1326-1327 (width: 2; decimal: 0)

Variable Type: numeric

H5PG165: S16Q165 BABY STAY HOSP/NICU-KID5-W5

Value	Label	Unweighted Frequency	%
1	-	11	0.3 %
2	-	60	1.4 %
3	-	4	0.1 %
97	-	4018	95.8 %
	Missing Data		
.	-	103	2.5 %
	Total	4,196	100%

Based upon 4,093 valid cases out of 4,196 total cases.

- Mean: 95.26
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 12.76

Location: 1328-1329 (width: 2; decimal: 0)

Variable Type: numeric

H5PG175: S16Q175 BABY WENT HOME W/ R-KID5-W5

Value	Label	Unweighted Frequency	%
0	-	5	0.1 %
1	-	72	1.7 %
97	-	4018	95.8 %
	Missing Data		
.	-	101	2.4 %
	Total	4,196	100%

Based upon 4,095 valid cases out of 4,196 total cases.

- Mean: 95.19
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 13.05

Location: 1330-1331 (width: 2; decimal: 0)

Variable Type: numeric

H5PG185: S16Q185 WHY BABY NOT GO HOME-KID5-W5

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
2	-	1	0.0 %
3	-	1	0.0 %
5	-	1	0.0 %
97	-	4090	97.5 %
	Missing Data		
.	-	102	2.4 %
	Total	4,196	100%

Based upon 4,094 valid cases out of 4,196 total cases.

- Mean: 96.91

- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 2.95

Location: 1332-1333 (width: 2; decimal: 0)

Variable Type: numeric

H5PG195: S16Q195 R WANT A BABY B/F PREG-KID5-W5

Value	Label	Unweighted Frequency	%
0	-	24	0.6 %
1	-	51	1.2 %
97	-	4020	95.8 %
	Missing Data		
.	-	101	2.4 %
	Total	4,196	100%

Based upon 4,095 valid cases out of 4,196 total cases.

- Mean: 95.24
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 12.92

Location: 1334-1335 (width: 2; decimal: 0)

Variable Type: numeric

H5PG205: S16Q205 BIRTH CONTROL B/F PREG-KID5-W5

Value	Label	Unweighted Frequency	%
0	-	60	1.4 %
1	-	14	0.3 %
97	-	4018	95.8 %
	Missing Data		
.	-	104	2.5 %
	Total	4,196	100%

Based upon 4,092 valid cases out of 4,196 total cases.

- Mean: 95.25
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 12.90

Location: 1336-1337 (width: 2; decimal: 0)

Variable Type: numeric

H5PG215: S16Q215 PREG PTNR REL AT BIRTH-KID5-W5

Value	Label	Unweighted Frequency	%
1	-	31	0.7 %
2	-	26	0.6 %
3	-	9	0.2 %
4	-	7	0.2 %
5	-	2	0.0 %
7	-	2	0.0 %
97	-	4018	95.8 %
	Missing Data		
.	-	101	2.4 %
	Total	4,196	100%

Based upon 4,095 valid cases out of 4,196 total cases.

- Mean: 95.22
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 12.89

Location: 1338-1339 (width: 2; decimal: 0)

Variable Type: numeric

H5PG225: S16Q225 PREG PTNR MOST RECENT-KID5-W5

Value	Label	Unweighted Frequency	%
0	-	23	0.5 %
1	-	52	1.2 %
97	-	4018	95.8 %
	Missing Data		
.	-	103	2.5 %
	Total	4,196	100%

Based upon 4,093 valid cases out of 4,196 total cases.

- Mean: 95.24
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 12.92

Location: 1340-1341 (width: 2; decimal: 0)

Variable Type: numeric

H5PG235: S16Q235 # CIGARETTE DUR PREG-KID5-W5

Value	Label	Unweighted Frequency	%
1	-	60	1.4 %
2	-	3	0.1 %
3	-	7	0.2 %
4	-	1	0.0 %
5	-	2	0.0 %
6	-	1	0.0 %
7	-	1	0.0 %
97	-	4018	95.8 %
	Missing Data		
.	-	103	2.5 %
	Total	4,196	100%

Based upon 4,093 valid cases out of 4,196 total cases.

- Mean: 95.25
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 12.81

Location: 1342-1343 (width: 2; decimal: 0)

Variable Type: numeric

H5PG245: S16Q245 PRENATAL VISIT DUR PREG-KID5-W5

Value	Label	Unweighted Frequency	%
0	-	4	0.1 %
1	-	69	1.6 %
97	-	4018	95.8 %
	Missing Data		
.	-	105	2.5 %
	Total	4,196	100%

Based upon 4,091 valid cases out of 4,196 total cases.

- Mean: 95.29
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 12.72

Location: 1344-1345 (width: 2; decimal: 0)

Variable Type: numeric

H5PG255: S16Q255 WKS 1ST PRENATAL VISIT-KID5-W5

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
2	-	1	0.0 %
4	-	8	0.2 %
5	-	5	0.1 %
6	-	17	0.4 %
7	-	5	0.1 %
8	-	9	0.2 %
9	-	2	0.0 %
10	-	2	0.0 %
12	-	5	0.1 %
13	-	1	0.0 %
14	-	1	0.0 %
15	-	2	0.0 %
16	-	2	0.0 %
20	-	1	0.0 %
25	-	1	0.0 %
997	-	4027	96.0 %
	Missing Data		
.	-	106	2.5 %
	Total	4,196	100%

Based upon 4,090 valid cases out of 4,196 total cases.

- Mean: 981.77
- Median: 997.00
- Mode: 997.00
- Minimum: 1.00
- Maximum: 997.00
- Standard Deviation: 121.82

Location: 1346-1348 (width: 3; decimal: 0)

Variable Type: numeric

H5PG265: S16Q265 STILL LIVING-KID5-W5

Value	Label	Unweighted Frequency	%
0	-	2	0.0 %
1	-	74	1.8 %
97	-	4019	95.8 %

Value	Label	Unweighted Frequency	%
.	-	101	2.4 %
	Missing Data		
	Total	4,196	100%

Based upon 4,095 valid cases out of 4,196 total cases.

- Mean: 95.22
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 12.96

Location: 1349-1350 (width: 2; decimal: 0)

Variable Type: numeric

H5PG27Y5: S16Q27Y1 YEAR DIED-KID5-W5

Value	Label	Unweighted Frequency	%
2005	-	1	0.0 %
2010	-	1	0.0 %
	Missing Data		
.	-	4194	100.0 %
	Total	4,196	100%

Based upon 2 valid cases out of 4,196 total cases.

- Mean: 2007.50
- Median: 2007.50
- Minimum: 2005.00
- Maximum: 2010.00
- Standard Deviation: 3.54

Location: 1351-1354 (width: 4; decimal: 0)

Variable Type: numeric

H5PG285: S16Q285 HOW GOOD HEALTH-KID5-W5

Value	Label	Unweighted Frequency	%
1	-	47	1.1 %
2	-	22	0.5 %
3	-	4	0.1 %
4	-	1	0.0 %
97	-	4021	95.8 %
	Missing Data		
.	-	101	2.4 %

Value	Label	Unweighted Frequency	%
	Total	4,196	100%

Based upon 4,095 valid cases out of 4,196 total cases.

- Mean: 95.27
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 12.73

Location: 1355-1356 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29A5: S16Q29A5 HEAR PROB/DEAF-KID5-W5

Value	Label	Unweighted Frequency	%
0	-	77	1.8 %
97	-	4018	95.8 %
	Missing Data		
.	-	101	2.4 %
	Total	4,196	100%

Based upon 4,095 valid cases out of 4,196 total cases.

- Mean: 95.18
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 13.18

Location: 1357-1358 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29B5: S16Q29B5 HAS SPEECH PROB-KID5-W5

Value	Label	Unweighted Frequency	%
0	-	74	1.8 %
1	-	3	0.1 %
97	-	4018	95.8 %
	Missing Data		
.	-	101	2.4 %
	Total	4,196	100%

Based upon 4,095 valid cases out of 4,196 total cases.

- Mean: 95.18
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 13.17

Location: 1359-1360 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29C5: S16Q29C5 HAS SIGHT PROB-KID5-W5

Value	Label	Unweighted Frequency	%
0	-	74	1.8 %
1	-	3	0.1 %
97	-	4018	95.8 %
	Missing Data		
.	-	101	2.4 %
	Total	4,196	100%

Based upon 4,095 valid cases out of 4,196 total cases.

- Mean: 95.18
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 13.17

Location: 1361-1362 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29D5: S16Q29D5 LEARN DELAY/SLOW-KID5-W5

Value	Label	Unweighted Frequency	%
0	-	74	1.8 %
1	-	3	0.1 %
97	-	4018	95.8 %
	Missing Data		
.	-	101	2.4 %
	Total	4,196	100%

Based upon 4,095 valid cases out of 4,196 total cases.

- Mean: 95.18
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00

- Standard Deviation: 13.17

Location: 1363-1364 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29E5: S16Q29E5 ALLRGY/HAY FEVER-KID5-W5

Value	Label	Unweighted Frequency	%
0	-	75	1.8 %
1	-	2	0.0 %
97	-	4018	95.8 %
	Missing Data		
.	-	101	2.4 %
	Total	4,196	100%

Based upon 4,095 valid cases out of 4,196 total cases.

- Mean: 95.18
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 13.17

Location: 1365-1366 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29F5: S16Q29F5 HAS ASTHMA-KID5-W5

Value	Label	Unweighted Frequency	%
0	-	71	1.7 %
1	-	6	0.1 %
97	-	4018	95.8 %
	Missing Data		
.	-	101	2.4 %
	Total	4,196	100%

Based upon 4,095 valid cases out of 4,196 total cases.

- Mean: 95.18
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 13.17

Location: 1367-1368 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29G5: S16Q29G5 OTHR RESP CON-KID5-W5

Value	Label	Unweighted Frequency	%
0	-	77	1.8 %
97	-	4018	95.8 %
	Missing Data		
.	-	101	2.4 %
	Total	4,196	100%

Based upon 4,095 valid cases out of 4,196 total cases.

- Mean: 95.18
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 13.18

Location: 1369-1370 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29H5: S16Q29H5 CHRONC HEART CON-KID5-W5

Value	Label	Unweighted Frequency	%
0	-	77	1.8 %
97	-	4018	95.8 %
	Missing Data		
.	-	101	2.4 %
	Total	4,196	100%

Based upon 4,095 valid cases out of 4,196 total cases.

- Mean: 95.18
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 13.18

Location: 1371-1372 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29J5: S16Q29J5 CONVULS/SEIZURE-KID5-W5

Value	Label	Unweighted Frequency	%
0	-	76	1.8 %
1	-	1	0.0 %
97	-	4018	95.8 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	101	2.4 %
	Total	4,196	100%

Based upon 4,095 valid cases out of 4,196 total cases.

- Mean: 95.18
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 13.18

Location: 1373-1374 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29K5: S16Q29K5 BONE/JOINT PROB-KID5-W5

Value	Label	Unweighted Frequency	%
0	-	76	1.8 %
1	-	1	0.0 %
97	-	4018	95.8 %
	Missing Data		
.	-	101	2.4 %
	Total	4,196	100%

Based upon 4,095 valid cases out of 4,196 total cases.

- Mean: 95.18
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 13.18

Location: 1375-1376 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29Q5: S16Q29Q5 HAS OBESITY-KID5-W5

Value	Label	Unweighted Frequency	%
0	-	76	1.8 %
1	-	1	0.0 %
97	-	4018	95.8 %
	Missing Data		
.	-	101	2.4 %
	Total	4,196	100%

Based upon 4,095 valid cases out of 4,196 total cases.

- Mean: 95.18
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 13.18

Location: 1377-1378 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29R5: S16Q29R5 HAS DIABETES-KID5-W5

Value	Label	Unweighted Frequency	%
0	-	77	1.8 %
97	-	4018	95.8 %
	Missing Data		
.	-	101	2.4 %
	Total	4,196	100%

Based upon 4,095 valid cases out of 4,196 total cases.

- Mean: 95.18
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 13.18

Location: 1379-1380 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29S5: S16Q29S5 HAS ADHD-KID5-W5

Value	Label	Unweighted Frequency	%
0	-	74	1.8 %
1	-	3	0.1 %
97	-	4018	95.8 %
	Missing Data		
.	-	101	2.4 %
	Total	4,196	100%

Based upon 4,095 valid cases out of 4,196 total cases.

- Mean: 95.18
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00

- Standard Deviation: 13.17

Location: 1381-1382 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29T5: S16Q29T5 OTHER CONDITIONS-KID5-W5

Value	Label	Unweighted Frequency	%
0	-	74	1.8 %
1	-	3	0.1 %
97	-	4018	95.8 %
	Missing Data		
.	-	101	2.4 %
	Total	4,196	100%

Based upon 4,095 valid cases out of 4,196 total cases.

- Mean: 95.18
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 13.17

Location: 1383-1384 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29U5: S16Q29U5 HAS NONE ABOVE-KID5-W5

Value	Label	Unweighted Frequency	%
0	-	20	0.5 %
1	-	57	1.4 %
97	-	4018	95.8 %
	Missing Data		
.	-	101	2.4 %
	Total	4,196	100%

Based upon 4,095 valid cases out of 4,196 total cases.

- Mean: 95.19
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 13.08

Location: 1385-1386 (width: 2; decimal: 0)

Variable Type: numeric

H5PG86: S16Q86 SINGLE/TWIN/OTHR BTH-KID6-W5

Value	Label	Unweighted Frequency	%
1	-	21	0.5 %
2	-	4	0.1 %
97	-	4069	97.0 %
	Missing Data		
.	-	102	2.4 %
	Total	4,196	100%

Based upon 4,094 valid cases out of 4,196 total cases.

- Mean: 96.41
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 7.47

Location: 1387-1388 (width: 2; decimal: 0)

Variable Type: numeric

H5PG96: S16Q96 C-SECTION/VAGINAL-KID6-W5

Value	Label	Unweighted Frequency	%
1	-	4	0.1 %
2	-	22	0.5 %
97	-	4069	97.0 %
	Missing Data		
.	-	101	2.4 %
	Total	4,196	100%

Based upon 4,095 valid cases out of 4,196 total cases.

- Mean: 96.40
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 7.56

Location: 1389-1390 (width: 2; decimal: 0)

Variable Type: numeric

H5PG10Y6: S16Q10Y1 BIRTHDAY-YEAR-KID6-W5

Value	Label	Unweighted Frequency	%
2018	-	24	0.6 %

Value	Label	Unweighted Frequency	%
99997	-	4069	97.0 %
	Missing Data		
.	-	103	2.5 %
	Total	4,196	100%

Based upon 4,093 valid cases out of 4,196 total cases.

- Mean: 99422.48
- Median: 99997.00
- Mode: 99997.00
- Minimum: 2018.00
- Maximum: 99997.00
- Standard Deviation: 7481.59

Location: 1391-1395 (width: 5; decimal: 0)

Variable Type: numeric

H5PG116: S16Q116 BORN IN US-KID6-W5

Value	Label	Unweighted Frequency	%
0	-	2	0.0 %
1	-	25	0.6 %
97	-	4068	96.9 %
	Missing Data		
.	-	101	2.4 %
	Total	4,196	100%

Based upon 4,095 valid cases out of 4,196 total cases.

- Mean: 96.37
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 7.78

Location: 1396-1397 (width: 2; decimal: 0)

Variable Type: numeric

H5PG126: S16Q126 BABY BOY OR GIRL-KID6-W5

Value	Label	Unweighted Frequency	%
1	-	15	0.4 %
2	-	12	0.3 %
97	-	4069	97.0 %
	Missing Data		
.	-	100	2.4 %

Value	Label	Unweighted Frequency	%
	Total	4,196	100%

Based upon 4,096 valid cases out of 4,196 total cases.

- Mean: 96.37
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 7.73

Location: 1398-1399 (width: 2; decimal: 0)

Variable Type: numeric

H5PG13L6: S16Q13L6 BABY BIRTH WEIGHT-LBS-KID6-W5

Value	Label	Unweighted Frequency	%
5	-	2	0.0 %
6	-	4	0.1 %
7	-	6	0.1 %
8	-	5	0.1 %
9	-	1	0.0 %
10	-	1	0.0 %
11	-	1	0.0 %
997	-	4068	96.9 %
998	-	6	0.1 %
	Missing Data		
.	-	102	2.4 %
	Total	4,196	100%

Based upon 4,094 valid cases out of 4,196 total cases.

- Mean: 992.17
- Median: 997.00
- Mode: 997.00
- Minimum: 5.00
- Maximum: 998.00
- Standard Deviation: 69.01

Location: 1400-1402 (width: 3; decimal: 0)

Variable Type: numeric

H5PG146: S16Q146 BABY BIRTH WGT<5.5 LBS-KID6-W5

Value	Label	Unweighted Frequency	%
0	-	6	0.1 %
1	-	1	0.0 %

Value	Label	Unweighted Frequency	%
97	-	4087	97.4 %
	Missing Data		
.	-	102	2.4 %
	Total	4,196	100%

Based upon 4,094 valid cases out of 4,196 total cases.

- Mean: 96.83
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 4.00

Location: 1403-1404 (width: 2; decimal: 0)

Variable Type: numeric

H5PG156: S16Q156 PRETERM BIRTH-KID6-W5

Value	Label	Unweighted Frequency	%
0	-	24	0.6 %
1	-	2	0.0 %
97	-	4068	96.9 %
98	-	2	0.0 %
	Missing Data		
.	-	100	2.4 %
	Total	4,196	100%

Based upon 4,096 valid cases out of 4,196 total cases.

- Mean: 96.39
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 98.00
- Standard Deviation: 7.70

Location: 1405-1406 (width: 2; decimal: 0)

Variable Type: numeric

H5PG166: S16Q166 BABY STAY HOSP/NICU-KID6-W5

Value	Label	Unweighted Frequency	%
1	-	2	0.0 %
2	-	25	0.6 %
97	-	4068	96.9 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	101	2.4 %
	Total	4,196	100%

Based upon 4,095 valid cases out of 4,196 total cases.

- Mean: 96.37
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 7.70

Location: 1407-1408 (width: 2; decimal: 0)

Variable Type: numeric

H5PG176: S16Q176 BABY WENT HOME W/ R-KID6-W5

Value	Label	Unweighted Frequency	%
0	-	2	0.0 %
1	-	26	0.6 %
97	-	4068	96.9 %
	Missing Data		
.	-	100	2.4 %
	Total	4,196	100%

Based upon 4,096 valid cases out of 4,196 total cases.

- Mean: 96.34
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 7.92

Location: 1409-1410 (width: 2; decimal: 0)

Variable Type: numeric

H5PG186: S16Q186 WHY BABY NOT GO HOME-KID6-W5

Value	Label	Unweighted Frequency	%
5	-	1	0.0 %
97	-	4094	97.6 %
	Missing Data		
.	-	101	2.4 %
	Total	4,196	100%

Based upon 4,095 valid cases out of 4,196 total cases.

- Mean: 96.98
- Median: 97.00
- Mode: 97.00
- Minimum: 5.00
- Maximum: 97.00
- Standard Deviation: 1.44

Location: 1411-1412 (width: 2; decimal: 0)

Variable Type: numeric

H5PG196: S16Q196 R WANT A BABY B/F PREG-KID6-W5

Value	Label	Unweighted Frequency	%
0	-	9	0.2 %
1	-	17	0.4 %
97	-	4068	96.9 %
	Missing Data		
.	-	102	2.4 %
	Total	4,196	100%

Based upon 4,094 valid cases out of 4,196 total cases.

- Mean: 96.39
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 7.65

Location: 1413-1414 (width: 2; decimal: 0)

Variable Type: numeric

H5PG206: S16Q206 BIRTH CONTROL B/F PREG-KID6-W5

Value	Label	Unweighted Frequency	%
0	-	23	0.5 %
1	-	3	0.1 %
97	-	4068	96.9 %
	Missing Data		
.	-	102	2.4 %
	Total	4,196	100%

Based upon 4,094 valid cases out of 4,196 total cases.

- Mean: 96.38
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00

- Standard Deviation: 7.70

Location: 1415-1416 (width: 2; decimal: 0)

Variable Type: numeric

H5PG216: S16Q216 PREG PTNR REL AT BIRTH-KID6-W5

Value	Label	Unweighted Frequency	%
1	-	8	0.2 %
2	-	7	0.2 %
3	-	6	0.1 %
4	-	4	0.1 %
6	-	2	0.0 %
97	-	4069	97.0 %
	Missing Data		
.	-	100	2.4 %
	Total	4,196	100%

Based upon 4,096 valid cases out of 4,196 total cases.

- Mean: 96.38
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 7.65

Location: 1417-1418 (width: 2; decimal: 0)

Variable Type: numeric

H5PG226: S16Q226 PREG PTNR MOST RECENT-KID6-W5

Value	Label	Unweighted Frequency	%
0	-	10	0.2 %
1	-	17	0.4 %
97	-	4068	96.9 %
	Missing Data		
.	-	101	2.4 %
	Total	4,196	100%

Based upon 4,095 valid cases out of 4,196 total cases.

- Mean: 96.36
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 7.80

Location: 1419-1420 (width: 2; decimal: 0)

Variable Type: numeric

H5PG236: S16Q236 # CIGARETTE DUR PREG-KID6-W5

Value	Label	Unweighted Frequency	%
1	-	22	0.5 %
2	-	1	0.0 %
3	-	1	0.0 %
5	-	2	0.0 %
7	-	1	0.0 %
97	-	4069	97.0 %
	Missing Data		
.	-	100	2.4 %
	Total	4,196	100%

Based upon 4,096 valid cases out of 4,196 total cases.

- Mean: 96.37
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 7.72

Location: 1421-1422 (width: 2; decimal: 0)

Variable Type: numeric

H5PG246: S16Q246 PRENATAL VISIT DUR PREG-KID6-W5

Value	Label	Unweighted Frequency	%
0	-	3	0.1 %
1	-	24	0.6 %
97	-	4068	96.9 %
	Missing Data		
.	-	101	2.4 %
	Total	4,196	100%

Based upon 4,095 valid cases out of 4,196 total cases.

- Mean: 96.37
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 7.78

Location: 1423-1424 (width: 2; decimal: 0)

Variable Type: numeric

H5PG256: S16Q256 WKS 1ST PRENATAL VISIT-KID6-W5

Value	Label	Unweighted Frequency	%
4	-	2	0.0 %
5	-	1	0.0 %
6	-	3	0.1 %
7	-	1	0.0 %
8	-	4	0.1 %
9	-	1	0.0 %
10	-	2	0.0 %
11	-	1	0.0 %
12	-	3	0.1 %
15	-	1	0.0 %
25	-	1	0.0 %
997	-	4072	97.0 %
	Missing Data		
.	-	104	2.5 %
	Total	4,196	100%

Based upon 4,092 valid cases out of 4,196 total cases.

- Mean: 992.17
- Median: 997.00
- Mode: 997.00
- Minimum: 4.00
- Maximum: 997.00
- Standard Deviation: 68.89

Location: 1425-1427 (width: 3; decimal: 0)

Variable Type: numeric

H5PG266: S16Q266 STILL LIVING-KID6-W5

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
1	-	27	0.6 %
97	-	4068	96.9 %
	Missing Data		
.	-	100	2.4 %
	Total	4,196	100%

Based upon 4,096 valid cases out of 4,196 total cases.

- Mean: 96.34
- Median: 97.00

- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 7.91

Location: 1428-1429 (width: 2; decimal: 0)

Variable Type: numeric

H5PG27Y6: S16Q27Y1 YEAR DIED-KID6-W5

Value	Label	Unweighted Frequency	%
99997	-	4095	97.6 %
	Missing Data		
.	-	101	2.4 %
	Total	4,196	100%

Based upon 4,095 valid cases out of 4,196 total cases.

- Mean: 99997.00
- Median: 99997.00
- Mode: 99997.00
- Minimum: 99997.00
- Maximum: 99997.00
- Standard Deviation: 0.00

Location: 1430-1434 (width: 5; decimal: 0)

Variable Type: numeric

H5PG286: S16Q286 HOW GOOD HEALTH-KID6-W5

Value	Label	Unweighted Frequency	%
1	-	20	0.5 %
2	-	4	0.1 %
3	-	3	0.1 %
97	-	4069	97.0 %
	Missing Data		
.	-	100	2.4 %
	Total	4,196	100%

Based upon 4,096 valid cases out of 4,196 total cases.

- Mean: 96.37
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 7.74

Location: 1435-1436 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29A6: S16Q29A6 HEAR PROB/DEAF-KID6-W5

Value	Label	Unweighted Frequency	%
0	-	28	0.7 %
1	-	1	0.0 %
97	-	4067	96.9 %
	Missing Data		
.	-	100	2.4 %
	Total	4,196	100%

Based upon 4,096 valid cases out of 4,196 total cases.

- Mean: 96.31
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 8.13

Location: 1437-1438 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29B6: S16Q29B6 HAS SPEECH PROB-KID6-W5

Value	Label	Unweighted Frequency	%
0	-	27	0.6 %
1	-	2	0.0 %
97	-	4067	96.9 %
	Missing Data		
.	-	100	2.4 %
	Total	4,196	100%

Based upon 4,096 valid cases out of 4,196 total cases.

- Mean: 96.31
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 8.13

Location: 1439-1440 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29C6: S16Q29C6 HAS SIGHT PROB-KID6-W5

Value	Label	Unweighted Frequency	%
0	-	28	0.7 %

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
97	-	4067	96.9 %
	Missing Data		
.	-	100	2.4 %
	Total	4,196	100%

Based upon 4,096 valid cases out of 4,196 total cases.

- Mean: 96.31
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 8.13

Location: 1441-1442 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29D6: S16Q29D6 LEARN DELAY/SLOW-KID6-W5

Value	Label	Unweighted Frequency	%
0	-	28	0.7 %
1	-	1	0.0 %
97	-	4067	96.9 %
	Missing Data		
.	-	100	2.4 %
	Total	4,196	100%

Based upon 4,096 valid cases out of 4,196 total cases.

- Mean: 96.31
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 8.13

Location: 1443-1444 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29E6: S16Q29E6 ALLRGY/HAY FEVER-KID6-W5

Value	Label	Unweighted Frequency	%
0	-	28	0.7 %
1	-	1	0.0 %
97	-	4067	96.9 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	100	2.4 %
	Total	4,196	100%

Based upon 4,096 valid cases out of 4,196 total cases.

- Mean: 96.31
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 8.13

Location: 1445-1446 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29F6: S16Q29F6 HAS ASTHMA-KID6-W5

Value	Label	Unweighted Frequency	%
0	-	29	0.7 %
97	-	4067	96.9 %
	Missing Data		
.	-	100	2.4 %
	Total	4,196	100%

Based upon 4,096 valid cases out of 4,196 total cases.

- Mean: 96.31
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 8.13

Location: 1447-1448 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29G6: S16Q29G6 OTHR RESP CON-KID6-W5

Value	Label	Unweighted Frequency	%
0	-	29	0.7 %
97	-	4067	96.9 %
	Missing Data		
.	-	100	2.4 %
	Total	4,196	100%

Based upon 4,096 valid cases out of 4,196 total cases.

- Mean: 96.31
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 8.13

Location: 1449-1450 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29H6: S16Q29H6 CHRONC HEART CON-KID6-W5

Value	Label	Unweighted Frequency	%
0	-	29	0.7 %
97	-	4067	96.9 %
	Missing Data		
.	-	100	2.4 %
	Total	4,196	100%

Based upon 4,096 valid cases out of 4,196 total cases.

- Mean: 96.31
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 8.13

Location: 1451-1452 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29J6: S16Q29J6 CONVULS/SEIZURE-KID6-W5

Value	Label	Unweighted Frequency	%
0	-	28	0.7 %
1	-	1	0.0 %
97	-	4067	96.9 %
	Missing Data		
.	-	100	2.4 %
	Total	4,196	100%

Based upon 4,096 valid cases out of 4,196 total cases.

- Mean: 96.31
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 8.13

Location: 1453-1454 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29K6: S16Q29K6 BONE/JOINT PROB-KID6-W5

Value	Label	Unweighted Frequency	%
0	-	29	0.7 %
97	-	4067	96.9 %
	Missing Data		
.	-	100	2.4 %
	Total	4,196	100%

Based upon 4,096 valid cases out of 4,196 total cases.

- Mean: 96.31
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 8.13

Location: 1455-1456 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29Q6: S16Q29Q6 HAS OBESITY-KID6-W5

Value	Label	Unweighted Frequency	%
0	-	29	0.7 %
97	-	4067	96.9 %
	Missing Data		
.	-	100	2.4 %
	Total	4,196	100%

Based upon 4,096 valid cases out of 4,196 total cases.

- Mean: 96.31
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 8.13

Location: 1457-1458 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29R6: S16Q29R6 HAS DIABETES-KID6-W5

Value	Label	Unweighted Frequency	%
0	-	29	0.7 %
97	-	4067	96.9 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	100	2.4 %
	Total	4,196	100%

Based upon 4,096 valid cases out of 4,196 total cases.

- Mean: 96.31
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 8.13

Location: 1459-1460 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29S6: S16Q29S6 HAS ADHD-KID6-W5

Value	Label	Unweighted Frequency	%
0	-	28	0.7 %
1	-	1	0.0 %
97	-	4067	96.9 %
	Missing Data		
.	-	100	2.4 %
	Total	4,196	100%

Based upon 4,096 valid cases out of 4,196 total cases.

- Mean: 96.31
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 8.13

Location: 1461-1462 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29T6: S16Q29T6 OTHER CONDITIONS-KID6-W5

Value	Label	Unweighted Frequency	%
0	-	29	0.7 %
97	-	4067	96.9 %
	Missing Data		
.	-	100	2.4 %
	Total	4,196	100%

Based upon 4,096 valid cases out of 4,196 total cases.

- Mean: 96.31
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 8.13

Location: 1463-1464 (width: 2; decimal: 0)

Variable Type: numeric

H5PG29U6: S16Q29U6 HAS NONE ABOVE-KID6-W5

Value	Label	Unweighted Frequency	%
0	-	10	0.2 %
1	-	19	0.5 %
97	-	4067	96.9 %
	Missing Data		
.	-	100	2.4 %
	Total	4,196	100%

Based upon 4,096 valid cases out of 4,196 total cases.

- Mean: 96.32
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 8.08

Location: 1465-1466 (width: 2; decimal: 0)

Variable Type: numeric

H5PG30: S16Q30 # MISCARRIAGE/OTHER LOSES-W5

Value	Label	Unweighted Frequency	%
0	-	1879	44.8 %
1	-	682	16.3 %
2	-	243	5.8 %
3	-	86	2.0 %
4	-	17	0.4 %
5	-	13	0.3 %
6	-	14	0.3 %
997	-	1156	27.6 %
	Missing Data		
.	-	106	2.5 %
	Total	4,196	100%

Based upon 4,090 valid cases out of 4,196 total cases.

- Mean: 282.19
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 997.00
- Standard Deviation: 448.74

Location: 1467-1469 (width: 3; decimal: 0)

Variable Type: numeric

H5PG31: S16Q31 # ABORTION R/PTNR HAD-W5

Value	Label	Unweighted Frequency	%
0	-	2343	55.8 %
1	-	378	9.0 %
2	-	135	3.2 %
3	-	41	1.0 %
4	-	20	0.5 %
97	-	1177	28.1 %
	Missing Data		
.	-	102	2.4 %
	Total	4,196	100%

Based upon 4,094 valid cases out of 4,196 total cases.

- Mean: 28.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 43.78

Location: 1470-1471 (width: 2; decimal: 0)

Variable Type: numeric

H5PG32: S16Q32 ANYKIDS STEP/FOSTER/ADOPT-W5

Value	Label	Unweighted Frequency	%
0	-	1068	25.5 %
1	-	175	4.2 %
95	-	147	3.5 %
97	-	2720	64.8 %
	Missing Data		
.	-	86	2.0 %
	Total	4,196	100%

Based upon 4,110 valid cases out of 4,196 total cases.

- Mean: 67.64
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 44.45

Location: 1472-1473 (width: 2; decimal: 0)

Variable Type: numeric

H5PG33: S16Q33 LANGUAGE SPEAK TO CHILDREN-W5

Value	Label	Unweighted Frequency	%
1	-	2860	68.2 %
2	-	19	0.5 %
7	-	76	1.8 %
8	-	20	0.5 %
97	-	1114	26.5 %
	Missing Data		
.	-	107	2.6 %
	Total	4,196	100%

Based upon 4,089 valid cases out of 4,196 total cases.

- Mean: 27.30
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 42.66

Location: 1474-1475 (width: 2; decimal: 0)

Variable Type: numeric

H5PG34A: S16Q34A R HAPPY IN ROLE AS A PARENT-W5

Value	Label	Unweighted Frequency	%
1	-	2147	51.2 %
2	-	650	15.5 %
3	-	91	2.2 %
4	-	36	0.9 %
5	-	19	0.5 %
6	-	27	0.6 %
97	-	1125	26.8 %
	Missing Data		
.	-	101	2.4 %

Value	Label	Unweighted Frequency	%
	Total	4,196	100%

Based upon 4,095 valid cases out of 4,196 total cases.

- Mean: 27.65
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 42.69

Location: 1476-1477 (width: 2; decimal: 0)

Variable Type: numeric

H5PG34B: S16Q34B R FEEL CLOSE TO CHILDREN-W5

Value	Label	Unweighted Frequency	%
1	-	2298	54.8 %
2	-	526	12.5 %
3	-	73	1.7 %
4	-	25	0.6 %
5	-	21	0.5 %
6	-	24	0.6 %
97	-	1128	26.9 %
	Missing Data		
.	-	101	2.4 %
	Total	4,196	100%

Based upon 4,095 valid cases out of 4,196 total cases.

- Mean: 27.68
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 42.75

Location: 1478-1479 (width: 2; decimal: 0)

Variable Type: numeric

H5PG34C: S16Q34C CHILDREN MAJOR STRESS TO R-W5

Value	Label	Unweighted Frequency	%
1	-	108	2.6 %
2	-	427	10.2 %
3	-	627	14.9 %
4	-	1014	24.2 %

Value	Label	Unweighted Frequency	%
5	-	761	18.1 %
6	-	34	0.8 %
97	-	1124	26.8 %
	Missing Data		
.	-	101	2.4 %
	Total	4,196	100%

Based upon 4,095 valid cases out of 4,196 total cases.

- Mean: 29.29
- Median: 4.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 41.66

Location: 1480-1481 (width: 2; decimal: 0)

Variable Type: numeric

H5PG34D: S16Q34D PARNT RESPONSBLTY OVRWHELM R-W5

Value	Label	Unweighted Frequency	%
1	-	45	1.1 %
2	-	250	6.0 %
3	-	532	12.7 %
4	-	1152	27.5 %
5	-	952	22.7 %
6	-	37	0.9 %
97	-	1127	26.9 %
	Missing Data		
.	-	101	2.4 %
	Total	4,196	100%

Based upon 4,095 valid cases out of 4,196 total cases.

- Mean: 29.56
- Median: 5.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 41.57

Location: 1482-1483 (width: 2; decimal: 0)

Variable Type: numeric

H5DA1: S17Q1 FALLEN PAST YEAR-W5

Value	Label	Unweighted Frequency	%
0	-	3075	73.3 %
1	-	523	12.5 %
2	-	244	5.8 %
3	-	168	4.0 %
4	-	52	1.2 %
5	-	19	0.5 %
	Missing Data		
.	-	115	2.7 %
	Total	4,196	100%

Based upon 4,081 valid cases out of 4,196 total cases.

- Mean: 0.45
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.93

Location: 1484-1484 (width: 1; decimal: 0)

Variable Type: numeric

H5DA2: S17Q2 SERIOUS INJURY PAST YEAR-W5

Value	Label	Unweighted Frequency	%
0	-	3509	83.6 %
1	-	567	13.5 %
	Missing Data		
.	-	120	2.9 %
	Total	4,196	100%

Based upon 4,076 valid cases out of 4,196 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

Location: 1485-1485 (width: 1; decimal: 0)

Variable Type: numeric

H5DA3A: S17Q3A EVER HEAD/NECK INJURY UNCONSC-W5

Value	Label	Unweighted Frequency	%
0	-	3731	88.9 %

Value	Label	Unweighted Frequency	%
1	-	332	7.9 %
	Missing Data		
.	-	133	3.2 %
	Total	4,196	100%

Based upon 4,063 valid cases out of 4,196 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.27

Location: 1486-1486 (width: 1; decimal: 0)

Variable Type: numeric

H5DA3B: S17Q3B EVR HEAD/NECK INJURY CONSCIOUS-W5

Value	Label	Unweighted Frequency	%
0	-	3430	81.7 %
1	-	631	15.0 %
	Missing Data		
.	-	135	3.2 %
	Total	4,196	100%

Based upon 4,061 valid cases out of 4,196 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

Location: 1487-1487 (width: 1; decimal: 0)

Variable Type: numeric

H5DA3C: S17Q3C EVER BROKEN NOSE-W5

Value	Label	Unweighted Frequency	%
0	-	3740	89.1 %
1	-	314	7.5 %
	Missing Data		
.	-	142	3.4 %
	Total	4,196	100%

Based upon 4,054 valid cases out of 4,196 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.27

Location: 1488-1488 (width: 1; decimal: 0)

Variable Type: numeric

H5DA3D: S17Q3D EVER SERIOUS FACE/JAW INJURY-W5

Value	Label	Unweighted Frequency	%
0	-	3817	91.0 %
1	-	234	5.6 %
	Missing Data		
.	-	145	3.5 %
	Total	4,196	100%

Based upon 4,051 valid cases out of 4,196 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.23

Location: 1489-1489 (width: 1; decimal: 0)

Variable Type: numeric

H5DA3E: S17Q3E EVER SERIOUS BODY INJURY-W5

Value	Label	Unweighted Frequency	%
0	-	3213	76.6 %
1	-	844	20.1 %
	Missing Data		
.	-	139	3.3 %
	Total	4,196	100%

Based upon 4,057 valid cases out of 4,196 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

Location: 1490-1490 (width: 1; decimal: 0)

Variable Type: numeric

H5DA3F: S17Q3F EVER SEIZURE/S-W5

Value	Label	Unweighted Frequency	%
0	-	3923	93.5 %
1	-	124	3.0 %
	Missing Data		
.	-	149	3.6 %
	Total	4,196	100%

Based upon 4,047 valid cases out of 4,196 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

Location: 1491-1491 (width: 1; decimal: 0)

Variable Type: numeric

H5DA3G: S17Q3G EVER STROKE-W5

Value	Label	Unweighted Frequency	%
0	-	3997	95.3 %
1	-	36	0.9 %
	Missing Data		
.	-	163	3.9 %
	Total	4,196	100%

Based upon 4,033 valid cases out of 4,196 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.09

Location: 1492-1492 (width: 1; decimal: 0)

Variable Type: numeric

H5DA3H: S17Q3H EVER VISUAL DISTURB-W5

Value	Label	Unweighted Frequency	%
0	-	3575	85.2 %

Value	Label	Unweighted Frequency	%
1	-	477	11.4 %
	Missing Data		
.	-	144	3.4 %
	Total	4,196	100%

Based upon 4,052 valid cases out of 4,196 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

Location: 1493-1493 (width: 1; decimal: 0)

Variable Type: numeric

H5DA4: S17Q4 EVER-DIZZY/LIGHTHEADED/FAINT-W5

Value	Label	Unweighted Frequency	%
0	-	2752	65.6 %
1	-	1320	31.5 %
	Missing Data		
.	-	124	3.0 %
	Total	4,196	100%

Based upon 4,072 valid cases out of 4,196 total cases.

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

Location: 1494-1494 (width: 1; decimal: 0)

Variable Type: numeric

H5DA5A: S17Q5A FEEL SPINNIN/VERTIGO PAST YEAR-W5

Value	Label	Unweighted Frequency	%
0	-	3441	82.0 %
1	-	616	14.7 %
	Missing Data		
.	-	139	3.3 %
	Total	4,196	100%

Based upon 4,057 valid cases out of 4,196 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

Location: 1495-1495 (width: 1; decimal: 0)

Variable Type: numeric

H5DA5B: S17Q5B FEEL FLOATING/SPACEY PAST YEAR-W5

Value	Label	Unweighted Frequency	%
0	-	3586	85.5 %
1	-	469	11.2 %
	Missing Data		
.	-	141	3.4 %
	Total	4,196	100%

Based upon 4,055 valid cases out of 4,196 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

Location: 1496-1496 (width: 1; decimal: 0)

Variable Type: numeric

H5DA5C: S17Q5C FEEL LIGHTHEADED PAST YEAR-W5

Value	Label	Unweighted Frequency	%
0	-	3224	76.8 %
1	-	836	19.9 %
	Missing Data		
.	-	136	3.2 %
	Total	4,196	100%

Based upon 4,060 valid cases out of 4,196 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

Location: 1497-1497 (width: 1; decimal: 0)

Variable Type: numeric

H5DA5D: S17Q5D FEEL FAINT PAST YEAR-W5

Value	Label	Unweighted Frequency	%
0	-	3322	79.2 %
1	-	732	17.4 %
	Missing Data		
.	-	142	3.4 %
	Total	4,196	100%

Based upon 4,054 valid cases out of 4,196 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

Location: 1498-1498 (width: 1; decimal: 0)

Variable Type: numeric

H5DA5E: S17Q5E BLURRED VISION PAST YEAR-W5

Value	Label	Unweighted Frequency	%
0	-	3699	88.2 %
1	-	352	8.4 %
	Missing Data		
.	-	145	3.5 %
	Total	4,196	100%

Based upon 4,051 valid cases out of 4,196 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.28

Location: 1499-1499 (width: 1; decimal: 0)

Variable Type: numeric

H5DA5F: S17Q5F FEEL OFF-BALANCE PAST YEAR-W5

Value	Label	Unweighted Frequency	%
0	-	3247	77.4 %

Value	Label	Unweighted Frequency	%
1	-	808	19.3 %
	Missing Data		
.	-	141	3.4 %
	Total	4,196	100%

Based upon 4,055 valid cases out of 4,196 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

Location: 1500-1500 (width: 1; decimal: 0)

Variable Type: numeric

H5DA5G: S17Q5G OTH DIZZY/BALANCE PRBS PST YR-W5

Value	Label	Unweighted Frequency	%
0	-	3642	86.8 %
1	-	411	9.8 %
	Missing Data		
.	-	143	3.4 %
	Total	4,196	100%

Based upon 4,053 valid cases out of 4,196 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

Location: 1501-1501 (width: 1; decimal: 0)

Variable Type: numeric

H5DA6: S17Q6 MOST BOTHERSOME DIZZY PRB-W5

Value	Label	Unweighted Frequency	%
1	-	219	5.2 %
2	-	110	2.6 %
3	-	301	7.2 %
4	-	143	3.4 %
5	-	64	1.5 %
6	-	88	2.1 %

Value	Label	Unweighted Frequency	%
7	-	65	1.5 %
95	-	1170	27.9 %
97	-	2015	48.0 %
	Missing Data		
.	-	21	0.5 %
	Total	4,196	100%

Based upon 4,175 valid cases out of 4,196 total cases.

- Mean: 74.21
- Median: 95.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 39.58

Location: 1502-1503 (width: 2; decimal: 0)

Variable Type: numeric

H5DA7: S17Q7 FREQ MOST BOTHERSOME DIZZY PRB-W5

Value	Label	Unweighted Frequency	%
1	-	596	14.2 %
2	-	348	8.3 %
3	-	168	4.0 %
4	-	111	2.6 %
5	-	80	1.9 %
6	-	35	0.8 %
7	-	18	0.4 %
8	-	18	0.4 %
95	-	1170	27.9 %
97	-	1645	39.2 %
	Missing Data		
.	-	7	0.2 %
	Total	4,196	100%

Based upon 4,189 valid cases out of 4,196 total cases.

- Mean: 65.37
- Median: 95.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 44.11

Location: 1504-1505 (width: 2; decimal: 0)

Variable Type: numeric

H5DA8: S17Q8 DUR MOST BOTHERSOME DIZZY PRB-W5

Value	Label	Unweighted Frequency	%
1	-	686	16.3 %
2	-	378	9.0 %
3	-	169	4.0 %
4	-	45	1.1 %
5	-	53	1.3 %
6	-	17	0.4 %
95	-	1170	27.9 %
97	-	1670	39.8 %
	Missing Data		
.	-	8	0.2 %
	Total	4,196	100%

Based upon 4,188 valid cases out of 4,196 total cases.

- Mean: 65.82
- Median: 95.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 44.09

Location: 1506-1507 (width: 2; decimal: 0)

Variable Type: numeric

H5DA9: S17Q9 BEST DESCRIBES UNAIDED HEARING-W5

Value	Label	Unweighted Frequency	%
1	-	2019	48.1 %
2	-	1622	38.7 %
3	-	338	8.1 %
4	-	71	1.7 %
5	-	32	0.8 %
	Missing Data		
.	-	114	2.7 %
	Total	4,196	100%

Based upon 4,082 valid cases out of 4,196 total cases.

- Mean: 1.65
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00

- Maximum: 5.00
- Standard Deviation: 0.77

Location: 1508-1508 (width: 1; decimal: 0)

Variable Type: numeric

H5DA10: S17Q10 EXPER TINNITUS W/I PAST YEAR-W5

Value	Label	Unweighted Frequency	%
0	-	3662	87.3 %
1	-	415	9.9 %
	Missing Data		
.	-	119	2.8 %
	Total	4,196	100%

Based upon 4,077 valid cases out of 4,196 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

Location: 1509-1509 (width: 1; decimal: 0)

Variable Type: numeric

H5DA11: S17Q11 HOW PROBLEMATIC IS TINNITUS-W5

Value	Label	Unweighted Frequency	%
1	-	107	2.6 %
2	-	196	4.7 %
3	-	80	1.9 %
4	-	19	0.5 %
5	-	13	0.3 %
97	-	3781	90.1 %
	Total	4,196	100%

Based upon 4,196 valid cases out of 4,196 total cases.

- Mean: 87.62
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 28.33

Location: 1510-1511 (width: 2; decimal: 0)

Variable Type: numeric

H5DA12: S17Q12 USE GLASSES OR CONTACTS-W5

Value	Label	Unweighted Frequency	%
1	-	1128	26.9 %
2	-	150	3.6 %
3	-	835	19.9 %
4	-	1958	46.7 %
	Missing Data		
.	-	125	3.0 %
	Total	4,196	100%

Based upon 4,071 valid cases out of 4,196 total cases.

- Mean: 2.89
- Median: 3.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.27

Location: 1512-1512 (width: 1; decimal: 0)

Variable Type: numeric

H5DA13: S17Q13 W/CORRECTION HOW IS EYESIGHT-W5

Value	Label	Unweighted Frequency	%
1	-	920	21.9 %
2	-	976	23.3 %
3	-	121	2.9 %
4	-	60	1.4 %
5	-	32	0.8 %
97	-	2083	49.6 %
	Missing Data		
.	-	4	0.1 %
	Total	4,196	100%

Based upon 4,192 valid cases out of 4,196 total cases.

- Mean: 49.07
- Median: 5.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 47.65

Location: 1513-1514 (width: 2; decimal: 0)

Variable Type: numeric

H5FT1: S18Q1 HAS A SMARTPHONE-W5

Value	Label	Unweighted Frequency	%
0	-	118	2.8 %
1	-	1939	46.2 %
95	-	1852	44.1 %
	Missing Data		
.	-	287	6.8 %
	Total	4,196	100%

Based upon 3,909 valid cases out of 4,196 total cases.

- Mean: 45.50
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 95.00
- Standard Deviation: 46.97

Location: 1515-1516 (width: 2; decimal: 0)

Variable Type: numeric

H5FT2: S18Q2 TYPE OF SMARTPHONE-W5

Value	Label	Unweighted Frequency	%
1	-	1053	25.1 %
2	-	872	20.8 %
3	-	13	0.3 %
95	-	1852	44.1 %
97	-	140	3.3 %
	Missing Data		
.	-	266	6.3 %
	Total	4,196	100%

Based upon 3,930 valid cases out of 4,196 total cases.

- Mean: 48.95
- Median: 95.00
- Mode: 95.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 46.84

Location: 1517-1518 (width: 2; decimal: 0)

Variable Type: numeric

H5FT3: S18Q3 USE SMARTPHONE FITNESS APPS-W5

Value	Label	Unweighted Frequency	%
0	-	1080	25.7 %
1	-	851	20.3 %
95	-	1852	44.1 %
97	-	140	3.3 %
	Missing Data		
.	-	273	6.5 %
	Total	4,196	100%

Based upon 3,923 valid cases out of 4,196 total cases.

- Mean: 48.53
- Median: 95.00
- Mode: 95.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 47.35

Location: 1519-1520 (width: 2; decimal: 0)

Variable Type: numeric

H5FT4A: S18Q4A TRACKED PHYSICAL ACTIVITY-W5

Value	Label	Unweighted Frequency	%
0	-	128	3.1 %
1	-	714	17.0 %
95	-	1852	44.1 %
97	-	1224	29.2 %
	Missing Data		
.	-	278	6.6 %
	Total	4,196	100%

Based upon 3,918 valid cases out of 4,196 total cases.

- Mean: 75.39
- Median: 95.00
- Mode: 95.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 39.02

Location: 1521-1522 (width: 2; decimal: 0)

Variable Type: numeric

H5FT4B: S18Q4B TRACKED DIET, FOOD, CALORIES-W5

Value	Label	Unweighted Frequency	%
0	-	440	10.5 %

Value	Label	Unweighted Frequency	%
1	-	399	9.5 %
95	-	1852	44.1 %
97	-	1224	29.2 %
	Missing Data		
.	-	281	6.7 %
	Total	4,196	100%

Based upon 3,915 valid cases out of 4,196 total cases.

- Mean: 75.37
- Median: 95.00
- Mode: 95.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 39.13

Location: 1523-1524 (width: 2; decimal: 0)

Variable Type: numeric

H5FT4C: S18Q4C TRACKED WEIGHT-W5

Value	Label	Unweighted Frequency	%
0	-	481	11.5 %
1	-	359	8.6 %
95	-	1852	44.1 %
97	-	1224	29.2 %
	Missing Data		
.	-	280	6.7 %
	Total	4,196	100%

Based upon 3,916 valid cases out of 4,196 total cases.

- Mean: 75.34
- Median: 95.00
- Mode: 95.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 39.16

Location: 1525-1526 (width: 2; decimal: 0)

Variable Type: numeric

H5FT4D: S18Q4D TRACKED BLOOD PRESSURE-W5

Value	Label	Unweighted Frequency	%
0	-	739	17.6 %
1	-	97	2.3 %

Value	Label	Unweighted Frequency	%
95	-	1852	44.1 %
97	-	1224	29.2 %
	Missing Data		
.	-	284	6.8 %
	Total	4,196	100%

Based upon 3,912 valid cases out of 4,196 total cases.

- Mean: 75.35
- Median: 95.00
- Mode: 95.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 39.24

Location: 1527-1528 (width: 2; decimal: 0)

Variable Type: numeric

H5FT4E: S18Q4E TRACKED HEART RATE-W5

Value	Label	Unweighted Frequency	%
0	-	488	11.6 %
1	-	347	8.3 %
95	-	1852	44.1 %
97	-	1224	29.2 %
	Missing Data		
.	-	285	6.8 %
	Total	4,196	100%

Based upon 3,911 valid cases out of 4,196 total cases.

- Mean: 75.43
- Median: 95.00
- Mode: 95.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 39.10

Location: 1529-1530 (width: 2; decimal: 0)

Variable Type: numeric

H5FT4F: S18Q4F TRACKED MENSTRUAL CYCLE-W5

Value	Label	Unweighted Frequency	%
0	-	637	15.2 %
1	-	182	4.3 %
95	-	1852	44.1 %

Value	Label	Unweighted Frequency	%
97	-	1245	29.7 %
	Missing Data		
.	-	280	6.7 %
	Total	4,196	100%

Based upon 3,916 valid cases out of 4,196 total cases.

- Mean: 75.81
- Median: 95.00
- Mode: 95.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 38.89

Location: 1531-1532 (width: 2; decimal: 0)

Variable Type: numeric

H5FT4G: S18Q4G TRACKED PREGNANCY-W5

Value	Label	Unweighted Frequency	%
0	-	762	18.2 %
1	-	57	1.4 %
95	-	1852	44.1 %
97	-	1245	29.7 %
	Missing Data		
.	-	280	6.7 %
	Total	4,196	100%

Based upon 3,916 valid cases out of 4,196 total cases.

- Mean: 75.78
- Median: 95.00
- Mode: 95.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 38.95

Location: 1533-1534 (width: 2; decimal: 0)

Variable Type: numeric

H5FT4H: S18Q4H TRACKED BLOOD SUGAR, DIABETES-W5

Value	Label	Unweighted Frequency	%
0	-	811	19.3 %
1	-	24	0.6 %
95	-	1852	44.1 %
97	-	1224	29.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	285	6.8 %
	Total	4,196	100%

Based upon 3,911 valid cases out of 4,196 total cases.

- Mean: 75.35
- Median: 95.00
- Mode: 95.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 39.26

Location: 1535-1536 (width: 2; decimal: 0)

Variable Type: numeric

H5FT4I: S18Q4I TRACKED MEDICATIONS-W5

Value	Label	Unweighted Frequency	%
0	-	782	18.6 %
1	-	54	1.3 %
95	-	1852	44.1 %
97	-	1224	29.2 %
	Missing Data		
.	-	284	6.8 %
	Total	4,196	100%

Based upon 3,912 valid cases out of 4,196 total cases.

- Mean: 75.34
- Median: 95.00
- Mode: 95.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 39.26

Location: 1537-1538 (width: 2; decimal: 0)

Variable Type: numeric

H5FT4J: S18Q4J TRACKED MOOD-W5

Value	Label	Unweighted Frequency	%
0	-	781	18.6 %
1	-	56	1.3 %
95	-	1852	44.1 %
97	-	1224	29.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	283	6.7 %
	Total	4,196	100%

Based upon 3,913 valid cases out of 4,196 total cases.

- Mean: 75.32
- Median: 95.00
- Mode: 95.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 39.27

Location: 1539-1540 (width: 2; decimal: 0)

Variable Type: numeric

H5FT4K: S18Q4K TRACKED SLEEP-W5

Value	Label	Unweighted Frequency	%
0	-	561	13.4 %
1	-	276	6.6 %
95	-	1852	44.1 %
97	-	1224	29.2 %
	Missing Data		
.	-	283	6.7 %
	Total	4,196	100%

Based upon 3,913 valid cases out of 4,196 total cases.

- Mean: 75.38
- Median: 95.00
- Mode: 95.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 39.16

Location: 1541-1542 (width: 2; decimal: 0)

Variable Type: numeric

H5FT4L: S18Q4L TRACKED SOMETHING ELSE-W5

Value	Label	Unweighted Frequency	%
0	-	779	18.6 %
1	-	57	1.4 %
95	-	1852	44.1 %
97	-	1224	29.2 %
	Missing Data		
.	-	284	6.8 %

Value	Label	Unweighted Frequency	%
	Total	4,196	100%

Based upon 3,912 valid cases out of 4,196 total cases.

- Mean: 75.34
- Median: 95.00
- Mode: 95.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 39.26

Location: 1543-1544 (width: 2; decimal: 0)

Variable Type: numeric

H5FT5A: S18Q5A EVER USED FITNESS TRACKER-W5

Value	Label	Unweighted Frequency	%
0	-	1379	32.9 %
1	-	682	16.3 %
95	-	1852	44.1 %
	Missing Data		
.	-	283	6.7 %
	Total	4,196	100%

Based upon 3,913 valid cases out of 4,196 total cases.

- Mean: 45.14
- Median: 1.00
- Mode: 95.00
- Minimum: 0.00
- Maximum: 95.00
- Standard Deviation: 47.27

Location: 1545-1546 (width: 2; decimal: 0)

Variable Type: numeric

H5FT5B: S18Q5B BEGAN FITNESS TRACKER USE-W5

Value	Label	Unweighted Frequency	%
1	-	32	0.8 %
2	-	57	1.4 %
3	-	110	2.6 %
4	-	481	11.5 %
95	-	1852	44.1 %
97	-	1393	33.2 %
	Missing Data		
.	-	271	6.5 %

Value	Label	Unweighted Frequency	%
	Total	4,196	100%

Based upon 3,925 valid cases out of 4,196 total cases.

- Mean: 79.86
- Median: 95.00
- Mode: 95.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 34.96

Location: 1547-1548 (width: 2; decimal: 0)

Variable Type: numeric

H5FT5C: S18Q5C WORN TRACKER IN LAST MONTH-W5

Value	Label	Unweighted Frequency	%
0	-	233	5.6 %
1	-	445	10.6 %
95	-	1852	44.1 %
97	-	1393	33.2 %
	Missing Data		
.	-	273	6.5 %
	Total	4,196	100%

Based upon 3,923 valid cases out of 4,196 total cases.

- Mean: 79.41
- Median: 95.00
- Mode: 95.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 36.01

Location: 1549-1550 (width: 2; decimal: 0)

Variable Type: numeric

H5FT5D: S18Q5D LAST TIME WORE TRACKER-W5

Value	Label	Unweighted Frequency	%
1	-	93	2.2 %
2	-	57	1.4 %
3	-	84	2.0 %
95	-	1852	44.1 %
97	-	1836	43.8 %
	Missing Data		
.	-	274	6.5 %

Value	Label	Unweighted Frequency	%
	Total	4,196	100%

Based upon 3,922 valid cases out of 4,196 total cases.

- Mean: 90.39
- Median: 95.00
- Mode: 95.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 22.30

Location: 1551-1552 (width: 2; decimal: 0)

Variable Type: numeric

H5FT5E: S18Q5E HOW OFTEN WEAR TRACKER-W5

Value	Label	Unweighted Frequency	%
1	-	332	7.9 %
2	-	217	5.2 %
3	-	63	1.5 %
4	-	41	1.0 %
5	-	26	0.6 %
95	-	1852	44.1 %
97	-	1393	33.2 %
	Missing Data		
.	-	272	6.5 %
	Total	4,196	100%

Based upon 3,924 valid cases out of 4,196 total cases.

- Mean: 79.59
- Median: 95.00
- Mode: 95.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 35.58

Location: 1553-1554 (width: 2; decimal: 0)

Variable Type: numeric

H5FT6: S18Q6 FITNESS TRACKING DEVICE USED-W5

Value	Label	Unweighted Frequency	%
1	-	357	8.5 %
2	-	13	0.3 %
3	-	2	0.0 %
4	-	42	1.0 %

Value	Label	Unweighted Frequency	%
5	-	144	3.4 %
6	-	37	0.9 %
14	-	79	1.9 %
995	-	1852	44.1 %
997	-	1393	33.2 %
	Missing Data		
.	-	277	6.6 %
	Total	4,196	100%

Based upon 3,919 valid cases out of 4,196 total cases.

- Mean: 825.25
- Median: 995.00
- Mode: 995.00
- Minimum: 1.00
- Maximum: 997.00
- Standard Deviation: 374.40

Location: 1555-1557 (width: 3; decimal: 0)

Variable Type: numeric

H5FT7: S18Q7 CONSENT TO ACCESS DEVICE DATA-W5

Value	Label	Unweighted Frequency	%
0	-	172	4.1 %
1	-	170	4.1 %
95	-	1852	44.1 %
97	-	1731	41.3 %
	Missing Data		
.	-	271	6.5 %
	Total	4,196	100%

Based upon 3,925 valid cases out of 4,196 total cases.

- Mean: 87.65
- Median: 95.00
- Mode: 95.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 26.95

Location: 1558-1559 (width: 2; decimal: 0)

Variable Type: numeric

H5FT8: S18Q8 REFUSAL EXPLANATION-W5

Value	Label	Unweighted Frequency	%
1	-	16	0.4 %
2	-	40	1.0 %
3	-	24	0.6 %
4	-	13	0.3 %
5	-	10	0.2 %
995	-	1852	44.1 %
997	-	1961	46.7 %
	Missing Data		
.	-	280	6.7 %
	Total	4,196	100%

Based upon 3,916 valid cases out of 4,196 total cases.

- Mean: 969.90
- Median: 997.00
- Mode: 997.00
- Minimum: 1.00
- Maximum: 997.00
- Standard Deviation: 159.00

Location: 1560-1562 (width: 3; decimal: 0)

Variable Type: numeric

H5MH1: S19Q1 INTERRUPTD DURING 90 SEC RECALL-W5

Value	Label	Unweighted Frequency	%
0	-	613	14.6 %
1	-	14	0.3 %
95	-	3569	85.1 %
	Total	4,196	100%

Based upon 4,196 valid cases out of 4,196 total cases.

- Mean: 80.81
- Median: 95.00
- Mode: 95.00
- Minimum: 0.00
- Maximum: 95.00
- Standard Deviation: 33.86

Location: 1563-1564 (width: 2; decimal: 0)

Variable Type: numeric

C5WD90_1: S19 # WORDS ON LIST RECALLED 90 SEC-W5

Value	Label	Unweighted Frequency	%
1	-	2	0.0 %

Value	Label	Unweighted Frequency	%
2	-	10	0.2 %
3	-	44	1.0 %
4	-	71	1.7 %
5	-	111	2.6 %
6	-	131	3.1 %
7	-	101	2.4 %
8	-	83	2.0 %
9	-	29	0.7 %
10	-	17	0.4 %
11	-	13	0.3 %
12	-	8	0.2 %
13	-	1	0.0 %
14	-	1	0.0 %
15	-	1	0.0 %
995	-	3569	85.1 %
996	-	1	0.0 %
999	-	1	0.0 %
	Missing Data		
.	-	2	0.0 %
	Total	4,196	100%

Based upon 4,194 valid cases out of 4,196 total cases.

- Mean: 848.12
- Median: 995.00
- Mode: 995.00
- Minimum: 1.00
- Maximum: 999.00
- Standard Deviation: 351.70

Location: 1565-1567 (width: 3; decimal: 0)

Variable Type: numeric

C5WD90_2: S19 # WORDS NOT ON LIST NAMED 90 SEC-W5

Value	Label	Unweighted Frequency	%
0	-	377	9.0 %
1	-	172	4.1 %
2	-	44	1.0 %
3	-	16	0.4 %
4	-	7	0.2 %
5	-	5	0.1 %
6	-	1	0.0 %

Value	Label	Unweighted Frequency	%
9	-	1	0.0 %
95	-	3569	85.1 %
96	-	1	0.0 %
99	-	1	0.0 %
	Missing Data		
.	-	2	0.0 %
	Total	4,196	100%

Based upon 4,194 valid cases out of 4,196 total cases.

- Mean: 80.98
- Median: 95.00
- Mode: 95.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 33.58

Location: 1568-1569 (width: 2; decimal: 0)

Variable Type: numeric

C5WD90_3: S19 # WORDS REPEATED 90 SEC-W5

Value	Label	Unweighted Frequency	%
0	-	395	9.4 %
1	-	110	2.6 %
2	-	51	1.2 %
3	-	30	0.7 %
4	-	11	0.3 %
5	-	14	0.3 %
6	-	8	0.2 %
7	-	2	0.0 %
8	-	1	0.0 %
12	-	1	0.0 %
995	-	3569	85.1 %
996	-	1	0.0 %
999	-	1	0.0 %
	Missing Data		
.	-	2	0.0 %
	Total	4,196	100%

Based upon 4,194 valid cases out of 4,196 total cases.

- Mean: 847.32
- Median: 995.00

- Mode: 995.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 353.62

Location: 1570-1572 (width: 3; decimal: 0)

Variable Type: numeric

H5MH2: S19Q2 INTERRUPTD DURNG 60 SEC RECALL-W5

Value	Label	Unweighted Frequency	%
0	-	617	14.7 %
1	-	10	0.2 %
95	-	3569	85.1 %
	Total	4,196	100%

Based upon 4,196 valid cases out of 4,196 total cases.

- Mean: 80.81
- Median: 95.00
- Mode: 95.00
- Minimum: 0.00
- Maximum: 95.00
- Standard Deviation: 33.87

Location: 1573-1574 (width: 2; decimal: 0)

Variable Type: numeric

C5WD60_1: S19 # WORDS ON LIST RECALLED 60 SEC-W5

Value	Label	Unweighted Frequency	%
0	-	7	0.2 %
1	-	25	0.6 %
2	-	49	1.2 %
3	-	103	2.5 %
4	-	113	2.7 %
5	-	137	3.3 %
6	-	83	2.0 %
7	-	55	1.3 %
8	-	23	0.5 %
9	-	13	0.3 %
10	-	5	0.1 %
11	-	4	0.1 %
12	-	3	0.1 %
995	-	3569	85.1 %
996	-	4	0.1 %
999	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	2	0.0 %
	Total	4,196	100%

Based upon 4,194 valid cases out of 4,196 total cases.

- Mean: 848.60
- Median: 995.00
- Mode: 995.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 351.55

Location: 1575-1577 (width: 3; decimal: 0)

Variable Type: numeric

C5WD60_2: S19 # WORDS NOT ON LIST NAMED 60 SEC-W5

Value	Label	Unweighted Frequency	%
0	-	333	7.9 %
1	-	171	4.1 %
2	-	67	1.6 %
3	-	25	0.6 %
4	-	13	0.3 %
5	-	2	0.0 %
6	-	1	0.0 %
7	-	2	0.0 %
8	-	2	0.0 %
9	-	4	0.1 %
95	-	3569	85.1 %
96	-	4	0.1 %
99	-	1	0.0 %
	Missing Data		
.	-	2	0.0 %
	Total	4,196	100%

Based upon 4,194 valid cases out of 4,196 total cases.

- Mean: 81.08
- Median: 95.00
- Mode: 95.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 33.43

Location: 1578-1579 (width: 2; decimal: 0)

Variable Type: numeric

C5WD60_3: S19 # WORDS REPEATED 60 SEC-W5

Value	Label	Unweighted Frequency	%
0	-	509	12.1 %
1	-	70	1.7 %
2	-	19	0.5 %
3	-	5	0.1 %
4	-	4	0.1 %
5	-	7	0.2 %
6	-	3	0.1 %
7	-	1	0.0 %
8	-	1	0.0 %
9	-	1	0.0 %
95	-	3569	85.1 %
96	-	4	0.1 %
99	-	1	0.0 %
	Missing Data		
.	-	2	0.0 %
	Total	4,196	100%

Based upon 4,194 valid cases out of 4,196 total cases.

- Mean: 81.01
- Median: 95.00
- Mode: 95.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 33.60

Location: 1580-1581 (width: 2; decimal: 0)

Variable Type: numeric

H5MH3A: S19Q3A NUMBER STRING/2-4-W5

Value	Label	Unweighted Frequency	%
0	-	2	0.0 %
1	-	623	14.8 %
95	-	3569	85.1 %
	Missing Data		
.	-	2	0.0 %
	Total	4,196	100%

Based upon 4,194 valid cases out of 4,196 total cases.

- Mean: 80.99
- Median: 95.00
- Mode: 95.00
- Minimum: 0.00
- Maximum: 95.00
- Standard Deviation: 33.48

Location: 1582-1583 (width: 2; decimal: 0)

Variable Type: numeric

H5MH3B: S19Q3B NUMBER STRING/5-7-W5

Value	Label	Unweighted Frequency	%
0	-	2	0.0 %
95	-	3569	85.1 %
97	-	623	14.8 %
	Missing Data		
.	-	2	0.0 %
	Total	4,196	100%

Based upon 4,194 valid cases out of 4,196 total cases.

- Mean: 95.25
- Median: 95.00
- Mode: 95.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 2.20

Location: 1584-1585 (width: 2; decimal: 0)

Variable Type: numeric

H5MH4A: S19Q4A NUMBER STRING/6-2-9-W5

Value	Label	Unweighted Frequency	%
0	-	75	1.8 %
1	-	546	13.0 %
95	-	3569	85.1 %
97	-	2	0.0 %
	Missing Data		
.	-	4	0.1 %
	Total	4,196	100%

Based upon 4,192 valid cases out of 4,196 total cases.

- Mean: 81.06
- Median: 95.00
- Mode: 95.00
- Minimum: 0.00

- Maximum: 97.00
- Standard Deviation: 33.44

Location: 1586-1587 (width: 2; decimal: 0)

Variable Type: numeric

H5MH4B: S19Q4B NUMBER STRING/4-1-5-W5

Value	Label	Unweighted Frequency	%
0	-	16	0.4 %
1	-	60	1.4 %
95	-	3569	85.1 %
97	-	548	13.1 %
	Missing Data		
.	-	3	0.1 %
	Total	4,196	100%

Based upon 4,193 valid cases out of 4,196 total cases.

- Mean: 93.55
- Median: 95.00
- Mode: 95.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 12.62

Location: 1588-1589 (width: 2; decimal: 0)

Variable Type: numeric

H5MH5A: S19Q5A NUMBER STRING/3-2-7-9-W5

Value	Label	Unweighted Frequency	%
0	-	125	3.0 %
1	-	480	11.4 %
95	-	3569	85.1 %
97	-	18	0.4 %
	Missing Data		
.	-	4	0.1 %
	Total	4,196	100%

Based upon 4,192 valid cases out of 4,196 total cases.

- Mean: 81.41
- Median: 95.00
- Mode: 95.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 33.11

Location: 1590-1591 (width: 2; decimal: 0)

Variable Type: numeric

H5MH5B: S19Q5B NUMBER STRING/4-9-6-8-W5

Value	Label	Unweighted Frequency	%
0	-	68	1.6 %
1	-	58	1.4 %
95	-	3569	85.1 %
97	-	498	11.9 %
	Missing Data		
.	-	3	0.1 %
	Total	4,196	100%

Based upon 4,193 valid cases out of 4,196 total cases.

- Mean: 92.40
- Median: 95.00
- Mode: 95.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 16.20

Location: 1592-1593 (width: 2; decimal: 0)

Variable Type: numeric

H5MH6A: S19Q6A NUMBER STRING/1-5-2-8-6-W5

Value	Label	Unweighted Frequency	%
0	-	263	6.3 %
1	-	274	6.5 %
95	-	3569	85.1 %
97	-	86	2.0 %
	Missing Data		
.	-	4	0.1 %
	Total	4,196	100%

Based upon 4,192 valid cases out of 4,196 total cases.

- Mean: 82.94
- Median: 95.00
- Mode: 95.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 31.60

Location: 1594-1595 (width: 2; decimal: 0)

Variable Type: numeric

H5MH6B: S19Q6B NUMBER STRING/6-1-8-4-3-W5

Value	Label	Unweighted Frequency	%
0	-	152	3.6 %
1	-	112	2.7 %
95	-	3569	85.1 %
97	-	360	8.6 %
	Missing Data		
.	-	3	0.1 %
	Total	4,196	100%

Based upon 4,193 valid cases out of 4,196 total cases.

- Mean: 89.22
- Median: 95.00
- Mode: 95.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 23.03

Location: 1596-1597 (width: 2; decimal: 0)

Variable Type: numeric

H5MH7A: S19Q7A NUMBER STRING/5-3-9-4-1-8-W5

Value	Label	Unweighted Frequency	%
0	-	208	5.0 %
1	-	176	4.2 %
95	-	3569	85.1 %
97	-	238	5.7 %
	Missing Data		
.	-	5	0.1 %
	Total	4,196	100%

Based upon 4,191 valid cases out of 4,196 total cases.

- Mean: 86.45
- Median: 95.00
- Mode: 95.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 27.32

Location: 1598-1599 (width: 2; decimal: 0)

Variable Type: numeric

H5MH7B: S19Q7B NUMBER STRING/7-2-4-8-5-6-W5

Value	Label	Unweighted Frequency	%
0	-	129	3.1 %

Value	Label	Unweighted Frequency	%
1	-	79	1.9 %
95	-	3569	85.1 %
97	-	414	9.9 %
	Missing Data		
.	-	5	0.1 %
	Total	4,196	100%

Based upon 4,191 valid cases out of 4,196 total cases.

- Mean: 90.50
- Median: 95.00
- Mode: 95.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 20.61

Location: 1600-1601 (width: 2; decimal: 0)

Variable Type: numeric

H5MH8A: S19Q8A NUMBER STRING/8-1-2-9-3-6-5-W5

Value	Label	Unweighted Frequency	%
0	-	166	4.0 %
1	-	87	2.1 %
95	-	3569	85.1 %
97	-	367	8.7 %
	Missing Data		
.	-	7	0.2 %
	Total	4,196	100%

Based upon 4,189 valid cases out of 4,196 total cases.

- Mean: 89.46
- Median: 95.00
- Mode: 95.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 22.60

Location: 1602-1603 (width: 2; decimal: 0)

Variable Type: numeric

H5MH8B: S19Q8B NUMBER STRING/4-7-3-9-1-2-8-W5

Value	Label	Unweighted Frequency	%
0	-	117	2.8 %
1	-	49	1.2 %

Value	Label	Unweighted Frequency	%
95	-	3569	85.1 %
97	-	454	10.8 %
	Missing Data		
.	-	7	0.2 %
	Total	4,196	100%

Based upon 4,189 valid cases out of 4,196 total cases.

- Mean: 91.46
- Median: 95.00
- Mode: 95.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 18.53

Location: 1604-1605 (width: 2; decimal: 0)

Variable Type: numeric

H5MH9A: S19Q9A NUMBER STRING/9-4-3-7-6-2-5-8-W5

Value	Label	Unweighted Frequency	%
0	-	105	2.5 %
1	-	30	0.7 %
95	-	3569	85.1 %
97	-	484	11.5 %
	Missing Data		
.	-	8	0.2 %
	Total	4,196	100%

Based upon 4,188 valid cases out of 4,196 total cases.

- Mean: 92.18
- Median: 95.00
- Mode: 95.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 16.80

Location: 1606-1607 (width: 2; decimal: 0)

Variable Type: numeric

H5MH9B: S19Q9B NUMBER STRING/7-2-8-1-9-6-5-3-W5

Value	Label	Unweighted Frequency	%
0	-	86	2.0 %
1	-	17	0.4 %
95	-	3569	85.1 %

Value	Label	Unweighted Frequency	%
97	-	484	11.5 %
	Missing Data		
.	-	40	1.0 %
	Total	4,196	100%

Based upon 4,156 valid cases out of 4,196 total cases.

- Mean: 92.88
- Median: 95.00
- Mode: 95.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 14.80

Location: 1608-1609 (width: 2; decimal: 0)

Variable Type: numeric

W5REGION: Respondent census region-W5

Value	Label	Unweighted Frequency	%
1	-	761	18.1 %
2	-	868	20.7 %
3	-	535	12.8 %
4	-	1690	40.3 %
98	-	2	0.0 %
99	-	340	8.1 %
	Total	4,196	100%

Based upon 4,196 valid cases out of 4,196 total cases.

- Mean: 10.66
- Median: 3.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 99.00
- Standard Deviation: 26.34

Location: 1610-1611 (width: 2; decimal: 0)

Variable Type: numeric