

ICPSR 21600

**National Longitudinal Study of
Adolescent to Adult Health (Add
Health), 1994-2018 [Public Use]**

Kathleen Mullan Harris

University of North Carolina at Chapel Hill

J. Richard Udry

University of North Carolina at Chapel Hill

Wave V: Biomarkers, Lipids Variable
Description and Frequencies

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/web/ICPSR/studies/21600/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #21600

National Longitudinal Study of Adolescent to Adult Health (Add Health), 1994-2018 [Public Use]

DS39: Wave V: Biomarkers, Lipids

1. **Variable Metadata:** Wave V data files have been minimally processed by ICPSR. For value labels, missing values, and question text (where applicable), please see the P.I. Codebook/Questionnaire.

ICPSR 21600

National Longitudinal Study of Adolescent to Adult Health (Add Health), 1994-2018 [Public Use]

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Wave V: Biomarkers, Lipids

AID: RESPONDENT IDENTIFIER

Value	Label	Unweighted Frequency	%
57101310	-	1	0.1 %
57111786	-	1	0.1 %
57118381	-	1	0.1 %
57121404	-	1	0.1 %
57121476	-	1	0.1 %
57133772	-	1	0.1 %
57134970	-	1	0.1 %
57139880	-	1	0.1 %
57141051	-	1	0.1 %
57145151	-	1	0.1 %
57159779	-	1	0.1 %
57159952	-	1	0.1 %
57163657	-	1	0.1 %
57165288	-	1	0.1 %
57166019	-	1	0.1 %
57167951	-	1	0.1 %
57177419	-	1	0.1 %
57178982	-	1	0.1 %
57179591	-	1	0.1 %
57186582	-	1	0.1 %
57188247	-	1	0.1 %
57192841	-	1	0.1 %
57196641	-	1	0.1 %
57199896	-	1	0.1 %
57203993	-	1	0.1 %
57210612	-	1	0.1 %
57214806	-	1	0.1 %
57217613	-	1	0.1 %
57220133	-	1	0.1 %
57220955	-	1	0.1 %
57231320	-	1	0.1 %
57232895	-	1	0.1 %
57241075	-	1	0.1 %
57244606	-	1	0.1 %
57245315	-	1	0.1 %

Value	Label	Unweighted Frequency	%
57245379	-	1	0.1 %
57248884	-	1	0.1 %
57249576	-	1	0.1 %
57251197	-	1	0.1 %
57256290	-	1	0.1 %
57263513	-	1	0.1 %
57275298	-	1	0.1 %
57279640	-	1	0.1 %
88122937	-	1	0.1 %
88149345	-	1	0.1 %
88191219	-	1	0.1 %
88191364	-	1	0.1 %
88249047	-	1	0.1 %
88268811	-	1	0.1 %
90316656	-	1	0.1 %
	Total	1,839	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,839 valid cases out of 1,839 total cases.

Location: 1-8 (width: 8; decimal: 0)

Variable Type: character

H5TC: TOTAL CHOLESTEROL (TC, MG/DL) -W5

Value	Label	Unweighted Frequency	%
62	-	1	0.1 %
82	-	1	0.1 %
93	-	1	0.1 %
97	-	1	0.1 %
99	-	1	0.1 %
100	-	2	0.1 %
102	-	2	0.1 %
105	-	1	0.1 %
106	-	1	0.1 %
107	-	2	0.1 %
109	-	2	0.1 %
110	-	1	0.1 %
111	-	3	0.2 %
112	-	3	0.2 %

Value	Label	Unweighted Frequency	%
114	-	1	0.1 %
115	-	6	0.3 %
116	-	4	0.2 %
117	-	3	0.2 %
118	-	5	0.3 %
119	-	4	0.2 %
120	-	1	0.1 %
121	-	6	0.3 %
122	-	2	0.1 %
123	-	1	0.1 %
124	-	2	0.1 %
125	-	9	0.5 %
126	-	3	0.2 %
127	-	6	0.3 %
128	-	4	0.2 %
129	-	9	0.5 %
130	-	8	0.4 %
131	-	11	0.6 %
132	-	8	0.4 %
133	-	5	0.3 %
134	-	10	0.5 %
135	-	10	0.5 %
136	-	9	0.5 %
137	-	9	0.5 %
138	-	14	0.8 %
139	-	8	0.4 %
140	-	15	0.8 %
141	-	13	0.7 %
142	-	8	0.4 %
143	-	7	0.4 %
144	-	12	0.7 %
145	-	16	0.9 %
146	-	4	0.2 %
147	-	13	0.7 %
148	-	18	1.0 %
149	-	10	0.5 %
	Missing Data		
.	-	193	10.5 %
	Total	1,839	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,646 valid cases out of 1,839 total cases.

- Mean: 181.33
- Median: 178.00
- Mode: 174.00
- Minimum: 62.00
- Maximum: 424.00
- Standard Deviation: 36.96

Location: 9-11 (width: 3; decimal: 0)

Variable Type: numeric

H5TCDEC: TOTAL CHOLESTEROL (TC) DECILE -W5

Value	Label	Unweighted Frequency	%
1	-	180	9.8 %
2	-	152	8.3 %
3	-	162	8.8 %
4	-	155	8.4 %
5	-	166	9.0 %
6	-	176	9.6 %
7	-	151	8.2 %
8	-	172	9.4 %
9	-	168	9.1 %
10	-	164	8.9 %
	Missing Data		
.	-	193	10.5 %
	Total	1,839	100%

Based upon 1,646 valid cases out of 1,839 total cases.

- Mean: 5.50
- Median: 6.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.89

Location: 12-13 (width: 2; decimal: 0)

Variable Type: numeric

H5HDL: HDL CHOLESTEROL (HDL-C, MG/DL) -W5

Value	Label	Unweighted Frequency	%
18	-	2	0.1 %
19	-	2	0.1 %

Value	Label	Unweighted Frequency	%
20	-	1	0.1 %
21	-	2	0.1 %
22	-	3	0.2 %
23	-	7	0.4 %
24	-	4	0.2 %
25	-	7	0.4 %
26	-	5	0.3 %
27	-	20	1.1 %
28	-	18	1.0 %
29	-	24	1.3 %
30	-	15	0.8 %
31	-	17	0.9 %
32	-	18	1.0 %
33	-	36	2.0 %
34	-	42	2.3 %
35	-	34	1.8 %
36	-	44	2.4 %
37	-	42	2.3 %
38	-	45	2.4 %
39	-	53	2.9 %
40	-	51	2.8 %
41	-	48	2.6 %
42	-	51	2.8 %
43	-	44	2.4 %
44	-	46	2.5 %
45	-	54	2.9 %
46	-	44	2.4 %
47	-	64	3.5 %
48	-	50	2.7 %
49	-	42	2.3 %
50	-	43	2.3 %
51	-	39	2.1 %
52	-	38	2.1 %
53	-	40	2.2 %
54	-	39	2.1 %
55	-	37	2.0 %
56	-	41	2.2 %
57	-	31	1.7 %
58	-	23	1.3 %

Value	Label	Unweighted Frequency	%
59	-	27	1.5 %
60	-	26	1.4 %
61	-	27	1.5 %
62	-	20	1.1 %
63	-	22	1.2 %
64	-	12	0.7 %
65	-	23	1.3 %
66	-	17	0.9 %
67	-	12	0.7 %
	Missing Data		
.	-	193	10.5 %
	Total	1,839	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,646 valid cases out of 1,839 total cases.

- Mean: 49.50
- Median: 47.00
- Mode: 47.00
- Minimum: 18.00
- Maximum: 124.00
- Standard Deviation: 15.04

Location: 14-16 (width: 3; decimal: 0)

Variable Type: numeric

H5HDLDEC: HDL CHOLESTEROL (HDL-C) DECILE -W5

Value	Label	Unweighted Frequency	%
1	-	181	9.8 %
2	-	162	8.8 %
3	-	197	10.7 %
4	-	141	7.7 %
5	-	162	8.8 %
6	-	174	9.5 %
7	-	154	8.4 %
8	-	175	9.5 %
9	-	140	7.6 %
10	-	160	8.7 %
	Missing Data		
.	-	193	10.5 %
	Total	1,839	100%

Based upon 1,646 valid cases out of 1,839 total cases.

- Mean: 5.38
- Median: 5.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.88

Location: 17-18 (width: 2; decimal: 0)

Variable Type: numeric

H5TG: TRIGLYCERIDES (TG, MG/DL) -W5

Value	Label	Unweighted Frequency	%
27	-	3	0.2 %
28	-	1	0.1 %
29	-	2	0.1 %
31	-	2	0.1 %
32	-	3	0.2 %
33	-	4	0.2 %
34	-	7	0.4 %
35	-	4	0.2 %
36	-	7	0.4 %
37	-	4	0.2 %
38	-	6	0.3 %
39	-	3	0.2 %
40	-	3	0.2 %
41	-	5	0.3 %
42	-	6	0.3 %
43	-	8	0.4 %
44	-	6	0.3 %
45	-	5	0.3 %
46	-	10	0.5 %
47	-	6	0.3 %
48	-	16	0.9 %
49	-	15	0.8 %
50	-	10	0.5 %
51	-	10	0.5 %
52	-	15	0.8 %
53	-	8	0.4 %
54	-	18	1.0 %
55	-	9	0.5 %
56	-	11	0.6 %

Value	Label	Unweighted Frequency	%
57	-	13	0.7 %
58	-	22	1.2 %
59	-	11	0.6 %
60	-	13	0.7 %
61	-	11	0.6 %
62	-	10	0.5 %
63	-	12	0.7 %
64	-	17	0.9 %
65	-	15	0.8 %
66	-	8	0.4 %
67	-	19	1.0 %
68	-	16	0.9 %
69	-	19	1.0 %
70	-	14	0.8 %
71	-	17	0.9 %
72	-	16	0.9 %
73	-	13	0.7 %
74	-	20	1.1 %
75	-	15	0.8 %
76	-	11	0.6 %
77	-	12	0.7 %
	Missing Data		
.	-	193	10.5 %
	Total	1,839	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,646 valid cases out of 1,839 total cases.

- Mean: 127.44
- Minimum: 27.00
- Maximum: 1604.00
- Standard Deviation: 92.09

Location: 19-22 (width: 4; decimal: 0)

Variable Type: numeric

H5TGDEC: TRIGLYCERIDES (TG) DECILE -W5

Value	Label	Unweighted Frequency	%
1	-	169	9.2 %
2	-	162	8.8 %

Value	Label	Unweighted Frequency	%
3	-	180	9.8 %
4	-	171	9.3 %
5	-	155	8.4 %
6	-	168	9.1 %
7	-	161	8.8 %
8	-	156	8.5 %
9	-	169	9.2 %
10	-	155	8.4 %
	Missing Data		
.	-	193	10.5 %
	Total	1,839	100%

Based upon 1,646 valid cases out of 1,839 total cases.

- Mean: 5.43
- Median: 5.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.87

Location: 23-24 (width: 2; decimal: 0)

Variable Type: numeric

H5LDL: LDL CHOLESTEROL (LDL-C, MG/DL) -W5

Value	Label	Unweighted Frequency	%
13	-	1	0.1 %
14	-	1	0.1 %
20	-	1	0.1 %
22	-	1	0.1 %
26	-	1	0.1 %
28	-	1	0.1 %
30	-	2	0.1 %
34	-	1	0.1 %
36	-	2	0.1 %
37	-	1	0.1 %
38	-	1	0.1 %
39	-	1	0.1 %
42	-	3	0.2 %
43	-	4	0.2 %
44	-	2	0.1 %
45	-	4	0.2 %

Value	Label	Unweighted Frequency	%
46	-	1	0.1 %
47	-	1	0.1 %
48	-	2	0.1 %
49	-	2	0.1 %
50	-	3	0.2 %
51	-	2	0.1 %
52	-	5	0.3 %
53	-	10	0.5 %
54	-	4	0.2 %
55	-	5	0.3 %
56	-	6	0.3 %
57	-	2	0.1 %
58	-	7	0.4 %
59	-	4	0.2 %
60	-	7	0.4 %
61	-	5	0.3 %
62	-	5	0.3 %
63	-	12	0.7 %
64	-	9	0.5 %
65	-	11	0.6 %
66	-	11	0.6 %
67	-	6	0.3 %
68	-	14	0.8 %
69	-	14	0.8 %
70	-	17	0.9 %
71	-	16	0.9 %
72	-	14	0.8 %
73	-	15	0.8 %
74	-	13	0.7 %
75	-	11	0.6 %
76	-	15	0.8 %
77	-	17	0.9 %
78	-	16	0.9 %
79	-	13	0.7 %
	Missing Data		
.	-	197	10.7 %
	Total	1,839	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,642 valid cases out of 1,839 total cases.

- Mean: 106.74
- Median: 104.00
- Minimum: 13.00
- Maximum: 332.00
- Standard Deviation: 33.00

Location: 25-27 (width: 3; decimal: 0)

Variable Type: numeric

H5LDLDEC: LDL CHOLESTEROL (LDL-C) DECILE -W5

Value	Label	Unweighted Frequency	%
1	-	161	8.8 %
2	-	161	8.8 %
3	-	174	9.5 %
4	-	167	9.1 %
5	-	137	7.4 %
6	-	180	9.8 %
7	-	151	8.2 %
8	-	164	8.9 %
9	-	179	9.7 %
10	-	168	9.1 %
	Missing Data		
.	-	197	10.7 %
	Total	1,839	100%

Based upon 1,642 valid cases out of 1,839 total cases.

- Mean: 5.54
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.89

Location: 28-29 (width: 2; decimal: 0)

Variable Type: numeric

H5LDLMM: LDL-C METHOD OF MEASUREMENT -W5

Value	Label	Unweighted Frequency	%
1	-	1618	88.0 %
2	-	24	1.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	197	10.7 %
	Total	1,839	100%

Based upon 1,642 valid cases out of 1,839 total cases.

- Mean: 1.01
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.12

Location: 30-30 (width: 1; decimal: 0)

Variable Type: numeric

H5NHDL: NON-HDL CHOLESTRL (non-HDL-C, MG/DL) -W5

Value	Label	Unweighted Frequency	%
20	-	1	0.1 %
35	-	1	0.1 %
39	-	1	0.1 %
45	-	1	0.1 %
49	-	1	0.1 %
50	-	2	0.1 %
55	-	3	0.2 %
56	-	2	0.1 %
59	-	2	0.1 %
61	-	3	0.2 %
62	-	1	0.1 %
63	-	2	0.1 %
64	-	2	0.1 %
65	-	3	0.2 %
66	-	2	0.1 %
67	-	1	0.1 %
68	-	3	0.2 %
70	-	4	0.2 %
71	-	3	0.2 %
72	-	9	0.5 %
73	-	4	0.2 %
74	-	9	0.5 %
75	-	6	0.3 %
76	-	7	0.4 %
77	-	5	0.3 %

Value	Label	Unweighted Frequency	%
78	-	12	0.7 %
79	-	5	0.3 %
80	-	9	0.5 %
81	-	7	0.4 %
82	-	8	0.4 %
83	-	12	0.7 %
84	-	10	0.5 %
85	-	8	0.4 %
86	-	9	0.5 %
87	-	8	0.4 %
88	-	10	0.5 %
89	-	12	0.7 %
90	-	6	0.3 %
91	-	16	0.9 %
92	-	12	0.7 %
93	-	13	0.7 %
94	-	16	0.9 %
95	-	12	0.7 %
96	-	9	0.5 %
97	-	14	0.8 %
98	-	20	1.1 %
99	-	15	0.8 %
100	-	18	1.0 %
101	-	19	1.0 %
102	-	12	0.7 %
	Missing Data		
.	-	193	10.5 %
	Total	1,839	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,646 valid cases out of 1,839 total cases.

- Mean: 131.84
- Median: 128.00
- Minimum: 20.00
- Maximum: 372.00
- Standard Deviation: 37.76

Location: 31-33 (width: 3; decimal: 0)

Variable Type: numeric

H5NHDEC: NON-HDL CHOLESTRL (non-HDL-C) DECILE -W5

Value	Label	Unweighted Frequency	%
1	-	158	8.6 %
2	-	163	8.9 %
3	-	171	9.3 %
4	-	155	8.4 %
5	-	187	10.2 %
6	-	162	8.8 %
7	-	142	7.7 %
8	-	181	9.8 %
9	-	170	9.2 %
10	-	157	8.5 %
	Missing Data		
.	-	193	10.5 %
	Total	1,839	100%

Based upon 1,646 valid cases out of 1,839 total cases.

- Mean: 5.51
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.86

Location: 34-35 (width: 2; decimal: 0)

Variable Type: numeric

H5TC_HDL: TC TO HDL-C RATIO (TC:HDL-C) -W5

Value	Label	Unweighted Frequency	%
1.454545454545	-	1	0.1 %
1.476190476190	-	1	0.1 %
1.524590163934	-	1	0.1 %
1.528301886792	-	1	0.1 %
1.569620253165	-	1	0.1 %
1.619047619048	-	1	0.1 %
1.677419354839	-	1	0.1 %
1.696428571429	-	1	0.1 %
1.701754385965	-	1	0.1 %
1.721739130435	-	1	0.1 %
1.787234042553	-	1	0.1 %
1.815789473684	-	1	0.1 %

Value	Label	Unweighted Frequency	%
1.8333333333333	-	1	0.1 %
1.838383838384	-	1	0.1 %
1.853658536585	-	1	0.1 %
1.8583333333333	-	1	0.1 %
1.872549019608	-	1	0.1 %
1.880733944954	-	1	0.1 %
1.884057971014	-	1	0.1 %
1.892857142857	-	1	0.1 %
1.897727272727	-	1	0.1 %
1.910447761194	-	1	0.1 %
1.912500000000	-	1	0.1 %
1.918918918919	-	1	0.1 %
1.924050632911	-	1	0.1 %
1.931034482759	-	1	0.1 %
1.937500000000	-	1	0.1 %
1.938271604938	-	1	0.1 %
1.945945945946	-	1	0.1 %
1.948979591837	-	1	0.1 %
1.973684210526	-	1	0.1 %
1.982142857143	-	1	0.1 %
2.000000000000	-	1	0.1 %
2.011494252874	-	1	0.1 %
2.011904761905	-	1	0.1 %
2.012987012987	-	1	0.1 %
2.014084507042	-	1	0.1 %
2.016666666667	-	1	0.1 %
2.018518518519	-	1	0.1 %
2.020408163265	-	1	0.1 %
2.024096385542	-	1	0.1 %
2.036585365854	-	1	0.1 %
2.039603960396	-	1	0.1 %
2.040000000000	-	1	0.1 %
2.043103448276	-	1	0.1 %
2.049180327869	-	1	0.1 %
2.062500000000	-	1	0.1 %
2.070422535211	-	1	0.1 %
2.074626865672	-	1	0.1 %
2.077922077922	-	1	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	193	10.5 %
	Total	1,839	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,646 valid cases out of 1,839 total cases.

- Mean: 3.962032451870
- Minimum: 1.454545454545
- Maximum: 12.100000000000
- Standard Deviation: 1.357211950029

Location: 36-50 (width: 15; decimal: 12)

Variable Type: numeric

H5TCHDEC: TC TO HDL-C RATIO (TC:HDL-C) DECILE -W5

Value	Label	Unweighted Frequency	%
1	-	146	7.9 %
2	-	163	8.9 %
3	-	181	9.8 %
4	-	161	8.8 %
5	-	160	8.7 %
6	-	173	9.4 %
7	-	162	8.8 %
8	-	175	9.5 %
9	-	164	8.9 %
10	-	161	8.8 %
	Missing Data		
.	-	193	10.5 %
	Total	1,839	100%

Based upon 1,646 valid cases out of 1,839 total cases.

- Mean: 5.54
- Median: 6.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.84

Location: 51-52 (width: 2; decimal: 0)

Variable Type: numeric

H5FASTTM: HOURS SINCE LAST ATE -W5

Value	Label	Unweighted Frequency	%
-999.00	-	3	0.2 %
0.00	-	15	0.8 %
0.08	-	1	0.1 %
0.10	-	17	0.9 %
0.20	-	12	0.7 %
0.30	-	5	0.3 %
0.40	-	11	0.6 %
0.50	-	12	0.7 %
0.60	-	8	0.4 %
0.67	-	1	0.1 %
0.70	-	11	0.6 %
0.80	-	15	0.8 %
0.90	-	14	0.8 %
1.00	-	34	1.8 %
1.10	-	12	0.7 %
1.20	-	12	0.7 %
1.30	-	18	1.0 %
1.40	-	14	0.8 %
1.50	-	15	0.8 %
1.60	-	5	0.3 %
1.70	-	8	0.4 %
1.80	-	7	0.4 %
1.90	-	8	0.4 %
2.00	-	21	1.1 %
2.10	-	7	0.4 %
2.20	-	11	0.6 %
2.30	-	12	0.7 %
2.40	-	12	0.7 %
2.50	-	7	0.4 %
2.55	-	1	0.1 %
2.60	-	4	0.2 %
2.70	-	8	0.4 %
2.80	-	9	0.5 %
2.90	-	8	0.4 %
3.00	-	15	0.8 %
3.10	-	5	0.3 %
3.20	-	6	0.3 %

Value	Label	Unweighted Frequency	%
3.30	-	12	0.7 %
3.40	-	10	0.5 %
3.50	-	6	0.3 %
3.60	-	2	0.1 %
3.70	-	7	0.4 %
3.75	-	1	0.1 %
3.80	-	5	0.3 %
3.90	-	3	0.2 %
4.00	-	12	0.7 %
4.10	-	6	0.3 %
4.20	-	5	0.3 %
4.30	-	4	0.2 %
4.33	-	1	0.1 %
	Missing Data		
.	-	115	6.3 %
	Total	1,839	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,724 valid cases out of 1,839 total cases.

- Mean: 14.53
- Median: 11.10
- Mode: 1.00
- Minimum: -999.00
- Maximum: 999.00
- Standard Deviation: 92.71

Location: 53-59 (width: 7; decimal: 2)

Variable Type: numeric

H5FASTLP: FLAG: FASTED FOR 9+ HOURS -W5

Value	Label	Unweighted Frequency	%
0	-	649	35.3 %
1	-	1060	57.6 %
	Missing Data		
.	-	130	7.1 %
	Total	1,839	100%

Based upon 1,709 valid cases out of 1,839 total cases.

- Mean: 0.62

- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

Location: 60-60 (width: 1; decimal: 0)

Variable Type: numeric

H5CTC: CLASSIFICATION OF TC (NCEP/ATP III) -W5

Value	Label	Unweighted Frequency	%
1	-	740	40.2 %
2	-	214	11.6 %
3	-	61	3.3 %
4	-	617	33.6 %
5	-	14	0.8 %
	Missing Data		
.	-	193	10.5 %
	Total	1,839	100%

Based upon 1,646 valid cases out of 1,839 total cases.

- Mean: 2.36
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.39

Location: 61-61 (width: 1; decimal: 0)

Variable Type: numeric

H5CHDL: CLASSIFICATION OF HDL-C (NCEP/ATP III)-W5

Value	Label	Unweighted Frequency	%
1	-	278	15.1 %
2	-	524	28.5 %
3	-	213	11.6 %
4	-	617	33.6 %
5	-	14	0.8 %
	Missing Data		
.	-	193	10.5 %
	Total	1,839	100%

Based upon 1,646 valid cases out of 1,839 total cases.

- Mean: 2.74

- Median: 3.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.15

Location: 62-62 (width: 1; decimal: 0)

Variable Type: numeric

H5C1TG: CLASSIFICATION OF TG (NCEP/ATP III) -W5

Value	Label	Unweighted Frequency	%
1	-	775	42.1 %
2	-	125	6.8 %
3	-	110	6.0 %
4	-	5	0.3 %
5	-	617	33.6 %
6	-	14	0.8 %
	Missing Data		
.	-	193	10.5 %
	Total	1,839	100%

Based upon 1,646 valid cases out of 1,839 total cases.

- Mean: 2.76
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.87

Location: 63-63 (width: 1; decimal: 0)

Variable Type: numeric

H5C1LDL: CLASSIFICATION OF LDL-C (NCEP/ATP III)-W5

Value	Label	Unweighted Frequency	%
1	-	422	22.9 %
2	-	352	19.1 %
3	-	181	9.8 %
4	-	43	2.3 %
5	-	16	0.9 %
6	-	615	33.4 %
7	-	13	0.7 %
	Missing Data		
.	-	197	10.7 %
	Total	1,839	100%

Based upon 1,642 valid cases out of 1,839 total cases.

- Mean: 3.47
- Median: 3.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 2.14

Location: 64-64 (width: 1; decimal: 0)

Variable Type: numeric

H5C2TG: CLASSIFICATION OF TG (AHA/ACC) -W5

Value	Label	Unweighted Frequency	%
1	-	1317	71.6 %
2	-	317	17.2 %
3	-	5	0.3 %
4	-	6	0.3 %
5	-	1	0.1 %
	Missing Data		
.	-	193	10.5 %
	Total	1,839	100%

Based upon 1,646 valid cases out of 1,839 total cases.

- Mean: 1.21
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.45

Location: 65-65 (width: 1; decimal: 0)

Variable Type: numeric

H5C2LDL: CLASSIFICATION OF LDL-C (AHA/ACC) -W5

Value	Label	Unweighted Frequency	%
1	-	1552	84.4 %
2	-	68	3.7 %
3	-	22	1.2 %
	Missing Data		
.	-	197	10.7 %
	Total	1,839	100%

Based upon 1,642 valid cases out of 1,839 total cases.

- Mean: 1.07

- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.30

Location: 66-66 (width: 1; decimal: 0)

Variable Type: numeric

H5Q045F: Q045f EVER DX HIGH CHOLESTROL/TRIG -W5

Value	Label	Unweighted Frequency	%
0	-	1568	85.3 %
1	-	270	14.7 %
95	-	1	0.1 %
	Total	1,839	100%

Based upon 1,839 valid cases out of 1,839 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 95.00
- Standard Deviation: 2.24

Location: 67-68 (width: 2; decimal: 0)

Variable Type: numeric

H5C_MED2: FLAG: ANTIHYPERLIPIDEMIC MED USE -W5

Value	Label	Unweighted Frequency	%
0	-	1730	94.1 %
1	-	73	4.0 %
94	-	5	0.3 %
96	-	1	0.1 %
99	-	30	1.6 %
	Total	1,839	100%

Based upon 1,839 valid cases out of 1,839 total cases.

- Mean: 1.96
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 13.61

Location: 69-70 (width: 2; decimal: 0)

Variable Type: numeric

H5HLIPJC: HYPERLIPIDEMIA JOINT CLASSIFICATION -W5

Value	Label	Unweighted Frequency	%
0	-	1540	83.7 %
1	-	299	16.3 %
	Total	1,839	100%

Based upon 1,839 valid cases out of 1,839 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

Location: 71-71 (width: 1; decimal: 0)

Variable Type: numeric

H5HLPJC4: HYPERLIPIDEMIA JOINT CLASS (WAVE IV) -W5

Value	Label	Unweighted Frequency	%
0	-	1558	84.7 %
1	-	281	15.3 %
	Total	1,839	100%

Based upon 1,839 valid cases out of 1,839 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

Location: 72-72 (width: 1; decimal: 0)

Variable Type: numeric