

[ ![Logo](../../\_static/logo.png) ](../..../index.html)

## Getting Started

- \* [Installation](../..../installation.html)
- \* [Install with pip](../..../installation.html#install-with-pip)
- \* [Install with Conda](../..../installation.html#install-with-conda)
- \* [Install from Source](../..../installation.html#install-from-source)
- \* [Editable Install](../..../installation.html#editable-install)
- \* [Install PyTorch with CUDA support](../..../installation.html#install-pytorch-with-cuda-support)
- \* [Quickstart](../..../quickstart.html)
- \* [Sentence Transformer](../..../quickstart.html#sentence-transformer)
- \* [Cross Encoder](../..../quickstart.html#cross-encoder)
- \* [Next Steps](../..../quickstart.html#next-steps)

## Sentence Transformer

- \* [Usage](../..../sentence\_transformer/usage/usage.html)
- \* [Computing Embeddings](../..../examples/applications/computing-embeddings/README.html)
  - \* [Initializing a Sentence Transformer Model](../..../examples/applications/computing-embeddings/README.html#initializing-a-sentence-transformer-model)
  - \* [Calculating Embeddings](../..../examples/applications/computing-embeddings/README.html#calculating-embeddings)
  - \* [Prompt Templates](../..../examples/applications/computing-embeddings/README.html#prompt-templates)

[Length\]\(../../examples/applications/computing-embeddings/README.html#id1\)](#)

[\\* \[Multi-Process / Multi-GPU Encoding\]\(../../examples/applications/computing-embeddings/README.html#multi-process-multi-gpu-encoding\)](#)

[\\* \[Semantic Textual Similarity\]\(../../sentence\\_transformer/usage/semantic\\_textual\\_similarity.html\)](#)

[\\* \[Similarity Calculation\]\(../../sentence\\_transformer/usage/semantic\\_textual\\_similarity.html#similarity-calculation\)](#)

[\\* \[Semantic Search\]\(../../examples/applications/semantic-search/README.html\)](#)

[\\* \[Background\]\(../../examples/applications/semantic-search/README.html#background\)](#)

[\\* \[Symmetric vs. Asymmetric Semantic Search\]\(../../examples/applications/semantic-search/README.html#symmetric-vs-asymmetric-semantic-search\)](#)

[\\* \[Manual Implementation\]\(../../examples/applications/semantic-search/README.html#manual-implementation\)](#)

[\\* \[Optimized Implementation\]\(../../examples/applications/semantic-search/README.html#optimized-implementation\)](#)

[\\* \[Speed Optimization\]\(../../examples/applications/semantic-search/README.html#speed-optimization\)](#)

[\\* \[Elasticsearch\]\(../../examples/applications/semantic-search/README.html#elasticsearch\)](#)

[\\* \[Approximate Nearest Neighbor\]\(../../examples/applications/semantic-search/README.html#approximate-nearest-neighbor\)](#)

[\\* \[Retrieve & Re-Rank\]\(../../examples/applications/semantic-search/README.html#retrieve-re-rank\)](#)

\* [Examples](../../examples/applications/semantic-search/README.html#examples)

\* [Retrieve & Re-Rank](../../examples/applications/retrieve\_rerank/README.html)

\* [Retrieve & Re-Rank

Pipeline](../../examples/applications/retrieve\_rerank/README.html#retrieve-re-rank-pipeline)

\* [Retrieval:

Bi-Encoder](../../examples/applications/retrieve\_rerank/README.html#retrieval-bi-encoder)

\* [Re-Ranker:

Cross-Encoder](../../examples/applications/retrieve\_rerank/README.html#re-ranker-cross-encoder)

\* [Example Scripts](../../examples/applications/retrieve\_rerank/README.html#example-scripts)

\* [Pre-trained Bi-Encoders

(Retrieval)](../../examples/applications/retrieve\_rerank/README.html#pre-trained-bi-encoders-retrieval)

\* [Pre-trained Cross-Encoders

(Re-Ranker)](../../examples/applications/retrieve\_rerank/README.html#pre-trained-cross-encoders-re-ranker)

\* [Clustering](../../examples/applications/clustering/README.html)

\* [k-Means](../../examples/applications/clustering/README.html#k-means)

\* [Agglomerative

Clustering](../../examples/applications/clustering/README.html#agglomerative-clustering)

\* [Fast Clustering](../../examples/applications/clustering/README.html#fast-clustering)

\* [Topic Modeling](../../examples/applications/clustering/README.html#topic-modeling)

\* [Paraphrase Mining](../../examples/applications/paraphrase-mining/README.html)

\*

[`paraphrase\_mining()`](../../examples/applications/paraphrase-mining/README.html#sentence\_transformers.util.paraphrase\_mining)

\* [Translated Sentence

Mining](../../examples/applications/parallel-sentence-mining/README.html)

\* [Margin Based

Mining](../../examples/applications/parallel-sentence-mining/README.html#margin-based-mining)

\* [Examples](../../examples/applications/parallel-sentence-mining/README.html#examples)

\* [Image Search](../../examples/applications/image-search/README.html)

\* [Installation](../../examples/applications/image-search/README.html#installation)

\* [Usage](../../examples/applications/image-search/README.html#usage)

\* [Examples](../../examples/applications/image-search/README.html#examples)

\* [Embedding Quantization](../../examples/applications/embedding-quantization/README.html)

\* [Binary

Quantization](../../examples/applications/embedding-quantization/README.html#binary-quantization)

\* [Scalar (int8)

Quantization](../../examples/applications/embedding-quantization/README.html#scalar-int8-quantization)

\* [Additional

extensions](../../examples/applications/embedding-quantization/README.html#additional-extensions)

\* [Demo](../../examples/applications/embedding-quantization/README.html#demo)

\* [Try it

yourself](../../examples/applications/embedding-quantization/README.html#try-it-yourself)

\* [Speeding up Inference](../../sentence\_transformer/usage/efficiency.html)

\* [PyTorch](../../sentence\_transformer/usage/efficiency.html#pytorch)

\* [ONNX](../../sentence\_transformer/usage/efficiency.html#onnx)

\* [OpenVINO](../../sentence\_transformer/usage/efficiency.html#openvino)

\* [Benchmarks](../../sentence\_transformer/usage/efficiency.html#benchmarks)

\* [Creating Custom Models](../../sentence\_transformer/usage/custom\_models.html)

\* [Structure of Sentence Transformer

Models](../../sentence\_transformer/usage/custom\_models.html#structure-of-sentence-transformer-models)

\* [Sentence Transformer Model from a Transformers

Model](../../sentence\_transformer/usage/custom\_models.html#sentence-transformer-model-from-a-transformers-model)

\* [Pretrained Models](../../sentence\_transformer/pretrained\_models.html)

\* [Original Models](../../sentence\_transformer/pretrained\_models.html#original-models)

\* [Semantic Search

Models](../../sentence\_transformer/pretrained\_models.html#semantic-search-models)

\* [Multi-QA Models](../../sentence\_transformer/pretrained\_models.html#multi-qa-models)

\* [MSMARCO Passage

Models](../../sentence\_transformer/pretrained\_models.html#msmarco-passage-models)

\* [Multilingual Models](../../sentence\_transformer/pretrained\_models.html#multilingual-models)

\* [Semantic Similarity

Models](../../sentence\_transformer/pretrained\_models.html#semantic-similarity-models)

\* [Bitext Mining](../../sentence\_transformer/pretrained\_models.html#bitext-mining)

\* [Image & Text-Models](../../sentence\_transformer/pretrained\_models.html#image-text-models)

\* [INSTRUCTOR models](../../sentence\_transformer/pretrained\_models.html#instructor-models)

\* [Scientific Similarity

Models](../../sentence\_transformer/pretrained\_models.html#scientific-similarity-models)

\* [Training Overview](../../sentence\_transformer/training\_overview.html)

\* [Why Finetune?](../../sentence\_transformer/training\_overview.html#why-finetune)

\* [Training Components](../../sentence\_transformer/training\_overview.html#training-components)

\* [Dataset](../../sentence\_transformer/training\_overview.html#dataset)

\* [Dataset Format](../../sentence\_transformer/training\_overview.html#dataset-format)

\* [Loss Function](../../sentence\_transformer/training\_overview.html#loss-function)

- \* [Training Arguments](../../sentence\_transformer/training\_overview.html#training-arguments)
- \* [Evaluator](../../sentence\_transformer/training\_overview.html#evaluator)
- \* [Trainer](../../sentence\_transformer/training\_overview.html#trainer)
- \* [Callbacks](../../sentence\_transformer/training\_overview.html#callbacks)
- \* [Multi-Dataset Training](../../sentence\_transformer/training\_overview.html#multi-dataset-training)
- \* [Deprecated Training](../../sentence\_transformer/training\_overview.html#deprecated-training)
- \* [Best Base Embedding Models](../../sentence\_transformer/training\_overview.html#best-base-embedding-models)
- \* [Dataset Overview](../../sentence\_transformer/dataset\_overview.html)
  - \* [Datasets on the Hugging Face Hub](../../sentence\_transformer/dataset\_overview.html#datasets-on-the-hugging-face-hub)
  - \* [Pre-existing Datasets](../../sentence\_transformer/dataset\_overview.html#pre-existing-datasets)
- \* [Loss Overview](../../sentence\_transformer/loss\_overview.html)
  - \* [Loss modifiers](../../sentence\_transformer/loss\_overview.html#loss-modifiers)
  - \* [Distillation](../../sentence\_transformer/loss\_overview.html#distillation)
  - \* [Commonly used Loss Functions](../../sentence\_transformer/loss\_overview.html#commonly-used-loss-functions)
  - \* [Custom Loss Functions](../../sentence\_transformer/loss\_overview.html#custom-loss-functions)
- \* [Training Examples](../../sentence\_transformer/training/examples.html)
  - \* [Semantic Textual Similarity](../../examples/training/sts/README.html)
  - \* [Training data](../../examples/training/sts/README.html#training-data)
  - \* [Loss Function](../../examples/training/sts/README.html#loss-function)
  - \* [Natural Language Inference](../../examples/training/nli/README.html)
  - \* [Data](../../examples/training/nli/README.html#data)
  - \* [SoftmaxLoss](../../examples/training/nli/README.html#softmaxloss)
  - \* [MultipleNegativesRankingLoss](../../examples/training/nli/README.html#multiplenegativesrankin

gloss)

- \* [Paraphrase Data](../../examples/training/paraphrases/README.html)
- \* [Pre-Trained Models](../../examples/training/paraphrases/README.html#pre-trained-models)
- \* [Quora Duplicate Questions](../../examples/training/quora\_duplicate\_questions/README.html)
- \* [Training](../../examples/training/quora\_duplicate\_questions/README.html#training)

\*

[MultipleNegativesRankingLoss](../../examples/training/quora\_duplicate\_questions/README.html#multiplenegativesrankingloss)

\*

[Pretrained

Models](../../examples/training/quora\_duplicate\_questions/README.html#pretrained-models)

- \* [MS MARCO](../../examples/training/ms\_marco/README.html)
- \* [Bi-Encoder](../../examples/training/ms\_marco/README.html#bi-encoder)
- \* [Matryoshka Embeddings](../../examples/training/matryoshka/README.html)
- \* [Use Cases](../../examples/training/matryoshka/README.html#use-cases)
- \* [Results](../../examples/training/matryoshka/README.html#results)
- \* [Training](../../examples/training/matryoshka/README.html#training)
- \* [Inference](../../examples/training/matryoshka/README.html#inference)
- \* [Code Examples](../../examples/training/matryoshka/README.html#code-examples)
- \* [Adaptive Layers](../../examples/training/adaptive\_layer/README.html)
- \* [Use Cases](../../examples/training/adaptive\_layer/README.html#use-cases)
- \* [Results](../../examples/training/adaptive\_layer/README.html#results)
- \* [Training](../../examples/training/adaptive\_layer/README.html#training)
- \* [Inference](../../examples/training/adaptive\_layer/README.html#inference)
- \* [Code Examples](../../examples/training/adaptive\_layer/README.html#code-examples)
- \* [Multilingual Models](../../examples/training/multilingual/README.html)

\*

[Extend

your

own

models](../../examples/training/multilingual/README.html#extend-your-own-models)

- \* [Training](../../examples/training/multilingual/README.html#training)
- \* [Datasets](../../examples/training/multilingual/README.html#datasets)
  - \* [Sources for Training Data](../../examples/training/multilingual/README.html#sources-for-training-data)
  - \* [Evaluation](../../examples/training/multilingual/README.html#evaluation)
    - \* [Available Pre-trained Models](../../examples/training/multilingual/README.html#available-pre-trained-models)
    - \* [Usage](../../examples/training/multilingual/README.html#usage)
    - \* [Performance](../../examples/training/multilingual/README.html#performance)
    - \* [Citation](../../examples/training/multilingual/README.html#citation)
  - \* [Model Distillation](../../examples/training/distillation/README.html)
    - \* [Knowledge Distillation](../../examples/training/distillation/README.html#knowledge-distillation)
      - \* [Speed - Performance Trade-Off](../../examples/training/distillation/README.html#speed-performance-trade-off)
      - \* [Dimensionality Reduction](../../examples/training/distillation/README.html#dimensionality-reduction)
    - \* [Quantization](../../examples/training/distillation/README.html#quantization)
  - \* [Augmented SBERT](../../examples/training/data\_augmentation/README.html)
    - \* [Motivation](../../examples/training/data\_augmentation/README.html#motivation)
      - \* [Extend to your own datasets](../../examples/training/data\_augmentation/README.html#extend-to-your-own-datasets)
      - \* [Methodology](../../examples/training/data\_augmentation/README.html#methodology)
        - \* [Scenario 1: Limited or small annotated datasets (few labeled sentence-pairs)](../../examples/training/data\_augmentation/README.html#scenario-1-limited-or-small-annotated-datasets-few-labeled-sentence-pairs)
        - \* [Scenario 2: No annotated datasets (Only unlabeled



sentence-pairs)](../../examples/training/data\_augmentation/README.html#scenario-2-no-annotated-datasets-only-unlabeled-sentence-pairs)

- \* [Training](../../examples/training/data\_augmentation/README.html#training)
- \* [Citation](../../examples/training/data\_augmentation/README.html#citation)
- \* [Training with Prompts](../../examples/training/prompts/README.html)
- \* [What are Prompts?](../../examples/training/prompts/README.html#what-are-prompts)
  - \* [Why would we train with Prompts?](../../examples/training/prompts/README.html#why-would-we-train-with-prompts)
  - \* [How do we train with Prompts?](../../examples/training/prompts/README.html#how-do-we-train-with-prompts)
- \* [Training with PEFT Adapters](../../examples/training/peft/README.html)
- \* [Compatibility Methods](../../examples/training/peft/README.html#compatibility-methods)
- \* [Adding a New Adapter](../../examples/training/peft/README.html#adding-a-new-adapter)
  - \* [Loading a Pretrained Adapter](../../examples/training/peft/README.html#loading-a-pretrained-adapter)
- \* [Training Script](../../examples/training/peft/README.html#training-script)
- \* [Unsupervised Learning](../../examples/unsupervised\_learning/README.html)
- \* [TSDAE](../../examples/unsupervised\_learning/README.html#tsdae)
- \* [SimCSE](../../examples/unsupervised\_learning/README.html#simcse)
- \* [CT](../../examples/unsupervised\_learning/README.html#ct)
  - \* [CT (In-Batch Negative Sampling)](../../examples/unsupervised\_learning/README.html#ct-in-batch-negative-sampling)
  - \* [Masked Language Model (MLM)](../../examples/unsupervised\_learning/README.html#masked-language-model-mlm)
- \* [GenQ](../../examples/unsupervised\_learning/README.html#genq)
- \* [GPL](../../examples/unsupervised\_learning/README.html#gpl)
  - \* [Performance

[Comparison\]\(../../examples/unsupervised\\_learning/README.html#performance-comparison\)](#)

\* [\[Domain Adaptation\]\(../../examples/domain\\_adaptation/README.html\)](#)

\* [\[Domain Adaptation vs. Unsupervised Learning\]\(../../examples/domain\\_adaptation/README.html#domain-adaptation-vs-unsupervised-learning\)](#)

\* [\[Adaptive Pre-Training\]\(../../examples/domain\\_adaptation/README.html#adaptive-pre-training\)](#)

\* [\[GPL: Generative Pseudo-Labeling\]\(../../examples/domain\\_adaptation/README.html#gpl-generative-pseudo-labeling\)](#)

\* [\[Hyperparameter Optimization\]\(../../examples/training/hpo/README.html\)](#)

\* [\[HPO Components\]\(../../examples/training/hpo/README.html#hpo-components\)](#)

\* [\[Putting It All Together\]\(../../examples/training/hpo/README.html#putting-it-all-together\)](#)

\* [\[Example Scripts\]\(../../examples/training/hpo/README.html#example-scripts\)](#)

\* [\[Distributed Training\]\(../../sentence\\_transformer/training/distributed.html\)](#)

\* [\[Comparison\]\(../../sentence\\_transformer/training/distributed.html#comparison\)](#)

\* [\[FSDP\]\(../../sentence\\_transformer/training/distributed.html#fsdp\)](#)

## Cross Encoder

\* [\[Usage\]\(../../cross\\_encoder/usage/usage.html\)](#)

\* [\[Retrieve & Re-Rank\]\(../../examples/applications/retrieve\\_rerank/README.html\)](#)

\* [\[Retrieve & Re-Rank Pipeline\]\(../../examples/applications/retrieve\\_rerank/README.html#retrieve-re-rank-pipeline\)](#)

\* [\[Retrieval: Bi-Encoder\]\(../../examples/applications/retrieve\\_rerank/README.html#retrieval-bi-encoder\)](#)

\* [\[Re-Ranker:](#)

Cross-Encoder](../../examples/applications/retrieve\_rerank/README.html#re-ranker-cross-encoder)

\* [Example Scripts](../../examples/applications/retrieve\_rerank/README.html#example-scripts)

\* [Pre-trained Bi-Encoders (Retrieval)](../../examples/applications/retrieve\_rerank/README.html#pre-trained-bi-encoders-retrieval)

\* [Pre-trained Cross-Encoders (Re-Ranker)](../../examples/applications/retrieve\_rerank/README.html#pre-trained-cross-encoders-re-ranker)

\* [Pretrained Models](../../cross\_encoder/pretrained\_models.html)

\* [MS MARCO](../../cross\_encoder/pretrained\_models.html#ms-marco)

\* [SQuAD (QNLI)](../../cross\_encoder/pretrained\_models.html#squad-qnli)

\* [STSbenchmark](../../cross\_encoder/pretrained\_models.html#stsbenchmark)

\* [Quora Duplicate Questions](../../cross\_encoder/pretrained\_models.html#quora-duplicate-questions)

\* [NLI](../../cross\_encoder/pretrained\_models.html#nli)

\* [Community Models](../../cross\_encoder/pretrained\_models.html#community-models)

\* [Training Overview](../../cross\_encoder/training\_overview.html)

\* [Training Examples](../../cross\_encoder/training/examples.html)

\* [MS MARCO](../../examples/training/ms\_marco/cross\_encoder\_README.html)

\*

[Cross-Encoder](../../examples/training/ms\_marco/cross\_encoder\_README.html#cross-encoder)

\* [Cross-Encoder Knowledge Distillation](../../examples/training/ms\_marco/cross\_encoder\_README.html#cross-encoder-knowledge-distillation)

Package Reference

\* [Sentence Transformer](index.html)

\* [SentenceTransformer](SentenceTransformer.html)

\* [SentenceTransformer](SentenceTransformer.html#id1)

\*

[SentenceTransformerModelCardData](SentenceTransformer.html#sentencetransformermodelcarddata)

\* [SimilarityFunction](SentenceTransformer.html#similarityfunction)

\* [Trainer](trainer.html)

\* [SentenceTransformerTrainer](trainer.html#sentencetransformertrainer)

\* [Training Arguments](training\_args.html)

\*

[SentenceTransformerTrainingArguments](training\_args.html#sentencetransformertrainingarguments)

\* [Losses](losses.html)

\* [BatchAllTripletLoss](losses.html#batchalltripletloss)

\* [BatchHardSoftMarginTripletLoss](losses.html#batchhardsoftmargintripletloss)

\* [BatchHardTripletLoss](losses.html#batchhardtripletloss)

\* [BatchSemiHardTripletLoss](losses.html#batchsemihardtripletloss)

\* [ContrastiveLoss](losses.html#contrastiveloss)

\* [OnlineContrastiveLoss](losses.html#onlinecontrastiveloss)

\* [ContrastiveTensionLoss](losses.html#contrastivetensionloss)

\*

[ContrastiveTensionLossInBatchNegatives](losses.html#contrastivetensionlossinbatchnegatives)

\* [CoSENTLoss](losses.html#cosentloss)

\* [AngleELoss](losses.html#angleloss)

\* [CosineSimilarityLoss](losses.html#cosinesimilarityloss)

- \* [DenoisingAutoEncoderLoss](losses.html#denoisingautoencoderloss)
- \* [GISTEmbedLoss](losses.html#gistembedloss)
- \* [CachedGISTEmbedLoss](losses.html#cachedgistembedloss)
- \* [MSELoss](losses.html#mseloss)
- \* [MarginMSELoss](losses.html#marginmseloss)
- \* [MatryoshkaLoss](losses.html#matryoshkaloss)
- \* [Matryoshka2dLoss](losses.html#matryoshka2dloss)
- \* [AdaptiveLayerLoss](losses.html#adaptivelayerloss)
- \* [MegaBatchMarginLoss](losses.html#megabatchmarginloss)
- \* [MultipleNegativesRankingLoss](losses.html#multiplenegativesrankingloss)
- \* [CachedMultipleNegativesRankingLoss](losses.html#cachedmultiplenegativesrankingloss)

\*

[MultipleNegativesSymmetricRankingLoss](losses.html#multiplenegativessymmetricrankingloss)

\*

[CachedMultipleNegativesSymmetricRankingLoss](losses.html#cachedmultiplenegativessymmetricrankingloss)

- \* [SoftmaxLoss](losses.html#softmaxloss)
- \* [TripletLoss](losses.html#tripletloss)
- \* [Samplers](sampler.html)
- \* [BatchSamplers](sampler.html#batchsamplers)
- \* [MultiDatasetBatchSamplers](sampler.html#multidatasetbatchsamplers)
- \* [Evaluation](evaluation.html)
- \* [BinaryClassificationEvaluator](evaluation.html#binaryclassificationevaluator)
- \* [EmbeddingSimilarityEvaluator](evaluation.html#embeddingsimilarityevaluator)
- \* [InformationRetrievalEvaluator](evaluation.html#informationretrievalevaluator)
- \* [NanoBEIREvaluator](evaluation.html#nanobeirevaluator)
- \* [MSEEvaluator](evaluation.html#mseevaluator)

\* [ParaphraseMiningEvaluator](evaluation.html#paraphraseminingevaluator)

\* [RerankingEvaluator](evaluation.html#rerankingevaluator)

\* [SentenceEvaluator](evaluation.html#sentenceevaluator)

\* [SequentialEvaluator](evaluation.html#sequentialevaluator)

\* [TranslationEvaluator](evaluation.html#translationevaluator)

\* [TripletEvaluator](evaluation.html#triplevaluator)

\* Datasets

\* ParallelSentencesDataset

\* SentenceLabelDataset

\* DenoisingAutoEncoderDataset

\* NoDuplicatesDataLoader

\* [Models](models.html)

\* [Main Classes](models.html#main-classes)

\* [Further Classes](models.html#further-classes)

\* [quantization](quantization.html)

\*

[`quantize\_embeddings()`](quantization.html#sentence\_transformers.quantization.quantize\_embeddings)

\*

[`semantic\_search\_faiss()`](quantization.html#sentence\_transformers.quantization.semantic\_search\_faiss)

\*

[`semantic\_search\_usearch()`](quantization.html#sentence\_transformers.quantization.semantic\_search\_usearch)

\* [Cross Encoder](../cross\_encoder/index.html)

\* [CrossEncoder](../cross\_encoder/cross\_encoder.html)

\* [CrossEncoder](../cross\_encoder/cross\_encoder.html#id1)

\* [Training Inputs](../cross\_encoder/cross\_encoder.html#training-inputs)

\* [Evaluation](../cross\_encoder/evaluation.html)

\* [CEBinaryAccuracyEvaluator](../cross\_encoder/evaluation.html#cebinaryaccuracyevaluator)

\*

[CEBinaryClassificationEvaluator](../cross\_encoder/evaluation.html#cebinaryclassificationevaluator)

\* [CECorrelationEvaluator](../cross\_encoder/evaluation.html#cecorrelationevaluator)

\* [CEF1Evaluator](../cross\_encoder/evaluation.html#cef1evaluator)

\*

[CESoftmaxAccuracyEvaluator](../cross\_encoder/evaluation.html#cesoftmaxaccuracyevaluator)

\* [CERerankingEvaluator](../cross\_encoder/evaluation.html#cererankingevaluator)

\* [util](../util.html)

\* [Helper Functions](../util.html#module-sentence\_transformers.util)

\* [community\_detection()](../util.html#sentence\_transformers.util.community\_detection)

\* [http\_get()](../util.html#sentence\_transformers.util.http\_get)

\* [is\_training\_available()](../util.html#sentence\_transformers.util.is\_training\_available)

\* [mine\_hard\_negatives()](../util.html#sentence\_transformers.util.mine\_hard\_negatives)

\* [normalize\_embeddings()](../util.html#sentence\_transformers.util.normalize\_embeddings)

\* [paraphrase\_mining()](../util.html#sentence\_transformers.util.paraphrase\_mining)

\* [semantic\_search()](../util.html#sentence\_transformers.util.semantic\_search)

\* [truncate\_embeddings()](../util.html#sentence\_transformers.util.truncate\_embeddings)

\* [Model Optimization](../util.html#module-sentence\_transformers.backend)

\*

[export\_dynamic\_quantized\_onnx\_model()](../util.html#sentence\_transformers.backend.export\_dynamic\_quantized\_onnx\_model)

\*

[export\_optimized\_onnx\_model()](../util.html#sentence\_transformers.backend.export\_optimized\_onnx\_model)

[`export\_static\_quantized\_openvino\_model()](../util.html#sentence\_transformers.backend.export\_static\_quantized\_openvino\_model)

- \* [Similarity Metrics](../util.html#module-sentence\_transformers.util)
- \* [`cos\_sim()](../util.html#sentence\_transformers.util.cos\_sim)
- \* [`dot\_score()](../util.html#sentence\_transformers.util.dot\_score)
- \* [`euclidean\_sim()](../util.html#sentence\_transformers.util.euclidean\_sim)
- \* [`manhattan\_sim()](../util.html#sentence\_transformers.util.manhattan\_sim)
- \* [`pairwise\_cos\_sim()](../util.html#sentence\_transformers.util.pairwise\_cos\_sim)
- \* [`pairwise\_dot\_score()](../util.html#sentence\_transformers.util.pairwise\_dot\_score)
- \* [`pairwise\_euclidean\_sim()](../util.html#sentence\_transformers.util.pairwise\_euclidean\_sim)
- \* [`pairwise\_manhattan\_sim()](../util.html#sentence\_transformers.util.pairwise\_manhattan\_sim)

\_\_[Sentence Transformers](../../index.html)

- \* [(../../index.html)]
- \* [Sentence Transformer](index.html)
- \* Datasets

\* [ Edit on

GitHub](https://github.com/UKPLab/sentence-transformers/blob/master/docs/package\_reference/sentence\_transformer/datasets.md)

\*\*\*

# Datasets¶

Note



The ``sentence_transformers.datasets`` classes have been deprecated, and only exist for compatibility with the [deprecated training](../sentence\_transformer/training\_overview.html#deprecated-training).

\* Instead of ``SentenceLabelDataset``, you can now use ``BatchSamplers.GROUP_BY_LABEL`` to use the `[`GroupByLabelBatchSampler`](sampler.html#sentence_transformers.sampler.GroupByLabelBatchSampler "sentence_transformers.sampler.GroupByLabelBatchSampler")`.

\* Instead of ``NoDuplicatesDataLoader``, you can now use the ``BatchSamplers.NO_DUPLICATES`` to use the `[`NoDuplicatesBatchSampler`](sampler.html#sentence_transformers.sampler.NoDuplicatesBatchSampler "sentence_transformers.sampler.NoDuplicatesBatchSampler")`.

``sentence_transformers.datasets`` contains classes to organize your training input examples.

### ## ParallelSentencesDataset•

``ParallelSentencesDataset`` is used for multilingual training. For details, see [multilingual training](../examples/training/multilingual/README.html).

```
_class _sentence_transformers.datasets.ParallelSentencesDataset(_student_model
```

```
:
```

```
[SentenceTransformer](SentenceTransformer.html#sentence_transformers.SentenceTransformer
```

```

"sentence_transformers.SentenceTransformer"), _teacher_model :
[SentenceTransformer](SentenceTransformer.html#sentence_transformers.SentenceTransformer
"sentence_transformers.SentenceTransformer"), _batch_size : int = 8_,
_use_embedding_cache : bool =
True_)[[source]](https://github.com/UKPLab/sentence-
transformers/blob/master/sentence\_transformers\\datasets\\ParallelSentencesDataset.py#L25-L204
)if•

```

This dataset reader can be used to read-in parallel sentences, i.e., it reads in a file with tab-separated sentences with the same sentence in different languages. For example, the file can look like this (EN DE ES):

hello world  
hallo welt hola mundo second sentence zweiter satz segunda oraciÃ³n

The sentence in the first column will be mapped to a sentence embedding using the given the embedder. For example, embedder is a mono-lingual sentence embedding method for English. The sentences in the other languages will also be mapped to this English sentence embedding.

When getting a sample from the dataset, we get one sentence with the according sentence embedding for this sentence.

teacher\_model can be any class that implement an encode function. The encode function gets a list of sentences and returns a list of sentence embeddings

Parallel sentences dataset reader to train student model given a teacher model

Parameters:

`* **student_model**`  
`([_SentenceTransformer_](SentenceTransformer.html#sentence_transformers.SentenceTransformer "sentence_transformers.SentenceTransformer"))` â€œ The student sentence embedding model that should be trained.

`* **teacher_model**`  
`([_SentenceTransformer_](SentenceTransformer.html#sentence_transformers.SentenceTransformer "sentence_transformers.SentenceTransformer"))` â€œ The teacher model that provides the sentence embeddings for the first column in the dataset file.

`* **batch_size** (_int_ __, __optional__)` â€œ The batch size for training. Defaults to 8.

`* **use_embedding_cache** (_bool_ __, __optional__)` â€œ Whether to use an embedding cache. Defaults to True.

`## SentenceLabelDataset`•

`SentenceLabelDataset` can be used if you have labeled sentences and want to train with triplet loss.

`_class _sentence_transformers.datasets.SentenceLabelDataset(_examples :`

`list[[InputExample](../cross_encoder/cross_encoder.html#sentence_transformers.readers.InputExam`

ple

```
"sentence_transformers.readers.InputExample.InputExample")],  
_samples_per_label : int = 2, _with_replacement : bool =  
False_)[[source]](https://github.com/UKPLab/sentence-  
transformers/blob/master/sentence\_transformers\\datasets\\SentenceLabelDataset.py#L23-L111)if•
```

This dataset can be used for some specific Triplet Losses like  
BATCH\_HARD\_TRIPLET\_LOSS which requires multiple examples with the same label  
in a batch.

It draws n consecutive, random and unique samples from one label at a time.  
This is repeated for each label.

Labels with fewer than n unique samples are ignored. This also applied to  
drawing without replacement, once less than n samples remain for a label, it  
is skipped.

This `_DOES NOT_` check if there are more labels than the batch is large or if  
the batch size is divisible by the samples drawn per label.

Creates a LabelSampler for a SentenceLabelDataset.

Parameters:

\*

**\*\*examples\*\***

(**\_List\_**

**\_[\_InputExample\_](..../cross\_encoder/cross\_encoder.html#sentence\_transformers.readers.InputExample "sentence\_transformers.readers.InputExample") \_]**) â€“ A list of InputExamples.

\* **\*\*samples\_per\_label\*\*** (**\_int\_** **\_**,**\_optional\_**) â€“ The number of consecutive, random, and unique samples drawn per label. The batch size should be a multiple of samples\_per\_label. Defaults to 2.

\* **\*\*with\_replacement\*\*** (**\_bool\_** **\_**,**\_optional\_**) â€“ If True, each sample is drawn at most once (depending on the total number of samples per label). If False, one sample can be drawn in multiple draws, but not multiple times in the same drawing. Defaults to False.

**## DenoisingAutoEncoderDataset**¶

``DenoisingAutoEncoderDataset`` is used for unsupervised training with the TSDAE method.

`_class _sentence_transformers.datasets.DenoisingAutoEncoderDataset(_sentences:`

`list[str], noise_fn=<function`

`DenoisingAutoEncoderDataset.<lambda>>_)`[\[source\]](https://github.com/UKPLab/sentence-transformers/blob/master/sentence_transformers\\datasets\\DenoisingAutoEncoderDataset.py#L21-L62)[\[https://github.com/UKPLab/sentence-](https://github.com/UKPLab/sentence-transformers/blob/master/sentence_transformers\\datasets\\DenoisingAutoEncoderDataset.py#L21-L62)

`transformers/blob/master/sentence_transformers\\datasets\\DenoisingAutoEncoderDataset.py#L21-`

`L62)`¶

The `DenoisingAutoEncoderDataset` returns `InputExamples` in the format:

`texts=[noise_fn(sentence), sentence]` It is used in combination with the

DenoisingAutoEncoderLoss: Here, a decoder tries to re-construct the sentence without noise.

Parameters:

\* \*\*sentences\*\* â€“ A list of sentences

\* \*\*noise\_fn\*\* â€“ A noise function: Given a string, it returns a string with noise, e.g. deleted words

## NoDuplicatesDataLoaderïƒ•

`NoDuplicatesDataLoader` can be used together with MultipleNegativeRankingLoss to ensure that no duplicates are within the same batch.

```
_class _sentence_transformers.datasets.NoDuplicatesDataLoader(_train_examples_
, _batch_size_)[[source]](https://github.com/UKPLab/sentence-
transformers/blob/master/sentence_transformers\\datasets\\NoDuplicatesDataLoader.py#L17-L56)ïƒ•
•
```

A special data loader to be used with MultipleNegativesRankingLoss. The data loader ensures that there are no duplicate sentences within the same batch

[ Previous](evaluation.html "Evaluation") [Next ](models.html "Models")

\* \* \*

(C) Copyright 2025.

Built with [Sphinx](<https://www.sphinx-doc.org/>) using a  
[theme]([https://github.com/readthedocs/sphinx\\_rtd\\_theme](https://github.com/readthedocs/sphinx_rtd_theme)) provided by [Read the  
Docs](<https://readthedocs.org>).