



| | | | |
|-----------------|-------------------------|--------------|-----------|
| Course Name: | Operations Research | Course Code: | MT4031 |
| Degree Program: | BS Software Engineering | Semester: | Fall 2021 |
| Exam Duration: | 60 Minutes | Total Marks: | 25 |
| Paper Date: | 27.09.2022 | Weight: | 15 |
| Section: | ALL | Page(s): | 4 |
| Exam Type: | Mid-1 Exam | | |

Student : Name: Valena Afzal Roll No. 201-1035 Section: BSE-SB

Instruction/Notes: Attempt all questions. Programmable calculators are not allowed.
For Question-1, the best option according to the given statement. (CUTTING IS NOT ALLOWED)

QUESTION # 1:

(08)

1. The term _____ implies that one or more variables in the solution and the profit can be infinitely large.
- Degeneracy
 - ☒ Unbounded
 - Infeasibility
 - alternate solutions
2. LP theory states that the optimal solution to any problem will lie at:
- the origin
 - ☒ a corner point of the feasible region
 - the highest point of the feasible region
 - the lowest point in the feasible region
3. If, when we are using a Simplex table to solve a maximization problem, we find that the ratios for determining the pivot row are all negative, then we know that the solution is:
- Unbounded
 - Infeasible
 - ☒ Degenerate
 - Optimal
4. The Z_j row in a simplex table for maximization represents:
- Profit per Unit
 - ☒ Gross Profit
 - Net Profit
 - None of the above
5. Unboundedness is usually a sign that the LP problem:
- has finite multiple solutions
 - is degenerate
 - contains too many redundant constraints
 - ☒ has been formulated improperly
6. The C_j row in a simplex table for maximization represents:
- ☒ Profit per Unit
 - Gross Profit
 - Net Profit
 - None of the above

21.5/25

07

7. A feasible solution requires that all artificial variables is:
 a. Greater than zero
 b. Less than Zero
 c. Equal to zero
 d. there are no special requirements on artificial variables, they may take on any value
 e. None of the above
8. Infeasibility means that the number of solutions to the linear programming models that satisfy all constraints is:
 a. At least 1
 b. 0
 c. An infinite number
 d. at least 2

QUESTION # 2:

XYZ manufacturing company has a division that produces two models of gates, model-A and model-B. To produce each model-A gate requires '3' g. of cast iron and '6' minutes of labor. To produce each model-B gate requires '4' g. of cast iron and '3' minutes of labor. The profit for each model-A gate is Rs 2 and the profit for each model-B gate is Rs.1.50. One thousand g. of cast iron and 20 hours of labor are available for gate production each day. Because of an excess inventory of model-A gates, Company's manager has decided to limit the production of model-A gates to no more than 180 gates per day. The company wants to know the number of gates, model-A & model-B, to produce in order to maximize the profit. [Note: Only Linear Programming Model formulation required]

Suppose:

$$x_1 = \text{\#model A}$$

$$x_2 = \text{\#model B}$$

Objective Function:

$$Z = 2x_1 + \frac{1}{2}x_2$$

Constraints:

$$3x_1 + 4x_2 \leq 1000$$

$$6x_1 + 3x_2 \leq 1200$$

$$x_1 \leq 180$$

$$x_1 \geq 0; x_2 \geq 0. \text{ Non-negativity constraint}$$

Constraints name.

$$\therefore 20 \times 60 = 1200 \text{ m}$$

QUESTION # 3: Solve the following linear programming problem using Graphical Method.


(05)

Max: $Z = 3x_1 + 6x_2$

Subject to:

$$\begin{aligned} 3x_1 + 2x_2 &\leq 18 & (C1) & (0,6), (6,0) \\ x_1 + x_2 &\leq 5 & (C2) & (0,5), (5,0) \\ x_1 &\leq 6 & (C3) & (6) \\ x_2 &\leq 7 & (C4) & (7) \\ x_1/x_2 &\leq 7/8 & (C5) & \rightarrow 8x_1 \leq 7x_2 \\ x_1, x_2 &\geq 0 \end{aligned}$$

Hint: constraint C5 is linear, but needs to be put in Standard Form.



On the diagram above:

- Plot and label the constraints
- Shade the feasible region
- Identify and label the optimal solution
- If constraint (C4) is changed from $x_2 \leq 7$ to $x_2 \geq 7$, what is the effect on the problem?

- ☒ Unbounded problem
- ☒ Infeasible problem
- ☒ Alternate optima
- ☒ No change

$$\begin{aligned} Z &= 3(5) + 6(5) = 30 \leq 18. \\ Z &= 3(5) + 6(5) = 30 \text{ optimal.} \end{aligned}$$

QUESTION # 4:
Consider the following linear programming problem
Max: $Z = 4x_1 + 5x_2$
Subject to:
 $x_1 + 2x_2 \leq 10$ (1)
 $6x_1 + 6x_2 \leq 36$ (2)
 $x_1 \leq 4$ (3)
 $x_1, x_2 \geq 0$

& its initial Simplex tableau:

$$x_1, x_2 \geq 0$$

its initial Simplex tableau:

| | | | C_j | | | | | RATIO |
|---------------|-------|----------------|-------|-------|-------|-------|-------|------------|
| | | | 4 | 5 | 0 | 0 | 0 | |
| C_{Bi} | B | Quantity (Qty) | x_1 | x_2 | S_1 | S_2 | S_3 | |
| 0 | S_1 | 10 | 1 | 2 | 1 | 0 | 0 | $10/2 = 5$ |
| 0 | S_2 | 36 | 6 | 6 | 0 | 1 | 0 | $36/6 = 6$ |
| 0 | S_3 | 4 | 1 | 0 | 0 | 0 | 1 | |
| Z_j | | 0 | 0 | 0 | 0 | 0 | 0 | |
| $(C_j - Z_j)$ | | | 4 | 5 | 0 | 0 | 0 | |

the table above:

On the table above:

- a. Identify the pivot column x_2 , 2nd
- b. Identify the pivot row S_1 , 1st
- c. Identify the pivot cell
- d. Upon pivoting, which variable will enter the basis?

Entering Variable x_2

- e. Upon pivoting, which variable will leave the basis?

Leaving Variable S_1

QUESTION # 5:

(01+0.5+0.5+0.5 = 2.5)

LP Simplex Tableau Interpretation: In the Simplex solution shown here:

| | | | C_j | 3 | 2 | 0 | 0 | 0 |
|---------------|-------|-------------------|-------|-------|-------|-------|-------|---|
| C_{B_i} | B | Quantity (Qty) | X_1 | X_2 | S_1 | S_2 | S_3 | |
| 2 | X_2 | 60 | 0 | 1 | -1 | 2 | 0 | |
| 0 | S_3 | 20 | 0 | 0 | -1 | 1 | 1 | |
| 3 | X_1 | 20 | 1 | 0 | 1 | -1 | 0 | |
| (Z_j) | | 180 | 3 | 2 | 0 | 2 | 1 | |
| $(C_j - Z_j)$ | | | 0 | 0 | 0 | -2 | -1 | |

- a. What are the current values of the variables and of the Z?

| x_1 | x_2 | S_1 | S_2 | S_3 | Z |
|-------|-------|-------|-------|-------|-----|
| 20 | 60 | 0 | 2 | 20 | 180 |

- b. Which variables are currently BASIC? x_2, S_3, x_1

- c. Which variables are currently NON-BASIC? S_1, S_2

- d. Which constraints are currently BINDING? $x_2 = 60, S_3 = 20, x_1 = 20$