

Explore ACR

Nick Lauerman

December 5, 2018

Contents

Libraries	1
Data	1
read in	1
Format	2
factor	2
Dates	2
Structure	2
Metrics	3
Select nomth	3
Counts	3
Data Changes Request Approved	3
Data Change Request Disapproved	3
IE Approved	3
IE Disapproved	3
First pass acceptance	3
CR	3
IE	4
Total Process	4
Time to complete a data change	4
Number by Application	7
Opened	7
Completed	8
Total	8
Number of days that currently open CR have been pending	9

Libraries

```
#library(lubridate)
```

Data

read in

```
ACR.raw <- read.csv(file = "./data/ACR.csv",  
                    stringsAsFactors = FALSE)  
name <- c("SQA",  
          "Application",  
          "CRNumber",
```

```

      "CRDate",
      "CRApproved",
      "IENumber",
      "IEDate",
      "IEApproved",
      "Reason",
      "Comments")
names(ACR.raw) <- name
rm(name)
ACR <- ACR.raw

```

Format

factor

```

ACR$SQA <- as.factor(ACR$SQA)
ACR$Application <- as.factor(ACR$Application)
ACR$CRApproved <- as.factor(ACR$CRApproved)
ACR$IEApproved <- as.factor(ACR$IEApproved)
levels(ACR$IEApproved)[1] <- NA
ACR$Reason <- as.factor(ACR$Reason)
levels(ACR$Reason)[1] <- NA

```

Dates

```

ACR$CRDate <- as.Date(ACR$CRDate, format = "%d-%b-%y")
ACR$IEDate <- as.Date(ACR$IEDate, format = "%d-%b-%y")
ACR$CRmonth <- lubridate::month(ACR$CRDate, label = TRUE)
ACR$CRyear <- lubridate::year(ACR$CRDate)
ACR$IEmonth <- lubridate::month(ACR$IEDate, label = TRUE)
ACR$IEyear <- lubridate::year(ACR$IEDate)

```

Structure

```
str(ACR)
```

```

## 'data.frame':   118 obs. of  14 variables:
## $ SQA          : Factor w/  4 levels "Beilah","Liz",...: 1 1 1 1 2 2 2 2 4 4 ...
## $ Application: Factor w/ 11 levels "AFMS","ALMS",...: 9 11 11 9 5 5 5 7 2 2 ...
## $ CRNumber    : chr  "18-33882" "18-34518" "18-36023" "18-38261" ...
## $ CRDate      : Date, format: "2018-10-12" "2018-10-17" ...
## $ CRApproved  : Factor w/  4 levels "", "A", "A-FP",...: 3 3 3 3 3 3 3 3 1 1 ...
## $ IENumber    : chr  "18-33882" "" "" "" ...
## $ IEDate      : Date, format: "2018-11-07" NA ...
## $ IEApproved  : Factor w/  3 levels "A", "A-FP", "D": 2 NA NA NA NA NA NA NA 2 3 ...
## $ Reason      : Factor w/  3 levels "Inaccurate information",...: NA NA NA NA NA NA NA NA 1 ...
## $ Comments    : chr  "" "" "" "" ...
## $ CRmonth     : Ord.factor w/ 12 levels "Jan"<"Feb"<"Mar"<...: 10 10 10 11 11 11 11 11 10 10 ...
## $ CRyear      : num  2018 2018 2018 2018 2018 ...
## $ IEmonth     : Ord.factor w/ 12 levels "Jan"<"Feb"<"Mar"<...: 11 NA NA NA NA NA NA NA 10 10 ...
## $ IEyear      : num  2018 NA NA NA NA ...

```

Metrics

Select nomth

```
work <- subset(ACR,
              subset = (CRmonth == "Nov" & CYear == 2018) |
                      (subset = IEmonth == "Nov" & IEyear == 2018))
workCR <- subset(ACR,
                subset = CRmonth == "Nov" & CYear == 2018)
workIE <- subset(ACR,
                subset = IEmonth == "Nov" & IEyear == 2018)
```

Counts

Data Changes Request Approved

```
nrow(subset(workCR,
            subset = (CRAproved == "A" |
                    CRAproved == "A-FP")))
```

```
## [1] 50
```

Data Change Request Disapproved

```
nrow(subset(workCR,
            subset = (CRAproved == "D")))
```

```
## [1] 2
```

IE Approved

```
nrow(subset(workIE,
            subset = (IEAproved == "A" |
                    IEAproved == "A-FP")))
```

```
## [1] 20
```

IE Disapproved

```
nrow(subset(workIE,
            subset = (CRAproved == "D")))
```

```
## [1] 0
```

First pass acceptance

CR

```
nrow(subset(workCR,
            subset = CRAproved == "A-FP")) /
nrow(workCR) * 100
```

```
## [1] 84.61538
```

IE

```
nrow(subset(workIE,
             subset = CRApproved == "A-FP")) /
nrow(workIE) * 100
```

```
## [1] 80.95238
```

Total Process

```
nrow(subset(work,
             subset = (CRApproved == "A-FP" & IEApproved == "A-FP"))) /
nrow(work) * 100
```

```
## [1] 40.67797
```

Time to complete a data change

This is the interval between CR approval and IE approval

```
work.all <- subset(ACR,
                  subset = ((CRApproved == "A" | CRApproved == "A-FP") &
                             (IEApproved == "A" | IEApproved == "A-FP")))
work.all <- subset(work.all,
                  subset = (IEmonth == "Nov" & IEyear == 2018))
```

```
nrow(work.all)
```

```
## [1] 20
```

```
work.all$Interval <- as.numeric(work.all$IEDate - work.all$CRDate)
summary(work.all$Interval)
```

```
##      Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
##      1.00   3.75   11.00   13.85   15.25   78.00
```

```
sd(work.all$Interval)
```

```
## [1] 16.77804
```

```
table(work.all$Interval)
```


```
##
##  1  3  4 11 12 13 15 16 21 22 26 78
##  3  2  2  4  1  2  1  1  1  1  1  1
```

```
quantile(work.all$Interval)
```


```
##      0%   25%   50%   75%  100%
##      1.00  3.75 11.00 15.25 78.00
```

```
hist(work.all$Interval,
     breaks = 20)
```


Histogram of work.all\$Interval



```
boxplot(work.all$Interval)
```



```
boxplot(work.all$Interval,  
        outline = FALSE)
```



Number by Application

Opened

```
table(subset(workCR,
             subset = CRApproved != "D")$Application)
```

```
##
##      AFMS      ALMS      CMSNext      DaVinci
##          1      11      28          0
##   eNovator  GDSN/GS1      iQ Metrics Library
##          5          0          1          3
##      PEAR      QPI      RSLMS
```

```
##          1          0          0
table(subset(workCR,
             subset = CRApproved != "D")$SQA)
```

```
##
## Beilah    Liz    Nick Suresh
##      1      4     34      11
```

Completed

```
table(subset(workIE,
             subset = IEApproved != "D")$Application)
```

```
##
##          AFMS          ALMS          CMSNext          DaVinci
##          0          11          5          0
##      eNovator      GDSN/GS1      iQ Metrics Library
##          0          0          0          3
##          PEAR          QPI          RSLMS
##          1          0          0
```

```
table(subset(workIE,
             subset = CRApproved != "D")$SQA)
```

```
##
## Beilah    Liz    Nick Suresh
##      1      0     9      11
```

Total

```
table(subset(workCR,
             subset = CRApproved != "D")$Application) +
table(subset(workIE,
             subset = IEApproved != "D")$Application)
```

```
##
##          AFMS          ALMS          CMSNext          DaVinci
##          1          22          33          0
##      eNovator      GDSN/GS1      iQ Metrics Library
##          5          0          1          6
##          PEAR          QPI          RSLMS
##          2          0          0
```

```
table(subset(workCR,
             subset = CRApproved != "D")$SQA) +
table(subset(workIE,
             subset = CRApproved != "D")$SQA)
```

```
##
## Beilah    Liz    Nick Suresh
##      2      4     43      22
```


Number of days that currently open CR have been pending

```
work.open <- subset(ACR,
                    subset = (CRAproved == "A-FP" | CRAproved == "A") &
                              is.na(IEApproved))
work.open$daysOpen <- as.numeric(as.Date("1-Dec-18", format = "%d-%b-%y") -
                                  work.open$CRDate)
nrow(work.open)
```

```
## [1] 35
```

```
summary(work.open$daysOpen)
```


```
##      Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
##      2.00    4.00   15.00   25.31   29.00   127.00
```

```
quantile(work.open$daysOpen)
```


```
##      0%   25%   50%   75%  100%
##       2     4    15    29   127
```

```
hist(work.open$daysOpen,
      breaks = 20)
```

Histogram of work.open\$daysOpen



```
boxplot(work.open$daysOpen)
```



```
boxplot(work.open$daysOpen,  
        outline = FALSE)
```

