

ATLAS NOTE

3rd December 2014



Guide to references and BibTEX in ATLAS documents

Ian C. Brock

University of Bonn

Abstract

This document illustrates how to use BibTeX for the bibliography of your ATLAS paper. It discusses what to pay attention to when creating references and how to get round common problems. Use of both biblatex and the more traditional BibTeX is covered. Two BibTeX (.bst) style files have been created that can be used with any of the ATLAS supported journals, depending on whether they require the title of the references to be included or not.

This document was generated using version 01-04-02 of the ATLAS LATEX package.

1 Introduction

The ATLAS Collaboration has specific guidelines as to what constitutes a good bibliographic style. For example, a reference to a paper by an LHC Collaboration must not include the first author, whereas, if the paper is by any other collaboration it should. Where available, links to the arXiv entries of the papers should be included. To help authors with their paper preparations, a standard ATLAS bibliographic style has been developed which incorporates all of these requirements, and, at the same time, is largely compatible with those of the journals the papers are being submitted to.

It is strongly recommended to use BibTeX for the references. Although it often appears harder to use at the beginning, it means that the number of typos should be reduced significantly and the format of the references will be correct, without you having to worry about formatting it. In addition the order of the references is automatically correct.

A new implementation of BibTeX is provided by the biblatex [1] package. All ATLAS documents use this package now by default. One major advantage of the package is that it defines quite a few more entry types that are much more suitable for online documents and things like CONF and PUB notes. It is also possible to use UTF-8 encoding in the entries, which means that letters such as ä, é, ß can be included directly in the text. Adjustment of the style is also much simpler. It is possible to take a base style and then just apply changes to it rather than having to learn the details of how bst files are constructed.

The typical compilation cycle when using biblatex with the BibTEX backend or the traditional version of BibTEX looks like the following:

pdflatex mydocument bibtex mydocument pdflatex mydocument pdflatex mydocument

If you use biblatex with the backend biber rather than bibtex, replace the command bibtex with biber.

biblatex and BibTeX create a file with the extension .bbl, which contains the actual references used, and IATeX then takes care to include them in your paper. Note that only after the third run of IATeX will all references be correct. Unless you change a reference you do not have to do the bibtex step again.

You can of course use LaTeX rather than pdfLaTeX, but pdfLaTeX is preferred, as things like clicking on cross-references and links to publications in the bibliography work much more reliably with pdfLaTeX.

2 BibTeX database

One or more files with the extension .bib (in this example: atlas_paper.bib) should contain all the references. The files may also contain references that you do not use, so they may act like a library of references.

You should check that you base your .bib file on the examples provided, as it has the references in the style recommended for ATLAS publications. This will definitely save time in the reviewing process!

If you use biblatex, you should include commands like:

```
\addbibresource{../atlas_latex.bib}
\addbibresource{atlas_biblatex.bib}
```

in the preamble of our document.

If you use BibTeX you include the source file(s) at the place where the bibliography should be printed as follows:

```
{\raggedright
  \bibliography{../atlas_latex,%
  atlas_biblatex}
}
```

at the point where the bibliography should be printed.

If you use atlaspackage, then biblatex is used with the BibTEX backend by default. Turn off the use with the option biblatex=false.

If you want to use the biber backend, include atlaspackage with the option backend=biber and use the command biber instead of bibtex to process the .bib files. Note that biber returns an error if it encounters an empty .bib file.

3 ATLAS bibliography style files

The format of the references in your ATLAS paper depends on the journal to which you are submitting, but in general we can classify the journal styles in two categories: those which require the title of the references and those which do not. To ensure the homogeneity in all ATLAS publications, biblatex and BibTeXstyle files are provided for each of these categories along with an example file that illustrates how different types of bibliographic material should be referenced.

The biblatex style file can be found in the directory latex, while the BibTEX style files can be found in the directory bibtex/bst of the atlaslatex package.

For the final version of ATLAS notes, both internal and public, a style without the title for papers in journals is recommended. For draft versions, it is good to include the title, as it is then clearer what the reference refers to.

3.1 biblatex style file

If you use biblatex a style file: atlasbiblatex.sty which you should include with a normal \usepackage command. By default, this style includes the document title. The title can be turned off by including the option articletitle=false. This option turns off the title for entry types @Article and @Booklet, as @Booklet should be used as the entry type for CONF and PUB notes.

To print the bibliography include the command:

\printbibliography

where it should get printed.

3.2 BibT_EX style files

If you use BibTEX, you should choose between the two style files given below, depending on the journal to which they wish to submit their paper. These style files have been successfully tested in the framework provided by the journals listed in the following sections and with the standard ATLAS document template.

3.2.1 BibT_FX style file for journals with the title in the reference

Journals:

- JHEP
- JINST
- NJP

BibT_EX style file: atlasBibStyleWithTitle.bst

Include at the end of your .tex file the following lines:

\bibliographystyle{bibtex/bst/atlasBibStyleWithTitle}
\bibliography{atlas-bibtex}

You can use the BibTeX style JHEP.bst for papers that are supposed to be submitted to JHEP. However, note that JHEP only prints the arXiv entry etc. if the entry type is @Article. In the examples included in this document, the entry type @Booklet is used for preprints and CONF notes, as this works best with other BibTeX styles. If you are planning to submit to JHEP/JINST and use JHEP.bst replace all @Booklet entry types with @Article.

3.2.2 BibTeX style file for journals without the title in the reference

Journals:

- EPJC
- NPB
- PLB
- PRD
- PRL

BibTpX style file: atlasBibStyleWoTitle.bst

Include at the end of your .tex file the following lines:

\bibliographystyle{bibtex/bst/atlasBibStyleWoTitle}
\bibliography{atlas-bibtex}

4 Journal names

It is often the case that one sees several different abbreviations for journal names in one set of references. In order to try to get round this problem, macros are defined that contain the standard abbreviations. It is then also possible to modify the abbreviation if a journal uses a different convention from ours.

The abbreviations can be found in the style file latex/atlasjournal.sty, which is included by default if you load atlasphysics. This style file also defines several other abbreviations that can be adjusted to the journal style. Standard sets for different journals can be provided by an option in the future.

5 References from Inspire

A common way to find a reference is using Inspire [2]. You can select the output format as BibTeX and simply copy the result(s) to your .bib file. In order that the reference follows the ATLAS conventions you need to do the following, assuming that the reference is for an LHC collaboration paper:

- 1. Change the field name author to xauthor.
- 2. Change the field name collaboration to author and write the collaboration in the form "{ATLAS Collaboration}". Note the use of both quotes and curly braces.
- 3. Either replace the journal name with the appropriate macro, e.g. "Phys.Lett." with "\PLB"; or insert spaces between the parts of the name, i.e. "Phys.\ Lett.". Note the use of \ (you can also use {}) instead of just a space, as a regular interword space should be inserted and not an end of sentence space.
- 4. Remove the journal letter from the volume and include it in the journal, e.g. "Eur. Phys. J. C", "Phys. Rev. D".

If the reference is for another collaboration, rename the collaboration field to xcollaboration and insert {NonLHC Collaboration} and at the beginning of the author field.

Instead of renaming the author or collaboration fields, you can of course simply delete them!

6 BibT_FX tips

• A bibliographic item is created in the .bib file as:

```
@Article{lhcCollaboration:2012,
   author = "...",
   title = "...",
   further bibliographic information}
}
```

The identifier directly after the document type declaration is how one should refer to this item inside the main .tex file. Use a non-breaking space between the citation and the reference, i.e. ... measured previously~\cite{lhcCollaboration:2012}.

- When referencing ATLAS CONF notes, the URL to the CDS page should be included. For this to work, in the preamble of your .tex document add \usepackage{hyperref}. Note that hyperref is included by default if you use atlasdoc and/or atlaspackage.
- Depending on the style that is used, if the DOI is filled and the hyperref package loaded, the title of the journal can be highlighted in blue and become a hyperlink to the online paper.
- When referencing papers from journals like PRD, PLB, etc., one has to be careful not to include the "D" or "B" as part of the volume. Instead these belong to the journal name. You can either use the macros that have been added to the .bst style files for these journals, or the macros defined in atlasjournal. If you want to use biblatex or other bst files, it is probably better to use the atlasjournal definitions.

In earlier versions of this document, it was recommended to include the cite package, if you use BibTEX and want to cite multiple references in the format [m-n]. However, the journal style files can do this for you by using the option sort&compress option if natbib is used. The revtex style also does this for you. If you use biblatex use the option style=numeric-comp.

7 Examples

- LHC Collaboration [3]
- Other Collaboration [4]
- Individual authors [5]
- arXiv only [6]
- arXiv only submitted to a journal [7]
- ATLAS CONF Note [8]

While the collaboration field is a nice idea, it is not supported by many BibTEX styles. Hence in Ref. [3], collaboration has been renamed to author and the author field has been renamed as xauthor. If you use collaboration and omit author you will get a warning when you run bibtex.

Note that in Ref. [8] the entry type @Article used to be used and the field journal was abused for the conference note number. This is a result of the BibTEX restrictions on the entry types. The current version uses @Booklet and includes the CONF note number via the howpublished field. In general, biblatex provides a lot more entry types. This is one of the reasons for the move to biblatex as the default for the ATLAS templates. All documentation uses biblatex with the backend biber. The default for ATLAS documents is to use the backend bibtex.

History

- **2013-08-13:** Cristina Oropeza Barrera First version of the document released.
- **2014-08-14: Ian Brock** Updated the example references a bit and gave a bit more background information.
- **2014-12-03: Ian Brock** Text taken from paper template and merged into this document. Document adjusted for use of biblatex as the default.

References

- [1] biblatex Bibliographies in ETeX using BibTeX for sorting only, URL: http://www.ctan.org/pkg/biblatex.
- [2] INSPIRE, the High Energy Physics information system, URL: http://inspirehep.net.
- [3] ATLAS Collaboration, Phys. Lett. B 709 (2012) 137, DOI: 10.1016/j.physletb.2012.01.076, arXiv: 1110.6189 [hep-ex].
- [4] PHOBOS Collaboration, B. Alver et al., Phys. Rev. C 75 (2007) 054913, DOI: 10.1103/PhysRevC.75.054913, arXiv: 0704.0966 [hep-ex].
- [5] A. Sherstnev and R. S. Thorne, Eur. Phys. J. C 55 (2008) 553, DOI: 10.1140/epjc/s10052-008-0610-x, arXiv: 0711.2473 [hep-ph].
- [6] P. Z. Skands, 2009, arXiv: 0905.3418 [hep-ph].
- [7] J. Monk and C. Oropeza-Barrera, Submitted to Nucl. Instrum. Meth., 2011, arXiv: 1111.4869 [hep-ex].
- [8] ATLAS Collaboration, ATLAS-CONF-2012-058, 2012, url: http://cdsweb.cern.ch/record/1453786.