. J.	ZLogo	- ^
, AO5-1 2.	STUDENT REPORT	5
	TO THE AND THE	1205
NO.	TAILS 12 12 12 12 12 12 12 12 12 12 12 12 12	228.
28 DE	TAILS & NE AT SECOND SE	29
N	lame No San	_,05'.
5 P	ABDUL RAQEEB oll Number () () () () () () () () () (
SAOS R	22PI24DS405.T	O _A O
.<	PERIMENT PERIME	22BIZAD
0 V	DEDIMENT ST AV ST	`
Title	e silansan osta 2811 oansans talkala nosansta 2812 sanstal	,05
Ę	PERIMENT e LECTIONS LADSA DE LA DELLA D	LADSA
ADS ADS	e LECTIONS escription Apsart 22 Bilans and 12 Bilans and	
<i>y</i>		228124
S)	You are the head of the election committee in your village. Each Political party is associated with a unique number and the votes are represented as an integer array A. where each element contains the party number voted for by the villagers. For a	V
, 122B)	party to win, they must have a majority of votes. our task is to find and return an integer value denoting the winning party's number. Return -1 if there is no party with a majority.	, S
	Note: If only one vote is there he is the winner.	,05A05
12AD5A	Input Format :	
2ª.	input1: An integer value representing the number the number of voters	281
	input2: An integer array A representing the votes of the voters.	X.V.
05.77	output Format:	
0	Return an integer value denoting the winning party's number.Return -1 there is no party with a majority	LADSAD
C	Example 1:	\rangle
BIZADE	Input:	. 9
,	6	5121
, , (112223	,
3,05	Output:	୍ଦର
	2	S. A. A. W.
812A	Explanation:	
22	As 2 got the most number of votes i.e 3.	657
	Example 2:	A A B
	Input:	
	6	BEAR
	121122	John Line
	Output:	<u>ر</u>
	-1	SARPS
	Explanation:	k~

Source Code: n=int(input()) arr=list(map(int,input().split())) d={ } if n==1: print(arr[0]) else: for i in arr: if i not in d: d[i]=1 else: d[i]+=1x=sorted(d.items(),key=lambda x:x[1], reverse =True)if x[0][1]==x[1][1]: print(-1) else: print(x[0][0]) RESULT 6 / 6 Test Cases Passed | 100 %