## Module 4: Questions

- 1. What type of Machine Learning has unlabeled data, but the system learns from feedback on its actions?
- 2. A machine learning model produces 40 true positives, 10 false positives, and 30 true negatives on 100training examples. What is the precision and recall?
- 3. A model has an accuracy of 95% on training data, but only 55% accuracy on test data. Qualitatively, what is the bias (high/low) and variance (high/low)?
- 4. What are some relevant features for building a model that predicts where someone will enjoy a movie?
- 5. Consider a fully-connected Neural Network with 10 input neurons, two hidden layers each with 30 neurons, and an output layer with 3 neurons. How many weights are in this Neural Network (ignore any bias terms)?
- 6. Consider a Neural Network that receives a 10 by 10 image and applies a convolution layer with 7 filters, a kernel size of 3, and a stride of 1. Assume that network pads the image with zeros, and that each of these zeros is included in the multiplications. How many individual multiplication operations are applied?
- 7. What is an example of an activation function for a Neural Network?
- 8. What is Gradient Descent used for in Neural Networks?
- 9. What syntax is used to specify model definitions in Caffe?
- 10. In Caffe, what layers are used for training a Neural Network that are not used in the deployed Neural Network?

⊕⊕ This work is licensed by Cal Poly San Luis Obispo and NVIDIA (2016) under a Creative Commons Attribution-NonCommercial 4.0 License.