

WEEK 0 UNIT 1

GETTING STARTED

Please perform the following steps to be prepared for this course.

Table of Contents

1	Create an SAP HANA Cloud Platform (HCP) Developer Account.....	2
2	Get Familiar with the Development Environment.....	4
3	Connect to the Demo System ES4.....	7
4	(Optional) Create a New Destination to a Public OData Provider.....	12

Preview










Figure 1 - The SAP Hana Cloud Platform start page

1 CREATE AN SAP HANA CLOUD PLATFORM (HCP) DEVELOPER ACCOUNT

In this step, you will create your developer account that can be used for the exercises in this course.

Register a new account

Explanation	Screenshot
<p>1. Open Google Chrome. Navigate to the following URL:</p> <p>https://account.hanatrial.ondemand.com/</p> <p>Note: Installing Google Chrome We recommend you use Google Chrome for this course. If you don't have it installed yet, go to the following URL and follow the steps described there: https://www.google.de/chrome/browser/desktop/</p>	
<p>2. Click "Register" to create a free SAP HANA developer account</p>	
<p>3. Enter your name and e-mail address and choose a password.</p> <p>4. Accept the terms & conditions and click "Register".</p> <p>Note: Trial Account A developer account on SAP HANA Cloud Platform is provided to you with a free and perpetual <u>developer license</u> that you accept when you create your account. You can use such an account to test out the platform or run demo scenarios.</p>	

Explanation	Screenshot
5. A confirmation e-mail has been sent to your account. Open it and choose “Click here to activate your account”.	 <p>Dear Max Mustermann,</p> <p>Thank you for registering with SAP Cloud Identity. To activate your account for SAP HANA Cloud Platform, click the link below.</p> <p>Click here to activate your account</p> <p>If the link above is not displayed or does not work, copy and paste the link below to the address bar of your browser.</p> <p>https://account.hanatrial.ondemand.com/IDSactivation=106ADE424DD76BB4FE4A72D005227AEB168245F0F86F747F56FAC500805EA2DB0EE7CC766FE</p> <p>Best Regards, Your SAP Cloud Identity Team</p> <p><small>This e-mail may contain trade secrets or privileged, undisclosed, or otherwise confidential information. If you have received this e-mail in error, you are hereby notified that any review, copying, or distribution of it is strictly prohibited. Please inform us immediately and destroy the original transmittal. Thank you for your cooperation.</small></p>
6. You should see a confirmation dialog. Click “Continue” to go to the SAP HANA Cloud Platform Cockpit.	 <p>Account Successfully Activated</p> <p>✓ Thank you for registering and activating your account max.mustermann3@gmx.net with SAP.</p> <p>This account can also be used to access other SAP platforms such as SAP.com, SAP Community Network, and SAP HANA Cloud applications.</p> <p>Continue</p> <p>Powered by SAP Cloud Identity</p>
7. Close the “News and Announcements” popup and have a look at the SAP HANA Cloud Platform Cockpit. This is your entry point for managing cloud apps and configurations.	 <p>SAP HANA Cloud Platform Cockpit</p> <p>Dashboard</p> <p>System Status</p> <p>JAVA Overall Health: No applications yet. Get started here! or Create an application, Run sample applications, Watch a video.</p> <p>HTML5 Overall Health: No applications yet. Get started here! or Create Hello World App, Create Weather App.</p> <p>DATABASE SYSTEMS Availability Status: N/A. Databases.</p> <p>Favorite Applications: You have not yet defined any favorite applications; you can add them from the Java Applications list.</p> <p>Account Information</p> <p>Account: Display Name: p1941902059nal, Account Name: p1941902059nal.</p> <p>Subscriptions: 1 Subscribed.</p> <p>Services: Authorization Managem..., Business services for..., Debugging Service, Document Service, More...</p>

2 GET FAMILIAR WITH THE DEVELOPMENT ENVIRONMENT

In this step, you will open SAP Web IDE and create a simple test page.

Open SAP Web IDE

Explanation	Screenshot
<p>1. In HCP, you can consume tools and applications as services.</p> <p>Click “Services” to see a list of applications that have been added automatically to your account.</p>	
<p>2. You can now see all applications that are connected to your account. In the search field, filter for “web” and click the “SAP Web IDE” tile.</p>	
<p>3. Click the link “Open SAP Web IDE” to open an instance connected to your account.</p>	

Explanation	Screenshot
4. Have a look at the start page of SAP Web IDE. It contains useful links and shortcuts to the most important actions.	
5. (Optional) Add a bookmark to SAP Web IDE by pressing "CTRL+D" in Google Chrome. You will need this link to your development environment frequently throughout the course.	

webapp/index.html (NEW)

```

<!DOCTYPE html >
<html>
  <head>
    <meta http-equiv="X-UA-Compatible" content="IE=edge"/>
    <meta charset="UTF-8">
    <title>OpenSAP - Developing Web Apps with SAPUI5</title>
  </head>
  <body>
    <p>Hello World</p>
  </body>
</html>

```

Go to the development perspective by clicking the “</>” icon in the left toolbar. On the left side you will see a folder list with just one entry: “Workspace”. Add a new project folder `MyApp` by right-clicking it and selecting “New > Folder”.

Inside the project folder, create a new folder `webapp` which will contain all sources of the app we will create throughout the first weeks of this course. Now create a new root HTML file called `index.html` in your app folder with the contents of the listing above.

Your workspace should now look like this:





Figure 2 - Workspace for the test page

Save your changes and click the  button in the header toolbar. A new tab will open with the preview of your app. Your “app” (remember this is just a test) is now simulated in the cloud and you will see the “Hello World” text on the screen:






Figure 3 - Preview of the test page




That's it for today's coding. Feel free to play around a little bit with SAP Web IDE to get familiar with the tool so you are ready for the course exercises that start next week.




3 CONNECT TO THE DEMO SYSTEM ES4

In this step, we configure the back-end system connection to access real service data in our projects.




Sign up and get started with the SAP Gateway Demo Consumption System


Explanation	Screenshot
<ol style="list-style-type: none"> Navigate to the following URL: http://scn.sap.com/docs/DOC-40986 Click “Sign up here!” to connect your SAP HCP developer account to the demo system. 	
<ol style="list-style-type: none"> Accept the disclaimer for using the demo system by clicking “Accept”. 	<h3>Legal Disclaimers for SAP Netweaver Gateway Service Consumption Sign-Up Form</h3> <p>To access and use SAP Netweaver Gateway Service Consumption Sign-Up Form, read and accept the legal documents below.</p> <p>Terms and Conditions</p> <p><input checked="" type="checkbox"/> I have read and understood the Terms and Conditions of SAP Netweaver Gateway Service Consumption Sign-Up Form.*</p> <p style="text-align: right;">*Required</p> <div style="border: 1px solid red; padding: 5px; text-align: center;"> <p>Accept</p> </div> <p>Powered by </p>

Explanation	Screenshot
4. Your user information should automatically be connected to your SAP HCP account that you have created in the previous step. Click “Register” to continue.	 <p>SAP Gateway - Demo Consumption Service</p> <p>User Information</p> <p>User ID: P1941862055 First Name: Max Last Name: Mustermann Email: max.mustermann3@gmx.net</p> <p>Terms and Conditions</p> <p>SAP TEST AND DEVELOPMENT EVALUATION SOFTWARE LICENSE AGREEMENT (Hosted SAP Netweaver Gateway)</p> <p>Please scroll down and read the following SAP TEST AND Development Software License Agreement ("T&DE") carefully. By clicking "I Accept" or by attempting to access or use the SAP Software (defined below), You agree that this T&DE forms a legally binding agreement between You ("You" or "Your") and SAP AG, for and on behalf of itself and its subsidiaries and affiliates (as defined in Section 15 of the German Stock Corporation Act) ("SAP") and You agree to be bound by all of the terms and conditions stated in this T&DE. If You are trying to access or download the SAP Software on behalf</p> <p><input checked="" type="checkbox"/> I have read and understood the Terms and Conditions.</p> <p>Register</p>
5. A confirmation e-mail has been sent to your account again. Open it and press the “SAP Gateway WebGUI” link.	 <p>Hello Max,</p> <p>You have reset your email for the SAP Gateway - Demo Consumption server. Here is your new password:</p> <p>Your user-id: P1941862055 Temporary password: zjdonscysmg4</p> <p>Next Steps</p> <p>Your password is now changed. You can log in to the SAP Gateway WebGUI (at https://sapes4.sapdevcenter.com/) at any time to check your new password is working.</p>
6. Log on to the gateway system with the login data from the e-mail.	 <p>SAP NetWeaver</p> <p>System: ES4 Client: 800 User: P1941862055 Password: Language: English</p> <p>Log On</p> <p>Change Password</p> <p>SAP ERP Central Component 6.07 IDES Client for usage is 800 In case of problems please contact: rac-support@sap.com</p>

Explanation	Screenshot
<p>7. Change the initial password by entering the old and a new password.</p> <p>8. Write down the new password for the next configuration step.</p>	
<p>9. After changing the password you will see the main screen of the web logon. Close the window and return to the SAP HCP Cockpit</p>	
<p>10. You can optionally have a look at the service interface by opening the following URL:</p> <p>https://sapes4.sapdevcenter.com/sap/opu/odata/IWBEP/GWSAMPLE_BASIC/?sap-ds-debug=true</p>	

Create a destination ES4 in the SAP HCP cockpit

Explanation	Screenshot																		
<p>1. Go to the Destinations page of the SAP HCP Cockpit by opening the following URL and pressing the menu item "Destinations":</p> <p>https://account.hanatrial.ondemand.com/cockpit</p>																			
<p>2. Choose "New Destination" to open a configuration panel.</p>																			
<p>3. In the Destination Configuration section below, make the following entries.</p> <p>Note: Optionally, you can set your user name and user password. If you don't fill out User and Password from the previous step, you will be asked for your ES4 Gateway system credentials every time you start your app and request back-end data.</p>	<table border="1"> <thead> <tr> <th>Field</th><th>Entry</th></tr> </thead> <tbody> <tr> <td>Name</td><td>ES4</td></tr> <tr> <td>Type</td><td>HTTP</td></tr> <tr> <td>Description</td><td>ES4 Demo Service</td></tr> <tr> <td>URL</td><td>https://sapes4.sapdevcenter.com</td></tr> <tr> <td>Proxy Type</td><td>Internet</td></tr> <tr> <td>Authentication</td><td>BasicAuthentication</td></tr> <tr> <td>User</td><td><your user, e.g. p1234567890></td></tr> <tr> <td>Password</td><td><your password for the ES4 system></td></tr> </tbody> </table>	Field	Entry	Name	ES4	Type	HTTP	Description	ES4 Demo Service	URL	https://sapes4.sapdevcenter.com	Proxy Type	Internet	Authentication	BasicAuthentication	User	<your user, e.g. p1234567890>	Password	<your password for the ES4 system>
Field	Entry																		
Name	ES4																		
Type	HTTP																		
Description	ES4 Demo Service																		
URL	https://sapes4.sapdevcenter.com																		
Proxy Type	Internet																		
Authentication	BasicAuthentication																		
User	<your user, e.g. p1234567890>																		
Password	<your password for the ES4 system>																		
<p>4. The complete Destination Configuration form should look like this.</p> <p>5. Choose Save.</p>																			

Explanation	Screenshot
6. Click the “check” icon on the right side of the newly created destination and make sure that the connection test is successful.	 <p>The screenshot shows the 'Destinations (All: 1)' window in SAP Web IDE. It contains a table with one destination named 'ES4' of type 'HTTP'. The 'Basic Properties' section shows 'Authentication: BasicAuthentication', 'ProxyType: Internet', and 'URL: https://sapes4.sapdevcenter.com/sap/opu'. In the 'Actions' column, the 'check' icon (a green circle with a white checkmark) is highlighted with a red box. Below the table, a 'Check Connection' dialog box is displayed, showing a green checkmark and the message 'Success: Connection to "ES4" is Successful'. The dialog has a 'Close' button.</p>



That’s it, you are now ready to start with the course. Have fun!


4 (OPTIONAL) CREATE A NEW DESTINATION TO A PUBLIC ODATA PROVIDER

The Northwind Traders sample database contains the sales data for a fictitious company called Northwind Traders, which imports and exports specialty foods from around the world. It is available as a set of public services at <http://www.odata.org>. The Northwind public OData service, like many other OData services, can be used as the data source when creating SAPUI5 applications.

Note:

This service will not be used throughout the exercises in this course. Nevertheless, it might be an interesting data source for your further app developments.

Explanation	Screenshot														
1. Access the SAP HANA Cloud Platform Cockpit via this link: https://account.hanatrial.ondemand.com/cockpit															
2. On the left bar menu, click Destination and then choose New Destination .															
3. In the Destination Configuration section below, make the following entries.	<table border="1"> <thead> <tr> <th>Field</th><th>Entry</th></tr> </thead> <tbody> <tr> <td>Name</td><td>northwind</td></tr> <tr> <td>Type</td><td>HTTP</td></tr> <tr> <td>Description</td><td>Northwind OData Service</td></tr> <tr> <td>URL</td><td>http://services.odata.org/</td></tr> <tr> <td>Proxy Type</td><td>Internet</td></tr> <tr> <td>Authentication</td><td>NoAuthentication</td></tr> </tbody> </table>	Field	Entry	Name	northwind	Type	HTTP	Description	Northwind OData Service	URL	http://services.odata.org/	Proxy Type	Internet	Authentication	NoAuthentication
Field	Entry														
Name	northwind														
Type	HTTP														
Description	Northwind OData Service														
URL	http://services.odata.org/														
Proxy Type	Internet														
Authentication	NoAuthentication														

Explanation	Screenshot
<p>4. The complete Destination Configuration form should look like this.</p>	
<p>5. Choose Save.</p>	

Coding Samples

Any software coding or code lines/strings (“Code”) provided in this documentation are only examples, and are not intended for use in a productive system environment. The Code is only intended to better explain and visualize the syntax and phrasing rules for certain SAP coding. SAP does not warrant the correctness or completeness of the Code provided herein and SAP shall not be liable for errors or damage cause by use of the Code, except where such damage was caused by SAP with intent or through gross negligence.