1.

$$\begin{pmatrix}
1 & 0 & 0 \\
0 & 1 & 0 \\
0 & 0 & 1
\end{pmatrix}$$

2.
$$L = \begin{bmatrix} 1 & 0 & 0 & 0 \\ -\frac{1}{5} & 1 & 0 & 0 \\ -\frac{4}{5} & -6 & 1 & 0 \\ \frac{1}{5} & 2 & -\frac{8}{35} & 1 \end{bmatrix}, U = \begin{bmatrix} -5 & -10 & -7 & 7 \\ 0 & 1 & -\frac{2}{5} & \frac{7}{5} \\ 0 & 0 & -14 & 11 \\ 0 & 0 & 0 & -\frac{234}{35} \end{bmatrix}$$

3.

$$\begin{pmatrix}
5 & 0 & 18 \\
2 & -8 & 0 \\
11 & -9 & -8
\end{pmatrix}$$

4.

$$\begin{pmatrix}
1 & 2 & 3 & 4 & 5 & 6 \\
5 & 4 & 2 & 1 & 3 & 6
\end{pmatrix}$$

5.

$$\sigma = (1, 5, 2, 7, 4, 8, 6)(3, 9), ord = 14, \sigma^{-811} = \begin{pmatrix} 1 & 2 & 3 & 4 & 5 & 6 & 7 & 8 & 9 \\ & & & & & & & \\ 5 & 7 & 9 & 8 & 2 & 1 & 4 & 6 & 3 \end{pmatrix} = (1, 5, 2, 7, 4, 8, 6)(3, 9)$$

- $\begin{array}{l} 6. \ \ \mathrm{Id}; (4,\, 5,\, 7); (4,\, 7,\, 5); (2,\, 6); \\ (2,\, 6)\,\,\, (4,\, 5,\, 7); (2,\, 6)\,\,\, (4,\, 7,\, 5); (1,\, 2)\,\,\, (3,\, 6); (1,\, 2)\,\,\, (3,\, 6)\,\,\, (4,\, 5,\, 7); (1,\, 2)\,\,\, (3,\, 6)\,\,\, (4,\, 7,\, 5); \\ (1,\, 2,\, 3,\, 6); (1,\, 2,\, 3,\, 6)\,\,\, (4,\, 5,\, 7); (1,\, 2,\, 3,\, 6)\,\,\, (4,\, 7,\, 5); (1,\, 3); (1,\, 3)\,\,\, (4,\, 5,\, 7); \\ (1,\, 3)\,\,\, (4,\, 7,\, 5); (1,\, 3)\,\,\, (2,\, 6); (1,\, 3)\,\,\, (2,\, 6)\,\,\, (4,\, 5,\, 7); (1,\, 3)\,\,\, (2,\, 6)\,\,\, (4,\, 7,\, 5); (1,\, 6,\, 3,\, 2); \\ (1,\, 6,\, 3,\, 2)\,\,\, (4,\, 5,\, 7); (1,\, 6,\, 3,\, 2)\,\,\, (4,\, 7,\, 5); (1,\, 6)\,\,\, (2,\, 3); (1,\, 6)\,\,\, (2,\, 3)\,\,\, (4,\, 5,\, 7); (1,\, 6)\,\,\, (2,\, 3)\,\,\, (4,\, 7,\, 5); \end{array}$
- 7. $\frac{9(-72)^n}{8} \frac{(-8)^n}{8}$
- 8. $-1+1*x+1*x^2+-4*x^3+-4*x^4$
- 9. При $\lambda = 4$
- 10. Определитель: $160-68\lambda$, при $\lambda = [40/17]$ ранг равен 3, иначе 4