1.

$$\begin{pmatrix}
1 & 0 & 0 \\
0 & 1 & 0 \\
0 & 0 & 1
\end{pmatrix}$$

2.
$$L = \begin{bmatrix} 1 & 0 & 0 & 0 \\ \frac{10}{3} & 1 & 0 & 0 \\ \frac{5}{3} & \frac{40}{23} & 1 & 0 \\ 3 & \frac{42}{32} & \frac{123}{35} & 1 \end{bmatrix}, U = \begin{bmatrix} -3 & -5 & 1 & -8 \\ 0 & \frac{23}{3} & \frac{11}{3} & \frac{80}{3} \\ 0 & 0 & -\frac{70}{23} & -\frac{668}{23} \\ 0 & 0 & 0 & \frac{2708}{35} \end{bmatrix}$$

3.

$$\begin{pmatrix} -17 & -10 & 10 \\ -11 & 15 & 19 \\ -18 & -6 & 2 \end{pmatrix}$$

4.

$$\begin{pmatrix}
1 & 2 & 3 & 4 & 5 & 6 \\
1 & 6 & 3 & 4 & 5 & 2
\end{pmatrix}; \begin{pmatrix}
1 & 2 & 3 & 4 & 5 & 6 \\
1 & 6 & 3 & 4 & 5 & 2
\end{pmatrix}$$

5.

$$\sigma = (1,9,2,8)(3,5,6)(4,7), ord = 12, \sigma^{-743} = \begin{pmatrix} 1 & 2 & 3 & 4 & 5 & 6 & 7 & 8 & 9 \\ & & & & & & \\ 9 & 8 & 5 & 7 & 6 & 3 & 4 & 1 & 2 \end{pmatrix} = (1,9,2,8)(3,5,6)(4,7)$$

- 6. $\operatorname{Id}(3, 4)$ (5, 7);(3, 5, 4, 7);(3, 7, 4, 5); (1, 2, 6);(1, 2, 6) (3, 4) (5, 7);(1, 2, 6) (3, 5, 4, 7);(1, 2, 6) (3, 7, 4, 5);(1, 6, 2); (1, 6, 2) (3, 4) (5, 7);(1, 6, 2) (3, 5, 4, 7);(1, 6, 2) (3, 7, 4, 5);
- 7. $-\frac{7(-14)^n}{17} + \frac{24(-48)^n}{17}$
- 8. $4+2*x+-2*x^2+0*x^3+-4*x^4$
- 9. При $\lambda = -3$
- 10. Определитель: 210, при $\lambda = []$ ранг равен 3, иначе 4