1.

$$\begin{pmatrix}
1 & 0 & 0 \\
0 & 1 & 0 \\
0 & 0 & 1
\end{pmatrix}$$

2.
$$L = \begin{bmatrix} 1 & 0 & 0 & 0 \\ -\frac{1}{3} & 1 & 0 & 0 \\ -\frac{1}{2} & \frac{12}{19} & 1 & 0 \\ \frac{4}{3} & \frac{14}{19} & \frac{27}{91} & 1 \end{bmatrix}, U = \begin{bmatrix} 6 & -4 & 4 & 9 \\ 0 & -\frac{19}{3} & \frac{1}{3} & 3 \\ 0 & 0 & \frac{91}{19} & \frac{289}{38} \\ 0 & 0 & 0 & -\frac{4635}{182} \end{bmatrix}$$

3.

$$\begin{pmatrix}
9 & -19 & 9 \\
-17 & 1 & 3 \\
19 & -14 & -7
\end{pmatrix}$$

4.

$$\begin{pmatrix}
1 & 2 & 3 & 4 & 5 & 6 \\
 & & & & & \\
5 & 3 & 4 & 6 & 1 & 2
\end{pmatrix}; \begin{pmatrix}
1 & 2 & 3 & 4 & 5 & 6 \\
 & & & & & \\
5 & 6 & 1 & 2 & 3 & 4
\end{pmatrix}$$

5.

$$\sigma = (1,7)(2,6,8,5,3)(4,9), ord = 10, \sigma^{-751} = \begin{pmatrix} 1 & 2 & 3 & 4 & 5 & 6 & 7 & 8 & 9 \\ & & & & & & \\ 7 & 3 & 5 & 9 & 8 & 2 & 1 & 6 & 4 \end{pmatrix} = (1,7)(2,3,5,8,6)(4,9)$$

- 6. $\operatorname{Id}(3, 4, 6, 7);(3, 6) (4, 7);(3, 7, 6, 4);$ (1, 2, 5);(1, 2, 5) (3, 4, 6, 7);(1, 2, 5) (3, 6) (4, 7);(1, 2, 5) (3, 7, 6, 4);(1, 5, 2);(1, 5, 2) (3, 4, 6, 7);(1, 5, 2) (3, 6) (4, 7);(1, 5, 2) (3, 7, 6, 4);
- 7. $\frac{5(-20)^n}{13} + \frac{8 \cdot 32^n}{13}$
- 8. $4+3*x+2*x^2+-2*x^3+3*x^4$
- 9. При $\lambda = 2$
- 10. Определитель: $30\lambda + 120$, при $\lambda = [-4]$ ранг равен 3, иначе 4