1.

$$\begin{pmatrix}
1 & 0 & 0 \\
0 & 1 & 0 \\
0 & 0 & 1
\end{pmatrix}$$

2.
$$L = \begin{bmatrix} 1 & 0 & 0 & 0 \\ 1 & 1 & 0 & 0 \\ -\frac{5}{4} & -\frac{19}{16} & 1 & 0 \\ \frac{3}{2} & -\frac{15}{8} & \frac{862}{83} & 1 \end{bmatrix}, U = \begin{bmatrix} -4 & 1 & 8 & -9 \\ 0 & 4 & -17 & 17 \\ 0 & 0 & -\frac{83}{16} & \frac{15}{16} \\ 0 & 0 & 0 & \frac{3124}{83} \end{bmatrix}$$

3.

$$\begin{pmatrix}
0 & 11 & -8 \\
16 & -13 & 16 \\
-19 & 11 & 4
\end{pmatrix}$$

4.

$$\begin{pmatrix}
1 & 2 & 3 & 4 & 5 & 6 \\
2 & 3 & 5 & 4 & 1 & 6
\end{pmatrix}$$

5.

$$\sigma = (1, 9, 6, 3, 8, 5, 7)(2, 4), ord = 14, \sigma^{-773} = \begin{pmatrix} 1 & 2 & 3 & 4 & 5 & 6 & 7 & 8 & 9 \\ & & & & & & & \\ 8 & 4 & 1 & 2 & 6 & 7 & 3 & 9 & 5 \end{pmatrix} = (1, 8, 9, 5, 6, 7, 3)(2, 4)$$

- 6. Id;(1, 2, 5, 3, 7, 6, 4);(1, 3, 4, 5, 6, 2, 7);(1, 4, 6, 7, 3, 5, 2); (1, 5, 7, 4, 2, 3, 6);(1, 6, 3, 2, 4, 7, 5);(1, 7, 2, 6, 5, 4, 3);
- 7. брак
- 8. $-4+0*x+-4*x^2+-2*x^3+-3*x^4$
- 9. При $\lambda = -7$
- 10. Определитель: $28\lambda 350$, при $\lambda = [25/2]$ ранг равен 3, иначе 4