1.

$$\begin{pmatrix}
1 & 0 & 0 \\
0 & 1 & 0 \\
0 & 0 & 1
\end{pmatrix}$$

2.
$$L = \begin{bmatrix} 1 & 0 & 0 & 0 \\ -1 & 1 & 0 & 0 \\ -1 & \frac{6}{7} & 1 & 0 \\ 1 & -\frac{1}{7} & \frac{19}{68} & 1 \end{bmatrix}, U = \begin{bmatrix} -4 & 8 & 4 & -1 \\ 0 & 7 & 9 & 5 \\ 0 & 0 & -\frac{68}{7} & -\frac{23}{78} \\ 0 & 0 & 0 & -\frac{297}{68} \end{bmatrix}$$

3.

$$\begin{pmatrix}
2 & -20 & 9 \\
10 & 3 & 15 \\
-12 & 13 & 18
\end{pmatrix}$$

4.

$$\begin{pmatrix}
1 & 2 & 3 & 4 & 5 & 6 \\
5 & 6 & 4 & 1 & 2 & 3
\end{pmatrix}$$

5.

$$\sigma = (1,4,8,2)(3,7,6,5,9), ord = 20, \sigma^{-727} = \begin{pmatrix} 1 & 2 & 3 & 4 & 5 & 6 & 7 & 8 & 9 \\ & & & & & & \\ 4 & 1 & 5 & 8 & 7 & 3 & 9 & 2 & 6 \end{pmatrix} = (1,4,8,2)(3,5,7,9,6)$$

- 6. Id;(1, 2, 7, 6, 5, 4, 3);(1, 3, 4, 5, 6, 7, 2);(1, 4, 6, 2, 3, 5, 7); (1, 5, 2, 4, 7, 3, 6);(1, 6, 3, 7, 4, 2, 5);(1, 7, 5, 3, 2, 6, 4);
- 7. $\frac{5(-90)^n}{6} + \frac{18^n}{6}$
- 8. $3+2*x+-1*x^2+-1*x^3+3*x^4$
- 9. При $\lambda = 4$
- 10. Определитель: $2\lambda 228$, при $\lambda = [114]$ ранг равен 3, иначе 4