1.

$$\begin{pmatrix}
1 & 0 & 0 \\
0 & 1 & 0 \\
0 & 0 & 1
\end{pmatrix}$$

2.
$$L = \begin{bmatrix} 1 & 0 & 0 & 0 \\ \frac{1}{2} & 1 & 0 & 0 \\ \frac{3}{8} & \frac{9}{4} & 1 & 0 \\ -\frac{5}{8} & -\frac{55}{36} & -\frac{47}{45} & 1 \end{bmatrix}, U = \begin{bmatrix} 8 & -3 & -5 & 4 \\ 0 & \frac{9}{2} & \frac{7}{2} & 6 \\ 0 & 0 & -5 & -8 \\ 0 & 0 & 0 & \frac{149}{45} \end{bmatrix}$$

3.

$$\begin{pmatrix}
-9 & 3 & -2 \\
9 & 14 & 11 \\
-5 & -7 & -19
\end{pmatrix}$$

4.

$$\begin{pmatrix}
1 & 2 & 3 & 4 & 5 & 6 \\
1 & 6 & 3 & 5 & 4 & 2
\end{pmatrix}$$

5.

$$\sigma = (1, 2, 5, 4)(3, 6, 8, 7, 9), ord = 20, \sigma^{-751} = \begin{pmatrix} 1 & 2 & 3 & 4 & 5 & 6 & 7 & 8 & 9 \\ & & & & & & \\ 2 & 5 & 9 & 1 & 4 & 3 & 8 & 6 & 7 \end{pmatrix} = (1, 2, 5, 4)(3, 9, 7, 8, 6)$$

- 6. Id;(1, 2, 5, 6, 7, 3, 4);(1, 3, 6, 2, 4, 7, 5);(1, 4, 3, 7, 6, 5, 2); (1, 5, 7, 4, 2, 6, 3);(1, 6, 4, 5, 3, 2, 7);(1, 7, 2, 3, 5, 4, 6);
- 7. $-(-27)^n + 2(-54)^n$
- 8. $0+3*x+-1*x^2+0*x^3+3*x^4$
- 9. При $\lambda = -4$
- 10. Определитель: $3\lambda 24$, при $\lambda = [8]$ ранг равен 3, иначе 4