1.

$$\begin{pmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{pmatrix}$$

2.
$$L = \begin{bmatrix} 1 & 0 & 0 & 0 \\ \frac{7}{3} & 1 & 0 & 0 \\ \frac{2}{3} & \frac{1}{14} & 1 & 0 \\ -\frac{10}{3} & -\frac{8}{7} & -\frac{47}{24} & 1 \end{bmatrix}, U = \begin{bmatrix} 3 & 9 & -9 & 0 \\ 0 & -28 & 16 & -2 \\ 0 & 0 & \frac{34}{7} & -\frac{27}{7} \\ 0 & 0 & 0 & -\frac{565}{34} \end{bmatrix}$$

3.

$$\begin{pmatrix}
1 & 2 & -12 \\
7 & 1 & -5 \\
-15 & -1 & -19
\end{pmatrix}$$

4.

$$\begin{pmatrix}
1 & 2 & 3 & 4 & 5 & 6 \\
6 & 2 & 4 & 5 & 1 & 3
\end{pmatrix}$$

5.

$$\sigma = (1, 2, 8, 4)(3, 6, 7)(5, 9), ord = 12, \sigma^{-751} = \begin{pmatrix} 1 & 2 & 3 & 4 & 5 & 6 & 7 & 8 & 9 \\ & & & & & & \\ 2 & 8 & 7 & 1 & 9 & 3 & 6 & 4 & 5 \end{pmatrix} = (1, 2, 8, 4)(3, 7, 6)(5, 9)$$

- 6. $\operatorname{Id}(2, 3, 6); (2, 6, 3); (1, 4, 7, 5);$ (1, 4, 7, 5) (2, 3, 6); (1, 4, 7, 5) (2, 6, 3); (1, 5, 7, 4); (1, 5, 7, 4) (2, 3, 6); (1, 5, 7, 4) (2, 6, 3);(1, 7) (4, 5); (1, 7) (2, 3, 6) (4, 5); (1, 7) (2, 6, 3) (4, 5);
- 7. $\frac{20.60^n}{17} \frac{3.9^n}{17}$
- 8. $3+-4*x+-2*x^2+0*x^3+4*x^4$
- 9. При $\lambda = 7$
- 10. Определитель: $14\lambda 505$, при $\lambda = [505/14]$ ранг равен 3, иначе 4