1.

$$\begin{pmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{pmatrix}$$

2. 
$$L = \begin{bmatrix} 1 & 0 & 0 & 0 \\ \frac{1}{7} & 1 & 0 & 0 \\ \frac{2}{7} & -\frac{73}{58} & 1 & 0 \\ -\frac{10}{7} & \frac{46}{20} & \frac{278}{307} & 1 \end{bmatrix}, U = \begin{bmatrix} 7 & 5 & 6 & -9 \\ 0 & \frac{58}{7} & \frac{22}{7} & \frac{37}{7} \\ 0 & 0 & \frac{297}{29} & \frac{825}{58} \\ 0 & 0 & 0 & -\frac{347}{9} \end{bmatrix}$$

3.

$$\begin{pmatrix}
0 & 12 & -18 \\
-3 & -7 & -3 \\
-14 & 6 & 19
\end{pmatrix}$$

4.

$$\begin{pmatrix}
1 & 2 & 3 & 4 & 5 & 6 \\
3 & 5 & 6 & 4 & 2 & 1
\end{pmatrix}; \begin{pmatrix}
1 & 2 & 3 & 4 & 5 & 6 \\
3 & 1 & 4 & 6 & 2 & 5
\end{pmatrix}$$

5.

$$\sigma = (1, 2, 8, 3, 6)(4, 7, 9, 5), ord = 20, \sigma^{-787} = \begin{pmatrix} 1 & 2 & 3 & 4 & 5 & 6 & 7 & 8 & 9 \\ & & & & & & \\ 3 & 6 & 2 & 7 & 4 & 8 & 9 & 1 & 5 \end{pmatrix} = (1, 3, 2, 6, 8)(4, 7, 9, 5)$$

- 6.  $\operatorname{Id}(2, 3) (5, 7); (2, 5, 3, 7); (2, 7, 3, 5);$  (1, 4, 6); (1, 4, 6) (2, 3) (5, 7); (1, 4, 6) (2, 5, 3, 7); (1, 4, 6) (2, 7, 3, 5); (1, 6, 4);(1, 6, 4) (2, 3) (5, 7); (1, 6, 4) (2, 5, 3, 7); (1, 6, 4) (2, 7, 3, 5);
- 7.  $-\frac{2(-12)^n}{3} + \frac{5(-30)^n}{3}$
- 8.  $3 + -3 * x + 1 * x^2 + -3 * x^3 + -4 * x^4$
- 9. При  $\lambda = -3$
- 10. Определитель:  $560-63\lambda$ , при  $\lambda = [80/9]$  ранг равен 3, иначе 4