Aim: Write a Java program to show user validation using servlet.


Code:


```
/usr/share/tomcat8/webapps/MyServletProject/WEB-INF/classes/UserValidationServlet.java
```

```
import java.io.IOException;
import java.io.PrintWriter;
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
@WebServlet("/UserValidationServlet")
public class UserValidationServlet extends HttpServlet {
  protected void doPost(HttpServletRequest request, HttpServletResponse response)
       throws ServletException, IOException {
    response.setContentType("text/html");
    PrintWriter out = response.getWriter();
    String username = request.getParameter("username");
    String password = request.getParameter("password");
    // Hardcoded validation (replace with database validation in real applications)
    if ("admin".equals(username) && "1234".equals(password)) {
       out.println("<h3>Login Successful!</h3>");
       out.println("Welcome, " + username + "!");
       out.println("<h3>Kritika Mishra, 10276803122</h3>");
     } else {
       out.println("<h3>Invalid Credentials</h3>");
       out.println("<a href='index.html'>Try Again</a>");
       out.println("<h3>Kritika Mishra, 10276803122</h3>");
     }
    out.close();
  }
}
/usr/share/tomcat8/webapps/MyServletProject/index.html
<!DOCTYPE html>
<html>
<head>
  <title>Login Page</title>
</head>
<body>
  <h2>Login</h2>
  <form action="UserValidationServlet" method="post">
    <label>Username:</label>
```

```
<input type="text" name="username" required><br><br><label>Password:</label>
<input type="password" name="password" required><br><br><input type="submit" value="Login">
</form>
<h3>Kritika Mishra, 10276803122</h3>
</body>
</html>
```

Output:







Aim: Write a Java program to set cookie Information using servlet.

Code:

```
/usr/share/tomcat8/webapps/CookieExample/WEB-INF/classes/SetCookieServlet.java
```

```
import java.io.IOException;
import java.io.PrintWriter;
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.Cookie;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
@WebServlet("/SetCookieServlet")
public class SetCookieServlet extends HttpServlet {
  protected void doGet(HttpServletRequest request, HttpServletResponse response)
       throws ServletException, IOException {
     response.setContentType("text/html");
     PrintWriter out = response.getWriter();
    Cookie userCookie = new Cookie("username", "AdminUser");
     userCookie.setMaxAge(60 * 60 * 24); // 1 day
    response.addCookie(userCookie);
    out.println("<h3>Cookie 'username' has been set!</h3>");
     out.println("<a href='GetCookieServlet'>Click here to retrieve the cookie</a>");
    out.println("<h3>Kritika Mishra, 10276803122</h3>");
  }
}
/usr/share/tomcat8/webapps/CookieExample/WEB-INF/classes/GetCookieServlet.java
import java.io.IOException;
import java.io.PrintWriter;
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.Cookie;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
@WebServlet("/GetCookieServlet")
public class GetCookieServlet extends HttpServlet {
  protected void doGet(HttpServletRequest request, HttpServletResponse response)
       throws ServletException, IOException {
    response.setContentType("text/html");
     PrintWriter out = response.getWriter();
```

```
Cookie[] cookies = request.getCookies();
if (cookies != null) {
    for (Cookie cookie : cookies) {
        if (cookie.getName().equals("username")) {
            out.println("<h3>Stored Cookie Value: " + cookie.getValue() + "</h3>");
            out.println("<h3>Kritika Mishra, 10276803122</h3>");
        }
    }
} else {
    out.println("<h3>No cookies found!</h3>");
}
```

Output:






} else {

Aim: Write a Java program to insert data into a table using JSP. Code: //index.jsp <html> <head><title>User Form</title></head> <body> <h2>User Registration Form</h2> <form action="submit.jsp" method="post"> Name: <input type="text" name="name" required>

 Email: <input type="email" name="email" required>

 <input type="submit" value="Submit"> <h3>Kritika Mishra, 10276803122</h3> </body> </html> //submit.jsp <%@ page import="java.sql.*" %> String name = request.getParameter("name"); String email = request.getParameter("email"); // Simple validation if (name == null || name.trim().isEmpty() || email == null || !email.contains("@")) { %> <h3>Invalid data. Please go back and try again.</h3> <h3>Kritika Mishra, 10276803122</h3> <% } else { try { Class.forName("com.mysql.cj.jdbc.Driver"); Connection con = DriverManager.getConnection("jdbc:mysql://localhost:3306/jsp db", "root", "your password"); PreparedStatement ps = con.prepareStatement("INSERT INTO users(name, email) VALUES (?, ?)"); ps.setString(1, name); ps.setString(2, email); int i = ps.executeUpdate(); if(i > 0)%> <h3>Data inserted successfully!</h3> <h3>Kritika Mishra, 10276803122</h3> $< \%_0$

Output:



Kritika Mishra, 10276803122



Aim: Write JSP program to implement form data validation. complete steps in arch linux

Code:

```
//form.jsp
<%@ page language="java" contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
<head>
  <title>Form Validation</title>
</head>
<body>
  <h2>User Form</h2>
  <form action="submit.jsp" method="post">
    Name: <input type="text" name="name" required><br><br>
    Email: <input type="email" name="email" required><br><br>
    <input type="submit" value="Submit">
  </form>
<h3>Kritika Mishra, 10276803122</h3>
</body>
</html>
//submit.jsp
<%@ page language="java" contentType="text/html; charset=UTF-8"%>
<%
  String name = request.getParameter("name");
  String email = request.getParameter("email");
  boolean valid = true;
  if(name == null || name.trim().equals("")) {
    out.println("Name is required. <br/> ');
    valid = false;
  }
  if(email == null \parallel !email.matches("^[\\w.-]+(@[\\w.-]+\\.[a-zA-Z]{2,6}$")) 
    out.println("Invalid email format.<br>");
    valid = false;
  }
  if(valid) {
%>
    <h2>Form Submitted Successfully!</h2>
    Name: <%= name %>
    Email: <%= email %>
<h3>Kritika Mishra, 10276803122</h3>
<%
  }
%>
```

//WEB-INF/web.xml <web-app> <welcome-file-list> <welcome-file>form.jsp</welcome-file> </welcome-file-list>

Output:

</web-app>

