

How do you encrypt data in S3, both at rest and in transit?

✓ Answer:

- At rest: Use SSE-S3, SSE-KMS, or DSSE-KMS encryption options.
- In transit: Use HTTPS (SSL/TLS).

P Default Encryption

Meaning:

When you upload new objects (like files or data) to this S3 bucket, Amazon automatically encrypts them **on the server side**, without you needing to do anything manually.

Encryption Types Explained

- 1. SSE-S3 (Server-Side Encryption with S3-Managed Keys)
 - Managed entirely by Amazon S3.
 - You don't need to create or manage encryption keys.
 - S3 handles everything (encryption, decryption, key rotation).
 - No extra cost.
 - Good for basic security needs.
- 2. SSE-KMS (Server-Side Encryption with AWS KMS-Managed Keys)
 - Uses AWS Key Management Service (KMS).
 - You can manage the keys (create, control, audit access).
 - Gives more control and monitoring.
 - More secure and customizable, but involves extra KMS API cost per request.

• Supports using S3 Bucket Keys to reduce cost.

3. DSSE-KMS (Dual-layer Server-Side Encryption with KMS)

- Two separate layers of encryption, each with its own KMS key.
- Offers higher security even if one key is compromised, data is still protected.
- More expensive (check DSSE-KMS pricing).
- Best for **high-security or compliance** requirements.



S3 Bucket Key for SSE-KMS

• What it is:

A Bucket Key is a unique key created by S3 per bucket and used repeatedly for encryption/decryption instead of calling KMS for every single object.

• Why use it:

It reduces KMS costs because fewer requests are made to KMS.

• Important note:

Not supported for DSSE-KMS — only works with SSE-KMS.

Enable / Disable Bucket Key

- You can **enable or disable** the use of **S3 Bucket Key**.
- Enabling it helps save cost if you're using SSE-KMS.
- Has **no effect** if you're using SSE-S3 or DSSE-KMS.



Summary Table:

Encryption Type	Key Management	Cost	Best For
SSE-S3	Amazon S3	Free	Basic encryption needs
SSE-KMS	AWS KMS	Paid per request	Fine-grained control, auditing
DSSE-KMS	AWS KMS (Dual Keys)	Higher	Maximum security & compliance
S3 Bucket Key	Optional with SSE-KMS	Reduces cost	Optimizing KMS usage

In simple words:

- At rest encryption: Set at bucket level (SSE-S3/SSE-KMS).
- In transit encryption: Always use HTTPS when accessing S3.

- A. Use SSL/TLS for data at rest and enable server-side encryption (SSE) for data in transit
- **B.** Use AWS Shield for in-transit encryption and AWS WAF for at-rest encryption
- C. Use SSL/TLS for data in transit and enable server-side encryption (SSE) or client-side encryption for data at rest
- D. Encrypt data only during upload; AWS automatically decrypts everything afterward

Correct Answer:

C. Use SSL/TLS for data in transit and enable server-side encryption (SSE) or client-side encryption for data at rest

Explanation:

- **Data in Transit:** Encrypted using **SSL/TLS** (HTTPS) when uploading or downloading to/from S3.
- Data at Rest: Encrypted using:
 - Server-Side Encryption (SSE):
 - SSE-S3 (Amazon S3-managed keys)
 - SSE-KMS (AWS Key Management Service-managed keys)
 - DSSE-KMS
 - Client-Side Encryption: Data is encrypted before uploading using your own encryption libraries.