

# Hyperledger Overview and Fabric Setup

Baohua Yang  
Jan 7, 2017


# About Me

- **Researcher in IBM**
  - Fintech, Cloud and BigData
- **Open-Source contributor**
  - [OpenDaylight](#), [OpenStack](#), [Hyperledger](#), etc.
- **Hyperledger fan**
  - Code committer to [fabric](#), [fabric-sdk-py](#), [Cello](#) etc.
  - PTL of [Cello](#) project and [fabric-sdk-py](#) project
  - Drafter of [fabric sdk spec](#)
  - Chair of Hyperledger [Technical Working Group China](#)



# Outline


- Hyperledger Overview
- Fabric 1.0 Design
- Environment Setup
- Fabric Bootup in 3 steps
- Play Transactions
- Q&A



# Hyperledger Overview


- Founded at Dec 17, 2015
- 30 founded members
- 26/108 (China) members
- 23 projects
- 150+ contributors
- 8000+ commits

Enterprise grade, open source  
distributed ledger framework!



# Hyperledger SawtoothLake

- Open-sourced at April, 2016
- Proposed by Intel
- Python
- 20+ contributors
- 2000+ commits
- Key features
  - PoET consensus
  - Transaction Families
  - Scalability




# Hyperledger Iroha

- [Open-sourced](#) at Oct, 2016
- Proposed by Soramitsu
- C++
- 10+ contributors
- 1000+ commits
- Key features
  - C++ environment
  - Mobile and Web application Support
  - Sumeragi consensus




# Hyperledger Blockchain-Explorer

- Open-sourced at Aug, 2016
- Proposed by Intel, DTCC, IBM
- Node.js
- Under-development
- Key features
  - Web UI to explorer a blockchain
  - Single-Page Application



# Hyperledger Cello

- Open-sourced at Jan, 2017
- Proposed by IBM
- Python, JavaScript
- 260+ commits
- Key features
  - Blockchain as a Service
  - High-performance
  - Support various environments
  - Scalability
  - Pluggability





# Hyperledger Fabric

- Open-sourced at Dec, 2015
- Proposed by IBM
- Golang
- 20+ contributors
- 4000+ commits
- ~79k loc in v0.6


- New design for 1.0

- Performance
- Scalability
- Security/Isolation
- Pluggability
- Operability




# Fabric SDK


- Node.Js
  - <https://github.com/hyperledger/fabric-sdk-node>
- Python
  - <https://github.com/hyperledger/fabric-sdk-py>
- Java
  - <https://github.com/hyperledger/fabric-sdk-java>



# Hyperledger Fabric 1.0 Design




v0.6




v1.0

# Fabric 1.0 Workflow




# Fabric 1.0 Roadmap




# Environment Setup – Docker Installation

- Docker 1.12+
- Linux
  - 64 bit
  - kernel 3.10+
  - `curl -sSL https://get.docker.com/ | sh`
- Mac
  - [Docker for Mac](#)
- Docker-Compose 1.7.0+
  - `pip install docker-compose>=1.7.0`



# Environment Setup - Configuration

- Update the Docker configuration file
  - `DOCKER_OPTS="$DOCKER_OPTS -H unix:///var/run/docker.sock -H tcp://0.0.0.0:2375"`
- Restart Docker Daemon
  - Upstart: `sudo service docker restart`
  - Systemd: `sudo systemctl restart docker`



# Fabric Bootup in 3 steps

- Get Docker images
  - <https://github.com/yeasy/docker-compose-files/tree/master/hyperledger/1.0>
  - <http://ibm.com/ibm/cn/blockchain/>
- Get Compose file
  - `git clone` <https://github.com/yeasy/docker-compose-files>
- Start fabric
  - `cd hyperledger/1.0`
  - `docker-compose up`





# Play Transactions

- Check container status
  - `watch docker ps`
- Enter peer container
  - `docker exec -it fabric-vp0 bash`
- Deploy/invoke/query chaincode
  - `peer chaincode deploy -n test_cc -p github.com/hyperledger/fabric/examples/chaincode/go/chaincode\_example02 -c '{"Args":["init","a","100","b","200"]}'`
  - `peer chaincode invoke -n test_cc -c '{"Args":["query","a"]}'`
  - `peer chaincode invoke -n test_cc -c '{"Args":["invoke","a","b","10"]}'`

# Technical Working Group China

- About TWG-China
  - <https://wiki.hyperledger.org/groups/tsc/technical-working-group-china>
- Email
  - <https://lists.hyperledger.org/mailman/listinfo/hyperledger-twg-china>
  - [hyperledger-twg-china@lists.hyperledger.org](mailto:hyperledger-twg-china@lists.hyperledger.org)
- Slack
  - [twg-china](#)




# Technical Working Group China

- Hyperledger Hackathon in Asia
  - Mar 11/12, 2017, Shanghai
- Recent meetups
  - Dec 25, 2016, Beijing
  - **Jan 7, 2017, Shenzhen**
  - Feb/Mar, 2017, Shanghai
- Educations/Trainings



# Reference

- Hyperledger Wiki
  - [wiki.hyperledger.org](http://wiki.hyperledger.org)
- IBM 区块链
  - [ibm.com/ibm/cn/blockchain/](http://ibm.com/ibm/cn/blockchain/)
- Hyperledger Fabric Compose files
  - [github.com/yeasy/docker-compose-files#hyperledger](https://github.com/yeasy/docker-compose-files#hyperledger)
- 《区块链技术指南》
  - [github.com/yeasy/blockchain\\_guide](https://github.com/yeasy/blockchain_guide)
- 《Docker 从入门到实践》
  - [github.com/yeasy/docker\\_practice](https://github.com/yeasy/docker_practice)





# Questions?

Thank You!  
@baohua

*Slides available at [tinyurl.com/hl-meetup-sz](https://tinyurl.com/hl-meetup-sz)*