Studies Show Something Strangely Positive about Un-Vaccinated Children

The debate about whether or not vaccines are a necessary and good, or just plain evil, is raging like wildfire on the Internet and in doctor's offices these days.

Proponents of vaccines say vaccination is vital for children and is one of the surest paths for great health.

Opponents say the vaccine model might be a good idea, but the risks associated with vaccination just aren't worth it.

According to Vaccine News there's a litany of evidence to suggest vaccines are harmful to children as they report a series of studies conducted outside of the U.S. indicate vaccinated children tend to suffer from certain kinds of illnesses and conditions at a higher rate than the unvaccinated.

Though the studies they reference are a number of years old, the studies clearly indicates the negative association between vaccinated children and health conditions.

From a 1992 study conducted in New Zealand, 245 families filled out questionnaires that provided date on 495 children. Of those 496 269 were unvaccinated and 226 were vaccinated. What they found was alarming.

Respondents were asked to provide the year of birth, gender, vaccinations received, whether or not the child suffered from a range of chronic conditions (asthma, eczema, ear infections/glue ear, recurring tonsillitis, hyperactivity, diabetes or epilepsy) whether or not he or she needed grommets, had had a tonsillectomy, or were shown to develop motor skills (walking, crawling, sitting-up etc.). Parents also provided information on breastfeeding and bottle feeding and when a child was weaned if breastfed.

The conclusion of the study was surprising; children who received vaccines were 5x more likely than unvaccinated children to become symptomatic of a wide variety of conditions.

This lined up with the findings of a study conducted in Germany which featured a much larger sampling of respondents.

In the German study it was discovered vaccinated children suffered from diseases and conditions at an increased rate over their unvaccinated counterparts.

Dr. Andreas Bachmair, a German classical homeopathic practitioner, who collected the results of the survey from the website vaccineinjury.info, stated that:

Asthma, hay fever and neurodermatitis are seen very frequently today. A recent German study with 17461 children between 0-17 years of age (KIGGS) showed that 4.7% of these children suffer from asthma, 10.7% of these children from hay fever and 13.2% from neurodermatitis. These numbers differ in western countries, i.e. the prevalence of asthma among children in the US is 6% whereas it is 14-16% in Australia (Australia's Health 2004, AIHW).(1)

The prevalence of asthma among unvaccinated children in our study is around 2.5%, hay fever, 3%, and neurodermatitis, 7%. According to the KIGGS study more than 40% of children between the ages of 3 and 17 years were sensitized against at least one allergen tested (20 common allergens were tested) and

22.9% had an allergic disease. Although we did not perform a blood test, around 10% stated that their children had an allergy.(1)

Each of these studies was completed by taking the completed survey results from other studies so as to ensure the sample data was untainted and unbiased.

These reports confirm what many already suspect, that vaccines might not be all they're cracked up to be, despite what scientific consensus might lead you to believe.