

Anagram in Scala

[Readme \(readme\)](#)[Test Suite \(../anagram\)](#)

Anagram

Write a program that, given a word and a list of possible anagrams, selects the correct sublist.

Given "listen" and a list of candidates like "enlists" "google" "inlets" "banana" the program should return a list containing "inlets".

The Scala exercises assume an SBT project scheme. The exercise solution source should be placed within the exercise directory/src/main/scala. The exercise unit tests can be found within the exercise directory/src/test/scala.

To run the tests simply run the command `sbt test` in the exercise directory.

For more detailed info about the Scala track see the help page (<http://help.exercism.io/getting-started-with-scala.html>).

Source

Inspired by the Extreme Startup game view source (https://github.com/rchatley/extreme_startup)



[About \(/about\)](#) - [Donate \(/donate\)](#)

[GitHub \(https://github.com/exercism/exercism.io\)](https://github.com/exercism/exercism.io) [Twitter \(https://twitter.com/exercism_io\)](https://twitter.com/exercism_io)

[Newsletter \(https://tinyletter.com/exercism\)](https://tinyletter.com/exercism)

SPONSORS

Beta



(<https://bugsnag.com/blog/bugsnag-loves-open-source>)



(<http://www.rackspace.com/>)



(<http://www.shopify.com/>)

© 2015 Katrina Owen