

Parallel Letter Frequency in Scala

[Readme \(readme\)](#)[Test Suite \(../parallel-letter-frequency\)](#)

Parallel Letter Frequency

Write a program that counts the frequency of letters in texts using parallel computation.

Parallelism is about doing things in parallel that can also be done sequentially. A common example is counting the frequency of letters. Create a function that returns the total frequency of each letter in a list of texts and that employs parallelism.

The Scala exercises assume an SBT project scheme. The exercise solution source should be placed within the exercise directory/src/main/scala. The exercise unit tests can be found within the exercise directory/src/test/scala.

To run the tests simply run the command `sbt test` in the exercise directory.

For more detailed info about the Scala track see the help page (<http://help.exercism.io/getting-started-with-scala.html>).

Source

[view source](#)



[About \(/about\)](#) - [Donate \(/donate\)](#)

 [GitHub \(https://github.com/exercism/exercism.io\)](https://github.com/exercism/exercism.io)  [Twitter \(https://twitter.com/exercism_io\)](https://twitter.com/exercism_io)

 [Newsletter \(https://tinyletter.com/exercism\)](https://tinyletter.com/exercism)

SPONSORS



(<https://bugsnag.com/blog/bugsnag-loves-open-source>)



(<http://www.rackspace.com/>)



(<http://www.shopify.com/>)

© 2015 Katrina Owen