

CARIAD

Master Thesis: AI Usage in CI/CD/CT Pipelines for Compute Platforms in Automotives – Status 4



We transform automotive mobility

CARIAD
A VOLKSWAGEN GROUP COMPANY

Agenda

// Previous Developments

// Status


// Method

// Results

// Literature Review

// Next Steps

Previous Developments



Expected Outcomes

*Automation of
test artifact
generation*


*Integration into
the existing
CI/CD Pipeline*

*AI-Driven
Security Testing*

May

Previously

*Evaluation
Framework*



*Comparison
between local
llms*



*Comparison
between local
and cloud llms*

June

Previously

***Training LLM's
with code
examples***

***Understanding
cloud LLM's and
finetuning with
code examples***

***Test Artifacts
Generation***

July


Finetuning local llms

Qwen 2.5 coder 32b instruct full model 60gb

LoRA (Low-Rank Adaptation)

- *LoRA rank (r): 16 – controls adaptation size*
- *LoRA alpha: 32 – scaling for adaptation*
- *Dropout: 0.1 – prevents overfitting*
- *Target modules: q_proj, v_proj, etc. – efficient fine-tuning*
- *Device: auto – runs on best available hardware*
- *Dtype: float16 – faster, less memory*
- *Efficient model loading and saving (safetensors)*


Status



Status

- *Finetuning local llms*
- *Comparing various results*
- *Automated workflow – Success*
- *CI/CD Pipeline – Started*

Finetuning



Finetuning

- ***32b – needs more than 60gb ram***
- ***14b – (32 – 37gb) ram***
- ***7b – 24gb ram without any background process***
- ***1.5b – 14gb ram***

Finetuning


<i>NAME</i>	<i>SIZE</i>
• <i>qwen2.5-coder:1.5b</i>	<i>986 MB</i>
• <i>qwen-fuzzer-1.5-709-examples:latest</i>	<i>3.1 GB</i>
• <i>qwen-fuzzer-1.5-172-examples:latest</i>	<i>3.1 GB</i>

Finetuning - Successful llms

Yaml cpp (35 files, 1061 candidates)

Models	Code Coverage	Time Taken	No of tokens used	Unique test cases	Successfull fuzz tests
Qwen 2.5 coder 1.5b	same	15 m	112k		
172 examples	same	12 m	65k		
709 examples	same	10 m	50k		

Comparison



Comparison

- *Cifuzz run without spark - varies*
- *Cifuzz run with spark - same*
- *Cifuzz spark generated fuzz test case with cifuzz run - same*

Comparison

The screenshot shows a terminal window running on a zsh shell for the yaml-cpp project. The command used is `cifuzz spark YAML::Emitter::WriteStreamable<double>`. The output displays a detailed coverage report across various source files, including `src/parse.cpp`, `src/parser.cpp`, `src/ptr_vector.h`, `src/regex_yaml.cpp`, `src/regex_yaml.h`, `src/regeimpl.h`, `src/scanner.cpp`, `src/scanner.h`, `src/scanscalar.cpp`, `src/scantag.cpp`, `src/scantoken.cpp`, `src/setting.h`, `src/simplekey.cpp`, `src/singleoparser.cpp`, `src/stream.cpp`, `src/stream.h`, `src/streamcharsource.h`, `src/stringsource.h`, `src/tag.cpp`, and `src/token.h`. The report includes columns for Functions Hit/Found, Lines Hit/Found, and Branches Hit/Found, along with their respective percentages.

	Functions Hit/Found	Lines Hit/Found	Branches Hit/Found
Total	267 / 841 (31.7%)	2093 / 6252 (33.5%)	947 / 2444 (38.7%)

Logs can be found here:
/Users/d012ceo/Downloads/1/yaml-cpp/.cifuzz/logs/coverage.log


d012ceo@CDDEINGMC002239 yaml-cpp % cifuzz spark YAML::Emitter::WriteStreamable<double>

Comparison

A screenshot of a macOS desktop environment showing a terminal window running AFL-fuzzing on the `yaml-cpp` library. The terminal output displays coverage statistics for various source files, indicating the number of functions, lines, and branches tested versus the total.

	Functions Hit/Found	Lines Hit/Found	Branches Hit/Found
Total	275 / 490 (56.1%)	2150 / 3163 (68.0%)	961 / 1178 (81.6%)
src/regeximpl.h	16 / 17 (94.1%)	95 / 103 (92.2%)	44 / 52 (84.6%)
src/scanner.cpp	20 / 21 (95.2%)	237 / 259 (91.5%)	137 / 150 (91.3%)
src/scanner.h	4 / 4 (100.0%)	4 / 4 (100.0%)	0 / 0 (100.0%)
src/scanscalar.cpp	1 / 1 (100.0%)	178 / 178 (100.0%)	148 / 152 (97.4%)
src/scanscalar.h	1 / 1 (100.0%)		
src/scantag.cpp	3 / 3 (100.0%)		
src/scantoken.cpp	14 / 14 (100.0%)	265 / 265 (100.0%)	122 / 124 (98.4%)
src/simplekey.cpp	9 / 9 (100.0%)	74 / 74 (100.0%)	36 / 38 (94.7%)
src/singleparser.cpp	17 / 17 (100.0%)	291 / 300 (97.0%)	133 / 138 (96.4%)
src/stream.cpp	17 / 17 (100.0%)	251 / 258 (97.3%)	121 / 130 (93.1%)
src/stream.h	9 / 9 (100.0%)	13 / 13 (100.0%)	2 / 2 (100.0%)
src/streamcharsource.h	4 / 5 (80.0%)	11 / 14 (78.6%)	1 / 2 (50.0%)
src/stringsource.h	3 / 7 (42.9%)	3 / 20 (15.0%)	0 / 2 (0.0%)
src/tag.cpp	2 / 2 (100.0%)	33 / 38 (86.8%)	22 / 24 (91.7%)
src/token.h	1 / 2 (50.0%)	1 / 7 (14.3%)	0 / 2 (0.0%)

Costs




Costs

Daily Token Usage	Input Tokens	Output Tokens	Daily Cost	Monthly Cost (22 working days)	Annual Cost
Light Usage	5,000	7,500	€0.28	€6.16	€73.92
Moderate Usage	15,000	22,500	€0.83	€18.26	€219.12
Heavy Usage	50,000	75,000	€2.75	€60.50	€726.00
Enterprise Usage	100,000	150,000	€5.50	€121.00	€1,452.00

Costs

<i>Test Scenario</i>	<i>Tokens Consumed</i>	<i>Cost per Run</i>	<i>Runs per Day</i>	<i>Daily Total</i>
<i>Single code file fuzzing</i>	<i>2,000 in + 3,000 out</i>	<i>€0.11</i>	<i>10</i>	<i>€1.10</i>
<i>Module testing</i>	<i>8,000 in + 12,000 out</i>	<i>€0.44</i>	<i>5</i>	<i>€2.20</i>
<i>Full application scan</i>	<i>25,000 in + 35,000 out</i>	<i>€1.30</i>	<i>2</i>	<i>€2.60</i>
<i>CI/CD pipeline integration</i>	<i>15,000 in + 20,000 out</i>	<i>€0.75</i>	<i>8</i>	<i>€6.00</i>

Literature Review




Literature Review

- 1. Fuzz4All- Universal Fuzzing with Large Language Models**
- 2. Large Language Models Are Edge-Case Fuzzers- Testing Deep Learning Libraries via FuzzGPT**
- 3. Large Language Models are Zero-Shot Fuzzers- Fuzzing Deep-Learning Libraries via Large Language Models**
- 4. Large Language Models Based Fuzzing Techniques- A Survey**

Literature Review


Next Steps



Next Steps



Thank you!



Any Questions

