

# Carlingford High School



## Year 11 Mathematics Extension 1

### HSC Assessment Task 1

**Term 4 2020**

**Time allowed: 50 minutes**

**Total marks: 33**

**Student number:** \_\_\_\_\_

#### **Instructions:**

- Write your student number at the start of **every** question
- Use black pen. Pencil may be used for diagrams **only**
- Board approved calculators may be used
- Answer each question in the space provided
- Show all necessary working
- Marks may be deducted for illegible or badly set out work
- No lending or borrowing
- A formula sheet is provided

Topic	Rates of Change	Proof	Total
Q1	/10	/1	/11
Q2	/12		/12
Q3		/10	/10
Total	/25	/11	/33
			%

Student number: \_\_\_\_\_

Question 1 (11 marks)

Answer this question in the space provided.

a) Circle the best answer.


A quantity  $N$  has an initial value of 900 and the rate of change of  $N$  is given by the

i) equation  $\frac{dN}{dt} = 0.35(N - 500)$ .


1

Which graph shows the relationship between  $N$  and  $t$  ?


(A)




(B)



(C)



(D)



ii) Given that  $\frac{dM}{dr} = 4$  and  $\frac{dM}{dt} = 4t^3$ , find the value of  $\frac{dr}{dt}$  when  $t = 2$ .

1

(A) 8


(B) 12

(C) 200

(D) 300

iii) The graph shows the displacement  $x$  of a particle moving along a straight line as a function of time  $t$ .

1



Which statement describes the motion of the particle at point  $P$ ?

- (A) The velocity is negative and the acceleration is negative.
- (B) The velocity is negative and the acceleration is positive.
- (C) The velocity is positive and the acceleration is negative.
- (D) The velocity is positive and the acceleration is positive.

iv) Mrs Wilson wishes to prove by induction that statement  $S$  is true for all positive even integers. As a first step she proves  $S(2)$ . What should her second step be? 1

- (A) Prove  $S(3)$
- (B) Show that if  $S(k)$  is true then  $S(k + 1)$  is true
- (C) Show that if  $S(k)$  is true then  $S(k + 2)$  is true
- (D) She should have started with  $S(1)$

- b) The mass  $M$  of a radioactive substance at a time  $t$  satisfies the equation

$$M = M_0 e^{-kt}$$

where  $M_0$  is the initial mass and  $k$  is constant.

- i) If the half life of the substance, the time it takes to halve its mass, is 8 hours, show that  $k = \frac{1}{8} \ln 2$ . **1**

- ii) If the instantaneous rate of change of the mass after 3 hours is  $-5.2$  grams per hour, find  $M_0$  correct to the nearest gram. **2**

- c) The displacement of a particle moving along the  $x$ -axis is given by

$$x = 2t - \frac{1}{1+t},$$

where  $x$  is the displacement from the origin in metres,  $t$  is the time in seconds and  $t \geq 0$ .

- i) What is the initial position of the particle? **1**
- ii) Show that the acceleration of the particle is always negative. **2**
- iii) What value does the velocity of the particle approach as  $t$  increases indefinitely? **1**


Student Number: \_\_\_\_\_

Question 2 ( /12 marks)

Answer this question in the space provided.

- a) Let  $T$  be the temperature inside a room at time  $t$  and let  $A$  be the constant outside air temperature. According to Newton's law of cooling,  $\frac{dT}{dt}$  is proportional to  $(T - A)$ ,
- i) Show that  $T = A + Ce^{kt}$  (where  $C$  and  $k$  are constants), satisfies Newton's law of cooling. **1**
- ii) The outside temperature is  $5^{\circ}\text{C}$  and a heating system breakdown causes the inside room temperature to fall from  $20^{\circ}\text{C}$  to  $17^{\circ}\text{C}$  in half an hour. After how many hours is the inside room temperature equal to  $10^{\circ}\text{C}$ ? (Answer to two decimal places.) **3**

- b) The solid shown below is a cylinder which has its height equal to twice its diameter.



A virtual 3-D model is created which maintains the ratio of height and diameter.

In an animation, the model is being scaled up so that its volume is increasing at a steady rate of  $1200 \text{ cm}^3$  per second.

- i) Show that the volume  $V$  is given by the equation  $V = 4\pi r^3$  **1**


- ii) Find an expression for  $\frac{dr}{dt}$  in terms of  $r$ . **2**

- iii) The animation reverses when  $\frac{dr}{dt} = \frac{1}{4\pi}$  cm per second. What is the radius at this point? **1**



- c) Two long straight roads meet at an angle of  $90^\circ$ . Bicycle  $B$  starts from this intersection and travels along one road at 30 km/h. Fifteen minutes later, Car  $C$  passes through the intersection and continues down the other road at 50 km/h.
- i) Show that the distance between the car and the bicycle  $t$  hours after the bicycle leaves the intersection is given by **2**

$$BC = \sqrt{3400t^2 - 1250t + 156.25}$$



- ii) At what rate is the distance between the car and the bicycle increasing 1 hour after bicycle  $B$  left the intersection? (Answer to one decimal place.) **2**

This page may be used for additional working for Question 2

Student Number: \_\_\_\_\_

Question 3 ( /10 marks)

Answer this question in the space provided.

- a) Prove by induction that  $13 \times 6^n + 2$  is divisible by 5 for all integers  $n \geq 0$ .

**4**

- b) Prove by mathematical induction that  $1 + 10 + 10^2 + \cdots + 10^{n-1} = \frac{1}{9}(10^n - 1)$  **4**  
for all integers  $n \geq 1$ .

- c) Mr Fardouly notices that  $2^3 - 1$ ,  $2^5 - 1$  and  $2^7 - 1$  are all prime numbers.
- i) Prove that  $2^n - 1$  is **not** always a prime number when  $n$  is odd. **1**
- ii) Explain why he should not try to prove by induction that  $2^n - 1$  is prime whenever  $n > 0$  is prime. **1**

End of Exam – Please check your work.